

Seventy-third

Annual Report of the Registrar-General for Scotland

1927



EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:

120 George Street, Edinburgh; Adastral House, Kingsway, London, W.C.2;

York Street, Manchester; 1 St. Andrew's Crescent, Cardiff;

15 Donegall Square West, Belfast;

or through any Bookseller.

1928

Price 10s. 6d. Net.

CONTENTS

	PAGE
<i>REPORT.</i>	
Introductory Letter,	v
General Summary,	vii
Population Estimates,	x
Births,	xi
Marriages,	xvi
Deaths,	xix
Ages of those Dying,	xxiv
Causes of Death,	xxvii
<i>APPENDIX I.</i>	
Sixty-third Annual Report on Vaccination (1926),	1
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1926,	liii
<i>APPENDIX III.</i>	
Weather Report for Year 1927,	lxiii
<i>APPENDIX IV.</i>	
Alteration of Boundaries of Burghs, County Districts, etc., which became effective during 1927,	lxviii

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1927.

Table 1. Births, Deaths, and Marriages, 1855 to 1927,	lxix
„ 2. Birth, Death, and Marriage rates, 1855 to 1927,	lxx
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1917 to 1927,	lxxii
„ 4. Birth, Death, and Marriage rates in Larger Burghs,	lxxiii
„ 5. Do. do. Smaller Burghs,	lxxiv
„ 6. Do. do. County Districts,	lxxviii
„ 7. Do. do. Counties,	lxxxi
„ 8. Birth-rate among Married and among Unmarried Women,	lxxxii

MARRIAGES, 1926.

Table 9. Method of Celebration, etc., of Marriages, 1855-1926. Numbers and Percentages,	lxxxiii
„ 10. Ages, Civil Conditions, etc., of Persons Marrying, 1855-1926. Numbers and Percentages,	lxxxiv
„ 11. Regular and Irregular Marriages, 1926,	lxxxv
„ 12. Church of Celebration of Regular Marriages, 1926,	lxxxvi
„ 13. Civil Condition of Persons Marrying, 1926,	lxxxvii
„ 14. Method of Signature of Marriage Registers, or Schedules, 1926,	lxxxviii
„ 15. Ages of Men at Marriage, 1926,	xc
„ 16. Ages of Women at Marriage, 1926,	xcii
„ 17. Age Distribution of Men and Women at Marriage, 1926,	xciv

PAGE

Table 18.	Age Distribution of Men and Women at Marriage, 1855-1926,	xciv
„ 19.	Ages in Combination of Men and Women at Marriage, 1926,	xcv
„ 20.	Ages in Combination of Bachelors and Spinsters at Marriage, 1926,	xcvi
„ 21.	Ages in Combination of Bachelors and Widows at Marriage, 1926,	xcvii
„ 22.	Ages in Combination of Widowers and Spinsters at Marriage, 1926,	xcviii
„ 23.	Ages in Combination of Widowers and Widows at Marriage, 1926,	xcix

DEATHS, 1927.

Table 24.	Ages at Death—Scotland, Larger and Smaller Burghs, etc.—by Age Groups,	c
„ 25.	Death-rates by Age-Groups in do.	c
„ 26.	Percentage of Deaths by Age-Groups in do.	c
„ 27.	Ages at Death, Single Years of Age, and Condition as to Marriage—Males and Females,	cii
„ 28.	Deaths by Age-Groups in Larger Burghs,	civ
„ 29.	Death-rates by Age-Groups in Larger Burghs,	civ
„ 30.	Deaths and Death-rates—Age-Groups and Selected Causes—Both Sexes,	cv
„ 31.	Deaths and Death-rates—Age-Groups and Selected Causes—Males,	cvi
„ 32.	Deaths and Death-rates—Age-Groups and Selected Causes—Females,	cvii
„ 33.	Percentage of Deaths from Selected Causes by Age-Groups, ...	cviii
„ 34.	Deaths and Death-rates from Selected Causes—Scotland and Groups of Public Health Districts,	cix
„ 35.	Deaths from Selected Causes—Larger Burghs,	cx
„ 36.	Death-rates from Selected Causes—Larger Burghs,	cx
„ 37.	Deaths from Selected Causes and in Age-Groups, 1917-1927,	cxii
„ 38.	Death-rates from Selected Causes and in Age-Groups, 1917-1927,	cxiii
„ 39.	Deaths from Principal Epidemic and certain other Diseases, 1855-1927,	cxiv
„ 40.	Death-rates from Principal Epidemic and certain other Diseases, 1855-1927,	cxv
„ 41.	Deaths and Death-rates from Puerperal Conditions,	cxvii
„ 42.	Deaths from Malignant Disease,	cxviii
„ 43.	Deaths from Suicide,	cxx
„ 44.	Deaths from Poison, Accidental and Suicidal, and from Secondary Anæsthetics,	cxxii
„ 45.	Deaths of Children of less than One Year from Selected Causes, showing the Age in Completed Months,	cxxiii
„ 46.	Deaths of Children of less than One Year, showing the Month of Registration of Death,	cxxiii
„ 47.	Deaths of Children of less than One Year by Selected Causes—Counties (Landward) and Burghs,	cxxiv
„ 48.	Deaths of Children of less than One Year by Age-periods, with Infantile Mortality Rates—Counties (Landward) and Burghs,	cxxvi
„ 49.	Certified and Uncertified Deaths,	cxxviii

OTHER TABLES.

Table 50.	Meteorology of Scotland, and Births, Deaths, and Marriages by Month in 1927,	cxxix
„ 51.	Weather, and Weekly Death-rates,	cxxix
„ 52.	Vaccinations in Scotland, 1915-1926, with Percentage of Total Births, and Percentage of Survivors,	cxxxi
„ 53.	Deaths from Small-pox in Scotland, 1855-1926, with Vaccination Particulars, 1864-1926,	cxxxi

ABSTRACTS.

General Registration Summary—Births, Deaths, and Marriages in the Counties and Larger Burghs in 1927, with Vaccination particulars for 1926, ...	2-3
--	-----

CAUSES OF DEATH—FULL LIST.

Scotland—Both Sexes, ...	4
Scotland—Males, ...	9
Scotland—Females, ...	18
Counties of Scotland—Both Sexes, ...	28
Scotland, by Month of Registration—Both Sexes, ...	48
Glasgow—Both Sexes, ...	53
Edinburgh do. ...	58
Dundee do. ...	63
Aberdeen do. ...	68
Paisley do. ...	73
Greenock do. ...	78
Motherwell and Wishaw—Both Sexes, ...	83
Middle Ward District of Lanark—Both Sexes, ...	88

STATISTICS OF PUBLIC HEALTH DISTRICTS.

In County of Aberdeen, ...	94
Do. Argyll, ...	96
Do. Ayr, ...	97
Do. Banff, ...	99
Do. Berwick, ...	100
Do. Bute, ...	101
Do. Caithness, ...	101
Do. Clackmannan, ...	102
Do. Dumbarton, ...	102
Do. Dumfries, ...	103
Do. East Lothian, ...	104
Do. Fife, ...	105
Do. Forfar, ...	108
Do. Inverness, ...	109
Do. Kincardine, ...	110
Do. Kinross, ...	111
Do. Kirkcudbright, ...	111
Do. Lanark, ...	113
Do. Midlothian, ...	114
Do. Moray, ...	115
Do. Nairn, ...	115
Do. Orkney, ...	116
Do. Peebles, ...	117
Do. Perth, ...	117
Do. Renfrew, ...	119
Do. Ross and Cromarty, ...	119
Do. Roxburgh, ...	121
Do. Selkirk, ...	121
Do. Shetland, ...	122
Do. Stirling, ...	122
Do. Sutherland, ...	123
Do. West Lothian, ...	123
Do. Wigtown, ...	124

METEOROLOGICAL ABSTRACTS, ...	126
-------------------------------	-----

REPORT

TO THE SCOTTISH BOARD OF HEALTH.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, *24th August 1928.*

GENTLEMEN,

In compliance with the requirements of the Registration of Births, Deaths, and Marriages Act (Scotland), 1854, 17 and 18 Vict., c. 80, I have the honour to submit the Seventy-third Annual Report on the Registration Statistics of Scotland, these being applicable to the year 1927, and with it I submit four Appendices, (1) a Report on the Vaccination of Children whose births were registered during the year 1926, (2) a Supplementary and Detailed Report on Marriages registered during the year 1926, (3) a Report on the Meteorological Observations of the Year 1927, this being supplied by the Meteorological Office, Edinburgh, and (4) a list of Alterations of Boundaries which became effective during the year 1927.

I have the honour to be,

GENTLEMEN,

Your most obedient Servant,

J. C. DUNLOP,

Registrar-General.

REPORT ON THE BIRTHS, DEATHS, AND MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1927.

GENERAL SUMMARY.

THE population of Scotland in the middle of the year 1927 is estimated as being 4,891,953. This estimate is 4,685 less than that for the previous year, 1926, but is 9,456 more than the population of Scotland as ascertained by the Census taken in the middle of the year 1921.

Births registered in Scotland during the year numbered 96,672, and equalled a birth-rate of 19·76 per thousand. The births of the year are fewer than those in all previous years since 1855. The number is 5,777 less than that of the previous year, 11,423 less than the mean of those of the preceding five years, and 13,576 less than the mean of those of the preceding ten years. The birth-rate of the year, 19·76, is 1·16 less than that of the previous year, 2·32 less than the mean of those of the preceding five years, and 2·89 less than the mean of those of the preceding ten years. It is the lowest Scottish birth-rate yet recorded, the previous lowest being that of the year 1917, which was 20·26. Subsequent to the termination of the Great War the Scottish birth-rate rose and attained a maximum of 28·07 per thousand in 1920, but has since then steadily decreased, falling below 24 in 1922, below 22 in 1924, and in 1927, the year now under review, below 20.

The illegitimate children whose births were registered during the year numbered 6,978, which number, with one exception, that of the year 1925, is the smallest yet recorded. This number is 68 less than that of the previous year, 286 less than the mean of those of the preceding five years, and 908 less than the mean of those of the preceding ten years. The number of illegitimate children born annually in Scotland is in great contrast to what was formerly the case: from 1862 to 1887 the number was constantly over 10,000, and in the years 1889 to 1897 constantly over 9,000. The illegitimate rate of the year, i.e. the number of illegitimate children per 100 total children registered, was 7·22, which rate is 0·34 less than that of the previous year, and 0·50 less than the mean of the rates of the preceding five years.

Marriages registered during the year numbered 32,593, which number is 1,342 more than that of the previous year, but is 529 less than the mean of those of the preceding five years, and 3,469 less than the mean of those of the preceding ten years. The marriage-rate of the year was 6·66 per thousand, which is 0·28

more than that of the previous year, but 0·11 less than the mean of those of the preceding five years, and 0·75 less than the mean of those of the preceding ten years.

Marriages terminated by decree of divorce or nullity during the year numbered 474, which number is 49 more than that of the previous year and 62 more than the mean of those of the preceding five years, but is 21 less than the mean of those of the preceding ten years.

Deaths registered during the year in all numbered 65,830 and equalled a death-rate of 13·46 per thousand. The deaths of the year are 2,050 more than in the previous year, but 1,336 fewer than the mean of the numbers of the preceding five years, and 3,493 fewer than the mean of those of the preceding ten years. The death-rate of the year, 13·46, is 0·43 more than that of the previous year, but is 0·26 less than the mean of those of the preceding five years, and 0·79 less than the mean of those of the preceding ten years. Previous to 1921 the Scottish death-rate was constantly over 14 per thousand, and previous to 1916 it was constantly over 15 per thousand. This is the third consecutive year in which the death-rate was less than 14, and the eighth consecutive year in which it was less than 15.

The infantile mortality rate of the year was 88·7 per thousand registered births, which rate is 5·6 more than that of the previous year, but is 1·6 less than the mean of those of the preceding five years, and 5·6 less than the mean of those of the preceding ten years. The only years in which a lower infantile mortality rate was recorded in Scotland were 1923 and 1926, when the rates were 78·9 and 83·1 respectively.

The usual endeavour has been made to verify the ages of reputed centenarians whose deaths were recorded during the year. These deaths in all numbered 13 and comprised those of 4 men and 9 women. The result of the investigations was to verify the attainment of age 100 in 5 instances, and to disprove attainment of that age in 3 instances, while in 5 instances no proof of attainment of age 100 was found. These searches have now extended over a period of 18 years, and have in all dealt with the ages of 253 reputed centenarians; in 117 instances attainment of age 100 was verified, in 37 instances it was disproved, while in 99 instances confirmation could not be obtained.

The annual death-rate from all tuberculous disease was 100 per 100,000, and that from tuberculous disease of the respiratory system 71 per 100,000. Both these rates are slightly higher than in the previous year, but are markedly lower than in other recent years, the former being 12 less, and the latter 7 less, than the mean of the corresponding rates in the preceding five years.

The Annual Reports of the last 50 years have almost without exception, year in and year out, shown an increase in the death-rate from malignant disease, and such is again found to be the case. This death-rate during 1927 was 141 per 100,000, which is

5 more than that of the previous year, 9 more than the mean of those of the preceding five years, and 16 more than the mean of those of the preceding ten years. This is the first year in which this death-rate has exceeded 140. Fifty years ago, in 1877, this death-rate was 49, or approximately one-third of what it now is.

Deaths from diseases and accidents of pregnancy and parturition numbered 622 and equalled a death-rate of 6.4 per thousand registered births. This number is 34 less than in the previous year, but this rate is of the same amount as in that year and is 0.1 more than the mean of those of the preceding five years.

Deaths from general paralysis of the insane during the year numbered 140. During recent years these deaths have shown a marked diminution: in the five years 1920 to 1924 they averaged 220, in 1925 this number fell to 191, in 1926 to 170, and in 1927 to 140.

In recent Reports attention has been directed to the frequency of accidental and suicidal deaths by coal gas poisoning. The number of such deaths during the year differs but little from what it was in the previous year, 152 as against 149. In the three years 1919 to 1921 these deaths averaged 59, in the three years 1922 to 1924 they averaged 120, and in the three years 1925 to 1927 they averaged 136.

A table has been inserted in the Report and will be found on page xlv showing the number of fatal motor car accidents, and giving as a contrast the number of fatal accidents in connection with horses and horse-drawn vehicles. The fatal motor car accidents of the year numbered 448, and showed an increase of 32 when compared with the figure of the previous year. These accidents in the last three years have averaged 394, which compares with an average of 198 in the years 1920 to 1922.

Appendix I deals with the vaccination statistics of children born in the year 1926, and the outstanding features are the relatively small proportion of children reported to have been successfully vaccinated, and the relatively high proportion exempted from vaccination by reason of Statutory Declarations of Conscientious Objection. Children born in 1926 and remaining alive at the time of statutory vaccination numbered 95,512, and of them 59,136 or 61.9 per cent. are reported to have been vaccinated (or insusceptible to vaccination), while 36,376 or 38.1 per cent. are not so reported. Of the 36,376 unvaccinated children, 30,804 were exempted from vaccination by reason of conscientious objection on the part of their parents; these children amount to 32.3 per cent. of the total children alive at the time of vaccination, and to 84.7 per cent. of the total unvaccinated.

Appendix II deals with the detailed marriage statistics for the year 1926. In that year the marriage-rate was 6.38 per thousand, which is low, and less than those of all previous years

with the exception of 1917, 1887 and 1886. The irregular marriages of the year numbered 3,712 and constituted 11·88 per cent. of the total. The number of these irregular marriages within recent years has been declining; in the year 1919 they were at a maximum of 8,351 and constituted 18·96 per cent. of the total; in 1921 the number fell to 6,135, in 1923 to 4,296, and in 1924 to 3,935. In 1925 there was a small rise to 4,032, but this year again shows a fall, the number being 3,712.

Of the regular marriages of the year 20,924, or 76·0 per cent., were celebrated according to the rites of one or other of the three large Presbyterian Churches, 13·0 according to those of the Roman Catholic Church, and 3·5 according to those of the Scottish Episcopal Church. In the previous year these three percentages were 75·1, 13·6 and 3·3 respectively. During the year the Marriage Registers recorded the celebration of marriage in Scotland according to the rites of 40 different denominations; in the previous year this number was 39.

ESTIMATED POPULATION FOR THE YEAR 1927.

For the purposes of this Report the population of Scotland in the middle of the year 1927 is estimated at 4,891,953, of whom 2,352,189 were males and 2,539,764 were females. The Scottish population in the middle of the year 1926 was estimated at 4,896,638, and as between the middle of the year 1926 and the middle of the year 1927 there was in Scotland an excess of registered births over registered deaths amounting to 35,084, while during the same period the excess of emigrants from Scotland over immigrants into Scotland is estimated at 39,769, a difference of 4,685 has been deducted from the 1926 estimate to obtain that for the middle of the year 1927. The estimated population for the year 1927 is 9,456 in excess of the population as ascertained by the Census of 1921, the excess of the estimated male population being 4,547 and of the female 4,909.

The population of the larger burghs taken collectively, those burghs in which the population was found by the Census of 1921 to amount to over 30,000, is estimated at 2,403,565 or 49·1 per cent. of the total estimated population of Scotland, that of the

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1927.

GROUPS OF DISTRICTS.	Census 1921.			Census 1911.			Estimated to 30th June 1927.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Larger Burghs	2,381,593	1,142,055	1,239,538	2,339,971	1,121,654	1,218,317	2,403,565	1,152,664	1,250,901
Smaller Burghs	949,454	440,218	509,236	904,016	426,760	477,256	948,142	439,637	508,505
County Districts	1,551,450	765,369	786,081	1,516,917	760,425	756,492	1,540,246	759,888	780,358
SCOTLAND .	4,882,497	2,347,642	2,534,855	4,760,904	2,308,839	2,452,065	4,891,953	2,352,189	2,539,764

smaller burghs taken collectively, burghs with censal populations of less than 30,000, is estimated at 948,142 or 19·4 per cent. of the total, and the aggregate population of the county or extra-burghal districts is estimated to amount to 1,540,246 or to 31·5 per cent. of the total.

As explained in the Report for the year 1921, arbitrary estimates are used for estimating birth-, death-, and marriage-rates in the County of Bute, in the Burghs of Cove and Kilcreggan, Dunoon, Earlsferry, Elie Liberty and Williamsburgh, Girvan, Kinghorn, Largs, Millport, Prestwick, Rothesay, Saltcoats and Troon, and in the County Districts of Arran and of Bute, this course being necessitated by the censal populations having been unduly inflated by the presence of summer visitors at the date of the Census of 1921.

A list of alterations of burgh and other boundaries during the year is contained in Appendix IV. The more important of these are extensions of four burghs, Invergordon, Airdrie, Greenock and Loanhead, and the corresponding diminution of county public health districts. The area annexed to the Burgh of Airdrie included a small portion formerly in the Burgh of Coatbridge.

BIRTH STATISTICS.

The total number of living children whose births were registered in Scotland during the year 1927 was 96,672, of whom 49,314 were males and 47,358 were females. This is the smallest number of births registered in Scotland in any year since the introduction of national registration in 1855 with the exception of that of the year 1855 itself, when no doubt the number was to some extent incomplete. The births are 5,777 fewer than in the previous year, 11,423 fewer than the mean of the numbers of the preceding five years, and 13,576 fewer than the mean of those of the preceding ten years. A maximum number of births was registered in the year 1920 and was 136,546, and compared with this number that of this year is 39,874 or 29·2 per cent. less. Since 1920 the annual number of births has shown a steady drop, falling below 120,000 in 1922, below 110,000 in 1924, and being now less than 100,000. (*Table 1.*)

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1927.

GROUPS OF DISTRICTS.	Births.					Birth-rate per 1000 of Estimated Population.			Illegiti- mate Births per 100 Total Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Larger Burghs .	50,212	24,008	23,049	1,586	1,569	20·89	19·58	1·31	6·28
Smaller Burghs .	16,795	7,889	7,725	610	571	17·71	16·47	1·25	7·03
County Districts	29,665	13,927	13,096	1,294	1,348	19·26	17·54	1·72	8·91
SCOTLAND . .	96,672	45,824	43,870	3,490	3,488	19·76	18·34	1·43	7·22

The male children of the year numbered 3,048 fewer than those of the previous year and 6,059 fewer than the mean of the numbers of the preceding five years. The female children of the year numbered 2,729 fewer than those of the previous year and 5,364 fewer than the mean of those of the ten preceding years. (*Table 1.*)

The Scottish birth-rate of the year 1927 was 19·76 per thousand of the estimated population. It is 1·16 less than that of the previous year, 2·32 less than the mean of those of the preceding five years, and 2·89 less than the mean of those of the preceding ten years. It is the lowest Scottish birth-rate yet recorded, the previous lowest being that of the year 1917, which was 20·26. From 1855 to 1893 the Scottish birth-rate was constantly over 30 per thousand, and attained a maximum of 35·62 in the year 1876. It fell for the first time below 30 in 1894, below 28 in 1907, and below 26 in 1911, but in 1914 it recovered somewhat, rising to 26·11. During the war years there was a marked decline, a minimum of 20·26 occurring in 1917. Subsequent to the war there was a sharp rise, a maximum of 28·07 occurring in 1920, but since then the birth-rate has been constantly falling; in 1922 it was less than 24 per thousand, in 1924 less than 22, and in 1927 is found for the first time to be less than 20 per thousand. (*Table 2.*)

The birth-rate of male children per thousand of the estimated male population was 21·0, and that of female children per thousand of the estimated female population was 18·6, the former being 1·2 less, and the latter 1·1 less, than in the previous year.

The ratio between male and female births registered during the year in Scotland was 104·1 to 100. In the previous year this ratio was 104·5 to 100. (*Table 2.*)

Of the total births registered in Scotland during the year 50,212 or 51·9 per cent were registered in the larger burghs, 16,795 or 17·4 per cent. in the smaller burghs, and 29,665 or 30·7 per cent. in the county or extra-burghal districts. In the larger burghs taken collectively the birth-rate was 20·89 per

TABLE C.—Birth-rate per 1000 Women Aged 15-45, 1927.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15-45.	Births.		Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15-45.	
		Num-ber.	Percent. of Total.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs .	611,022	50,212	51·94	20·89	105·7	82·2	101·2
Smaller Burghs .	235,027	16,795	17·37	17·71	89·6	71·5	88·1
County Districts	344,759	29,665	30·69	19·26	97·5	86·0	105·9
SCOTLAND . .	1,190,808	96,672	100·00	19·76	100·0	81·2	100·0

thousand, in the smaller burghs 17·71, and in the county districts 19·26. Compared with the corresponding rate in the previous year that of the larger burghs is 1·25 less, of the smaller burghs 0·94 less, and of the county districts 1·17 less. (*Table 4.*)

In the counties, burghs included, the annual birth-rate varied from 22·6 in Banff, 22·5 in Lanark, 21·8 in Wigtown, 21·6 in West Lothian, 21·2 in Caithness, and 21·0 in Stirling, to 11·7 in Argyll, 12·1 in Shetland, 12·8 in Bute, 14·8 in Orkney, and 15·0 in Perth. (*Table 7.*)

In the larger burghs taken individually the birth-rate ranged from 26·1 in Coatbridge, 22·4 in Glasgow, 22·2 in Greenock, 21·9 in Hamilton, and 21·3 in Clydebank, to 17·1 in Perth, 17·3 in Dunfermline, 17·9 in Edinburgh, and 18·0 in Kirkcaldy. In Kilmarnock this rate was 21·1, in Motherwell and Wishaw 21·1, in Falkirk 20·8, in Paisley 20·6, in Dundee 20·4, in Aberdeen 20·1, and in Ayr 18·6. (*Table 4.*)

Of the smaller burghs 74 had populations of between 5,000 and 30,000 at the Census of 1921, and in these the annual birth-rate varied from 26·8 in Wick, 26·7 in Peterhead, 25·9 in Borrowstounness, 25·5 in Airdrie, and 25·3 in Grangemouth, to 9·8 in Carnoustie, 10·9 in St. Andrews, 11·2 in Helensburgh, and 11·7 in Gourock. (*Table 5.*)

In county or extra-burghal districts with populations of over 5,000 the birth-rate varied from 25·8 in Huntly District of

TABLE D (1).—Frequencies of Specified Birth-rates in Counties, Burghs, and County Districts in 1927.

Birth-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
—4
4—	...	5	5	3	2
6—	...	8	8	6	2
8—	...	12	10	2	...	9	1
10—	1	17	10	7	...	8	2
12—	2	27	21	6	...	19	2
14—	5	45	24	21	...	22	2
16—	7	43	24	19	3	19	2
18—	9	46	20	26	2	17	1
20—	7	45	35	10	8	26	1
22—	2	35	24	11	2	20	2
24—	...	11	8	3	...	8	...
26—	...	6	6	...	1	5	...
28—	...	5	5	3	2
30—
32—	...	1	1	1
34—
36—
38—
40 and over
TOTALS, ...	33	306	201	105	16	165	20

Aberdeen, 24·8 in Turriff District of Aberdeen, 24·7 in Middle Ward District of Lanark, 23·6 in Ayr District of Ayr, and 23·5 in Ellon District of Aberdeen, to 8·3 in Cowal District of Argyll, 10·2 in Mull District of Argyll, 11·0 in Highland District of Perth, 12·3 in Mid Argyll District of Argyll and 12·5 in Mainland District of Shetland. (*Table 6.*)

The number of women of child-bearing age in Scotland—15 to 45—is estimated as 1,190,808, of whom 512,615 are married and 678,193 are either unmarried or widowed. As the total births of the year numbered 96,672, the annual birth-rate expressed as per thousand of all women of child-bearing age is found to be 81·2, which rate is 4·8 less than that of the previous year, 6·2 less than that of the year 1925, 8·8 less than that of the year 1924, and 12·6 less than that of the year 1923. In the larger burghs taken collectively the birth-rate expressed in this manner was 82·2 per thousand, in the smaller burghs 71·5, and in the county districts 86·0. In the previous year these three rates were 87·0, 75·5 and 91·2 respectively. (*Table 8.*)

Of the 96,672 living children whose births were registered during the year 1927, 89,694 or 92·78 per cent. were legitimate, while 6,978 or 7·22 per cent. were illegitimate. Compared with the number in the previous year that of legitimate children is 5,709 or 6·0 per cent. less, and that of illegitimate children is 68 or 1·0 per cent. less. Compared with the mean of the numbers of the previous five years that of legitimate children is 11,137 or 11·0 per cent. less, and that of illegitimate children is 286 or 3·9 per cent. less. Compared with the mean of the numbers of the preceding ten years that of legitimate children is 12,668 or 12·4 per cent. less, and that of illegitimate children 908 or 11·5 per cent. less. The number of legitimate children of the year is the smallest recorded since 1856. The number of illegitimate children registered is less than in all previous years since 1855 with one exception, which occurred in 1925, and when the number was 6,831. During the years 1862 to 1887 the births of more than 10,000 illegitimate children were registered annually. In 1898 this number for the first time fell below 9,000, in 1915 for the first time below 8,000, and in 1925 for the first time below 7,000. During the three years 1925, 1926 and 1927 the number of illegitimate children registered has averaged 6,952. (*Table 1.*)

The illegitimate rate of the year expressed as percentage of the total births was 7·22. This rate is 0·34 more than that of the previous year, 0·50 more than the mean of those of the preceding five years, and 0·06 more than the mean of those of the preceding ten years. That this rate should be relatively high while the number of such children is relatively small is due to the small total number of births registered during the year. (*Table 2.*)

In the larger burghs taken collectively the illegitimate rate of the year was 6·28 per cent., in the smaller burghs 7·03, and in the county districts 8·91. In the previous year these three rates

were 6·04, 6·50 and 8·49 respectively, and thus the illegitimate rate in the larger burghs shows an increase of 0·24, in the smaller burghs an increase of 0·53, and in the county districts an increase of 0·42. (*Table 4.*)

In the counties, burghs included, the illegitimate rate ranged from 14·8 per cent. in Wigtown, 14·2 in Moray, 13·6 in Caithness, 13·4 in Banff, 12·6 in Nairn, and 12·1 in Dumfries, to 4·7 in Renfrew, 5·4 in West Lothian and in Dumbarton, 5·5 in Clackmannan, 6·0 in Fife, 6·1 in Orkney, and 6·2 in Lanark. In the larger burghs this rate varied from 8·0 per cent. in Perth, 7·6 in Dundee, 7·5 in Aberdeen, and 7·1 in Edinburgh and in Hamilton, to 4·3 in Clydebank, 4·6 in Paisley and in Kilmarnock, and 4·7 in Falkirk. In burghs with populations of between 5,000 and 30,000 this rate varied from 15·4 per cent. in Brechin, 15·1 in Elgin, 14·5 in Campbeltown, and 11·8 in Peebles, to 0·8 in Gourrock, 2·4 in Leven, 2·5 in Johnstone, 2·7 in Kirkintilloch, and 3·1 in Oban. In county or extra-burghal districts with populations of over 5,000 the illegitimate rate varied from 21·5 per cent. in Islay District of Argyll, 21·4 in Turriff District of Aberdeen, 19·4 in Garioch District of Aberdeen, 17·9 in Alford District of Aberdeen, 17·7 in Rhins District of Wigtown, 17·6 in Huntly District of Aberdeen and 17·5 in County District of Caithness, to 2·9 in Lewis District of Ross and Cromarty, 3·6 in Upper District of Renfrew, 3·8 in County District of Clackmannan and 4·5 in East District of Berwick. (*Tables 4–7.*)

The legitimate birth-rate of the year expressed as per thousand of the estimated number of married women of child-bearing age—15 to 45—was 175, which rate is 11 less than that of the previous year, 15 less than that of 1926, 20 less than that of 1924, and 28 less than that of 1923. In the larger burghs taken collectively this rate was 177, in the smaller burghs 157, and in the county districts 183. In the previous year these three rates were 188, 166, and 195 respectively. In the counties, burghs included, this rate varied from 236 in Caithness, 211 in Sutherland, 205 in Inverness, 204 in Banff, and 203 in Wigtown, to 121 in Argyll, 138 in Bute, 142 in Peebles, 145 in Selkirk, and 149 in Fife. In the larger burghs it varied from 232 in Coatbridge, 188 in Greenock, 186 in Glasgow, 183 in Paisley, and 180 in Dundee, to 119 in Dunfermline, 152 in Kirkcaldy, 157 in Perth, and 159 in Ayr. (*Table 8.*)

The illegitimate rate expressed as per thousand of the estimated number of unmarried and widowed women of ages 15 to 45 was 10·3, which rate is 0·1 less than that of the previous year, 0·2 more than that of the year 1925, 0·2 less than that of 1924, and 0·7 less than that of 1923. In the larger burghs taken collectively this rate was 9·1, in the smaller burghs 8·7, and in the county districts 13·4. In the previous year these three rates were 9·3, 8·5 and 13·5 respectively, and thus in the larger burghs this rate shows a fall of 0·2, in the smaller burghs a rise of 0·2, and in the county districts a fall of 0·1. In the counties, burghs

included, the illegitimate birth-rate expressed in this manner varied from 25·0 in Banff, 22·4 in Wigtown, 21·4 in Caithness, and 21·0 in Moray, to 5·3 in Shetland, 6·8 in Bute and in Renfrew, and 7·0 in Orkney and in Ross and Cromarty. In the larger burghs this rate varied from 13·7 in Hamilton, 12·3 in Coatbridge, 10·3 in Motherwell and Wishaw, and 10·0 in Greenock, to 6·1 in Paisley, 6·5 in Ayr, and 6·9 in Kilmarnock. (*Table 8.*)

Of the 96,672 children registered during the year 94,171 or 97·41 per cent. were single children, 2,474 or 2·56 per cent. were twins, and 27 or 0·03 per cent. were triplets. From the foregoing figures it may be deduced that the total number of women giving birth to living children during the year was 95,417, and of them 94,171 or 98·69 per cent. gave birth to single children, 1,237 or 1·30 per cent. to twins, and 9 or 0·01 per cent. to triplets. During the year 1 child in 39 was a twin and 1 child in 3,580 a triplet, while 1 birth in 77 was a twin birth and 1 birth in 10,602 was a triplet birth. In this computation of single births, twins and triplets, only live-born children are counted—still-born children are not registered in Scotland—and thus the birth of one living child and one still-born child, or of one live child and two still-born children, is counted as a single birth, and a birth of two live children and one still-born child is counted as a twin birth.

The Scottish birth-rate of the first quarter of the year was 20·5 per thousand, of the second quarter 20·6, of the third quarter 19·1, and of the fourth quarter 18·9. Compared with the corresponding rate of the previous year that of the first quarter is 1·1 less, of the second quarter 1·5 less, of the third quarter 1·0 less, and of the fourth quarter 0·9 less. (*Table 3.*)

The monthly birth-rate during the year ranged from 21·4 in March, 21·0 in April, and 20·5 in May, to 18·2 in November, 18·9 in September, and 19·0 in August. In February this rate was 20·3, in June 20·2, in January 19·9, in July 19·2, in October 19·2, and in December 19·2. (*Table 50.*)

The birth-rate for the year in England and Wales was 16·7, in Northern Ireland 21·3, and in the Irish Free State 20·3. Compared with the Scottish rate that of the year in England and Wales is 3·1 less, in Northern Ireland 1·5 more, and that in the Irish Free State 0·5 more.

MARRIAGE STATISTICS.

In conformity with the scheme of these Reports the marriage statistics for the year 1927 fall to be dealt with in two portions. In this Report there is incorporated the number of marriages registered during the year in Scotland and in its geographical divisions, while in the subsequent Report, that dealing with the births and deaths of the year 1928, the more detailed marriage statistics of the year now under review, 1927, will be included,

The statistics which will appear in the subsequent Report include those of the church of celebration, of the ages of the persons married, &c., in the same manner as the detailed marriage statistics for the year 1926 are given in Appendix II and in Tables 9 to 23 of this Report.

Marriages registered in Scotland during the year 1927 in all numbered 32,593. This number is 1,342 more than that of the previous year, but 529 less than the mean of those of the five preceding years, and 3,469 less than the mean of those of the ten preceding years. A maximum number of marriages in Scotland occurred in the year 1920 and was 46,754, compared with which number that of this year is 14,161 less. (*Table 1.*)

The Scottish marriage-rate of the year 1927 was 6·66 per thousand. This rate is 0·28 more than that of the previous year, but is 0·11 less than the mean of those of the preceding five years, and 0·75 less than the mean of those of the preceding ten years. This rate is somewhat higher than in each of the three preceding years. The highest Scottish marriage-rate was recorded in 1920 and was 9·61, and compared with it that of this year is 2·95 less. (*Table 2.*)

Of the 32,593 marriages registered during the year 19,423 or 59·6 per cent. were registered in the larger burghs, 6,184 or 19·0 per cent. in the smaller burghs, and 6,986 or 21·4 per cent. in the county districts. The marriage-rate in the larger burghs taken collectively was 8·08, in the smaller burghs 6·52, and in the county districts 4·54. In the previous year these three rates were 7·85, 6·23 and 4·22, and thus the collective marriage-rate in the larger burghs shows an increase of 0·23, in the smaller burghs an increase of 0·29, and in the county districts an increase of 0·32.

In the counties, burghs included, the annual marriage-rate varied from 8·5 per thousand in Midlothian, 7·7 in Aberdeen, 7·6 in Lanark, 6·8 in Forfar, and 6·6 in Clackmannan, to 2·9 in Bute, 3·1 in Sutherland, 3·6 in Argyll, 3·7 in Ross and Cromarty, and 3·8 in Shetland. In the larger burghs taken individually this

TABLE D (2).—Marriages in Scotland and its Groups of Public Health Districts in 1927.

GROUPS OF DISTRICTS.	Marriages.		Marriage-rate per 1000 of Population.	
	Number.	Per cent. of Total.	Rate.	Relative Quantity, Scotland being = 100.
Larger Burghs . . .	19,423	59·6	8·08	121·3
Smaller Burghs . . .	6,184	19·0	6·52	97·9
County Districts . . .	6,986	21·4	4·54	68·2
SCOTLAND	32,593	100·0	6·66	100·0

rate varied from 10·0 in Perth, 9·5 in Aberdeen, 9·1 in Edinburgh, 8·7 in Kilmarnock, and 8·5 in Glasgow, to 4·9 in Greenock, 5·2 in Clydebank, and 5·3 in Motherwell and Wishaw. (*Tables 4 and 7.*)

The marriage-rates of the smaller burghs and county districts are shown in Tables 5 and 6. These rates, and indeed those of the larger burghs and of the counties, may be indicative of the frequency of marriage within the particular localities, but on account of the frequency of removal from a county district to a burgh and from a smaller to a larger burgh for the purpose of marriage, these rates cannot be accepted as strictly indicative of the frequency of marriage among the population of the particular areas.

Marriages terminated during the year by decree of divorce or nullity numbered 474. This number is 49 more than that of the previous year, and 62 more than the mean of those of the preceding five years, but is 21 less than the mean of those of the preceding ten years.

The Scottish marriage-rate of the first quarter of the year was 6·1 per thousand, of the second quarter 6·5, of the third quarter 7·4, and of the fourth quarter 6·6. In the previous year these four quarterly marriage-rates were 6·5, 6·3, 6·8 and 5·9 respectively, and thus while the rate of the first quarter shows a fall of 0·4, those of the remaining three quarters all show increases, that of the second quarter being 0·2, of the third quarter 0·6, and of the fourth quarter 0·7. (*Table 3.*)

The monthly marriage-rate during the year varied from 9·5 per thousand in June, 9·2 in July, and 8·6 in December, to 3·4 in May, 5·0 in March, and 5·1 in February and in November. In January this rate was 8·1, in September 6·8, in April 6·7, in October 6·2, and in August 6·1. (*Table 50.*)

TABLE D (3).—Number of Divorces in Scotland, 1855-1927, including Cases of Nullity of Marriage.

Year.	Number.	Year.	Number.	Year.	Number.	Year.	Number.
1855	11	1874	38	1893	112	1912	249
1856	16	1875	33	1894	120	1913	250
1857	18	1876	40	1895	117	1914	347
1858	12	1877	29	1896	133	1915	242
1859	24	1878	66	1897	142	1916	267
1860	23	1879	55	1898	135	1917	297
1861	27	1880	80	1899	176	1918	485
1862	26	1881	71	1900	144	1919	829
1863	9	1882	69	1901	158	1920	776
1864	2	1883	65	1902	204	1921	500
1865	4	1884	87	1903	194	1922	382
1866	4	1885	76	1904	182	1923	363
1867	5	1886	97	1905	167	1924	433
1868	13	1887	80	1906	173	1925	451
1869	7	1888	107	1907	200	1926	425
1870	17	1889	100	1908	189	1927	474
1871	11	1890	87	1909	192		
1872	12	1891	107	1910	223		
1873	25	1892	118	1911	234		

In England and Wales the marriage-rate of the year was 7·8 per thousand, in Northern Ireland 5·8, and in the Irish Free State 4·5. Compared with the Scottish rate that of England and Wales is 1·1 more, of Northern Ireland 0·9 less, and of the Irish Free State 2·2 less.

DEATH STATISTICS.

The deaths of 65,830 persons were registered in Scotland during the year 1927, of whom 33,097 were males and 32,733 were females. The total deaths registered during the year numbered 2,050 more than those registered in the previous year, but 1,336 fewer than the mean of the numbers registered in the preceding five years, and 3,493 fewer than the mean of those registered in the preceding ten years. The deaths of males numbered 1,076 more than registered in the previous year, and those of females 974 more. The number of deaths registered during the year, 65,830, is less than in any year since 1861 with three exceptions, 1923, 1925 and 1926, when the numbers were respectively 63,283, 65,507 and 63,780. (*Table 1.*)

The Scottish death-rate of the year was 13·46 per thousand, which rate, although 0·43 more than that of the previous year, is 0·26 less than the mean of those of the preceding five years, and 0·79 less than the mean of those of the preceding ten years. It is the third consecutive year in which the national death-rate has been less than 14 per thousand. During the years 1861 to 1880 the Scottish death-rate was constantly more than 20 per thousand, attaining a maximum of 23·58 in the year 1864. From 1881 to 1900 the death-rate was on two occasions more than 20 per thousand, on eight occasions between 19 and 20, on eight occasions between 18 and 19, once between 17 and 18, and once less than 17. In the 20 years 1901 to 1920 the death-rate was never more than 18 per thousand, on four occasions it was between 17 and 18, on six occasions between 16 and 17, on seven occasions between 15 and 16, and on three occasions between 14 and 15. Since 1920 the death-rate has been constantly under

TABLE E.—Deaths in Scotland and its Groups of Public Health Districts in 1927.

GROUPS OF DISTRICTS.	Deaths.			Death-rate per 1000 of Population.		
	Registered.		Corrected for Transfers.	Uncorrected.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
	Number.	Per cent. of Total.				
Larger Burghs .	35,859	54·5	33,945	14·92	14·12	15·26
Smaller Burghs .	11,766	17·9	12,670	12·41	13·36	12·62
County Districts	18,205	27·6	19,215	11·82	12·47	11·58
SCOTLAND . .	65,830	100·0	65,830	13·46	13·46	13·46

15, the highest being 14·87, which occurred in 1922, and the lowest 12·91, which occurred in 1923. (*Table 2.*)

The death-rate in the male population was 14·07 per thousand and in the female population 12·89, the former being 0·47, and the latter 0·40, more than in the previous year. (*Table 2.*)

When dealing in this Report with the death statistics of counties, of burghs, and of county districts, three rates are given. The first, the crude death-rate, is based on the number of deaths registered in the county, burgh or district, and is neither corrected nor adjusted in any manner. The second, the corrected death-rate, is based on the number of deaths registered, but is corrected by the exclusion of deaths of Scottish non-residents and the inclusion of deaths of residents which have taken place elsewhere in Scotland. The third, the corrected and adjusted rate, is the corrected death-rate adjusted to compensate for difference between the age and sex distribution of the local population and that of Scotland in its entirety. The first of these rates shows the actual frequency of death in the county, burgh, or district, and the second the frequency of death in the population thereof, while the third is a statistical measurement useful for the purposes of comparison, as it indicates the relative frequency of death uncomplicated by variation in sex and age distribution.

In the counties, burghs included, the crude death-rate of the year varied from 17·1 in Nairn and in Orkney, and 16·8 in Forfar and in Inverness, to 10·0 in East Lothian, 10·5 in Dumbarton, 10·6 in West Lothian, and 10·9 in Peebles. In 17 counties the crude death-rate was higher than the national death-rate, while in 16 it was lower. (*Table 7.*)

TABLE F.—Showing the Effect on the Death-rates of the Larger Burghs of Correction for Transfers and of Adjustment for Age and Sex Distribution in 1927.

LARGER BURGHS.	Death-rates.				
	Uncorrected.	Effect of Correction.	Corrected for Transfers.	Effect of Adjustment.	Adjusted for Age and Sex Distribution.
Dundee	17·5	−0·6	16·9	0·0	16·9
Glasgow	15·6	−1·0	14·6	+1·8	16·4
Coatbridge . . .	13·1	+1·1	14·2	+1·9	16·1
Edinburgh . . .	15·8	−1·5	14·3	+0·2	14·5
Greenock	13·6	−0·3	13·3	+1·2	14·5
Paisley	13·9	−0·8	13·1	+1·3	14·4
Kilmarnock . . .	15·0	−1·6	13·4	+0·8	14·2
Falkirk	14·0	−1·3	12·7	+1·4	14·1
Aberdeen	14·5	−0·7	13·8	0·0	13·8
Clydebank	7·5	+3·2	10·7	+2·8	13·5
Motherwell and Wishaw	9·4	+1·8	11·2	+2·2	13·4
Hamilton	10·1	+1·5	11·6	+1·8	13·4
Perth	17·6	−3·5	14·1	−0·7	13·4
Ayr	15·1	−3·0	12·1	+0·6	12·7
Kirkcaldy	11·3	+0·3	11·6	0·0	11·6
Dunfermline . . .	11·7	−1·3	10·4	+0·9	11·3

In the counties the corrected death-rate ranged from 17·7 in Orkney, 17·4 in Nairn, and 16·9 in Caithness and in Sutherland, to 10·9 in East Lothian, 11·3 in West Lothian, 11·4 in Ayr, 11·6 in Stirling, and 11·8 in Dumbarton and in Kinross. In 19 counties the corrected death-rate was more than the national rate, and in one county it was the same, while in 13 counties it was lower. (*Table 7.*)

In the counties the corrected and adjusted death-rate of the year ranged from 15·5 in Lanark, 15·2 in Forfar, and 14·1 in Banff, in Midlothian and in Nairn, to 9·8 in Argyll, 9·9 in Shetland, 10·0 in Kinross, 10·9 in East Lothian, and 11·1 in Peebles and in Sutherland. In six counties the corrected and adjusted death-rate was higher than the national death-rate, while in 27 counties it was lower. (*Table 7.*)

Of the 65,830 deaths registered during the year, 35,859 or 54·5 per cent. were registered in the larger burghs, 11,766 or 17·9 per cent. in the smaller burghs, and 18,205 or 27·6 per cent. in the county districts. When the 65,830 deaths are distributed according to the place of usual residence it is found that 33,945 or 51·6 per cent. occurred in the population of the larger burghs, 12,670 or 19·2 per cent. in the population of the smaller burghs, and 19,215 or 29·2 per cent. in the population of the county districts. Deaths in the population of the larger burghs numbered 434 or 1·3 per cent. more than in the previous year, those in the smaller burghs numbered 665 or 5·5 per cent. more, and those in the county districts 951 or 5·2 per cent. more.

TABLE G.—Frequencies of Specified Death-rates, Corrected and Adjusted, in Counties, Burghs, and County Districts in 1927.

Death-rate per 1000.	Counties.	All Burghs and all County Districts.	All Burghs.	All County Districts.	Burghs with Populations		
					Over 30,000.	1000 to 30,000.	Under 1000.
5	...	3	3	2	1
6	...	2	2	2	...
7	...	4	3	1	...	2	1
8	...	10	5	5	...	5	...
9	2	24	11	13	...	10	1
10	2	36	15	21	...	14	1
11	7	31	6	25	2	3	1
12	11	60	33	27	1	29	3
13	6	50	39	11	5	32	2
14	3	34	32	2	5	26	1
15	2	19	19	17	2
16	...	15	15	...	3	11	1
17	..	6	6	6	...
18	...	7	7	3	4
19	...	1	1	1	...
20	...	2	2	1	1
21	...	2	2	1	1
TOTALS	33	306	201	105	16	165	20

In the larger burghs taken collectively the crude death-rate was 14·92 per thousand, the corrected death-rate 14·12, and the corrected and adjusted death-rate 15·26. Compared with the corresponding rate in the previous year the crude death-rate is 0·21 more, the corrected death-rate 0·10 more, and the corrected and adjusted death-rate 0·11 more. In these burghs the corrected and adjusted death-rate is 1·80 more than the national rate. In the previous year this difference was 2·12. (*Table 4.*)

In the smaller burghs taken collectively the crude death-rate of the year was 12·41, the corrected death-rate 13·36, and the corrected and adjusted death-rate 12·62. Compared with the corresponding rate in the previous year the crude death-rate is 0·80 more, the corrected death-rate 0·75 more, and the corrected and adjusted death-rate 0·71 more. The corrected and adjusted death-rate of the smaller burghs is 0·84 less than the national death-rate and 2·64 less than the larger burghs death-rate. (*Tables 4-5.*)

In the county districts taken collectively the uncorrected death-rate was 11·82 per thousand, the corrected death-rate 12·47, and the corrected and adjusted death-rate 11·58. In the previous year these three rates were 11·30, 11·75 and 10·91, and comparison shows the crude death-rate to be 0·52 higher, the corrected death-rate 0·72 higher, and the corrected and adjusted death-rate 0·67 higher. The corrected and adjusted death-rate in the county districts is 1·88 less than the national death-rate, 3·68 less than the corrected and adjusted death-rate of the larger burghs, and 1·04 less than that of the smaller burghs. (*Tables 4 and 6.*)

In the larger burghs taken individually the crude death-rate ranged from 17·6 in Perth, 17·5 in Dundee, 15·8 in Edinburgh, and 15·6 in Glasgow, to 7·5 in Clydebank, 9·4 in Motherwell and Wishaw, 10·1 in Hamilton, and 11·3 in Kirkcaldy. In them the corrected death-rate varied from 16·9 in Dundee, 14·6 in Glasgow, 14·3 in Edinburgh, 14·2 in Coatbridge, and 14·1 in Perth, to 10·4 in Dunfermline, 10·7 in Clydebank, 11·2 in Motherwell and Wishaw, and 11·6 in Kirkcaldy and in Hamilton. In these burghs the corrected and adjusted death-rate ranged from 16·9 in Dundee, 16·4 in Glasgow, 16·1 in Coatbridge, and 14·5 in Edinburgh and in Greenock, to 11·3 in Dunfermline, 11·6 in Kirkcaldy, 12·7 in Ayr, and 13·4 in Perth, in Hamilton and in Motherwell and Wishaw. In six of these burghs the corrected and adjusted death-rate was lower than the national death-rate, in one it equalled the national death-rate, while in nine it was higher. (*Table 4.*)

In the smaller burghs, exclusive of those with populations of less than 5,000, the crude death-rate of the year ranged from 23·9 in Elgin, 23·1 in Dumfries, 21·6 in Inverness, and 20·1 in Brechin, to 7·3 in Troon, 7·5 in Cowdenbeath, 8·0 in Kilwinning, 8·1 in Grangemouth, and 8·2 in Kilsyth and in Lochgelly. In these burghs the corrected death-rate varied from 21·0 in Brechin and in Elgin, 19·2 in Dunoon, 19·0 in Stranraer, and 18·6 in

Inverness, to 9·2 in Kilwinning, 9·5 in St. Andrews, 10·1 in Cowdenbeath, 10·2 in Troon, 10·5 in Peterhead, and 10·7 in Ardrossan. The corrected and adjusted death-rate in these burghs varied from 17·4 in Elgin, 16·6 in Dunoon, 16·5 in Inverness and in Stranraer, and 16·2 in Brechin, to 9·2 in St. Andrews, 9·3 in Kilwinning, 9·7 in Crieff, and 9·9 in Helensburgh. There are 56 of the smaller burghs with populations exceeding 5,000, and in them the corrected and adjusted death-rate of the year exceeded the national death-rate in 27 instances, equalled it in 1 instance, and was less than it in 28 instances. (*Table 5.*)

In the county districts with censal populations of 5,000 and over the crude death-rate varied from 22·1 in Aberdeen District of Aberdeen, 21·0 in Skye District of Inverness, 20·9 in Inverness District of Inverness, and 18·2 in Linlithgow District of West Lothian, to 7·2 in Calder District of Midlothian, 8·1 in Bathgate District of West Lothian, 8·3 in Dunfermline District of Fife, and 8·8 in Kintyre District of Argyll and in Perth District of Perth. In these county districts the corrected death-rate varied from 22·5 in Skye District of Inverness, 20·1 in North Isles District of Orkney, 19·5 in Mull District of Argyll, and 17·3 in County District of Caithness, to 9·7 in Dundee District of Forfar, 9·8 in Dunfermline District of Fife, 9·9 in Lower Ward District of Lanark, and 10·0 in Cowal District of Argyll and in Calder District of Midlothian. The corrected and adjusted death-rate in these county districts ranged from 14·0 in Skye District of Inverness, 13·4 in Lasswade District of Midlothian, in Ayr District of Ayr, and in North Isles District of Orkney, and 13·3 in Middle Ward District of Lanark, to 7·9 in South Uist District of Inverness, 8·1 in Cowal District of Argyll, 8·9 in Harris District of Inverness, and 9·0 in County District of Kinross. In only one of these districts was the corrected and adjusted death-rate higher than the national death-rate, in all others it was lower. (*Table 6.*)

The Scottish death-rate in the first quarter of the year was 16·1 per thousand, in the second quarter 13·0, in the third quarter 11·1, and in the fourth quarter 13·7. In the previous year these four rates were 14·8, 13·9, 10·4 and 12·9, and comparison shows that while the death-rate of the second quarter was 0·9 lower, those of the remaining three quarters were all higher, that of the first quarter being 1·3 more, of the third quarter 0·7 more, and of the fourth quarter 0·8 more. (*Table 3.*)

The monthly death-rate during the year varied from 17·1 in March, 16·3 in February and 16·1 in December, to 10·8 in August, and 11·2 in July and in September. In January this rate was 15·0, in April 14·2, in November 13·2, in May 12·9, in June 11·9 and in October 11·9. (*Table 50.*)

The death-rate of the year in England and Wales was 12·3 per thousand, in Northern Ireland 14·6, and in the Irish Free State 14·8. Compared with the Scottish rate that of England

and Wales was 1·2 less, but that of Northern Ireland is 1·1 more, and that of the Irish Free State 1·3 more.

AGES OF THOSE DYING.

Of the 65,830 persons whose deaths were registered during the year 12,679 or 19·2 per cent. were children of less than 5 years old, 26,838 or 40·8 per cent. were persons aged 5 to 65, and 26,312 or 40·0 per cent. were persons aged 65 and over. In one instance the age at death was not recorded. Compared with the number in the previous year deaths at ages under 5 are 63 fewer, but those at ages 5 to 65 are 609 more, and those at ages 65 and over are 1,503 more. (*Tables 24 and 26.*)

The age-group death-rates in the male and female sections of the population are collected in Tables J and 25. In these tables it may be seen, as is constantly the case, that the age-group of lowest mortality is 10 to 14, and that the age-group death-rates among males are throughout life higher than among females. It may also be seen in these tables that in the larger burghs taken collectively the age-group death-rates are generally higher than those in the smaller burghs or in the county districts, and that this difference is more marked in the older and in the younger age periods. (*Table 25.*)

The average age at death of all persons dying during the year was 48·57 years, that of males being 46·25 and of females 50·92. In the previous year these three averages were 47·83, 45·58 and 50·10, and thus the general average shows a rise of 0·74, the male average a rise of 0·67, and the female average a rise of 0·82.

TABLE H.—Monthly Mortality and Mean Temperature in Scotland during 1927, compared with the mean of the Ten Years 1911-1920.

MONTHS.	YEAR 1927.			1911-1920.	
	Mean Tempera- ture.	Actual Deaths.	Relative number per month of 31 days.	Relative number per month of 31 days.	Mean Tempera- ture.
January	39·5	6,214	1,110	1,137	37·9
February	40·1	6,112	1,209	1,235	39·0
March	43·8	7,111	1,271	1,175	39·6
April	44·4	5,695	1,051	1,092	44·2
May	48·4	5,348	956	992	50·1
June	51·6	4,769	880	878	54·3
July	59·4	4,640	829	841	57·1
August	58·5	4,507	805	781	56·9
September	52·1	4,494	830	823	52·5
October	49·2	4,963	887	934	46·9
November	42·3	5,296	978	1,032	41·7
December	35·7	6,681	1,194	1,080	38·8
YEAR	47·1	65,830	1,000	1,000	46·6

The average age at death of unmarried males was 21·0, and of unmarried females 29·1, the former being 0·6, and the latter 0·9, more than in the previous year.

The average age at death of married and widowed males taken collectively was 64·7, and of married and widowed females 65·2, the former being of the same amount as in the previous year while the latter is 0·4 more.

The average age of married men dying during the year was 60·7, and of married women 55·3, the former being 0·2, and the latter 0·9, more than in the previous year.

The average age at death of widowers was 73·5, and of widows 74·6, the former being 0·1 less, but the latter 0·1 more, than in the previous year.

The average age at death of unmarried males was 8·1 less than that of unmarried females, and the average age of widowed males was 1·1 less than that of widowed females, but the average age at death of married males was 5·4 more than that of married females. The average age of all women dying during the year exceeded that of all men by 4·67 years; in the previous year this difference was 4·52.

Deaths of children of less than one year old numbered 8,576 and equalled an infantile mortality rate of 88·7 per thousand registered births. The infantile mortality rate of the year, 88·7 per thousand, is 5·6 more than that of the previous year, but is 1·6 less than the mean of those of the preceding five years, and 5·6 less than the mean of those of the preceding ten years. There have been only two occasions on which the annual infantile mortality rate has been lower, these being the years 1923 and 1926. Up to and including the year 1915 the infantile mortality rate was constantly over 100, but in the twelve years which have elapsed since then it has exceeded 100 only three times, being between 90 and 100 six times, between 80 and 90 twice, and less than 80 once. (*Tables 1 and 2.*)

Deaths of male children of under one year old numbered 4,894, and of female children of that age 3,682, the former

TABLE J.—Age-group Death-rates per 1000 of Population in 1927 and 1926.

	1927.		1926.		Difference, 1927 compared with 1926.		Difference per cent., 1927 compared with 1926.	
	Male.	Female.	Male.	Female.	Male.	Female.	Male.	Female.
- 1	85·8	66·0	86·3	64·3	- 0·5	+ 1·7	- 0·6	+ 2·6
1- 4	12·2	10·5	12·6	10·9	- 0·4	- 0·4	- 3·2	- 3·7
5- 9	2·7	2·4	2·5	2·3	+ 0·2	+ 0·1	+ 8·0	+ 4·3
10-14	1·8	1·5	1·8	1·6	0·0	- 0·1	0·0	- 6·3
15-24	2·9	2·7	2·9	3·0	0·0	- 0·3	0·0	-10·0
25-34	4·3	4·0	4·1	4·2	+ 0·2	- 0·2	+ 4·9	- 4·8
35-44	6·6	5·9	6·1	5·7	+ 0·5	+ 0·2	+ 8·2	+ 3·5
45-54	12·2	10·6	12·0	10·1	+ 0·2	+ 0·5	+ 1·7	+ 5·0
55-64	28·8	22·5	27·8	21·7	+ 1·0	+ 0·8	+ 3·6	+ 3·7
65-74	71·9	54·1	67·3	51·2	+ 4·6	+ 2·9	+ 6·8	+ 5·7
75-84	154·6	127·3	146·1	119·0	+ 8·5	+ 8·3	+ 5·8	+ 7·0
85 & over	333·7	286·2	322·1	272·7	+11·6	+13·5	+ 3·6	+ 5·0

numbering 30 fewer than in the previous year, but the latter 92 more. The male infantile mortality rate of the year was 99·2 per thousand male births registered, and the female rate 77·7 per thousand female births registered, the former being 5·2 more, and the latter 6·0 more, than in the previous year. The male infantile mortality rate of the year is 21·5 or 27·7 per cent. higher than the female rate; in the previous year this difference was 22·3 or 31·1 per cent. (*Table 24.*)

In the counties, burghs included, the infantile mortality rate of the year ranged from 120 per thousand in Forfar, 104 in Banff, 101 in Lanark, and 100 in Bute, to 27 in Sutherland, 43 in Shetland, 47 in Kinross, 53 in Peebles, 60 in Ross and Cromarty, and 61 in Orkney. (*Table 7.*)

In the larger burghs taken collectively this rate was 100·2, in the smaller burghs, 79·1, and in the county districts 74·7. In the previous year these three rates were 93·7, 76·4 and 69·2 respectively, and thus that of the larger burghs shows an increase of 6·5, that of the smaller burghs an increase of 2·7, and that of the county districts an increase of 5·5. (*Table 4.*)

In the larger burghs taken individually the infantile mortality rate ranged from 138 in Dundee, 118 in Coatbridge, 107 in Glasgow, and 105 in Aberdeen, to 66 in Perth, 66 in Kirkcaldy, 78 in Dunfermline, 79 in Motherwell and Wishaw, and 80 in Edinburgh. (*Table 4.*)

In the smaller burghs with populations of over 5,000 this rate varied from 140 in Dunoon, 127 in Buckie, 117 in Lochgelly, 111 in Inverness, and 108 in Rutherglen, to 24 in Peebles, 27 in Selkirk, 44 in Prestwick, 45 in Gourock, and 46 in Grangemouth and in St. Andrews. (*Table 5.*)

In county districts with populations of over 5,000 this rate varied from 124 in Middle District of Berwick, 117 in Rhins District of Wigtown, 111 in Forfar District of Forfar, and 106 in Annan District of Dumfries, to 24 in County District of Sutherland, 27 in Mainland District of Shetland, 31 in South Uist District of Inverness, 36 in Calder District of Midlothian, and 38 in Islay and in Mid Argyll Districts of Argyll. (*Table 6.*)

Deaths among persons aged 70 and upwards numbered 20,264, of which 8,850 were of males, and 11,414 of females, the former being 405, and the latter 647, more than in the previous year. The death-rate among males of these ages was 133·4 per thousand, and among females 111·3, the former rate being 6·2, and the latter 6·5, more than in the previous year. The death-rate at these ages, both sexes included, was 120·0 per thousand, which is 6·4 more than in the previous year. The male death-rate at these ages exceeds the female death-rate by 22·1 or 19·9 per cent. In the previous year this difference was 22·4 or 21·4 per cent.

The deaths of 13 reputed centenarians were registered during the year, of whom 4 were males and 9 were females. Of these 7, 2 men and 5 women, were stated to have reached age 100; 4, 1 man and 3 women, to have reached age 101; and 2, 1 man

and 1 woman, to have reached age 102. The usual endeavour has been made to verify the age at death in each instance with the result that proof of attainment of age 100 was obtained in 5 instances, 2 women being found to be aged 100, 2 women to be aged 101, and 1 man to be aged 102. In three instances proof was found that age 100 was not attained, while in 5 instances no proof of exact age was found to be obtainable. This is the eighteenth year in which special research has been made into the exact ages of reputed centenarians and these researches have now dealt with 253 such deaths. In 117 instances proof of attainment of age 100 has been obtained, in 37 instances the attainment of such age has been disproved, while in 99 instances no satisfactory proof in support or in contradiction of attainment of age 100 was found. The oldest person whose age has been verified in the course of this study was a female dying in 1924 whose age, by reference to the Old Parochial Registers, was found to be 106 years and 213 days.

CAUSES OF DEATH.

Of the 65,830 deaths registered during the year 65,349, or 99·3 per cent., were certified as to the cause of death either by a registered medical practitioner or by a Procurator Fiscal, while 481, or 0·7 per cent., were not so certified. The number of uncertified deaths, although 63 more than in the previous year, is small and less than in all other previous years. Commencing with the year 1881 it may be noted that deaths from uncertified causes then numbered 7,863 and remained over 7,000 until 1883.

TABLE K.—Deaths from Uncertified Causes, 1881-1927.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881	7863	10·9	1905	1741	2·3
1882	7220	9·9	1906	1727	2·3
1883	7278	9·5	1907	1796	2·3
1884	6487	8·6	1908	1654	2·1
1885	6204	8·3	1909	1552	2·1
1886	5932	8·1	1910	1396	1·9
1887	5466	7·3	1911	1135	1·6
1888	5029	7·1	1912	1362	1·9
1889	4566	6·2	1913	1401	1·9
1890	4569	5·8	1914	1220	1·7
1891	4691	5·6	1915	1514	1·9
1892	4267	5·6	1916	1294	1·8
1893	3729	4·7	1917	1387	2·0
1894	3290	4·6	1918	1216	1·6
1895	3222	3·9	1919	1100	1·5
1896	2509	3·6	1920	757	1·1
1897	3041	3·8	1921	716	1·1
1898	2459	3·1	1922	675	0·9
1899	2425	3·0	1923	573	0·9
1900	2757	3·4	1924	608	0·9
1901	2392	3·0	1925	498	0·8
1902	2180	2·8	1926	418	0·7
1903	2058	2·8	1927	481	0·7
1904	1893	2·4			

In 1884 this number for the first time fell below 7,000, in 1886 below 6,000, in 1889 below 5,000, in 1893 below 4,000, in 1896 below 3,000, and in 1904 below 2,000. Since 1920 this number has been constantly less than 1,000 and since 1925 constantly less than 500.

Of the 481 deaths the causes of which were uncertified the largest numbers are found in Ross and Cromarty (172), in Inverness (142), in Shetland (42), in Sutherland (35), and in Argyll (33). In Ross and Cromarty these deaths amounted to 16·8 per cent. of the total, in Sutherland to 13·4 per cent., in Shetland to 12·8 per cent., in Inverness to 11·0 per cent., and in Argyll to 3·6 per cent. Compared with the figure in the previous year deaths from uncertified causes in Ross and Cromarty are 36 more, in Inverness 33 more, in Sutherland 9 more, in Argyll 5 more, and in Shetland 2 more. In 13 counties all registered deaths were certified as to the cause. (*Table 49.*)

Of the 65,830 deaths the causes of death in 64,721 instances were specified, while in 1,109 they were either unspecified or ill-defined, the former number amounting to 98·3 per cent. of the total and the latter to 1·7 per cent. In the previous year deaths from unspecified or ill-defined causes numbered 1,123 and represented 1·8 per cent. of the total. Of the 1,109 deaths from non-specified causes 877 were attributed to sudden death, heart failure, syncope or other ill-defined cause, while in 232 instances the cause of death was unspecified or merely described as “natural causes.” In the previous year deaths from ill-defined causes numbered 919, and those of which the causes were unspecified numbered 204, and comparison shows that while deaths from ill-defined causes in 1927 numbered 42 fewer than in the previous year, those of which the cause was unspecified numbered 28 more. (*Page 8.*)

Enteric Fever.—Deaths from this cause during the year numbered 41, which number, although 2 more than in the previous year, is 10 less than the mean of those of the preceding five years, and 33 less than the mean of those of the preceding ten years. This is the ninth consecutive year in which deaths from enteric fever in Scotland have numbered less than 100. Of these 41 deaths, 22 were among males and 19 among females, and of them 15 occurred in the larger burghs, 10 in the smaller burghs, and 16 in the county districts. (*Tables 30–40.*)

Typhus Fever.—Two deaths from typhus fever were recorded during the year. In the previous year these deaths numbered 3. (*Table 39.*)

Smallpox.—This is the sixth consecutive year in which no deaths from this cause were registered in Scotland. (*Table 39.*)

Measles.—Deaths attributed to measles in all numbered 660, and equalled a death-rate of 13 per 100,000. These deaths numbered 268 fewer than in the previous year, 709 fewer than the mean of the numbers of the preceding five years, and 523 fewer than the mean of those of the preceding ten years. This death-

rate is 6 less than that of the previous year, 15 less than the mean of those of the preceding five years, and 12 less than the mean of those of the preceding ten years. Of these deaths 353 occurred among males and 307 among females. The corresponding death-rate among the male population was 15 and in the female population 12 per 100,000. In the larger burghs taken collectively the death-rate from measles was 23 per 100,000, in the smaller burghs 4, and in the county districts 5. In the previous year these three death-rates were 27, 11 and 11. Of the 660 deaths from this cause, 626, or 94·8 per cent., were among children of less than 5 years old, while 25 were among children aged 5 to 14, and 9 among persons aged 15 and upwards. In the larger burghs the measles death-rate of the year varied from 44 per 100,000 in Dundee, 32 in Paisley, 31 in Falkirk, 29 in Glasgow, and 25 in Clydebank and in Coatbridge, to 2 in Greenock, 1 in Aberdeen and 0 in Kilmarnock. In Edinburgh this rate was 17. (*Tables 30-40.*)

Scarlet Fever.—Deaths from scarlet fever numbered 200, 80 of them being among males and 120 among females. This number is 143 fewer than in the previous year, 151 fewer than the mean of the numbers of the preceding five years, and 87 fewer than the mean of those of the preceding ten years. The only year since the institution of registration in which a smaller number of deaths from this cause was recorded is 1918, when they numbered 168. A maximum number of deaths from this cause occurred in the year 1874 and was 6,321. The annual death-rate from this cause in 1927 was 4 per 100,000, which is 3 less than that of the previous year, 3 less than the mean of the numbers of the preceding five years, and 2 less than the mean of those of the preceding ten years. In the decade 1861 to 1870 the mean death-rate from scarlet fever was 96, and in the decade 1871 to 1880 it was 79, but since then this death-rate has shown a marked decrease, the mean rate falling in the decade 1881 to 1890 to 29, in the decade 1891 to 1900 to 19, and in the decade 1901 to 1910 to 9. Since 1916 this death-rate has never exceeded 8. In the principal towns this death-rate varied from 9 per 100,000 in Perth, 7 in Coatbridge, and 6 in Greenock and in Motherwell and Wishaw, to 0 in Clydebank, in Kirkcaldy, in Hamilton and in Falkirk. (*Tables 30-40.*)

Whooping-Cough.—Deaths from whooping-cough in all numbered 850 and equalled a death-rate of 17 per 100,000. These deaths numbered 344 more than in the previous year, but 403 fewer than the mean of the numbers of the preceding five years, and 518 fewer than the mean of those of the preceding ten years. This number is smaller than the numbers of all preceding years with the exception of those of 1916, 1920 and 1926. The death-rate from this cause, 17 per 100,000, is 7 more than that of the previous year, but 8 less than the mean of those of the preceding five years, and 11 less than the mean of those of the preceding ten years. In the male population this death-

rate was 17, and in the female population 18. In the larger burghs taken collectively it was 24, in the smaller burghs 13, and in the county districts 10. In the larger burghs taken individually this death-rate varied from 48 in Ayr, 43 in Coatbridge, 35 in Glasgow, 32 in Clydebank, and 28 in Dundee, to 2 in Kirkcaldy and 5 in Hamilton. In Edinburgh this death-rate was 10 and in Aberdeen 9. Of the 850 dying from whooping-cough 824, or 96·9 per cent., were children of less than 5 years old, and 24, or 2·8 per cent. were children aged 5 to 15, while only 2 were persons aged 15 and over. (*Tables 30–40.*)

Diphtheria.—Deaths attributed to diphtheria numbered 485 and equalled a death-rate of 10 per 100,000. These deaths numbered 5 fewer than in the previous year, 8 fewer than the mean of the numbers of the preceding five years, and 108 fewer than the mean of those of the preceding ten years. The only year in which a smaller number of deaths from this cause was recorded was 1924 in which year they numbered 442. From 1856 to 1896 deaths from this cause constantly numbered more than 1,000 annually, attaining a maximum of 3,615 in the year 1863, but since that time the number has shown a marked decline, falling below 800 for the first time in 1902, and since 1921 never having exceeded 600. The death-rate from diphtheria, 10 per 100,000, is the same as that of the previous year, and also the same as the mean of those for the preceding five years, but is 2 less than the mean of those of the preceding ten years. Deaths from diphtheria among males numbered 228 and among females 257, the death-rates in the male and female populations both being 10 per 100,000. In the larger burghs taken collectively this death-rate was 13, in the smaller burghs 8, and in the county districts 7. In the previous year these three rates were identical, namely 13, 8 and 7. In the larger burghs taken individually the diphtheria death-rate varied from 40 per 100,000 in Dundee, 34 in Falkirk, 25 in Clydebank, and 21 in Perth, to 0 in Dunfermline and in Hamilton. In Glasgow this death-rate was 11, in Edinburgh 10, and in Aberdeen 9. Of those dying from diphtheria 277, or 57·1 per cent. were children of less than five years old, and 182, or 37·5 per cent., were children aged 5 to 15, while 26, or 5·4 per cent., were persons aged 15 and over. (*Tables 30–40.*)

Principal Epidemic Diseases Death-Rate.—Deaths from enteric fever, measles, scarlet fever, whooping-cough, and diphtheria are grouped for statistical purposes along with deaths from diarrhoeas among children of less than two years old as the principal epidemic diseases, and the death-rate caused by them collectively is referred to as the principal epidemic diseases rate. These deaths in all numbered 2,934 and equalled a death-rate of 0·60 per 1,000. This death-rate is 0·03 less than that of the previous year, 0·29 less than the mean of those of the preceding five years, and 0·33 less than the mean of those of the preceding ten years. In the larger burghs taken collectively this death-rate

was 0·84, in the smaller burghs 0·38, and in the county districts 0·37. In the previous year these three rates were 0·84, 0·44 and 0·44 respectively. In the larger burghs taken individually this rate varied from 1·43 in Dundee, 1·13 in Coatbridge, 1·06 in Glasgow, and 0·99 in Clydebank, to 0·27 in Kirkcaldy, 0·35 in Greenock, 0·37 in Aberdeen, and 0·42 in Dunfermline. In those of the smaller burghs which have populations of more than 5,000 relatively high principal epidemic diseases death-rates were found in Buckhaven and Methil (1·30 per 1,000), in Inverness (1·28), in Bathgate (1·07), in Stranraer (1·04), in Lochgelly (0·93), and in Dumfries (0·79). In county districts with populations of more than 5,000 the rate was comparatively high in Forfar District of Forfar (1·08), Lasswade District of Midlothian (0·97), Inverness District of Inverness (0·82), Kirkcaldy District of Fife (0·78), and Keith District of Banff (0·70). (*Tables 4–7.*)

Other Epidemic Diseases.—Deaths due to epidemic or infectious diseases other than those already named, but exclusive of those from influenza, included among others 138 from cerebro-spinal meningitis, 124 from erysipelas, 117 from encephalitis lethargica, 25 from acute infantile paralysis, 12 from dysentery, and 7 from malaria. Compared with the number in the previous year those from cerebro-spinal meningitis numbered 30 more, and from acute infantile paralysis and from malaria each 3 more, but those from dysentery numbered 2 fewer, from erysipelas 21 fewer, and from encephalitis lethargica 52 fewer. Of those dying from cerebro-spinal meningitis 78 were males and 60 were females, 106 were children of less than 5 years old, 17 were children aged between 5 and 15, and 15 were persons aged 15 and upwards. Of those dying from encephalitis lethargica 53 were males and 64 were females; of them 8 were children of less than 5 years old, 9 were children aged 5 to 15, and 100 were persons aged 15 and over, the largest number falling in age-group 25 to 35. Of the 138 deaths from cerebro-spinal meningitis 99 were in the larger burghs, 17 in the smaller burghs, and 22 in the county districts. Of the 117 deaths from encephalitis lethargica 62 occurred in the larger burghs, 23 in the smaller burghs, and 32 in the county districts. (*Tables 30–34 and page 4.*)

In addition to the foregoing deaths from infectious and epidemic diseases there were 13 attributed to paratyphoid fever, 15 to chickenpox, 3 to German measles, 2 to mumps, and 2 to infective jaundice. No death from cholera nostras was recorded during the year.

Influenza.—Deaths attributed to influenza in all numbered 2,026. In the previous year these deaths numbered 1,421, and thus those of this year numbered 605 more. In 1918 deaths from influenza numbered 11,111 and in 1919 they numbered 7,215, but in 1920 and 1921 the number fell to under 1,400. In 1922 it again rose to 3,706, but in 1923 fell to 531. In 1924 it rose to 2,490, but since then the number has been smaller, 1,246

in 1925, 1,421 in 1926, and 2,026 in 1927. The death-rate from influenza was 41 per 100,000, in the previous year it was 29. In the male population this death-rate was 42, and in the female 41. In the larger burghs taken collectively this death-rate was 29, in the smaller burghs 52, and in the county districts 54. In the previous year these three death-rates were 30, 29 and 27 respectively. Of the 2,026 persons dying from influenza 230 or 11·4 per cent. were children of under 5, 53 or 2·6 per cent. were children of 5 to 15, 818 or 40·4 per cent. were persons aged 15 to 65, and 925 or 45·6 per cent. were persons aged 65 and over. Of the 2,026 deaths attributed to this cause 394 were ascribed to influenza as the sole cause, and 1,632 to influenza complicated by some other condition, the latter among others including 746 cases attributed to influenza with pneumonia, 317 to influenza with bronchitis, 90 to influenza with other respiratory disease, 24 to influenza with phthisis, and 13 to influenza along with some disease or accident of pregnancy and parturition. In the previous year deaths attributed to influenza as the sole cause numbered 319, to influenza with pneumonia 582, to influenza with bronchitis 185, to influenza with other disease of the respiratory system 66, to influenza and phthisis 16, and to influenza with some disease or accident of pregnancy or parturition 10. In the larger burghs taken individually relatively high death-rates from influenza occurred in Kilmarnock (103 per 100,000), in Dunfermline (68), and in Hamilton (52). In Glasgow this death-rate was 19, in Edinburgh 39, in Dundee 40, and in Aberdeen 26. (*Tables 30–36 and page 4.*)

Tuberculosis.—Deaths from all forms of tuberculous disease numbered 4,868, and this only differs by 7 from the number in

TABLE L.—Deaths from Influenza in Scotland in each month, 1926 and 1927.

MONTHS.	INFLUENZA.			MONTHS.	INFLUENZA.		
	TOTAL.	Sole Named Cause.	Named with other Causes.		TOTAL.	Sole Named Cause.	Named with other Causes.
1927.				1926.			
January .	160	38	122	January .	82	18	64
February .	413	93	320	February .	80	18	62
March .	700	125	575	March .	167	51	116
April .	262	53	209	April .	569	95	474
May .	105	23	82	May .	172	46	126
June .	67	12	55	June .	59	17	42
July .	30	2	28	July .	32	7	25
August .	21	4	17	August .	28	8	20
September .	28	5	23	September .	20	5	15
October .	57	9	48	October .	43	14	29
November .	68	9	59	November .	83	16	67
December .	115	21	94	December .	86	24	62
YEAR .	2026	394	1632	YEAR .	1421	319	1102

the previous year. The number, however, is 634 less than the mean of those of the preceding five years and 1,226 less than the mean of those of the preceding ten years. The smallest number of deaths from tubercle recorded in Scotland in any one year was 4,861 and occurred in the previous year, 1926. The maximum number of deaths from tuberculosis was 13,027 and occurred in the year 1870. The number of these deaths fell below 10,000 in 1888, below 9,000 in 1910, below 8,000 in 1914, below 7,000 in 1919, and below 6,000 in 1921. This is the second consecutive year in which the number has been below 5,000. Of the 4,868 deaths from tuberculosis 2,553 were of males and 2,315 of females, the former number being 63 more, but the latter 56 less, than in the previous year. (*Tables 34 and 39.*)

The tuberculosis death-rate of the year was 100 per 100,000, which is 1 more than in the previous year, but 12 less than the mean of those of the preceding five years, and 25 less than the mean of those of the preceding ten years. In 1870 the tuberculosis death-rate in Scotland attained a maximum of 404 per 100,000, and since then has shown a very constant decline. It fell below 300 for the first time in 1883, below 200 in 1909, below 150 in 1919, and below 100 in 1926. In the counties, burghs included, the death-rate from tuberculosis varied from 176 per 100,000 in Sutherland, 142 in Inverness, 137 in Shetland, 132 in Ross and Cromarty, 127 in Kirkcudbright, and 126 in Caithness, to 12 in Nairn, 60 in Peebles, 64 in Fife, 67 in

TABLE M (1).—Death-rate from Tuberculosis in 1927.

	Estimated Popula- tion, 1927.	Death-rate per 100,000 from				
		All Tuber- culosis.	Tuberc. of Respira- tory System.	Tuberc. Meningitis.	Abdom. Tuberc.	Other Tuberc.
SCOTLAND . . .	4,891,953	100	71	11	7	10
Males . . .	2,352,189	109	76	13	8	11
Females . . .	2,539,764	91	66	9	7	9
Larger Burghs . . .	2,403,565	114	82	13	7	12
Smaller Burghs . . .	948,142	89	61	10	9	8
County Districts . . .	1,540,246	83	59	8	7	10
Glasgow	1,054,744	122	90	15	7	11
Edinburgh	425,147	120	90	11	6	13
Dundee	172,444	116	89	8	6	14
Aberdeen	158,116	100	66	18	6	9
Paisley	87,010	99	74	9	3	13
Greenock	80,889	131	87	15	12	17
Motherwell & Wishaw . . .	70,457	114	72	11	11	18
Clydebank	47,605	95	65	19	6	4
Coatbridge	44,361	110	74	14	14	9
Dunfermline	38,334	83	57	5	13	8
Kirkcaldy	41,055	61	46	2	2	10
Hamilton	40,498	79	44	12	7	15
Kilmarnock	36,987	92	70	8	3	11
Ayr	37,440	69	53	8	5	3
Falkirk	35,098	114	77	11	6	20
Perth	33,380	72	45	9	9	9

Perth, 68 in Berwick, 71 in Ayr, and 72 in East Lothian. In the larger burghs taken collectively this death-rate was 114, in the smaller burghs 89, and in the county districts 83. In the previous year these three rates were 115, 87 and 83 respectively. In the larger burghs taken individually this rate varied from 131 in Greenock, 122 in Glasgow, 120 in Edinburgh, and 116 in Dundee, to 61 in Kirkcaldy, 69 in Ayr, 72 in Perth, and 79 in Hamilton. In the smaller burghs with populations of over 5,000 the tuberculosis death-rate varied from 182 in Campbeltown, 180 in Brechin, 173 in Stranraer, and 171 in Maxwelltown, to 10 in St. Andrews, 13 in Leven, 19 in Peebles, 28 in Kilsyth, 30 in Helensburgh, and 33 in Carnoustie. In county districts with populations of over 5,000 this death-rate ranged from 243 in Skye District of Inverness, 211 in Lewis District of Ross and Cromarty, 194 in Dumfries District of Dumfries, 178 in Southern District of Kirkcudbright, 173 in North Isles District of Orkney, 172 in County District of Sutherland, and 159 in Harris District of Inverness, to 28 in Gala-Water District of Midlothian, 35 in Kelso District of Roxburgh, 37 in County District of Kinross, and 41 in Blairgowrie District of Perth. (*Tables 4-7 and 40.*)

Of the 4,868 deaths attributed to tuberculosis 3,466 were ascribed to tuberculosis of the respiratory system, these including 4 deaths from laryngeal tuberculosis, 531 to tuberculous meningitis, 361 to tuberculosis of intestines and peritoneum, 99 to tuberculous disease of the spine, 53 to tuberculous disease of joints, and 358 others, these last including 268 deaths from disseminated tuberculosis of which 87 were classed as acute and 181 as chronic. Deaths from tuberculosis of the skin numbered 6, of bones, spine excepted, 25, of the lymphatic glands, abdominal glands excepted, 17, and of the genito-urinary system 39. (*Page 4.*)

Deaths from tuberculosis of the respiratory system numbered 3,466, which number is 82 more than in the previous year, but 346 less than the mean of the numbers of the preceding five years, and 715 less than the mean of those of the preceding ten years. It is less than those of all individual years since the institution of national registration in Scotland with the exception of that of the previous year. During the 22 years 1862-1883 with only 3 exceptions the deaths from tuberculosis of the respiratory system numbered more than 8,000 annually and attained a maximum of 9,148 in 1870, but since then the number of these deaths has been constantly falling. It fell below 8,000 in 1884, below 7,000 in 1892, below 6,000 in 1910, below 5,000 in 1914, and has been constantly below 4,000 since 1922. Compared with the maximum number of deaths from this cause the number this year is 5,682 or 62·1 per cent. less. (*Table 39.*)

The annual death-rate from tuberculosis of the respiratory system was 71 per 100,000. This death-rate is 2 more than in the previous year, which was the lowest on record, but is 7 less

than the mean of those of the preceding five years, and 15 less than the mean of those of the preceding ten years. In the year 1870 the death-rate from this cause attained a maximum of 283 per 100,000, compared with which that of this year is 212 or 74·9 per cent. less. In the decade 1871 to 1880 the mean death-rate from respiratory tuberculosis was 244 per 100,000, in the decade 1881 to 1890 it was 202, in the decade 1891 to 1900 it was 171, in the decade 1901 to 1910 it was 139, and in the decade 1911 to 1920 it was 105. In the years 1921 onwards it has constantly been less than 90, and in each of the last three years has been less than 80. (*Table 40.*)

In the male population the death-rate from tuberculosis of the respiratory system was 76 per 100,000 and in the female 66, the former being 2 and the latter 1 higher than in the previous year. (*Table 34.*)

In the counties, burghs included, this death-rate varied from 145 in Sutherland, 110 in Inverness and in Ross and Cromarty, and 107 in Shetland, to 12 in Nairn, 38 in Kinross, 44 in Fife, 45 in Berwick, and 46 in Dumbarton and in Perth. (*Table 7.*)

In the larger burghs taken collectively this death-rate was 82 per 100,000, in the smaller burghs 61, and in the county districts 59. In the previous year these three rates were 82, 57 and 56 respectively. In the larger burghs taken individually the tuberculosis of the respiratory system death-rate ranged from 90 in Glasgow and in Edinburgh, 89 in Dundee, 87 in Greenock, and 77 in Falkirk, to 44 in Hamilton, 45 in Perth, 46 in Kirkcaldy, 53 in Ayr, and 57 in Dunfermline. In the smaller burghs with populations of over 5,000 this death-rate varied from 149 in Campbeltown, 120 in Maxwelltown, 119 in Girvan, 114 in Elgin, and 109 in Hawick and in Wick, to 10 in St. Andrews, 13 in Leven, 14 in Kilsyth, 19 in Peebles, and 20 in Helensburgh. In county districts with populations of over 5,000 this death-rate varied from 204 in Skye District of Inverness, 185 in Lewis District of Ross and Cromarty, 139 in Harris District of Inverness, 139 in County District of Sutherland, 127 in Southern District of Kirkcudbright, and 125 in Dumfries District of Dumfries, to 10 in Blairgowrie District of Perth, 18 in County District of Kinross, 20 in West District of Berwick, 23 in Arbroath District of Forfar, and 25 in Dunfermline District of Fife. (*Tables 4-6.*)

Of the 3,466 persons dying from tuberculosis of the respiratory system 203 were children of less than 15 years of age, 826 were persons aged 15 to 24, 835 were persons aged 25 to 34, 677 were persons aged 35 to 44, 472 were persons aged 45 to 54, 300 were persons aged 55 to 64, and 153 were persons aged 65 or over. Compared with the number in the previous year these deaths at ages 25 to 34 numbered 10 more, those at ages 35 to 44 numbered 93 more, and those at ages 65 and upwards numbered 19 more, but those at ages under 15 numbered 14 fewer, those at ages 15 to 24 numbered 4 fewer, those at ages 45 to 54 numbered

16 fewer, and those at ages 55 to 64 numbered 6 fewer. (*Table 30.*)

The months of the year in which deaths from tuberculosis of the respiratory system were most frequent were April (346), May (322), and March (320), and those in which these deaths were least frequent were November (244), October (246), and September (247). (*Page 48.*)

Deaths from tuberculous meningitis numbered 531 and equalled a death-rate of 11 per 100,000. This number is 35 more and this rate is 1 more than in the previous year. Of those dying from this cause 313 were males and 218 were females, the male death-rate being 13 per 100,000 and the female death-rate 9. In the larger burghs taken collectively this death-rate was 13 per 100,000, in the smaller burghs 10, and in the county districts 8. In the previous year these three rates were 12, 9 and 8 respectively. In the larger burghs taken individually the death-rate from this cause varied from 19 in Clydebank, 18 in Aberdeen, and 15 in Glasgow and in Greenock, to 2 in Kirkcaldy, 5 in Dunfermline, and 8 in Dundee, in Kilmarnock and in Ayr. (*Tables 30–38.*)

Of the 531 persons dying from this cause 334 or 62·9 per cent. were children of less than 5 years old, 120 or 22·6 per cent. were children aged 5 to 14, 58 or 10·9 per cent. were persons aged 15 to 24, and only 19 or 3·6 per cent. were persons aged 35 and over. (*Table 30.*)

Deaths from tuberculosis of the intestines and peritoneum numbered 361 and equalled a death-rate of 7 per 100,000. These deaths are 6 fewer than in the previous year. In the male population this death-rate was 8 and in the female 7. In the larger burghs taken collectively it was 7, in the smaller burghs 9, and in the county districts 7. In the previous year these three rates were 8, 6 and 8 respectively. In the larger burghs taken individually the death-rate from this cause varied from 14 in Coatbridge, 13 in Dunfermline, and 12 in Greenock, to 2 in Kirkcaldy, and 3 in Paisley and in Kilmarnock. In Glasgow this rate was 7, in Edinburgh 6, in Dundee 6, and in Aberdeen 6. (*Tables 30–38.*)

Malignant Disease.—Deaths from cancer and other forms of malignant disease registered during the year numbered 6,919 and equalled a death-rate of 141 per 100,000. These deaths numbered 279 more than in the previous year, 455 more than the mean of the numbers of the preceding five years, and 847 more than the mean of those of the preceding ten years. This death-rate is 5 more than in the previous year, 9 more than the mean of those of the preceding five years and 16 more than the mean of those of the preceding ten years. Both this number and this rate are the highest yet recorded. In the decade 1871 to 1880 the mean cancer death-rate was 49 per 100,000, in the decade 1881 to 1890 it rose to 59, in the decade 1891 to 1900 to 74, in the decade 1901 to 1910 to 93, and in the decade 1911 to 1920

to 113, since which date it has been constantly over 122, reaching 130 for the first time in 1923, and now having attained a maximum of 141. (*Tables 39 and 40.*)

Of the 6,919 deaths from malignant disease 3,035 occurred in the male population and 3,884 in the female, the former number being 52 and the latter 227 more than in the previous year. The death-rate from this cause in the male population was 129 and in the female 153, the former being 2 and the latter 9 more than in the previous year. In the larger burghs taken collectively the cancer death-rate was 147, in the smaller burghs 144, and in the county districts 130. In the previous year these three rates were 141, 145 and 121. Of those dying from malignant disease 34 or 0·5 per cent. were children of under 15, 577 or 8·3 per cent. persons aged 15 to 44, 3,078 or 44·5 per cent. persons aged 45 to 64, and 3,230 or 46·7 per cent. were persons aged 65 and upwards. (*Tables 30–38.*)

As is constantly the case the age-group death-rates from this cause increase with advancing years. In age-groups under 25 this death-rate is less than 5 per 100,000, but in age-group 35 to 44 it rises to 66, in age-group 55 to 64 to 525, and in age-group 75 to 84 it is 1,354. (*Table 30.*)

Of the 6,919 deaths from malignant disease 5,066 were attributed to carcinoma, 249 to sarcoma, and 1,604 to other or unspecified form of cancer. In the previous year these three figures were 4,746, 235 and 1,659 respectively.

The most frequent sites of malignant disease among males during the year were the stomach (808), intestines (486), rectum (232), liver (210), œsophagus (128), tongue (125), and prostate (115). This order of frequency is the same as in the previous year. Compared with the number in the previous year deaths among males from cancer of the rectum show an increase of 24, and those from cancer of the liver an increase of 9, but those from cancer of the œsophagus a decrease of 15, from cancer of the intestine a decrease of 9, and from cancer of the stomach a decrease of 10. The most frequent sites of malignant disease among women were the stomach (798), breast (611), intestine (607), uterus (529), liver (308), and rectum (163). Compared with the number in the previous year deaths among women from cancer of the stomach are 49 more, from cancer of the intestine 50 more, from cancer of the breast 59 more, from cancer of the uterus 32 more, and from cancer of the rectum 14 more, but those from cancer of the liver are 2 fewer. (*Table 42.*)

Diabetes.—Deaths from this cause in all numbered 519 and equalled a death-rate of 11 per 100,000. These deaths number 1 more than in the previous year and 17 more than the mean of the numbers of the preceding five years. Of these 519 deaths 172 occurred among males and 347 among females, the former number being 11 less, but the latter 12 more than in the previous year. During recent years deaths from diabetes in the male population have been a decreasing quantity; in the years 1920

to 1923 they averaged 212 annually, but in the years 1924 to 1927 this average was 176. In the female population a similar decline is not found; in the four years 1920 to 1923 these deaths averaged 284, while in the four years 1924 to 1927 they averaged 319. A tabular statement of the number of deaths from this cause by sex and age since 1920 is annexed, and it may there be seen that the number of deaths from this disease in both sexes at the younger ages has within recent years been falling, but no corresponding fall is found in the older ages, the reverse, an increase, being found among females.

Deaths from Diabetes in Scotland, 1920–1927.

Year.	All Ages.	Under 15.	15 -	35 -	55 -	75 and over.
MALES.						
1920	202	14	35	53	86	14
1921	204	16	40	44	87	17
1922	230	3	54	49	100	24
1923	212	5	44	45	97	21
1924	181	8	25	42	90	16
1925	168	4	16	36	95	17
1926	183	3	30	31	101	18
1927	172	8	23	32	91	18
FEMALES.						
1920	237	11	38	42	118	28
1921	296	12	44	62	152	26
1922	298	8	37	52	170	31
1923	305	3	35	50	186	31
1924	306	8	27	54	187	30
1925	289	10	13	57	171	38
1926	335	6	24	62	200	43
1927	347	4	31	53	207	52

Syphilis.—Syphilis was the stated cause of death in 104 instances. This number is 43 less than in the previous year, 44 less than the mean of the numbers in the preceding five years, and 71 less than the mean of those of the preceding ten years. Of these 104 deaths, 71 were of males and 33 of females. Of them 46 were children of under five years of age. In addition to these 140 deaths there were 364 deaths attributed to parasymphilitic diseases, including 140 from general paralysis of the insane, 152 from aneurysm, and 72 from locomotor ataxy. These deaths from parasymphilitic diseases numbered 11 fewer than in the previous year, those from general paralysis of the insane being 30 fewer, while those from aneurysm were 19 more. Deaths from locomotor ataxy are of the same number as in that year. (*Tables 39–40 and pages 5–6.*)

Other General Diseases.—The foregoing causes of death are of a general rather than of a local anatomical distribution, and in addition to them deaths grouped as general diseases included 225 from rheumatic fever, 136 from chronic rheumatism, osteo-arthritis or gout, and 491 from anæmia, of which 434 were attributed to pernicious anæmia. Compared with the number in the previous year deaths from anæmia are 83 fewer, and those from chronic rheumatism osteo-arthritis and gout 9 fewer, but those

from rheumatic fever are 6 more. Deaths attributed to pernicious anæmia numbered 78 fewer than in the previous year. (Page 5.)

Diseases of the Ductless Glands.—Deaths from these diseases during the year in all numbered 309, which is 6 more than in the previous year. Of these deaths 129 were attributed to diseases of the thyroid and parathyroid, these including 81 from exophthalmic goitre, 14 from Addison's disease and other diseases of the suprarenal capsules, 9 from diseases of the pituitary gland, 10 from diseases of the spleen, 2 from diseases of the thymus, and 145 from Hodgkin's disease, lymphadenoma or leuchæmia. Compared with the number in the previous year deaths from Hodgkin's disease, lymphadenoma and leuchæmia are 13 more, from diseases of the spleen 4 more, and from diseases of the thymus 1 more, but those from diseases of the pituitary gland are of the same number, from diseases of the thyroid and parathyroid 3 fewer, and from diseases of the suprarenal capsules 9 fewer. (Page 5.)

Chronic Poisonings.—Deaths attributed to chronic poisonings in all numbered 46, of which 45 were attributed to alcoholism and 1 to lead. In the previous year these deaths collectively numbered 53, of which 52 were attributed to alcoholism and 1 to morphinism. Of the 46 deaths from alcoholism registered during the year 9 were attributed to delirium tremens, 25 to acute alcoholism, and 11 to chronic alcoholism. (Page 5.)

Diseases of the Nervous System.—Deaths from these diseases in all numbered 8,318, which is 69 more than in the previous year. These deaths include 97 from cerebral abscess and other inflammation of the brain, 175 from cerebral tumour, 416 from meningitis other than tuberculous or cerebro-spinal, 239 from locomotor ataxy and other diseases of the spinal column, 6,055 from cerebral hæmorrhage, embolism, and thrombosis, and inclusive of deaths certified as due to apoplexy and hemiplegia, 268 from insanity, of which 140 were attributed to general paralysis of the insane, 213 to epilepsy, 379 to convulsions or eclampsia, of which 370 were among children of less than five years old. Compared with the number in the previous year deaths from apoplexy are 149 more, from epilepsy 15 more, from encephalitis, including cerebral abscess, 13 more, and from diseases of the spinal cord 14 more, but those from meningitis are 44 fewer, from convulsions 66 fewer, and from insanity 13 fewer.

Deaths from general paralysis of the insane, which numbered 140, show a decrease when compared with those in recent years. During the five years 1920 to 1924 the annual average was 220; in 1925 these deaths numbered 191, but in 1926 the number fell to 170 and is now 140.

In addition to the above-mentioned 8,318 deaths from diseases of the nervous system there were 181 from diseases of the organs of special sense, these including 5 from diseases of the eye, 56 from diseases of the mastoid, and 120 from diseases of the ear.

Compared with the returns of the previous year deaths from diseases of the ear are 5 fewer, from diseases of the mastoid 3 fewer, and from diseases of the eye 2 fewer. (*Page 5.*)

Diseases of the Circulatory System.—Deaths attributed to the various diseases of the circulatory system in all numbered 8,985, which is 543 more than in the previous year. These 8,985 deaths do not include 799 which were certified as due to syncope or heart failure, as such unsatisfactory certificates give no indication that the deaths were in fact due to disease of the heart or other organ of circulation. Of the 8,985 deaths 7,904 were attributed to diseases of the heart, 897 to diseases of the arteries, 37 to diseases of the veins, 104 to embolism or thrombosis, 31 to diseases of the lymphatic system, and 12 others, of which 4 were attributed to hæmorrhage of which the cause was not specified. Compared with the previous year deaths attributed to heart disease numbered 494 more, to diseases of the arteries 53 more and to diseases of the veins 11 more, but those attributed to embolism and thrombosis numbered 28 fewer. (*Page 6.*)

Diseases of the Respiratory System.—Deaths from diseases of the respiratory system other than tuberculous and inclusive of those associated with influenza in all numbered 10,652, which is 946 more than in the previous year. Of these 10,652 deaths 21 were attributed to diseases of the nose, 63 to diseases of the larynx, 9,810 to bronchitis or pneumonia, 187 to pleurisy, and 571 to other diseases of the respiratory organs, including 393 ascribed to congestion of the lungs and 91 to asthma. Compared with the number in the previous year deaths from bronchitis and pneumonia taken collectively are 962 more, but those from pleurisy are 59 fewer. (*Page 6.*)

Bronchitis.—Deaths from bronchitis, including those associated with influenza, in all numbered 4,231, which is 460 more than in the previous year. The number of these deaths is 203 less than the mean of the numbers of the preceding five years and 451 less than the mean of those of the preceding ten years. These deaths equal a death-rate of 86 per 100,000, which rate is 9 more than that of the previous year, but is 5 less than the mean of those of the preceding five years, and 10 less than the mean of those of the preceding ten years. This death-rate is one which has shown marked diminution. From 1864 to 1883 it was constantly over 200, attaining a maximum of 286 in 1875. Since 1891 it has been constantly under 200, and during the last ten years has seven times been less than 100. (*Tables 39–40.*)

Deaths from bronchitis other than those associated with influenza numbered 3,914 and equalled a death-rate of 80 per 100,000. Of these deaths, 1,958 were of males and 1,956 of females, the male death-rate from this cause being 83 and the female 77 per 100,000, which rates in the previous year were 76 and 71. In the larger burghs taken collectively the death-rate from bronchitis was 89 per 100,000, in the smaller burghs 74, and in the county districts 70. In the previous year these three

rates were 84, 64, and 62 respectively. In the larger burghs taken individually the death-rate from bronchitis ranged from 113 in Dundee, 97 in Glasgow, and 93 in Greenock and in Ayr, to 54 in Kirkcaldy and 55 in Clydebank. In Edinburgh this rate was 84 and in Aberdeen 71. Of the 3,914 persons dying from bronchitis 676 or 17·3 per cent. were children of less than five years old, 943 or 24·1 per cent. were persons aged 15 to 64, and 2,295 or 58·6 per cent. were persons aged 65 and over. In the previous year these three numbers were 535, 943 and 2,108 respectively. The age-group death-rate from this disease as is usual was markedly highest in the youngest and oldest age periods. In age-groups over 65 it was constantly over 500 per 100,000 and in age-group under one year 470, while in age-groups from 5 to 34 it was constantly less than 10. (*Tables 30–38.*)

Pneumonia.—The total number of deaths attributed to pneumonia, including broncho-pneumonia and also including deaths from pneumonia associated with influenza, was 6,642. This number is 798 more than in the previous year, 150 more than the mean of those of the preceding five years, but 891 less than the mean of those of the preceding ten years. These deaths equal a death-rate of 136 per 100,000, which rate is 17 more than that of the previous year and 3 more than the mean of those of the preceding five years, but is 19 less than the mean of those of the preceding ten years. (*Tables 39–40.*)

Deaths from pneumonia, exclusive of those associated with influenza, numbered 5,896, of which 2,972 were attributed to broncho-pneumonia, and 2,924 to lobar pneumonia or to pneumonia not otherwise specified. These 5,896 deaths equal a death-rate of 121 per 100,000. Compared with the number in the previous year deaths from broncho-pneumonia are 354 more and those from other forms of pneumonia are 280 more. Deaths from pneumonia in the male population numbered 3,373 and in the female population 2,523, the death-rate in the former being 143 and in the latter 99. In the previous year these two death-rates were 127 and 89. In the larger burghs taken collectively the pneumonia death-rate was 157 per 100,000, in the smaller burghs 87, and in the county districts 84. In the previous year these three rates were 145, 77 and 68 respectively. In the larger burghs taken individually the pneumonia death-rate varied from 230 in Coatbridge, 214 in Dundee, and 190 in Glasgow to 60 in Dunfermline, 69 in Perth, and 76 in Kirkcaldy. Of the 2,972 deaths from broncho-pneumonia 2,099 or 70·6 per cent. were among children of less than five years old, 1,270 being among children of less than one year old, 450 or 15·2 per cent. were among persons aged 15 to 65, and 423 or 14·2 per cent. were among persons aged 65 and over. Of the 2,924 deaths from pneumonia other than broncho-pneumonia 573 or 19·6 per cent. were among children of less than five years old, 1,523 or 52·1 per cent. were among persons aged 5 to 65, and 828 or 28·3 per cent. were among persons aged 65 and over. Deaths from

broncho-pneumonia at ages under 5 numbered 306 more than in the previous year, those at ages over 65 numbered 46 more, and those at ages 15 to 65 numbered 2 more. Deaths from other forms of pneumonia at ages under 5 numbered 38 more, at ages 5 to 65, 82 more, and at ages 65 and over 160 more. Age-group death-rates from pneumonia—all forms—were highest at the extremes of life and lowest at ages 5 to 34. Among children of less than 1 year old this death-rate was 1,397 per 100,000, and among children of between 1 and 5 years old 304 per 100,000. In age-group 75 to 84 this death-rate was 636 and in age-group 85 and over 883. In age-groups between 5 and 35 it was constantly under 40 per 100,000. (*Tables 30–38 and page 6.*)

Diseases of the Digestive System (other than Malignant).—Deaths from diseases of the digestive system collectively numbered 3,725, which is 187 fewer than in the previous year. These 3,725 deaths included 42 from diseases of the mouth, 82 from diseases of the tonsils and pharynx, and 8 from diseases of the œsophagus, these three groups collectively numbering 132, which is 23 more than in the previous year.

Deaths from diseases of the stomach collectively numbered 665 and are 36 fewer than in the previous year. Of these 665 deaths 372 were ascribed to ulcer of the stomach, a number which is 30 fewer than in the previous year. (*Page 6.*)

Deaths from diseases of the intestines numbered 2,289, which is 5 more than in the previous year. These deaths included 225 from duodenal ulcer, 37 from other intestinal ulceration, 964 from diarrhœa and enteritis, of which 698 were among children of less than two years old, 478 from appendicitis, 236 from hernia, 286 from intestinal obstruction, and 63 from other diseases of the intestines. Compared with the number in the previous year deaths from duodenal ulcer are 28 more, from other ulceration of the intestines 14 more, and from hernia 14 more, but those from appendicitis are 5 fewer, from intestinal obstruction 22 fewer, and from diarrhœa and enteritis 106 fewer. (*Page 7.*)

Deaths from all forms of diarrhœa, including those certified as due to enteritis, gastro-enteritis and dysentery, numbered 976, which number is 108 less than that of the previous year, 184 less than the mean of those of the preceding five years, and 483 less than the mean of those of the preceding ten years. The death-rate from these causes combined was 20 per 100,000, which rate is 2 less than that of the previous year, 4 less than the mean of those of the preceding five years, and 10 less than the mean of those of the preceding ten years. It is the lowest death-rate from these causes yet recorded. In the decade 1861 to 1870 this death-rate averaged 95 per 100,000, in the decade 1871 to 1880 the average was 90, in the decade 1881 to 1890 it was 72, in the decade 1891 to 1900 it was 84, in the decade 1901 to 1910 it was 64, and in the decade 1911 to 1920 it was 45. Since 1922 it has constantly been less than 30. (*Tables 39–40.*)

Deaths from diseases of the liver in all numbered 501 and are

76 fewer than in the previous year. These deaths include 147 from cirrhosis, 141 from gallstones, 11 from acute yellow atrophy of the liver, and 202 from other diseases of the liver. Compared with the number in the previous year that of deaths from cirrhosis is 30 less, that of deaths from gallstones 25 less, and that from acute yellow atrophy is 7 less. (*Page 7.*)

Deaths from diseases of the digestive system also included 48 from diseases of the pancreas, 88 from peritonitis, the cause of which was unspecified, and 2 others. Deaths from diseases of the pancreas are 1 more than in the previous year but those from peritonitis are 5 fewer. (*Page 7.*)

Diseases of the Genito-Urinary System (other than Malignant).—Deaths attributed to these diseases collectively number 2,782, which is 36 more than in the previous year. Of these deaths 2,013 were attributed to diseases of the kidney, 255 to calculus or other diseases of the bladder and urethra, 321 to diseases of the male reproductive organs, and 193 to diseases of the female reproductive organs. Compared with the number in the previous year deaths from diseases of the kidney are 44 more, from diseases of the female reproductive organs 23 more, and from calculus and diseases of the bladder and urethra 3 more, but those from diseases of the male reproductive organs are 34 fewer. Of the 2,013 deaths from diseases of the kidney 224 were ascribed to acute nephritis, 1,646 to chronic nephritis or Bright's disease, and 143 others. Deaths from acute and chronic nephritis collectively numbered 1,870 and equalled a death-rate of 38 per 100,000. These deaths were 36 more than in the previous year and this death-rate was 1 more. In the male population the death-rate from nephritis was 40 per 100,000, while in the female population it was 37. (*Tables 30–34 and page 7.*)

Diseases and Accidents of Pregnancy and Parturition.—Deaths from these causes during the year collectively numbered 622, which is 34 fewer than in the previous year. Of these deaths 95 were ascribed to diseases and accidents of pregnancy, of which 39 were ascribed to abortion, 19 to uncontrollable vomiting, and 11 to ectopic gestation. Deaths from accidents of pregnancy numbered 119 and included 66 from hæmorrhage, and those attributed to diseases of the puerperium numbered 408, of which 184 were ascribed to sepsis, 47 to phlegmasia alba dolens, or embolism, 109 to eclampsia, 1 to puerperal disease of the breast and 67 others. Compared with the number in the previous year deaths due to diseases and accidents of pregnancy numbered 22 fewer and to accidents of parturition 33 fewer, but those to puerperal diseases numbered 11 more. (*Page 7.*)

Births registered during the year numbered 96,672, and as the deaths from diseases and accidents of pregnancy and parturition numbered 622, these deaths equalled a death-rate of 6·4 per thousand registered births. This death-rate is the same as in the previous year, but is 0·1 more than the mean of those of the

preceding five years. In the larger burghs taken collectively this death-rate was 6·6, in the smaller burghs 6·0, and in the county districts 6·3. In the previous year these three rates were 6·9, 6·3 and 5·7 respectively. In the larger burghs taken individually this death-rate varied from 8·0 in Dundee, 7·9 in Clydebank, 7·8 in Coatbridge, and 7·2 in Glasgow, to 3·0 in Dunfermline, 3·3 in Greenock, and 3·4 in Hamilton. In Edinburgh this rate was 6·6 and in Aberdeen 6·0. (*Table 41.*)

Diseases of the Skin and Cellular Tissue.—Deaths from these causes collectively numbered 512, which is 30 fewer than in the previous year. Of these deaths 263 were ascribed to senile gangrene, 17 to other forms of gangrene, 23 to carbuncle or boil, 137 to phlegmon or abscess, and 72 others. Deaths from senile gangrene numbered 18 fewer than in the previous year. (*Page 7.*)

Diseases of the Organs of Locomotion.—Deaths from these causes collectively numbered 125, which is 21 more than in the previous year. Of these 125 deaths 99 were attributed to diseases of the bones, those of the mastoid excluded, 22 to diseases of joints, and 4 others. (*Page 8.*)

Malformations.—Deaths attributed to malformations in all numbered 502, which is 25 more than in the previous year. Of those dying from these causes 278 were males and 224 were females, the former, as is usually the case, outnumbering the latter. Of the 502 persons whose deaths were due to malformations 444 were children of less than 1 year old. (*Page 8.*)

Diseases Peculiar to Early Infancy.—Deaths from these causes in all numbered 3,234, which is 240 fewer than in the previous year. Of these 1,724 were attributed to premature birth and 119 to injury at birth, the former number being 70 and the latter 13 fewer than in the previous year. (*Page 8.*)

Old Age.—Deaths attributed to senility, including those attributed to senile dementia, in all numbered 3,528. In the previous year this number was 3,521, the difference being only 7. Of those dying from these causes 1,330 were males and 2,198 were females, the former number being 1 less but the latter 8 more than in the previous year. (*Page 8.*)

Violence.—Deaths attributed to violent causes in all numbered 2,957 and equalled a death-rate of 60 per 100,000. These deaths numbered 300 more than in the previous year, 360 more than the mean of the numbers of the preceding five years, and 215 more than the mean of those of the preceding ten years. This death-rate is 6 more than in the previous year, 7 more than the mean of those of the preceding five years and 4 more than the mean of those of the preceding ten years. This death-rate is higher than in any of the individual years 1921 to 1926. It is 10 more than in either of the years 1922 and 1923. (*Tables 39–40.*)

The death-rate from violence in the male population was 89 and in the female population 34. In the previous year these two

death-rates were 76 and 34 respectively. In the larger burghs taken collectively the death-rate from violence was 62 per 100,000, in the smaller burghs 56, and in the county districts 60. In the previous year these three rates were 57, 48 and 54, all three being lower in that year than in this. In the larger burghs taken individually the death-rate from violence varied from 90 per 100,000 in Perth, 70 in Kilmarnock, 69 in Glasgow, and 66 in Falkirk, to 33 in Dunfermline, and 38 in Ayr. (*Tables 30–38.*)

Of the 2,957 deaths 503 were attributed to suicide, 2,422 to accident, 21 to homicide, and 11 to war casualties. Compared with the number in the previous year deaths from accident are 221 more, from suicide 79 more, and from homicide 4 more, but those from war casualties are 4 fewer. (*Page 8.*)

Of the 503 deaths from suicide 353 were among males and 150 among females, the former being 68 and the latter 11 more than in the previous year. The death-rate from suicide was 10 per 100,000. In the male population this death-rate was 15 and in the female population 6. In the previous year these three death-rates were 9, 12 and 5 respectively. (*Table 34.*)

Of the 2,422 deaths attributed to accidental causes 300 were due to burns and scalds, 305 to drowning, 228 to falling, and 69 to poisons, these last including 7 deaths attributed to accidental food poisoning, 38 to exposure to poisonous vapours, and 24 others. Deaths attributed to burns and scalds are 38 more than in the previous year, those due to falling are 31 more, those due to exposure to poisonous vapours 9 more, and to accidental food poisoning 3 more, but those due to drowning are 20 fewer. Deaths due to accidents in coal and other mines and quarries numbered 142, on railways 102, with motor cars 448, with horses and horse-drawn vehicles 18, and with tramcars 18. Deaths due to accidents in mines and quarries numbered 61 more than in the previous year, on railways 41 more, with motor cars 32 more, with tramcars 8 more, and with horses and horse-drawn vehicles 7 more. (*Page 8.*)

The subjoined table has been prepared to show the increase in the number of deaths attributed to motor accidents within recent years. It may there be noted that during the four years 1921 to 1924 fatal motor accidents averaged 218 annually, but in the year 1925 this number rose to 319, in the year 1926 to 416, and in the year 1927, that now under review, to 448.

<i>Accidents with</i>				<i>Accidents with</i>			
		<i>Horses and</i>				<i>Horses and</i>	
		<i>Motors.</i>	<i>Horse-drawn</i>			<i>Motors.</i>	<i>Horse-drawn</i>
			<i>Vehicles.</i>				<i>Vehicles.</i>
1927 . .	448	18	1918 . .	79	47		
1926 . .	416	11	1917 . .	107	51		
1925 . .	319	22	1916 . .	118	45		
1924 . .	239	15	1915 . .	113	49		
1923 . .	199	19	1914 . .	48	34		
1922 . .	213	19	1913 . .	32	40		
1921 . .	220	30	1912 . .	51	54		
1920 . .	161	36	1911 . .	38	81		
1919 . .	141	57					

Deaths of children of less than one year old by overlaying or other form of suffocation numbered 53. In the previous year this number was 93 and in the year before that it was 88. (*Page 8.*)

Of the 39 deaths attributed to exposure to poisonous vapours during the year and not specified as suicidal 30 were due to exposure to coal gas, 5 to carbon monoxide, and 4 to other poisonous vapours. Of the 30 accidental deaths from coal gas poisoning 16 were among males and 14 among females. In the previous year these deaths among males numbered 13 and among females 8. Of the 24 deaths from accidental poisons other than exposure to poisonous vapours or to poisoning by food 3 were due to lysol poisoning and 1 to carbolic acid poisoning. In the previous year deaths from accidental lysol poisoning numbered 11 and from carbolic acid 3. (*Table 44.*)

In addition to the 39 deaths from accidental exposure to poisonous vapours there were 103 cases during the year in which the death occurred after the administration of an anæsthetic for therapeutic purposes, and in which the anæsthetic may or may not have been a contributory cause. In each of the two preceding years these deaths numbered 102. In 82 of these 103 cases chloroform was the anæsthetic used either alone or in combination, in 49 ether was used, in 4 novocaine, in 3 nitrous oxide, in 3 ethyl chloride, in 2 stovaine, and in 1 each ethyl bromide and cocaine. Further details including the combinations of these anæsthetics may be found in Table 44 on page cxxii.

Of the 503 deaths attributed to suicide 238 were by poisoning, 79 by cutting or stabbing, these including cut throat, 70 by drowning, 61 by hanging, 32 by gunshot, 13 by precipitation, 7 on railways, and 3 by other or not stated means. Compared with the number in the previous year deaths by poisoning and by cutting and stabbing are each 20 more, by hanging 19 more, by gunshot 16 more, and by drowning 5 more, but those by precipitation are of the same number and those on railways are 4 fewer. (*Table 43.*)

Of the 238 deaths from suicidal poisoning 122 were by coal gas, 83 by lysol, 7 by carbolic acid, 4 each by strychnine and hydrocyanic acid, 3 each by iodine, "corrosive" and oxalic acid, 2 by chloroform, and 1 each by ammonia, weed killer, caustic potash, methyl salicylate, cyanide of potassium, antimony, and by unstated means. (*Table 44.*)

The total number of deaths by coal gas poisoning during the year, suicidal and accidental combined, was 152, which number is 3 more than in the previous year. (*Table 44.*)

Relative Frequency of Causes of Death.—The following tabular statement shows in order of frequency those causes of death which during this year or the previous year were the prescribed cause of at least 1 per cent. of the total deaths caused by each—

<i>Causes of Death.</i>	1927.		1926.	
	<i>Number.</i>	<i>Per Cent. of Total.</i>	<i>Number.</i>	<i>Per Cent. of Total.</i>
Heart Disease	7,904	12·01	7,410	11·62
Malignant Tumours	6,919	10·51	6,640	10·41
Apoplexy	6,055	9·20	5,906	9·26
Pneumonia	5,896	8·96	5,262	8·25
All Tuberculosis	4,868	7·39	4,861	7·63
Bronchitis	3,914	5·95	3,586	5·62
Diseases of Early Infancy and Mal- formations	3,736	5·68	3,951	6·19
Violence	2,957	4·49	2,657	4·16
Influenza	2,026	3·08	1,421	2·23
Nephritis—Acute and Chronic	1,870	2·84	1,834	2·88
Diseases of Arteries	897	1·36	844	1·32
Whooping-cough	850	1·29	506	0·79
Diarrhœa (under 2 years)	698	1·06	798	1·25
Measles	660	1·00	928	1·46

The foregoing list includes 49,250 of the deaths registered in 1927, and these amount to 74·8 per cent. of the total deaths of the year. The percentage of total deaths attributed to tuberculous disease, as shown in the foregoing table, was 7·39. Of this percentage 5·27 were attributed to tuberculosis of the respiratory system, 0·81 to tuberculous meningitis, 0·55 to tuberculosis of the intestines, and 0·77 to other forms of tuberculosis. (*Table 33.*)

Infant Deaths.—Deaths of children of less than one year old numbered 8,576, and as previously stated equal an infantile mortality rate of 88·7 per thousand registered births. Of these deaths 4,894 were of males and 3,682 of females. Of them 3,592 or 41·9 per cent. were children of less than one month old, which number is 138 less than in the previous year. The total number of children dying less than three months old and including those dying under one month old amounted to 4,945 or 57·7 per cent. of the total dying under one year old. Those dying aged three to six months numbered 1,432 and constituted 16·7 per cent. of the total dying under one year. Those dying at ages six to nine months numbered 1,127 and constituted 13·1 per cent. of the total, and those dying at ages nine to twelve months numbered 1,072 and constituted 12·5 per cent. of the total. Compared with the number in the previous year deaths of children of less than three months old were 5 more, those of children aged three to six months 16 fewer, those of children aged six to nine months 39 more, and those of children aged nine to twelve months 34 more. (*Tables 45–48.*)

The most frequent causes of death among children during the year, the numbers caused by each, and the percentage of infantile deaths caused by them were—premature birth 1,724 or 20·1 per cent., pneumonia 1,576 or 18·4 per cent., congenital debility 1,188 or 13·9 per cent., diarrhœa and enteritis 590 or 6·9 per cent., congenital malformations 444 or 5·2 per cent., whooping-cough 431 or 5·0 per cent., bronchitis 530 or 6·2 per cent., and convulsions 291 or 3·4 per cent. Compared with the number in

the previous year deaths from whooping-cough and from bronchitis show increases, while those from the remaining causes show decreases. Deaths from whooping-cough numbered 189 more than in that year and from bronchitis 114 more, but those from congenital debility are 156 fewer, from diarrhoeal diseases 87 fewer, from convulsions 85 fewer, and from premature birth 70 fewer. (*Tables 45-48.*)

Deaths among children of less than one year old from all forms of tuberculosis numbered 181, 99 being attributed to tuberculous meningitis, 42 to abdominal tuberculosis, and 15 to tuberculosis of the respiratory system. These deaths collectively number 4 fewer than in the previous year, those from tuberculous meningitis numbering 5 fewer, but those from abdominal tuberculosis 6 more. (*Tables 45-48.*)

Deaths among children of less than one year old from all forms of meningitis, encephalitis, and convulsions numbered 598. In the previous year these deaths numbered 703, and thus these deaths this year show a decrease of 105. Of these 598 deaths 291 were attributed to convulsions, and 138 to other or unspecified form of meningitis, 99 to tuberculous meningitis, 59 to cerebro-spinal meningitis, 7 to encephalitis lethargica, or to other form of encephalitis, and 4 to posterior basal meningitis. Compared with the number in the previous year deaths attributed to cerebro-spinal meningitis are 22 more, but those attributed to convulsions are 85 fewer, and those attributed to meningitis other than cerebro-spinal, posterior basal or tuberculous are 30 fewer. (*Tables 45-48.*)

Table M (2) is constructed to collectively show the number of deaths among children aged under five years and the causes thereof. These deaths in all numbered 12,679, which is 63 fewer

TABLE M (2).—Number of Deaths from Selected Causes among Children aged under Five Years in 1927.

Deaths from	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total aged under 5 years.
Measles	192	279	95	43	17	626
Scarlet Fever	11	28	23	18	17	97
Whooping-Cough	431	256	84	36	17	824
Diphtheria	28	81	65	59	44	277
Erysipelas	19	1	...	1	...	21
Chicken-pox	13	1	...	1	...	15
Tuberc. Meningitis	99	116	71	24	24	334
Abdom. Tuberc. . . .	42	49	30	10	12	143
Other Tuberc. Dis. . . .	40	67	18	20	13	158
Meningitis, not Tuberc. . . .	138	68	30	19	18	273
Convulsions	291	49	17	7	6	370
Pneumonia, All Forms	1,576	745	185	102	64	2,672
Bronchitis	530	102	23	11	10	676
Digestive Diseases	746	140	47	41	33	1,007
Congenital Causes	3,673	18	6	8	4	3,714
Other Causes	742	316	177	125	112	1,472
TOTALS	8,576	2,316	871	525	391	12,679

than in the previous year. Deaths under one are 62 more than in the previous year, and those at age one are 12 more, but those at age two are 59 fewer, those at age three are 15 fewer, and those at age four are 63 fewer. The most frequent causes of death at these combined ages during the year were congenital causes (3,714), pneumonia, all forms (2,672), diseases of the digestive system (1,007), whooping-cough (824), bronchitis (676), and measles (626). Compared with the number in the previous year deaths from pneumonia are 344 more, from whooping-cough 332 more, and from bronchitis 141 more, but those from diseases of the digestive system are 151 fewer, from congenital causes 213 fewer, and from measles 252 fewer.

APPENDIX I.

SIXTY-THIRD ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1926).

This Report deals more especially with the vaccination of children born in the year 1926, and who in ordinary course should have been vaccinated during that year or during the first half of the year 1927.

Children whose births were shown in the Vaccination Returns for the year 1926 numbered 102,457. Of them 6,945 died before reaching the age of statutory vaccination (six months), while 95,512 survived at that date, and it is the latter number which more especially falls to be accounted for here. (*Table 52.*)

Of the 95,512 children surviving at the time of statutory vaccination 58,073 or 60·80 per cent. were either certified as having been successfully vaccinated or reported to be insusceptible to vaccination by reason of previous uncertified vaccination, 1,063 or 1·11 per cent. were certified as insusceptible to vaccination for reasons other than previous vaccination, while 36,376 or 38·09 per cent. were not reported as having been vaccinated, the majority of these, 30,804, being unvaccinated by reason of Declaration of Conscientious Objection on the part of the parents. (*Table 52.*)

The vaccinated children of the year numbered 58,073, of whom 57,741 were reported to have been successfully vaccinated, while 332 were reported to be insusceptible to vaccination by reason of previous uncertified vaccination. These 58,073 children constituted 60·80 per cent. of those surviving at the time of compulsory vaccination, this proportion being 0·20 less than that of the previous year. Previous to the passing of the Vaccination (Scotland) Act, 1907, which made the conscientious objection of parents a valid reason for avoiding statutory vaccination, more than 91 per cent. of the children born in Scotland who survived at the time of statutory vaccination were successfully vaccinated. In the year in which the Act passed this percentage fell below 90 and thereafter continued to fall, reaching a minimum of 54·49 in 1918. In 1920, a year in which there was an epidemic of smallpox in Glasgow, this percentage rose to 70·54, but since then has again fallen and during the last five years has averaged 61·77. (*Table 52.*)

In the counties the percentage of children surviving at the time of compulsory vaccination who were successfully vaccinated varied from 89·9 in Nairn, 86·4 in Berwick, 82·8 in Peebles, 82·5 in Aberdeen, and 82·2 in Bute, to 9·0 in Shetland, 40·8 in Orkney, 40·9 in Dumbarton, 42·9 in Forfar, 45·5 in Sutherland, and 46·7

in Caithness. In 24 counties this percentage was over 50, in 9 it was under 50. In the larger burghs this percentage varied from 86·9 in Aberdeen, 80·3 in Ayr, 72·1 in Edinburgh, and 71·1 in Perth, to 30·9 in Dundee, 34·0 in Falkirk, 37·3 in Hamilton, 37·7 in Greenock, and 39·3 in Clydebank. In 9 of the larger burghs this percentage was over 50, and in 7 it was under 50.

Children born during the year 1926 and surviving at the date of compulsory vaccination, but who up till the end of the year 1927 had not been reported as vaccinated, in all numbered 37,439 and constituted 39·20 per cent. of the total survivors. In the previous year such children numbered 37,722 and constituted 39·00 per cent. of the total. Of the 36,376 unvaccinated children 1,063 were certified as insusceptible to vaccination, 30,804 were unvaccinated by reason of Statutory Declaration of Conscientious Objection, 2,338 were unvaccinated by reason of postponement of vaccination on medical certificate, and 3,234 were unvaccinated or presumed to be so through being lost sight of by removal from the district or otherwise. (*Table 52.*)

Certificates of Constitutional Insusceptibility in all numbered 1,063, which number is 263 more than that of the previous year, 108 more than the mean of the numbers of the preceding five years, and 301 more than the mean of those of the preceding ten years. Of the numbers of the preceding ten years only that of 1921 is greater. In the counties certificates of insusceptibility were relatively frequent in Kinross, where they constituted 3·3 per cent. of the total, in Selkirk 2·5, in Nairn 1·9, and in Perth and in Wigtown 1·6. In the counties of Bute and Moray no certificates of insusceptibility were received. In the principal towns this rate varied from 2·2 per cent. in Perth, 1·7 in Glasgow, 1·4 in Edinburgh, and 1·3 in Motherwell and Wishaw and in Coatbridge, to 0 in Dunfermline, and 0·1 in Kilmarnock and in Falkirk. (*Table 52.*)

Children exempted from vaccination by reason of parental conscientious objection in all numbered 30,804 and constituted 32·25 per cent. of children alive at the time of compulsory vaccination. This number is 470 less than in the previous year, 1,319 less than the mean of the numbers of the five preceding years, and 1,817 less than the mean of those of the ten preceding years. This percentage varies but slightly from what it was in the previous year, 32·33, and but slightly from the mean of the proportions in the previous ten years, which was 32·20. During the years 1913 to 1919 this percentage was constantly over 33 and attained a maximum of 37·20 in 1918. In 1920, a year in which smallpox was epidemic in Glasgow, this percentage fell to 22·30, but it afterwards increased, and since then has only once been below 30. (*Table 52.*)

In the counties, burghs included, the percentage of surviving children unvaccinated by reason of conscientious objection varied from 88·5 in Shetland, 55·7 in Orkney, 52·5 in Forfar, and 52·0 in Dumbarton, to 5·1 in Nairn, 7·2 in Peebles, 7·5 in Berwick,

and 11·4 in Bute and in Wigtown. In the larger burghs this proportion varied from 64·1 per cent. in Dundee, 63·1 in Falkirk, 59·4 in Hamilton, 59·0 in Greenock, and 53·6 in Clydebank, to 8·0 in Aberdeen, 13·7 in Ayr, 21·3 in Edinburgh, 23·5 in Perth, and 24·8 in Glasgow. In 15 of the less populous registration districts all children surviving at the time of statutory vaccination were exempted for this reason. Of these 15 districts 7 are in Shetland, 2 in Orkney, 2 in Ross and Cromarty, 1 in Banff, and 3 in Argyll. Since the passing of the 1907 Amending Act 603,201 children have been exempted from vaccination by reason of parental conscientious objection.

Children whose births were registered during the year 1926 and who at the end of 1927 were still unvaccinated by reason of postponement on medical grounds numbered 2,338 and constituted 2·45 per cent. of those surviving at the time of statutory vaccination. This number is 119, and this percentage 0·09 less than in the previous year. (*Table 52.*)

Children whose vaccinations are unaccounted for through removal from the district of registration or otherwise numbered 3,234 and constituted 3·39 per cent. of those surviving at the time of statutory vaccination. This number is 43 more than in the previous year, and this percentage is 0·09 more than in the previous year. (*Table 52.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES
REGISTERED IN SCOTLAND DURING THE YEAR 1926.

A statement regarding marriages registered in Scotland during the year 1926 was incorporated in the Seventy-second Annual Report of the Registrar-General, that dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the Report was prepared, the statement then made is now supplemented by a more detailed one. The already published statement of marriage statistics of the year 1926 dealt only with the numbers registered and with the marriage-rates while in this additional statement facts regarding the method of proclamation, the church of celebration, ages and conjugal conditions of those marrying, and the methods of signing the marriage schedules, by mark or writing, are included.

In the Seventy-second Annual Report it was stated that the marriages registered in Scotland during the year 1926 numbered 31,253, but by a complete examination of the Registers this number is found to be 31,244, the provisional figure being an overstatement by nine. The small correction involved does not materially affect the rates published in the Seventy-second Annual Report.

The corrected number of marriages registered in Scotland during 1926, 31,244, is 1,212 less than that of the previous year, 3,476 less than the mean of those of the preceding five years, and 4,835 less than the mean of those of the preceding ten years. The year's marriages are fewer than in any year since 1917. The largest number of marriages registered in Scotland in any one year was in 1920 and was 46,754, compared with which the number in this year is 15,510 or 33·2 per cent. less. The marriage-rate of the year was 6·38, which rate is 0·25 less than that of the previous year, 0·72 less than the mean of those of the preceding five years, and 1·05 less than the mean of those of the preceding ten years. There have been only three years since 1855 in which the marriage-rate was lower than in 1926, these three years being 1917, 1887 and 1886, when the marriage-rates were 6·32, 6·36 and 6·31 respectively. The highest Scottish marriage-rate recorded was in the year 1920 and was 9·61, compared with which that of this year is 3·23 or 33·6 per cent. less. (*Table 9.*)

Regular and Irregular Marriages.—Of the 31,244 marriages registered during the year 27,532 or 88·12 per cent. were regular, i.e. solemnised by a minister of religion after proclamation of banns or after publication of notice at a Registrar's Office, while 3,712 or 11·88 per cent. were irregular, i.e. contracted without proclamation of banns or publication of notice and not solemnised by a minister of religion. In the previous year regular marriages

constituted 87·58 per cent. of the total, and irregular marriages 12·42 per cent. The regular marriages of the year numbered 892 fewer than in the previous year, and the irregular marriages 320 fewer. The number of regular marriages of the year is 2,573 less than the mean of those of the preceding five years and 2,931 less than the mean of those of the preceding ten years. The number of irregular marriages of the year is 903 less than the mean of those of the preceding five years and 1,904 less than the mean of those of the preceding ten years. In the earlier period of registration only few irregular marriages were registered, in the years 1855 to 1860 the annual average being only 19, and in the decade 1861 to 1870 being only 41. In the decade 1871 to 1880 this average rose to 263, in the decade 1881 to 1890 to 650, and in the decade 1891 to 1900 to 1,428. In the decade 1901 to 1910 it rose to 2,034, and in the decade 1911 to 1920 to 5,312. In the year 1919 the number of these marriages attained a maximum of 8,351, but since then the number has been decreasing, falling below 7,000 in 1921, below 5,000 in 1922, and below 4,000 in 1924. In 1925 it slightly rose again, being 4,032, but now shows a further fall to 3,712. (*Table 9.*)

Of the 3,712 irregular marriages registered during the year 3,238 or 87·2 per cent. were registered in one or other of the four principal burghs, Glasgow, Edinburgh, Dundee and Aberdeen, and only 474 or 12·8 per cent. were registered elsewhere in Scotland. In the previous year the number registered in these four burghs was 3,571 and in the rest of Scotland 451. Of all marriages celebrated in the four principal burghs taken collectively 21·3 per cent were irregular; in the other large burghs this percentage was 6·8, and in the remainder of Scotland 1·8. Irregular marriages registered in Glasgow numbered 1,822, in Edinburgh 993, in Dundee 202, and in Aberdeen 221. Compared with the number in the previous year that of Glasgow shows a decrease of 169, that of Edinburgh a decrease of 113, and that of Aberdeen a decrease of 78, but that of Dundee shows an increase of 27. (*Table 11.*)

In the larger burghs taken individually the percentage of the total marriages constituted by irregular marriages varied from 26·0 in Edinburgh, 21·1 in Glasgow, and 18·9 in Perth, to 0·4 in Clydebank, 0·8 in Coatbridge, 2·1 in Paisley, and 3·2 in Greenock. In Dundee this percentage was 15·4, in Aberdeen 15·7, in Dunfermline 15·0, and in Ayr 13·3. In counties, burghs included, the relative frequency of irregular marriage varied from 23·5 in Midlothian, 16·5 in Lanark, 12·8 in Nairn, 11·6 in Forfar and in Moray, and 10·7 in Aberdeen, to 0·0 in Clackmannan, East Lothian, Kincardine, Kinross, Peebles, Selkirk and West Lothian. (*Table 11.*)

Of the 3,712 irregular marriages registered during the year 3,708 were registered by Sheriff's Warrant in terms of Lord Brougham's Act, while 4 were registered on production of an Extract Decree of Declarator.

Method of Publication.—Regular marriages registered during the year numbered 27,532, and of them 19,215 or 69·8 per cent. were solemnised after proclamation by banns in respect of both parties, 7,764 or 28·2 per cent. after publication of notice in respect of both parties, and 553 or 2·0 per cent. after proclamation by banns in respect of one party and by public notice in respect of the other. Compared with the number in the previous year marriages celebrated after banns were 581 or 2·9 per cent. fewer, after public notice 300 or 3·7 per cent. fewer, and after banns in respect of one party and public notice in respect of the other 11 or 2·0 per cent. fewer. (*Table 11.*)

In the larger burghs taken collectively the regular marriages of the year numbered 15,271 and constituted 81·4 per cent. of the total in these burghs, while in the remainder of Scotland these marriages numbered 12,261, and constituted 98·2 per cent. of the total. Of the regular marriages celebrated in the larger burghs 57·9 per cent. were celebrated after proclamation by banns, 40·2 per cent. after public notice, and 1·9 per cent. after banns in respect of one party and public notice in respect of the other. Of the regular marriages celebrated elsewhere in Scotland 84·6 per cent. were celebrated after banns, 13·3 per cent. after public notice, and 2·1 per cent. after banns in respect of one party and public notice in respect of the other. The marked difference between the percentages of those resorting to banns and those resorting to public notice in the larger burghs and in the rest of Scotland is of constant occurrence. All the regular marriages of the year in the counties of Caithness, Nairn, Shetland and Wigtown were after publication by banns. In the counties of Dumbarton, Lanark and Renfrew more than 30 per cent. of the regular marriages were after publication of notice. (*Table 11.*)

Of marriages celebrated according to the rites of the Church of Scotland 85·2 per cent. were after banns in respect of both

TABLE N.—Regular Marriages in Scotland in 1926, following Proclamation of Banns or Publication at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, etc.			Percentage of Total Regular Marriages.
	Total.	Banns.	Publication.	Banns and Publication.	Banns.	Publication.	Banns and Publication.	
Established Church .	13,203	11,246	1,759	198	85·2	13·3	1·5	48·0
United Free „ .	7,403	5,393	1,850	160	72·8	25·0	2·2	26·9
Free „ .	318	186	122	10	58·5	38·4	3·1	1·1
Roman Catholic „ .	3,580	645	2,826	109	18·0	78·9	3·1	13·0
Scottish Episcopal „ .	964	554	380	30	57·5	39·4	3·1	3·5
Congregational „ .	921	544	358	19	59·1	38·9	2·0	3·3
Baptist „ .	352	245	98	9	69·6	27·8	2·6	1·3
Wesleyan Methodist Church	198	141	54	3	71·2	27·3	1·5	0·7
Jewish Church .	77	13	63	1	16·9	81·8	1·3	0·3
All other Regular Marriages	516	248	254	14	48·1	49·2	2·7	1·9
All Regular Marriages	27,532	19,215	7,764	553	69·8	28·2	2·0	100·0

parties, which proportion in the United Free Church was 72·8, but in the Jewish Church this percentage was only 16·9, and in the Roman Catholic Church 18·0.

Church of Celebration.—Of the 27,532 regular marriages celebrated during the year 13,203 or 48·0 per cent. were celebrated according to the rites of the Church of Scotland, 7,403 or 26·9 per cent. according to those of the United Free Church, 3,580 or 13·0 per cent. according to those of the Roman Catholic Church, 964 or 3·5 per cent. according to those of the Scottish Episcopal Church, 318 or 1·1 per cent. according to those of the Free Church, and 2,064 or 7·5 per cent. according to those of Churches of other denomination. Compared with the number in the previous year Church of Scotland marriages were 345 fewer, Roman Catholic marriages 285 fewer, and United Free Church marriages 128 fewer, but Episcopal Church marriages are 13 more and Free Church marriages are 56 more. Marriages in denominations other than the foregoing were 203 fewer than in that year. (*Table 12.*)

Marriages celebrated according to the rites of the three large Presbyterian Churches of Scotland, the Church of Scotland, the United Free Church and the Free Church, collectively numbered 20,924 and constituted 76·0 per cent. of the total regular marriages of the year, and 67·0 per cent. of the total marriages of the year, regular and irregular included. In the previous year this number was 21,341, and these two percentages were 75·1 and 65·8 per cent. respectively.

The counties in which marriages according to the rites of the Church of Scotland were relatively most frequent were Kirkcudbright (75·3 per cent.), Wigtown (72·9 per cent.), Kincardine (69·5 per cent.), East Lothian (69·0 per cent.), Berwick (68·1 per cent.), Peebles (67·8 per cent.), Kinross (65·2 per cent.), and Roxburgh (63·4 per cent.). The percentages given in this and in the four following paragraphs are those of the total marriages registered inclusive of irregular marriages. (*Table 12.*)

TABLE O.—Regular and Irregular Marriages in 1926.

		Number.			Percentage of Total Marriages.		
		SCOTLAND.	Larger Burghs.	Other Districts.	SCOTLAND.	Larger Burghs.	Other Districts.
Regular Marriages.	Established Church .	13,203	6,129	7,074	42·2	32·7	56·6
	United Free Church	7,403	4,396	3,007	23·7	23·4	24·1
	Free Church . . .	318	123	195	1·0	0·7	1·6
	Roman Catholic Ch.	3,580	2,470	1,110	11·5	13·2	8·9
	Scottish Episcopal Ch.	964	685	279	3·1	3·6	2·2
	Other Denominations	2,064	1,468	596	6·6	7·8	4·8
Irregular Marriages		3,712	3,483	229	11·9	18·6	1·8
Total Marriages		31,244	18,754	12,490	100·0	100·0	100·0

United Free Church marriages were relatively most numerous in Orkney (52·3 per cent.), in Clackmannan (38·1 per cent.), in Selkirk (37·8 per cent.), in Bute (36·5 per cent.), in Nairn (31·9 per cent.), in Caithness (31·3 per cent.), in Stirling (30·7 per cent.), and in Fife (30·5 per cent.). (*Table 12.*)

Free Church marriages constituted 33·7 per cent. of the total in Ross and Cromarty, 28·0 per cent. in Sutherland, 12·3 per cent. in Inverness, 9·5 per cent. in Bute, 8·5 per cent. in Nairn, 7·8 per cent. in Caithness, and 3·9 per cent. in Argyll. In 18 counties there were no marriages celebrated according to the rites of the Free Church. (*Table 12.*)

Roman Catholic marriages constituted 25·0 per cent. of the total marriages of the year in Dumbarton, 21·8 per cent. in Renfrew, 17·2 in Lanark, 16·2 in Bute, 12·5 in West Lothian, and 12·2 in Forfar. In 7 counties there were no Roman Catholic marriages. (*Table 12.*)

Marriages according to the rites of the Scottish Episcopal Church were relatively most frequent in Kincardine, where they constituted 11·8 per cent. of the total marriages of the year, in Roxburgh 7·6 per cent., in Forfar 6·4 per cent., and in Midlothian 5·3 per cent. (*Table 12.*)

A complete list of the religious denominations named in the Marriage Registers of the year is given in Table P, and it may there be seen that these denominations in all numbered 40. In the previous year they numbered 39, in the year 1924 they numbered 42, and in 1923 they numbered 38. These 40 denominations

TABLE P.—Marriages in Scotland in 1926 by Denominations in Order of Frequency.

1. Established Church	13,203	26. Presbyterian Church of England	6
2. United Free „	7,403	27. New Jerusalem Church	4
3. Roman Catholic „	3,580	28. Christian „	4
4. Scottish Episcopal „	964	29. Plantation Tabernacle „	2
5. Congregational „	921	30. Society of Friends „	2
6. Baptist „	352	31. Christadelphian Church	2
7. Free „	318	32. Independent Methodist „	2
8. Wesleyan Methodist „	198	33. City Mission „	2
9. Christian Brethren „	103	34. Church of Baptized Believers „	1
10. Jewish Church „	77	35. Gilfillan Memorial Church	1
11. Salvation Army „	53	36. Seventh Day Adventists „	1
12. Primitive Methodist Church	46	37. Christian Volunteers „	1
13. Free Presbyterian „	46	38. Dundee United Evangelistic Association „	1
14. Unitarian „	45	39. Glasgow Seamen's Friend Society „	1
15. Original Secession „	40	40. United Church of Canada	1
16. Free Church of England „	26		
17. Catholic Apostolic Church	23	All Religious Denominations	27,532
18. Gospel Mission „	21		
19. Pentecostal „	20	Irregular Marriages „	3,712
20. Evangelical Union „	17		
21. Reformed Presbyterian Church „	12	All Marriages „	31,244
22. Church of Christ „	10		
23. Christian Union Church „	10		
24. Church of England „	7		
25. Church of God „	6		

included the five mentioned in the five preceding paragraphs and four others in which at least 100 marriages were celebrated during the year, these being Congregational Church (921 marriages), Baptist Church (352 marriages), Wesleyan Methodist Church (198 marriages), and Christian Brethren (103 marriages). Congregational Church marriages numbered 59 fewer than in the previous year, Baptist Church marriages 44 fewer, Wesleyan Methodist Church marriages 41 fewer, and marriages among Christian Brethren 36 fewer.

Conjugal Condition of those Marrying.—Of the 31,244 men marrying during the year 28,933 or 92·6 per cent. were bachelors, while 2,311 or 7·4 per cent. were widowers. Compared with the number in the previous year bachelors marrying numbered 1,086 fewer, and widowers marrying numbered 125 fewer. Of the 31,244 women marrying during the year 29,910 or 95·7 per cent. were spinsters, and 1,334 or 4·3 per cent. were widows, the former being 1,022 fewer and the latter 189 fewer, than in the previous year. (*Table 13.*)

Of the 28,933 bachelors marrying during the year 28,261 or 97·7 per cent. married spinsters, and 672 or 2·3 per cent. married widows, the former being 956 fewer, and the latter 130 fewer, than in the previous year. Of the 2,311 widowers marrying 1,649 or 71·4 per cent. married spinsters, and 662 or 28·6 per cent. married widows, the former number being 66 and the latter 59, fewer than in the previous year. Of the 29,910 spinsters marrying during the year 28,261 or 94·5 per cent. married bachelors, and 1,649 or 5·5 per cent. married widowers, the former being 956 fewer than in the previous year, and the latter 66 fewer. Of the 1,334 widows marrying during the year 672 or 50·4 per cent. married bachelors, and 662 or 49·6 per cent. married widowers, the former number being 130, and the latter 59, fewer than in the previous year. (*Table 13.*)

The number of widows marrying during the year, 1,334, is distinctly less than in recent years. Subsequent to the war there was a large increase in the number of widows marrying, a maxi-

TABLE Q.—Ages of Persons Marrying who Signed by Mark in 1926.

Ages.	Numbers.			Percentage of Persons Marrying at each Age.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	7	...	7	0·16	...	0·19
20-29	40	21	19	0·10	0·10	0·09
30-39	28	15	13	0·23	0·21	0·26
40-49	16	9	7	0·51	0·46	0·61
50-59	26	16	10	2·16	1·92	2·70
60 and over	23	15	8	4·46	3·89	6·15
All Ages	140	76	64	0·22	0·24	0·20

mun of 4,054 having occurred in 1919. In 1920 these marriages numbered 3,660, and in both 1921 and 1922 numbered more than 2,000. The number fell below 2,000 in 1923, below 1,700 in 1924, below 1,600 in 1925, and in 1926 was only 1,334. In the decade 1901 to 1910 these marriages averaged 1,556 annually.

Method of Signature.—Of the 62,488 persons contracting marriage during the year 62,348 signed the marriage schedules in writing, and only 140 did so by mark. Of the 140 persons signing by mark 76 were males and 64 were females. In the previous year 79 males and 99 females used the mark for this purpose. The number of women using the mark for this purpose is the smallest yet recorded, and that of men is smaller than in all previous years with the exception of 1924, when their number was 68, and 1922, when their number was 70. This is the fifth consecutive year in which fewer than 100 men used the mark and the second consecutive year in which fewer than 100 women did so. These numbers, 76 and 64, are in great contrast to what they were in the earlier years of registration. In the decade 1861 to 1870 the average annual number of men using the mark was 2,387 and of women 4,736. In the decade 1891 to 1900 these averages had fallen to 740 and 1,162, and in the decade 1911 to 1920 they had further fallen to 221 and 300. (*Table 10.*)

Of the 140 persons using the mark 76 were married in the County of Lanark (Glasgow included), 15 in Midlothian, 10 in Forfar, and 6 in Renfrew. In no other county did the number exceed 5. The age distribution of those using the mark is shown in Table Q, and the church of celebration in Table R. The more outstanding feature in Table Q is the comparatively large

TABLE R.—Church of Celebration of Persons Marrying who Signed by Mark in 1926.

Church.	Entries in which Mark was Used by			Persons Using Mark.		
	Men only.	Women only.	Both Sexes.	Men.	Women.	Both Sexes.
Established	18	15	4	22	19	41
United Free	7	4	...	7	4	11
Roman Catholic	21	20	3	24	23	47
Scottish Episcopal	5	1	...	5	1	6
Congregational	1	2	1	2	3	5
Baptist	2	2	...	2
Free	1	1	...	1	1	2
Jewish	3	3	3
Free Church of England	1	1	1
Seventh Day Adventist	1	1	...	1
Pentecostal	1	1	...	1
Independent Methodist	1	1	1
Irregular Marriages	9	6	2	11	8	19
TOTAL	66	54	10	76	64	140

number of these persons, 68, in age-groups 20 to 39, and the outstanding feature in Table R is the comparatively large number, 47, among those married according to the rites of the Roman Catholic Church, observations pointing to many of the users being of other than Scottish birth and education. (*Table 14.*)

Ages of Persons Marrying.—The average age of all persons marrying during the year was 27·91 years, that of all bridegrooms being 29·36, and of all brides 26·46. Compared with the figure in the previous year that of all persons is 0·13 less, of all bridegrooms 0·12 less and of all brides 0·14 less.

In the larger burghs taken collectively the average age of all persons marrying was 28·02, and in the rest of Scotland 27·74, the former number being 0·23 less than in the previous year, but the latter being 0·01 more. In the larger burghs the average age of men marrying during the year was 29·51, and in the rest of Scotland 29·14, the former figure being 0·17, and the latter 0·05, less than in the previous year. In the larger burghs the average age of women marrying during the year was 26·53, while in the rest of Scotland it was 26·35, the former being 0·29 less, but the latter 0·08 more, than in the previous year. (*Tables 15–16.*)

The average age of all bachelors marrying during the year was 28·0, of those marrying spinsters 27·8, and of those marrying widows 37·1. Compared with the figure in the previous year the average age of all bachelors marrying is 0·1 less, and of those marrying spinsters 0·1 less, but that of bachelors marrying widows is of the same amount. The average age of all widowers marrying during the year was 46·3, of those marrying spinsters 44·4, and of those marrying widows 51·2. Compared with the corresponding figure in the previous year the average age of all widowers marrying is 0·2 less, and of those marrying spinsters 0·4 less, but of those marrying widows it is 0·8 more.

TABLE S.—Average Age at Marriage in 1926.

Conjugal Condition.		Average Age.					
Bridegroom.	Bride.	Bridegrooms.		Brides.		Excess of average age of Bridegroom over that of Bride.	
		1926	1925	1926	1925	1926	1925
*All Bridegrooms.	†All Brides	29·4	29·5	26·5	26·6	2·9	2·9
„	Spinsters only	28·7	28·3	25·8	25·9	2·9	2·4
„	Widows only	44·1	42·9	41·5	40·6	2·6	2·3
Bachelors only	†All Brides	28·0	28·1	25·5	25·2	2·5	2·9
„	Spinsters only	27·8	27·9	25·3	25·4	2·5	2·5
„	Widows only	37·1	37·1	37·3	37·1	—0·2	0·0
Widowers only	†All Brides	46·3	46·5	38·0	37·6	8·3	8·9
„	Spinsters only	44·4	44·8	34·9	35·5	9·5	9·3
„	Widows only	51·2	50·4	45·9	44·4	5·3	6·0

* Bachelors and Widowers taken collectively.

† Spinsters and Widows taken collectively.

The average age of all spinsters marrying during the year was 25·8, which is 0·1 less than in the previous year. The average age of spinsters marrying bachelors was 25·3, and of spinsters marrying widowers 34·9, the former being 0·1 and the latter 0·6 less than in the previous year. The average age of all widows marrying during the year was 41·5, which is 0·9 more than in the previous year. The average age of widows marrying bachelors was 37·3, and of widows marrying widowers 45·9, the former being 0·2, and the latter 1·5, more than in the previous year.

The average age of bridegrooms marrying during the year exceeded that of all brides by 2·9 years, which is exactly the same as in the previous year, and also as in the year 1924. In the case of bachelors marrying spinsters this difference is 2·5, in the case of widowers marrying spinsters 9·5, and in the case of widowers marrying widows 5·3, the first of these being the same as in the previous year and the second 0·2 more, but the difference in the case of widowers marrying widows is 0·7 less. The average age of the bride in marriages between bachelors and widows exceeds that of the bridegroom by 0·2; in the previous year these two average ages equalled each other.

In the counties, burghs included, the average age of men at the time of marriage varied from 34·1 in Ross and Cromarty, 32·9 in Argyll, 32·6 in Inverness, 32·2 in Shetland, and 31·5 in Bute, to 27·5 in West Lothian, 27·8 in Kinross and in Kincardine, 27·9 in Clackmannan, and 28·1 in Fife. In the counties the average of women marrying varied from 29·8 in Ross and Cromarty, 29·1 in Shetland, 28·2 in Argyll, and 28·0 in Selkirk, to 24·5 in Kincardine, 24·7 in West Lothian, and 25·6 in Fife and in Stirling. (*Tables 15–16.*)

In the larger burghs taken individually the average age of men at marriage varied from 30·2 in Edinburgh and in Perth, 29·7 in Glasgow, and 29·5 in Dunfermline, to 26·9 in Hamilton, 27·0 in Motherwell and Wishaw, and 28·2 in Greenock. In these burghs the average age of women at marriage varied from 27·3 in Edinburgh, 27·2 in Perth, and 26·6 in Glasgow, in Dundee and in Ayr, to 24·3 in Motherwell and Wishaw, 24·6 in Hamilton, and 25·1 in Greenock. (*Tables 15–16.*)

The youngest bridegrooms of the year were 3 bachelors aged 16 and 39 bachelors aged 17, and the youngest widowers marrying during the year were 2 aged 20, and 18 aged 21 to 24. The youngest brides of the year were 2 spinsters aged 14, 8 spinsters aged 15, and 66 spinsters aged 16. The youngest widows married during the year were 1 aged 20, and 27 aged 21 to 24. (*Tables 19–23.*)

The oldest men marrying during the year were 2 aged 80 and 84 respectively, both of whom were widowers and both of whom married widows, and 16 aged between 75 and 80, of whom 2 were bachelors marrying spinsters, 10 were widowers marrying spinsters, and 4 were widowers marrying widows. The oldest

women marrying during the year were 2 aged 75 and 77 respectively, both of whom were widows marrying widowers, and 16 at ages 70 to 74, of whom 2 were spinsters marrying bachelors, 2 were spinsters marrying widowers, and 12 were widows marrying widowers. (*Tables 19-23.*)

The average combined age of the bridegrooms and brides of the year was 55·8 years. The youngest combination of ages during the year was 32, which occurred in one case where a boy of 17 married a girl of 15, and 33 in three instances where boys of 17 married girls of 16. The oldest combined ages were 155 years (a widower of 84 and a widow of 71), 152 years (a widower of 78 and a widow of 74), 150 years (a widower and a widow each aged 75 years), 147 years (a widower of 73 years and a widow of 74 years), and 146 years (a widower of 74 years and a spinster of 72 years). (*Tables 19-23.*)

APPENDIX III.

REPORT ON THE WEATHER OF SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1927.

Supplied by the Meteorological Office, Edinburgh.

Under the heading of “ Meteorological Notes ” a descriptive account of the weather is given in the “ Monthly Returns ” published by Authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended detailed statistics for 67 stations.

General.—The outstanding features of the year are indicated in the course of the report. The most notable were, perhaps :— (1) Extremely cold weather in June; abnormally mild weather towards the end of October and early in November; and very wintry conditions during a great part of December. (2) An unusual frequency of thunderstorms from May to September. (3) Excessive rainfall in many districts in August and September, and the almost nominal precipitation over wide areas towards the north-west in December.

Pressure and Winds.—The mean barometric pressure of the year was appreciably below the normal. JANUARY was a stormy month, notably on 12th and 13th and from 26th to 29th. There was a marked prevalence of westerly winds and the mean pressure was the lowest recorded since 1915. In FEBRUARY anticyclonic conditions prevailed during the first three weeks, and, generally, wind force was light to moderate. The mean pressure for MARCH was the lowest recorded since 1912, with south-westerly winds much in evidence. These reached gale force around 25th. In APRIL, with pressure rather below the normal, winds were mostly westerly to north-westerly, and these were strong in force during the first and fourth weeks. During MAY northerly winds, usually light or moderate, were frequent.

In each month from JUNE to SEPTEMBER inclusive mean pressure was below the normal. From about 16th to 26th June westerly winds were strong, reaching gale force at times; and in SEPTEMBER, with a succession of Atlantic depressions, conditions were very unsettled, with gales around 22nd and 28th.

In both OCTOBER and NOVEMBER mean pressure was slightly above the normal; but there were some stormy periods, notably around 28th October and around 21st and 26th November. In

DECEMBER the mean pressure was unusually high, and the predominance of winds from a northerly or easterly point was very striking. Wind force was high around 5th, and for the greater part of the month very stormy conditions prevailed over the North Sea.

Noteworthy Gales.—The stormiest periods of the year have been indicated in the preceding paragraphs; but special mention may be made of gales which occurred on (1) January 28th, and (2) October 28th and 29th.

(1) The gale of January 28th was associated with a deep depression off the north-west coast of Ireland and affected the greater part of the British Isles. At Paisley the wind reached in a gust a velocity of 104 miles per hour, and at Tiree 108 miles per hour. Considerable damage and some loss of life occurred at sea, and in the Highlands many trees were uprooted.

(2) On the afternoon of October 28th and the morning of 29th a deep and vigorous depression moved rapidly across the north of Ireland and the south of Scotland, and a westerly gale was of considerable severity, though more notably so in the north of Ireland and the north-west of England than in Scotland.

Temperature.—JANUARY was on the whole a mild month, though there was a cold snap on 4th and 5th and rather wintry weather during the third week or so. FEBRUARY was mainly cold up to 19th, and then mild; whilst MARCH was unusually mild,—in Scotland the mildest March since 1893.

In APRIL mild conditions continued until about 20th; but the last week was extremely cold, and MAY was on the whole cold, though unusually high day temperatures occurred on 8th and 9th. JUNE was very cold,—for Scotland generally the coldest June for at least 60 years, and at Edinburgh the coldest for at least 150 years.

During both JULY and AUGUST temperature was, as a rule, fairly high, and there were some rather warm nights. In SEPTEMBER the last three weeks were decidedly cold.

During the first half of OCTOBER day temperature was mostly above the normal; but the third week, with northerly winds, was extremely cold. An influx of equatorial air brought abnormally mild conditions from 25th onwards. The early days of NOVEMBER were also abnormally mild, and after extremely cold weather from 6th to 15th, there was a return to mild conditions. DECEMBER, after the first ten days or so, was characterised by extremely cold and wintry weather, though there was a brief mild interval from 21st to 24th. From 16th to 20th in particular the days were exceptionally cold.

Rainfall.—In JANUARY rainfall was above the normal except in some eastern coastal districts. There were some heavy falls from 1st to 13th, and from 20th onwards. In FEBRUARY amounts were moderate, or decidedly deficient, in most districts; and in

MARCH there was a decided deficiency in the north, but an appreciable excess in Perthshire and in some western districts, notably in South Ayrshire.

APRIL was a very wet month towards the north-west, and in general there was an excess except in some eastern and southern districts, where there was a decided deficiency. In MAY, relatively to the normal, distribution was irregular; but in most southern and north-western districts there was a decided deficiency. JUNE was everywhere very wet, and especially so in some western and northern districts.

In JULY rainfall was deficient toward north-west, in the extreme north, and in the north-east; but elsewhere, with much of the rain of thunderstorm origin, the distribution was irregular. AUGUST was very dry in north and north-west; but elsewhere as a rule extremely wet. At Edinburgh the month was the wettest August for 50 years. SEPTEMBER was everywhere wet or very wet, with some very heavy falls. At Edinburgh the aggregate was the largest recorded in any month since August 1877, and the largest recorded in any September since 1785.

In OCTOBER there was in general an excess, but amounts were below the normal in some Border districts. In NOVEMBER the distribution was irregular; towards the south-east there was in general a deficiency, and towards south-west and in extreme north an excess. In DECEMBER in East Lothian and part of Forfarshire the month's precipitation equalled or exceeded the normal; but elsewhere there was a deficiency, moderate in eastern districts but becoming more marked towards the west, where the month was everywhere notably dry. Over considerable areas in the north-west aggregates were less than half an inch, with only 5 per cent. of the normal at Fort William and only 3 per cent. at Glenquoich. At both these places, as at many others, the month was much the driest December on record.

The total rainfall of the year was slightly deficient in some parts of the West Highlands, but the general rainfall of Scotland represented 114 per cent. of the normal.

In July, August, and September there were various heavy falls of great local intensity. The most notable rainstorm of the year was perhaps one which visited the east and south of Scotland on 21st and 22nd September,—with as much as 3·75 in. near Stonehaven on 22nd.

Snow.—There was comparatively little snow during the first three months of the year, although on January 4th and January 20th there were rather widespread falls. In February there were only trifling falls, and in March no general falls, though moderate amounts fell on high ground on 11th and 25th. During the last week of April rather widespread snowstorms were experienced in the north and east. In Shetland and in some northern districts, including Morayshire, conditions amounted to a

“ blizzard,” and the storm appears to have been one of the worst on record. A sudden fall on the evening of 30th in the Lothians and elsewhere was notable. In May snow or sleet occurred here and there on a few days, and in June snow fell on high ground early in the month and again around 22nd.

Snow fell in October here and there in the south on 2nd and about 20th; and in November in the north and on the Borders on 7th, with further heavy falls in the north on several days thereafter and very serious drifting in some districts. In December there were heavy falls in north and east between 15th and 19th, and further very heavy falls in these areas from 24th onwards, with extensive blocking of roads by deep snow drifts, notably in parts of Banffshire and Morayshire. Towards south-west no snow was experienced until 31st.

Thunder.—Thunderstorms occurred in every month except December; were unusually frequent from May to September; and in July, and again in August, were experienced more or less widely on as many as 21 days. A rather widespread storm on 17th June was of considerable intensity in some places, and at Falkirk the town steeple was partly destroyed. In July there were some intense and very local “cloudbursts,” and on 21st a severe and very general storm from Inverness southwards. In August thunderstorms on 5th and 9th involved the greater part of Scotland to the south of the Caledonian Canal; and on September 7th one which visited the south-east and south of Scotland was the worst experienced for many years.

Flooding.—With the melting of the snow which had accumulated on the hills at the end of April, and the early rains of May, there was heavy flooding of the Perthshire rivers; and at the beginning and end of October rather serious flooding in various districts,—notably in the Greenock area on 2nd.

During the summer period thunderstorm rains were at times followed by serious flooding, notably on July 21st, when the Glasgow area was seriously affected; on August 5th and 9th, especially in Perthshire and the Lothians; and on September 7th in the Lothian and Border Counties.

Sunshine.—In JANUARY a good deal of fog occurred in the west, but the east was fairly sunny; in FEBRUARY fog was rather prevalent, but the Moray Firth area was conspicuously sunny; and in MARCH western districts were rather sunny but eastern districts somewhat cloudy. In APRIL, on the other hand, the east was sunny but the west relatively cloudy, and the relationship between east and west was again inverted in the following month, with the cloudiest MAY on record at Aberdeen. In JUNE there were a few very sunny days, and in both JULY and AUGUST the north-west and north stood out as conspicuously sunny areas, whilst in the east conditions were rather cloudy and fog occurred. SEPTEMBER was in many districts an extremely cloudy

month; in OCTOBER distribution was irregular, with some fog; and in NOVEMBER the north was sunny, but elsewhere there was much cloud, and from 18th to 23rd very gloomy conditions. In DECEMBER almost sunless weather prevailed in the east until the last week.

On the Island of Tiree the aggregate “ bright sunshine ” for the year was 1,581 hours, as compared with 1,220 hours at Aberdeen.

Aurora.—Aurora was very frequently observed, and was indeed noted in Scotland in every month of the year. Displays were observed even in England, and as far south as London on December 20th and as far south as Oxford on December 28th.

[*For Statistical Tables, see page 126.*]

APPENDIX IV.

ALTERATIONS OF BOUNDARIES OF BURGHS, COUNTY PUBLIC HEALTH DISTRICTS, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1927.

Area.	Nature of Alteration.	Population as at Census 1921.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
I. BURGHS—							
Invergordon - - -	Extension within Civil Parish of Rosskeen.	1,384	698	686	1,717	869	848
Airdrie - - -	Extension within Civil Parishes of New Monkland and Old Monkland. Part of area annexed from latter Parish was within Burgh of Coatbridge, but had no population.	25,093	12,686	12,407	25,459	12,850	12,609
Coatbridge - - -	Part (no population) annexed to Burgh of Airdrie.	—	—	—	—	—	—
Greenock - - -	Extension within Civil Parish of Inverkip.	81,123	41,732	39,391	81,133	41,737	39,396
Loanhead - - -	Extension within Civil Parish of Lasswade.	3,441	1,699	1,742	3,462	1,710	1,752
II. COUNTY PUBLIC HEALTH DISTRICTS—							
Easter-Ross District of Ross and Cromarty -	Extension of Burgh of Invergordon.	10,631	5,186	5,445	10,298	5,015	5,283
Middle Ward of Lanark	Extension of Burgh of Airdrie -	218,723	111,209	107,514	218,357	111,045	107,312
Lower Ward of Renfrew	Extension of Burgh of Greenock	26,031	13,085	12,946	26,021	13,080	12,941
Lasswade District of Midlothian - -	Extension of Burgh of Loanhead	25,068	12,852	12,216	25,047	12,841	12,206
III. CIVIL PARISHES -	None.						
IV. COUNTIES - -	None.						
V. REGISTRATION DISTRICTS*—							
Denny - - -	Merged in new District of Denny and Dunipace.	4,691	2,401	2,290	—	—	—
Dunipace - - -	Merged in new District of Denny and Dunipace.	1,755	870	885	—	—	—
Denny and Dunipace -	New District - - - -	—	—	—	6,446	3,271	3,175
Kilmallie - - -	Part merged in new District of Kinlochmore.	3,350	1,627	1,723	3,347	1,625	1,722
Ballachulich and Onich	Part merged in new District of Kinlochmore.	521	249	272	439	196	243
Kinlochmore - - -	New District - - - -	—	—	—	85	55	30
St. Clement, Dundee -	Part annexed to Lochee. Part (no population) of Lochee annexed.	30,994	14,217	16,777	30,962	14,198	16,764
St. Andrew, Dundee -	Part of Mains and Strathmartine annexed.	56,391	25,300	31,091	56,709	25,421	31,288
Lochee - - -	Part of St. Clement annexed. Part (no population) annexed to St. Clement.	24,793	10,929	13,864	24,825	10,948	13,877
Mains and Strathmartine.	Part annexed to St. Andrew, Dundee.	6,545	2,984	3,561	6,227	2,863	3,364

* Alterations of Registration District Boundaries are all as from 1st January, 1928.

TABLE 1.—Population of Scotland, estimated to the middle of each year, with the Numbers of Births, Deaths, and Marriages registered in each year, 1855-1927.

YEAR	Estimated Mid-Year Population.	BIRTHS.						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1855	2,978,065	93349	47804	45545	7357	19680	62004	30626	31378	11691	31345
1856	2,995,771	101821	52239	49582	8695	1267	12	20740	58529	29418	29111	12058	43292
1857	3,012,310	103415	53158	50257	8859	1300	*16	21369	61906	30937	30969	12191	41509
1858	3,027,665	104018	53694	50324	9354	1262	17	19655	63539	31652	31887	12622	40479
1859	3,041,812	106543	54628	51915	9715	1335	11	21201	61714	30588	31126	11523	44829
1860	3,054,738	105629	54409	51220	9736	1247	23	21225	68170	33610	34560	13413	37459
1861	3,069,403	107009	54606	52403	9929	1249	18	20896	62341	30890	31451	11869	44668
1862	3,098,008	107069	55257	51812	10376	1279	18	20597	67195	33179	34016	12556	39874
1863	3,126,879	109341	56226	53115	10948	1267	6	22234	71481	35631	35850	13125	37860
1864	3,156,023	112333	57374	54959	11197	1332	12	22725	74416	37010	37406	14180	37917
1865	3,185,439	113070	58220	54850	11262	1364	9	23611	70891	35190	35701	14099	42179
1866	3,215,130	113667	58360	55307	11673	1366	12	23688	71348	35355	35993	13915	42319
1867	3,245,101	114044	58517	55527	11148	1365	*13	22618	69068	34363	34705	13521	44976
1868	3,275,353	115514	59222	56292	11354	1443	15	21855	69416	34662	34754	13600	46098
1869	3,305,889	113354	58321	55033	11066	1407	15	22144	75875	37868	38007	14654	37479
1870	3,336,712	115390	58459	56431	11108	1384	9	23854	74165	36866	37299	14166	41225
1871	3,368,926	116128	60029	56099	11077	1299	17	24019	74712	36827	37885	15134	41416
1872	3,404,799	118765	61293	57472	10927	1383	11	25641	75794	37939	37855	14720	42971
1873	3,441,057	119700	61467	58233	10925	1410	15	26748	76946	39037	37909	14950	42754
1874	3,477,704	123711	63602	60109	10991	1512	13	26390	80720	40678	40042	15447	42991
1875	3,514,744	123578	63432	60146	10786	1477	9	25974	81767	40323	41444	16320	41811
1876	3,552,182	126534	64819	61715	11029	1463	20	26579	74129	37404	36725	15340	52405
1877	3,590,021	126822	65089	61733	10568	1429	12	25817	73937	37173	36764	14571	52885
1878	3,628,268	126773	65200	61573	10641	1367	12	24358	76793	38389	38404	15599	49980
1879	3,666,923	125730	64346	61384	10727	1452	20	23519	73347	36296	37051	13571	52383
1880	3,705,994	124570	63786	60784	10589	1438	8	24505	75803	38055	37748	15523	48767
1881	3,742,564	126171	64720	61451	10484	1418	13	26004	72325	36097	36228	14198	53846
1882	3,770,656	126158	64505	61653	10546	1415	7	26596	72989	36325	36664	14883	53169
1883	3,798,961	124458	63879	60579	10114	1370	18	26869	76891	38296	38595	14812	47567
1884	3,827,476	129157	66379	62778	10439	1457	19	26106	75168	37556	37612	15228	53989
1885	3,856,207	126100	64543	61557	10680	1423	14	25304	74607	36932	37675	15200	51493
1886	3,885,154	127890	65910	61980	10506	1331	10	24515	73640	36432	37208	14797	54250
1887	3,914,318	124418	63842	60576	10380	1335	18	24876	74546	36805	37741	15202	49872
1888	3,943,701	123269	63129	60140	9968	1380	12	25305	71174	34953	36221	13945	52095
1889	3,973,304	122783	63303	59480	9770	1423	10	26344	73238	36328	36910	14895	49545
1890	4,003,131	121526	62187	59339	9241	1421	13	27469	79004	39130	39874	15877	42522
1891	4,036,245	125986	64769	61217	9647	1372	14	27969	83573	41122	42451	16110	42413
1892	4,078,910	125043	64356	60687	9248	1468	17	28670	75545	37463	38082	14693	49498
1893	4,122,029	127110	65010	62100	9467	1469	10	27145	79670	39585	40085	17286	47440
1894	4,165,606	124367	63857	60510	9064	1450	13	27604	71113	35153	35960	14516	53254
1895	4,209,645	126494	64799	61695	9204	1342	12	28422	81852	40663	41189	16874	44642
1896	4,254,153	129172	66214	62958	9393	1493	21	30270	70677	35321	35356	14924	58495
1897	4,299,132	128877	65817	63060	9068	1375	15	31050	79144	39506	39638	17773	49733
1898	4,344,589	130861	66814	64047	8870	1450	14	32112	78397	39344	39053	17566	52464
1899	4,390,530	130733	66778	63955	8486	1463	15	32978	79593	39903	39690	17132	51140
1900	4,436,958	131401	67147	64254	8534	1544	15	32444	82296	41276	41020	16888	49105
1901	4,479,104	132192	67753	64439	8359	1547	13	31387	80107	40213	39894	17104	52085
1902	4,507,220	132267	67442	64825	8300	1620	25	31913	77941	39183	38758	15004	54326
1903	4,535,513	133525	68087	65438	8295	1604	*13	32351	76002	38136	37866	15693	57523
1904	4,563,985	132603	67794	64809	9010	1603	18	32271	77981	38851	39130	16329	54622
1905	4,592,636	131410	66750	64660	9082	1619	17	31270	74536	37196	37340	15275	56874

* Including one case of quadruplets.

TABLE 1—continued.

YEAR	Estimated Mid-Year Popula- tion.	BIRTHS.						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1906	4,621,466	132005	67461	64544	9306	1524	21	33142	75635	37731	37904	15174	56370
1907	4,650,478	128840	65901	62939	8791	1676	*14	33298	77296	38240	39056	14140	51544
1908	4,679,671	131362	66826	64536	9111	1675	15	31606	77838	38864	38974	15900	53524
1909	4,709,048	128669	65725	62944	9370	1627	12	30108	74632	37094	37538	13856	54037
1910	4,738,611	124059	63144	60915	9049	1541	8	30902	72268	36049	36219	13436	51791
1911	4,751,132	121850	62274	59576	9200	1552	11	31844	71732	35823	35909	13707	50118
1912	4,741,077	122790	62931	59859	8989	1524	13	32506	72340	36072	36268	12949	50450
1913	4,728,132	120516	61464	59052	8548	1527	21	33676	73069	36504	36565	13214	47447
1914	4,747,167	123934	62974	60960	8879	1634	16	35028	73557	36757	36800	13710	50377
1915	4,770,798	114181	58392	55789	7875	1451	15	36233	81631	41110	40521	14441	32550
1916	4,794,708	109942	56471	53471	7797	1419	6	31419	70640	35649	34991	10674	39302
1917	4,810,338	97441	50011	47430	7295	1274	7	30421	69483	35361	34122	10473	27958
1918	4,812,274	98554	50373	48181	7854	1357	10	34529	78372	39144	39228	9836	20182
1919	4,820,077	106268	54771	51497	8424	1584	*14	44060	75149	37500	37649	10795	31119
1920	4,864,396	136546	69719	66827	10204	1822	15	46754	68179	34619	33560	12565	68367
1921	4,882,497	123201	63075	60126	8757	1596	8	39243	66210	33085	33125	11130	56991
1922	4,904,456	115085	58826	56259	7881	1498	11	34375	72905	36244	36661	11664	42180
1923	4,901,100	111902	57332	54570	7477	1491	9	35200	63283	31682	31601	8825	48619
1924	4,881,637	106900	54919	51981	7086	1400	13	32328	70357	35168	35189	10446	36543
1925	4,893,032	104137	53426	50711	6831	1309	7	32456	65507	33036	32471	9430	38630
1926	4,896,638	102449	52362	50087	7046	1279	*12	31244	63780	32021	31759	8514	38669
1927	4,891,953	96672	49314	47358	6978	1237	9	32593	65830	33097	32733	8576	30842

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1927.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).					
			Total.	Males.	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	104·9	...	125·2	1855
1856	33·988	6·923	19·537	20·65	18·50	14·45	8·54	105·3	1·27	118·4	1856
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	105·7	1·29	117·9	1857
1858	34·356	6·492	20·986	22·02	20·05	13·37	8·99	106·6	1·25	121·3	1858
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	105·2	1·28	108·2	1859
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	106·2	1·22	127·0	1860
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	104·2	1·20	110·9	1861
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	106·6	1·23	117·3	1862
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	105·8	1·18	120·0	1863
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	104·4	1·21	126·2	1864
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	106·1	1·23	124·7	1865
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	105·5	1·23	122·4	1866
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	105·4	1·22	118·6	1867
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	105·2	1·28	117·7	1868
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	105·9	1·27	129·3	1869
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	104·4	1·22	122·8	1870

TABLE 2—continued.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.	YEAR
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).					
			Total.	Males.	Fem.						
1871	34.470	7.130	22.177	22.90	21.51	12.29	9.54	107.0	1.15	130.3	1871
1872	34.882	7.531	22.261	23.33	21.00	12.62	9.20	106.6	1.19	123.9	1872
1873	34.786	7.773	22.361	23.72	21.11	12.43	9.13	105.5	1.20	124.9	1873
1874	35.573	7.588	23.211	24.44	22.08	12.36	8.88	105.8	1.25	124.9	1874
1875	35.160	7.390	23.264	23.94	22.63	11.90	8.73	105.5	1.22	132.1	1875
1876	35.621	7.482	20.869	21.96	19.86	14.75	8.72	105.0	1.19	121.2	1876
1877	35.326	7.191	20.595	21.57	19.69	14.73	8.33	105.4	1.15	114.9	1877
1878	34.940	6.713	21.165	22.02	20.37	12.78	8.39	105.9	1.10	123.0	1878
1879	34.288	6.414	20.002	20.58	19.47	14.29	8.53	104.8	1.18	107.9	1879
1880	33.613	6.612	20.454	21.33	19.64	13.16	8.50	104.9	1.17	124.6	1880
1881	33.712	6.948	19.325	20.02	18.68	14.99	8.31	105.3	1.15	112.5	1881
1882	33.458	7.053	19.357	19.98	18.77	14.10	8.36	104.6	1.14	118.0	1882
1883	32.761	7.073	20.240	20.90	19.61	12.52	8.13	105.4	1.13	119.0	1883
1884	33.745	6.821	19.639	20.32	18.97	14.11	8.08	105.7	1.16	117.9	1884
1885	32.700	6.562	19.347	19.83	18.87	13.35	8.47	104.9	1.15	120.5	1885
1886	32.918	6.310	18.954	19.40	18.50	13.96	8.21	106.3	1.06	115.7	1886
1887	31.785	6.355	19.044	19.44	18.63	12.74	8.34	105.4	1.10	122.2	1887
1888	31.257	6.417	18.048	18.32	17.75	13.21	8.09	105.0	1.14	113.1	1888
1889	30.902	6.630	18.433	18.88	17.96	12.47	7.96	106.4	1.18	121.3	1889
1890	30.358	6.862	19.736	20.26	19.25	10.62	7.60	104.8	1.19	130.6	1890
1891	31.214	6.929	20.706	21.11	20.33	10.51	7.66	105.8	1.11	127.9	1891
1892	30.656	7.029	18.521	19.01	18.06	12.14	7.40	106.0	1.20	117.5	1892
1893	30.837	6.585	19.328	19.87	18.82	11.51	7.45	104.7	1.18	136.0	1893
1894	29.856	6.627	17.071	17.45	16.72	12.79	7.29	105.5	1.19	116.7	1894
1895	30.049	6.752	19.444	19.95	18.96	10.61	7.28	105.0	1.08	133.4	1895
1896	30.364	7.115	16.614	17.14	16.12	13.75	7.27	105.2	1.19	115.5	1896
1897	29.977	7.222	18.409	18.96	17.89	11.57	7.04	104.4	1.09	137.9	1897
1898	30.120	7.391	18.045	18.67	17.46	12.08	6.78	104.3	1.13	134.2	1898
1899	29.776	7.511	18.128	18.72	17.57	11.65	6.49	104.4	1.14	131.0	1899
1900	29.615	7.312	18.548	19.15	17.98	11.07	6.49	104.5	1.20	128.5	1900
1901	29.513	7.007	17.885	18.47	17.33	11.63	6.32	105.1	1.19	129.4	1901
1902	29.346	7.080	17.292	17.89	16.73	12.05	6.28	104.0	1.26	113.4	1902
1903	29.440	7.133	16.757	17.31	16.24	12.68	6.21	104.0	1.23	117.5	1903
1904	29.054	7.071	17.086	17.53	16.67	11.97	6.79	104.6	1.24	123.1	1904
1905	28.613	6.809	16.229	16.68	15.81	12.38	6.91	103.2	1.26	116.2	1905
1906	28.563	7.171	16.366	16.82	15.94	12.20	7.05	104.5	1.18	115.0	1906
1907	27.705	7.160	16.621	16.94	16.32	11.08	6.82	104.7	1.33	109.7	1907
1908	28.071	6.754	16.633	17.11	16.18	11.44	6.94	103.5	1.30	121.0	1908
1909	27.324	6.394	15.849	16.24	15.48	11.48	7.28	104.4	1.29	107.7	1909
1910	26.180	6.521	15.251	15.68	14.84	10.93	7.29	103.7	1.26	108.3	1910
1911	25.647	6.702	15.098	15.55	14.67	10.55	7.55	104.5	1.30	112.5	1911
1912	25.899	6.856	15.258	15.68	14.86	10.64	7.32	105.1	1.27	105.5	1912
1913	25.489	7.122	15.454	15.90	15.04	10.04	7.09	104.1	1.30	109.6	1913
1914	26.107	7.379	15.495	15.93	15.08	10.61	7.16	103.3	1.35	110.6	1914
1915	23.933	7.595	17.111	17.77	16.49	6.82	6.90	104.7	1.30	126.5	1915
1916	22.930	6.553	14.733	15.37	14.13	8.20	7.09	105.6	1.31	97.1	1916
1917	20.257	6.324	14.445	15.24	13.71	5.81	7.49	105.4	1.33	107.5	1917
1918	20.480	7.175	16.286	16.96	15.67	4.19	7.97	104.5	1.41	99.8	1918
1919	22.047	9.141	15.591	16.20	15.02	6.46	7.93	106.4	1.53	101.6	1919
1920	28.070	9.611	14.016	14.81	13.28	14.05	7.47	104.3	1.36	92.0	1920
1921	25.233	8.037	13.561	14.09	13.07	11.67	7.11	104.9	1.32	90.3	1921
1922	23.465	7.009	14.865	15.37	14.40	8.60	6.85	104.6	1.33	101.4	1922
1923	22.832	7.182	12.912	13.44	12.42	9.92	6.68	105.1	1.36	78.9	1923
1924	21.898	6.622	14.413	14.98	13.88	7.49	6.63	105.7	1.34	97.7	1924
1925	21.283	6.633	13.388	14.04	12.78	7.89	6.56	105.4	1.28	90.6	1925
1926	20.922	6.381	13.025	13.60	12.49	7.89	6.88	104.5	1.28	83.1	1926
1927	19.761	6.663	13.457	14.07	12.89	6.30	7.22	104.1	1.31	88.7	1927

TABLE 3.—Births, Deaths and Marriages in Scotland, 1917 to 1927.

	Numbers.					Rates.				
	Births.		Marri- ages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Total Births.	Deaths under One Year per 1000 Births.
	Total.	Illegiti- mate.		All Ages.	Under One Year.	Births.	Marri- ages.	Deaths		
1st Quarter 1917 .	25,371	1,812	7,244	21,789	3,329	21·4	6·1	18·4	7·1	131
2nd „ „ .	26,198	1,844	7,318	18,612	2,781	21·8	6·1	15·5	7·0	106
3rd „ „ .	23,096	1,830	7,811	13,735	1,987	19·0	6·5	11·3	7·9	86
4th „ „ .	22,776	1,809	8,048	15,347	2,376	18·8	6·7	12·7	7·9	104
Year 1917 .	97,441	7,295	30,421	69,483	10,473	20·3	6·3	14·4	7·5	107
1st Quarter 1918 .	23,221	1,716	8,222	17,885	2,582	19·6	6·9	15·1	7·4	111
2nd „ „ .	26,054	2,026	8,031	16,680	2,332	21·7	6·7	13·9	7·8	90
3rd „ „ .	24,700	2,019	9,386	15,188	1,972	20·4	7·8	12·5	8·2	80
4th „ „ .	24,579	2,093	8,890	28,619	2,950	20·3	7·3	23·6	8·5	120
Year 1918 .	98,554	7,854	34,529	78,372	9,836	20·5	7·2	16·3	8·0	100
1st Quarter 1919 .	22,507	2,070	8,792	28,959	4,003	18·9	7·4	24·4	9·2	178
2nd „ „ .	23,856	1,877	11,623	16,612	2,250	19·9	9·7	13·8	7·9	94
3rd „ „ .	25,424	2,059	12,248	13,325	1,992	20·9	10·1	11·0	8·1	78
4th „ „ .	34,481	2,418	11,397	16,253	2,550	28·4	9·4	13·4	7·0	74
Year 1919 .	106,268	8,424	44,060	75,149	10,795	22·0	9·1	15·6	7·9	102
1st Quarter 1920 .	37,751	2,690	11,730	18,926	3,466	31·1	9·7	15·6	7·1	92
2nd „ „ .	36,220	2,755	11,862	18,249	3,482	29·9	9·8	15·0	7·6	96
3rd „ „ .	31,626	2,388	12,680	13,950	2,356	25·8	10·4	11·4	7·6	74
4th „ „ .	30,949	2,371	10,482	17,054	3,261	25·2	8·6	13·9	7·7	105
Year 1920 .	136,546	10,204	46,754	68,179	12,565	28·1	9·6	14·0	7·5	92
1st Quarter 1921 .	29,824	2,175	10,934	19,940	3,537	24·8	9·1	16·6	7·3	119
2nd „ „ .	33,473	2,267	9,459	16,122	2,529	27·5	7·8	13·2	6·8	76
3rd „ „ .	30,083	2,236	9,756	13,971	2,444	24·4	7·9	11·4	7·4	81
4th „ „ .	29,821	2,079	9,094	16,177	2,620	24·2	7·4	13·1	7·0	88
Year 1921 .	123,201	8,757	39,243	66,210	11,130	25·2	8·0	13·6	7·1	90
1st Quarter 1922 .	30,854	2,103	7,888	26,263	4,362	25·5	6·5	21·7	6·8	141
2nd „ „ .	30,046	2,024	8,717	17,768	3,022	24·6	7·1	14·5	6·7	101
3rd „ „ .	28,019	1,962	9,381	13,179	1,786	22·7	7·6	10·7	7·0	64
4th „ „ .	26,166	1,792	8,389	15,695	2,494	21·2	6·8	12·7	6·8	95
Year 1922 .	115,085	7,881	34,375	72,905	11,664	23·5	7·0	14·9	6·8	101
1st Quarter 1923 .	28,530	1,915	8,083	17,671	2,804	23·6	6·7	14·6	6·7	98
2nd „ „ .	29,140	1,868	8,881	16,321	2,292	23·8	7·3	13·4	6·4	79
3rd „ „ .	27,087	1,881	9,872	13,172	1,679	21·9	8·0	10·7	6·9	62
4th „ „ .	27,145	1,813	8,364	16,119	2,050	22·0	6·8	13·0	6·7	76
Year 1923 .	111,902	7,477	35,200	63,283	8,825	22·8	7·2	12·9	6·7	79
1st Quarter 1924 .	27,452	1,801	7,296	21,967	3,622	22·7	6·0	18·1	6·6	132
2nd „ „ .	27,985	1,802	7,971	17,872	2,590	23·1	6·5	14·8	6·4	93
3rd „ „ .	26,175	1,743	9,141	13,703	1,801	21·4	7·4	11·2	6·7	69
4th „ „ .	25,288	1,740	7,920	16,815	2,433	20·7	6·4	13·7	6·9	96
Year 1924 .	106,900	7,086	32,328	70,357	10,446	21·9	6·6	14·4	6·6	98
1st Quarter 1925 .	25,230	1,628	7,644	18,350	2,723	20·9	6·3	15·2	6·5	108
2nd „ „ .	27,909	1,769	8,014	15,911	2,246	22·9	6·6	13·0	6·3	81
3rd „ „ .	25,595	1,785	9,137	13,450	1,861	20·8	7·4	10·9	7·0	73
4th „ „ .	25,403	1,649	7,661	17,796	2,600	20·6	6·2	14·4	6·5	102
Year 1925 .	104,137	6,831	32,456	65,507	9,430	21·3	6·6	13·4	6·6	91
1st Quarter 1926 .	26,170	1,778	7,819	17,928	2,520	21·6	6·5	14·8	6·8	96
2nd „ „ .	26,996	1,783	7,682	17,008	2,158	22·1	6·3	13·9	6·6	80
3rd „ „ .	24,821	1,749	8,408	12,866	1,588	20·1	6·8	10·4	7·0	64
4th „ „ .	24,462	1,736	7,335	15,978	2,248	19·8	5·9	12·9	7·1	92
Year 1926 .	102,449	7,046	31,244	63,780	8,514	20·9	6·4	13·0	6·9	83
1st Quarter 1927 .	24,775	1,738	7,357	19,437	2,728	20·5	6·1	16·1	7·0	110
2nd „ „ .	25,116	1,812	7,941	15,812	1,949	20·6	6·5	13·0	7·2	78
3rd „ „ .	23,496	1,741	9,104	13,641	1,566	19·1	7·4	11·1	7·4	67
4th „ „ .	23,285	1,687	8,191	16,940	2,333	18·9	6·6	13·7	7·2	100
Year 1927 .	96,672	6,978	32,593	65,830	8,576	19·8	6·7	13·5	7·2	89

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Groups of Districts and Larger Burghs, in 1927.

RATES PER 1000 OF POPULATION.											
Estimated Population.	Birth-rate.	Marriage-rate.	Death-rate.					Illegitimate Births per cent. of Total Births.	Infantile Mortality, Rate per 1000 Births.		
			Uncorrected.	Corrected Transfers.	Corrected and Adjusted for Age and Sex Distribution	All Tuberculosis.	Tuberculosis of Respiratory System.			*Principal Epidemic Diseases.	
SCOTLAND	4,891,953	19.76	6.66	13.46	13.46	13.46	1.00	0.71	0.60	7.22	88.7
LARGER BURGHS	2,403,565	20.89	8.08	14.92	14.12	15.26	1.14	0.82	0.84	6.28	100.2
SMALLER BURGHS	948,142	17.71	6.52	12.41	13.36	12.62	0.89	0.61	0.38	7.03	79.1
COUNTY DISTRICTS	1,540,246	19.26	4.54	11.82	12.47	11.58	0.83	0.59	0.37	8.91	74.7
Glasgow	1,054,744	22.4	8.5	15.6	14.6	16.4	1.22	0.90	1.06	6.2	107
Edinburgh	425,147	17.9	9.1	15.8	14.3	14.5	1.20	0.90	0.51	7.1	80
Dundee	172,444	20.4	7.4	17.5	16.9	16.9	1.16	0.89	1.43	7.6	138
Aberdeen	158,116	20.1	9.5	14.5	13.8	13.8	1.00	0.66	0.37	7.5	105
Paisley	87,010	20.6	6.7	13.9	13.1	14.4	0.99	0.74	0.72	4.6	90
Greenock	80,889	22.2	4.9	13.6	13.3	14.5	1.31	0.87	0.35	5.2	89
Motherwell and Wishaw	70,457	21.1	5.3	9.4	11.2	13.4	1.14	0.72	0.50	5.3	79
Clydebank	47,605	21.3	5.2	7.5	10.7	13.5	0.95	0.65	0.99	4.3	84
Coatbridge	44,361	26.1	5.8	13.1	14.2	16.1	1.10	0.74	1.13	5.2	118
Dunfermline	38,334	17.3	6.5	11.7	10.4	11.3	0.83	0.57	0.42	5.0	78
Kirkcaldy	41,055	18.0	6.0	11.3	11.6	11.6	0.61	0.46	0.27	6.1	66
Hamilton	40,498	21.9	6.5	10.1	11.6	13.4	0.79	0.44	0.54	7.1	87
Kilmarnock	36,987	21.1	8.7	15.0	13.4	14.2	0.92	0.70	0.46	4.6	92
Ayr	37,440	18.6	7.0	15.1	12.1	12.7	0.69	0.53	0.80	5.3	91
Falkirk	35,098	20.8	7.5	14.0	12.7	14.1	1.14	0.77	0.83	4.7	93
Perth	33,380	17.1	10.0	17.6	14.1	13.4	0.72	0.45	0.63	8.0	66

*Enteric Fever, Measles. Scarlet Fever, Whooping Cough, Diphtheria, Diarrhoea under 2 years.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Smaller Burghs of Scotland in 1927.

BURGHs.	Estimated Population.	RATES PER 1000 OF POPULATION.								per cent. Illegitimate Births of Total Births.	Rate Infantile Mortality. per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	+Principal Epi- demic Diseases.		
Aberchirder	870	29·9	8·0	23·0	20·7	15·4	3·45	3·45	0·00	7·7	38
Aberfeldy	1,495	11·4	2·7	19·4	18·7	13·9	0·67	0·00	0·00	29·4	0
Aberlour (<i>vide</i> Charles- town of Aberlour)											
Abernethy	620	16·1	12·9	12·9	16·1	10·8	1·61	1·61	0·00	0·0	200
Airdrie	25,096	25·5	6·2	11·0	12·9	14·6	1·28	0·64	0·68	5·0	84
Alloa	13,288	20·6	7·2	13·2	13·8	14·5	1·05	0·68	0·08	5·5	69
Alva	3,856	15·8	7·5	10·6	14·0	13·1	1·30	0·78	0·26	8·2	33
Alyth	1,573	22·3	8·3	19·1	21·6	14·8	1·27	1·27	0·00	5·7	0
Annan	3,644	18·7	8·5	14·3	15·1	13·7	0·82	0·55	0·27	11·8	118
Anstruther-Easter	903	8·9	5·5	6·6	12·2	9·5	2·21	2·21	1·11	0·0	125
Anstruther-Wester	574	13·9	1·7	12·2	12·2	9·8	1·74	1·74	0·00	0·0	0
Arbroath	18,255	17·6	8·9	18·4	17·9	15·8	0·71	0·66	0·49	7·5	93
Ardrossan	7,826	18·5	5·4	8·7	10·7	10·8	0·89	0·38	0·26	7·6	83
Armadale	4,887	24·8	8·2	10·2	13·3	15·8	0·61	0·20	1·43	9·1	140
Auchterarder	2,178	19·7	8·7	19·7	17·9	13·3	0·92	0·46	0·00	4·7	70
Auchtermuchty	1,111	9·0	9·0	18·9	20·7	13·2	0·00	0·00	0·00	0·0	0
Ballater	1,667	16·2	5·4	8·4	11·4	8·8	1·20	0·60	0·00	0·0	111
Banchory	1,804	12·7	9·4	11·6	12·2	9·2	0·55	0·55	0·00	8·7	87
Banff	3,240	20·1	13·6	25·6	18·5	15·5	1·23	0·93	1·85	10·8	200
Barrhead	11,166	23·9	6·6	11·1	14·4	15·8	0·90	0·72	0·36	5·2	79
Bathgate	8,407	19·6	6·9	9·3	12·6	14·7	1·19	0·36	1·07	3·6	67
Biggar	1,537	11·1	3·9	16·3	16·9	11·3	0·65	0·00	0·65	5·9	59
Blairgowrie	2,879	13·9	8·7	21·2	20·1	14·7	0·35	0·00	0·69	12·5	50
Bonnyrigg	3,086	14·9	0·6	12·0	13·3	12·3	1·94	1·30	0·32	2·2	0
Borrowstounness	9,458	25·9	10·2	10·3	13·1	15·3	1·16	0·85	0·53	4·5	90
Brechin	6,657	15·6	9·3	20·1	21·0	16·2	1·80	1·05	0·30	15·4	77
Bridge-of-Allan	3,732	7·0	3·5	5·9	6·4	5·9	0·00	0·00	0·27	15·4	38
Buckhaven and Methil	16,864	23·1	5·9	10·8	12·5	15·0	0·65	0·47	1·30	4·4	95
Buckie	8,311	23·7	6·7	14·4	15·2	15·0	0·72	0·24	0·60	6·6	127
Burghead	1,224	13·1	2·5	13·1	16·3	13·8	0·82	0·82	0·00	6·3	63
Burntisland	5,983	15·0	3·7	10·7	12·5	12·0	0·67	0·50	0·50	5·6	89
Callander	2,028	7·9	4·4	8·9	8·9	7·4	0·49	0·49	0·00	12·5	0
Campbeltown	6,059	21·6	9·9	14·9	15·3	12·8	1·82	1·49	0·00	14·5	84
Carnoustie	6,119	9·8	4·1	10·0	12·4	10·0	0·33	0·33	0·00	3·3	83
Castle-Douglas	2,595	15·8	6·2	20·8	20·0	17·1	1·16	0·77	0·77	12·2	73
Charlestown of Aberlour	1,208	5·8	5·0	11·6	12·4	14·3	0·83	0·83	0·83	0·0	143
Cockenzie and Port- Seton	3,002	13·3	8·7	5·3	6·3	6·6	0·67	0·33	0·00	10·0	75
Coldstream	1,211	15·7	4·1	19·0	19·0	14·3	1·65	1·65	1·65	0·0	0
Coupar-Angus	1,850	13·5	9·7	17·8	23·2	17·8	1·08	0·00	4·86	16·0	160
*Cove and Kilcreggan	861	7·0	3·5	11·6	17·4	14·6	0·00	0·00	0·00	0·0	0
Cowdenbeath	13,894	20·3	3·9	7·5	10·1	12·1	0·79	0·50	0·43	5·7	99
Crail	1,646	5·5	4·3	10·9	10·9	7·7	0·00	0·00	0·61	11·1	0
Crieff	5,926	13·0	4·6	10·8	12·7	9·7	0·51	0·51	0·34	7·8	52
Cromarty	1,105	7·2	0·9	13·6	16·3	11·7	1·81	0·90	0·00	0·0	125
Cullen	1,922	15·6	3·6	11·4	11·4	9·1	1·56	0·00	0·52	13·3	100
Culross	523	17·2	9·6	21·0	24·9	18·6	0·00	0·00	0·00	22·2	111
Cumnock and Holmhead	3,505	21·4	8·0	12·3	14·6	15·1	0·29	0·00	0·00	9·3	40
Cupar	3,887	19·6	9·5	18·5	19·6	14·0	1·29	1·03	0·26	9·2	66
Dalbeattie	2,703	21·5	8·1	15·2	18·1	15·0	0·74	0·37	0·00	10·3	121
Dalkeith	7,155	21·8	8·7	12·2	13·0	12·1	1·12	0·56	0·42	6·4	96
Darvel	3,097	16·1	8·4	15·5	16·1	16·6	0·32	0·32	0·00	8·0	40
Denny and Dunipace	4,956	23·8	7·7	9·5	11·9	13·4	1·21	0·81	0·00	5·1	59
Dingwall	2,074	21·2	22·2	18·3	15·9	12·8	0·48	0·48	0·00	0·0	23
Dollar	1,586	12·0	5·7	11·3	13·9	10·8	0·00	0·00	0·00	5·3	53

* See footnote at end of Table 5.

† Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria, Diarrhoea under 2 years.

TABLE 5—continued.

BURGHS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.		
Dornoch	759	15·8	9·2	19·8	19·8	14·4	2·64	2·64	0·00	8·3	83
Doune	823	19·4	13·4	24·3	26·7	21·1	2·43	0·00	0·00	6·3	250
Dufftown	1,312	25·9	10·7	23·6	24·4	16·9	1·52	1·52	0·00	14·7	29
Dumbarton	22,782	20·6	4·3	12·8	12·9	13·9	0·92	0·61	0·22	4·5	90
Dumfries	15,095	22·0	10·5	23·1	15·6	15·4	1·32	0·79	0·79	9·3	99
Dunbar	4,005	15·2	5·7	12·2	11·2	9·7	0·50	0·25	0·00	0·0	66
Dunblane	2,823	11·3	5·3	15·6	17·7	14·2	1·77	1·77	0·71	6·3	125
Dunipace (<i>vide</i> Denny and Dunipace)											
*Dunoon	6,939	15·4	5·0	19·3	19·2	16·6	0·72	0·43	0·43	11·2	140
Duns	1,697	15·3	9·4	17·7	18·9	13·4	0·00	0·00	0·59	3·8	77
Dysart	4,689	20·3	8·7	9·2	12·6	13·5	0·00	0·00	0·00	11·6	53
*Earlsferry	322	6·2	3·1	12·4	15·5	13·3	0·00	0·00	0·00	0·0	0
East Linton	671	4·5	3·0	23·8	22·4	15·9	0·00	0·00	0·00	33·3	0
Elgin	7,041	19·7	15·2	23·9	21·0	17·4	1·42	1·14	0·28	15·1	65
*Elie, Liberty, and Williamsburgh	692	4·3	7·2	18·8	17·3	16·5	0·00	0·00	1·45	33·3	0
Ellon	1,197	16·7	40·9	16·7	17·5	12·5	0·84	0·84	1·67	0·0	100
Eyemouth	2,416	20·7	4·6	7·9	8·7	8·2	0·83	0·41	0·00	0·0	60
Falkland	729	15·1	6·9	15·1	19·2	12·6	0·00	0·00	0·00	0·0	0
Findochty	1,518	27·0	3·3	12·5	15·2	14·4	1·98	1·98	0·00	9·8	122
Forfar	8,572	18·3	9·8	15·9	16·6	14·1	1·05	0·70	0·47	4·5	64
Forres	3,820	17·8	5·5	22·0	24·1	18·2	1·83	1·57	0·52	20·6	132
Fortrose	927	7·6	3·2	21·6	20·5	13·2	0·00	0·00	0·00	0·0	143
Fort-William	1,805	29·4	8·3	13·9	13·9	12·3	1·66	1·11	0·00	13·2	19
Fraserburgh	10,204	20·9	5·4	10·9	12·1	12·9	0·98	0·88	0·49	11·7	56
Galashiels	11,654	14·8	6·3	14·5	15·6	14·1	1·20	0·77	0·00	7·0	105
Galston	4,647	20·2	9·7	9·0	12·3	13·5	0·43	0·22	0·00	1·1	74
Gatehouse	788	21·6	5·1	8·9	8·9	5·8	0·00	0·00	0·00	5·9	59
*Girvan	5,868	17·6	6·8	10·6	11·6	10·7	1·36	1·19	0·17	11·7	78
Gourock	11,375	11·7	3·6	9·1	10·8	10·8	0·53	0·44	0·09	0·8	45
Grangemouth	9,379	25·3	6·2	8·1	10·8	12·1	0·53	0·32	0·11	3·4	46
Grantown-on-Spey	1,670	14·4	5·4	15·0	16·2	12·7	0·60	0·00	0·60	12·5	42
Greenholm (<i>vide</i> Newmilns and Greenholm)											
Haddington	3,882	17·8	5·2	17·8	18·3	16·0	0·77	0·77	0·26	2·9	87
Hawick	15,563	15·6	6·7	15·7	16·8	15·5	1·29	1·09	0·00	6·2	86
Helensburgh	10,080	11·2	5·4	9·8	11·1	9·9	0·30	0·20	0·10	10·6	88
Holmhead (<i>vide</i> Cumnock and Holmhead)											
Huntly	3,368	20·8	8·6	22·3	22·0	16·0	1·48	1·19	0·59	22·9	57
Innerleithen	2,248	16·5	7·6	10·7	13·8	12·3	0·44	0·44	0·00	5·4	54
Innerleven (<i>vide</i> Buckhaven and Methil)											
Inveraray	451	23·8	0·0	6·7	13·3	12·1	0·00	0·00	0·00	7·7	0
Inverbervie	935	28·9	7·5	13·9	19·3	14·9	1·07	0·00	0·00	14·8	111
Invergordon	2,043	6·9	3·4	2·9	5·4	5·2	0·49	0·49	0·49	21·4	71
Inverkeithing	3,283	19·2	4·6	7·9	10·7	10·9	0·91	0·61	0·61	11·1	63
Inverness	19,590	18·4	11·5	21·6	18·6	16·5	1·23	0·97	1·28	9·4	111
Inverurie	4,279	17·3	9·1	11·5	14·7	13·0	1·40	0·93	0·47	14·9	41
Irvine	12,409	23·5	6·4	10·6	12·1	12·7	0·73	0·56	0·56	4·5	82
Jedburgh	2,168	21·7	6·0	17·1	19·4	16·3	0·92	0·92	0·00	8·5	64
Johnstone	12,344	23·1	7·0	10·4	12·9	14·0	0·97	0·73	0·41	2·5	77

* See footnotes at end of Table 5.

TABLE 5—continued.

BURGHES.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.		
Keith	4,013	25·2	10·0	16·4	17·4	13·5	0·00	0·00	0·50	21·8	89
Kelso	3,162	18·0	7·0	25·0	22·8	18·1	0·63	0·32	0·00	8·8	53
Kilcreggan and Cove (<i>vide</i> Cove and Kilcreggan)											
Kilrenny	1,704	20·5	4·7	21·1	22·3	18·5	1·17	1·17	0·00	0·0	0
Kilsyth	7,084	21·3	6·8	8·2	11·0	12·7	0·28	0·14	0·14	5·3	73
Kilwinning	5,528	16·8	8·5	8·0	9·2	9·3	0·54	0·36	0·00	4·3	65
*Kinghorn	1,549	23·2	3·2	18·7	22·6	21·8	1·29	0·65	0·00	5·6	28
Kingussie	1,183	16·9	1·7	17·8	16·9	13·8	1·69	1·69	0·00	10·0	50
Kinross	2,560	17·6	6·6	11·3	14·1	12·0	1·95	0·78	0·39	0·0	44
Kintore	675	23·7	19·3	17·8	23·7	18·2	1·48	0·00	1·48	0·0	63
Kirkcudbright	1,979	21·7	9·6	14·1	16·2	13·1	2·02	2·02	0·00	4·7	23
Kirkintilloch	11,199	22·9	8·8	11·8	12·1	13·4	0·54	0·27	0·71	2·7	58
Kirkwall	3,521	12·8	10·2	23·4	20·4	14·7	1·99	1·70	0·00	4·4	44
Kirriemuir	3,206	13·4	7·8	15·3	19·7	13·9	1·56	0·94	0·62	18·6	23
Ladybank and Monkston	1,078	13·0	7·4	10·2	11·1	9·1	0·93	0·93	0·00	0·0	0
Lanark	6,289	20·5	12·9	13·7	14·2	13·5	0·95	0·80	0·16	6·2	47
Langholm	2,419	8·3	2·1	18·2	19·0	15·7	1·65	1·24	0·00	5·0	0
*Largs	4,104	12·7	4·4	16·8	17·1	15·4	0·24	0·24	0·00	9·6	38
Lasswade	904	33·2	6·6	7·7	7·7	7·4	1·11	0·00	1·11	10·0	67
Lauder	793	11·3	0·0	13·9	15·1	11·1	0·00	0·00	0·00	11·1	111
Laurencekirk	1,431	8·4	7·0	17·5	18·2	12·1	0·70	0·00	0·00	25·0	0
Lerwick	4,721	11·0	12·7	12·7	11·2	10·0	0·64	0·21	0·00	7·7	77
Leslie	2,240	17·0	8·0	8·9	11·6	9·7	0·00	0·00	1·34	0·0	26
Leven	7,502	16·7	5·7	9·5	11·3	11·7	0·13	0·13	0·80	2·4	56
Liberty (<i>vide</i> Elie, Liberty, and Wil- liamsburgh)											
Linlithgow	3,695	20·3	6·2	9·2	11·1	10·9	0·27	0·00	0·54	5·3	40
Loanhead	3,313	23·2	9·4	8·5	12·1	13·4	0·91	0·60	0·00	0·0	91
Lochgelly	10,769	18·2	5·5	8·2	10·9	13·2	0·65	0·28	0·93	3·6	117
Lochgilphead	921	9·8	7·6	23·9	33·7	20·7	1·09	1·09	0·00	11·1	0
Lochmaben	921	22·8	8·7	19·5	23·9	18·0	0·00	0·00	0·00	9·5	95
Lockerbie	2,211	19·0	5·4	14·0	15·4	14·0	1·36	0·90	0·45	4·8	24
Lossiemouth	4,018	18·7	5·0	14·4	16·2	14·5	1·49	1·00	0·00	9·3	107
Macduff	3,206	23·1	2·2	18·1	21·8	17·9	1·56	0·94	1·25	6·8	162
Markinch	1,544	23·3	13·6	14·9	20·1	17·6	1·30	0·00	1·94	0·0	139
Maybole	4,045	21·8	6·4	15·6	17·3	17·3	1·24	0·99	0·00	11·4	114
Maxwelltown	5,850	17·8	6·3	10·6	15·6	15·1	1·71	1·20	0·17	5·8	87
Melrose	2,083	13·9	5·3	28·3	11·0	8·9	0·48	0·48	0·00	6·9	34
Methil (<i>vide</i> Buckhaven and Methil)											
*Millport	1,500	7·3	2·7	20·0	20·0	20·7	0·67	0·00	0·00	0·0	182
Milngavie	4,244	17·0	4·2	9·4	12·5	12·5	0·71	0·47	0·47	8·3	69
Moffat	2,551	9·8	3·5	11·4	10·6	8·6	0·39	0·00	0·00	8·0	0
Monifieth	3,201	9·1	3·1	13·4	15·3	13·2	0·31	0·00	0·62	6·9	138
Monkston (<i>vide</i> Lady- bank and Monkston)											
Montrose	10,652	16·4	5·3	18·1	17·0	13·6	0·66	0·56	0·19	10·3	57
Musselburgh	17,263	19·6	6·3	10·4	11·9	12·5	0·98	0·70	0·17	3·2	74
Nairn	4,209	12·4	7·8	16·9	18·3	14·5	0·24	0·24	0·00	7·7	115
Newburgh	2,233	20·2	6·7	15·2	16·6	12·6	0·90	0·90	0·45	4·4	67
New Galloway	336	11·9	3·0	26·8	26·8	18·8	0·00	0·00	0·00	25·0	0
Newmilns and Green- holm	3,667	18·5	7·1	11·7	13·4	12·9	1·09	1·09	0·00	2·9	88

* See footnote at end of Table 5.

TABLE 5—continued.

BURGHES.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.		
Newport	2,998	9·7	1·7	12·3	15·7	12·2	1·00	0·67	0·00	10·3	103
Newton-Stewart	1,644	18·9	3·0	16·4	17·6	13·4	1·82	0·61	0·00	6·5	32
North Berwick	5,178	4·4	3·7	7·0	6·8	6·3	0·39	0·39	0·00	0·0	43
Oban	6,602	14·5	8·5	14·8	11·4	10·7	1·06	0·61	0·15	3·1	52
Old Meldrum	930	29·0	8·6	20·4	20·4	13·8	0·00	0·00	1·08	18·5	74
Peebles	5,353	15·9	7·1	13·5	14·4	12·3	0·19	0·19	0·37	11·8	24
Penicuik	2,557	22·7	5·9	12·9	15·6	13·9	1·56	0·78	0·39	10·3	69
Peterhead	12,454	26·7	7·5	10·0	10·5	10·6	1·12	0·88	0·56	5·1	66
Pittenweem	1,620	13·0	3·1	16·0	17·9	15·0	1·23	0·62	0·00	4·8	48
Port-Glasgow	21,812	23·4	5·2	10·6	12·3	13·9	1·38	0·87	0·14	5·3	86
Portknockie	1,567	21·1	1·9	16·0	16·6	15·1	2·55	2·55	0·00	12·1	61
Port-Seton (<i>vide</i> Cockenzie and Port-Seton)											
Portsoy	1,541	25·3	5·8	26·0	25·3	19·0	0·65	0·65	1·95	23·1	103
Prestonpans	2,004	25·9	10·0	11·5	15·5	16·5	0·00	0·00	0·00	5·8	135
*Prestwick	7,500	15·2	4·0	12·9	14·8	14·2	1·07	0·40	0·27	7·0	44
Queensferry	2,237	27·7	8·5	9·4	13·4	15·2	1·34	1·34	0·00	8·1	113
Ratray	1,694	15·9	3·0	10·0	13·6	10·6	0·00	0·00	0·59	3·7	74
Renfrew	14,636	21·6	4·8	8·3	11·6	13·7	1·50	0·89	0·27	4·7	76
Rosehearty	1,206	14·9	7·5	9·1	10·0	8·0	0·00	0·00	0·00	22·2	56
Roths	1,179	27·1	5·1	17·0	18·7	14·9	1·70	1·70	0·00	6·3	31
*Rothsay	9,299	15·1	3·7	12·4	11·4	10·1	1·08	0·86	0·22	9·3	100
Rutherglen	24,242	18·3	8·2	9·1	13·0	14·6	1·20	0·95	0·66	4·3	108
St. Andrews	9,881	10·9	5·0	9·5	9·5	9·2	0·10	0·10	0·10	7·4	46
*Saltcoats	10,400	18·3	6·3	9·6	12·6	13·1	0·48	0·38	0·67	10·5	63
Sanquhar	1,759	21·6	8·0	10·8	12·5	12·2	0·57	0·57	0·00	10·5	53
Selkirk	5,538	13·5	6·7	11·9	12·3	10·8	1·26	0·54	0·00	6·7	27
Stewarton	2,774	16·6	9·4	10·8	13·7	12·5	0·36	0·36	0·72	10·9	65
Stirling	20,786	22·1	8·2	15·7	12·5	12·6	0·72	0·53	0·38	8·7	81
Stonehaven	5,047	14·3	6·3	17·2	17·0	12·1	1·19	0·79	0·20	18·1	69
Stornoway	4,112	13·9	5·6	15·3	16·1	14·4	0·97	0·73	0·49	7·0	140
Stranraer	5,779	23·5	9·3	19·0	17·5	16·5	1·73	0·87	1·04	12·5	51
Stromness	1,557	10·9	10·3	14·8	17·3	12·3	0·64	0·64	0·00	0·0	59
Tain	1,477	12·9	19·0	17·6	18·3	13·3	0·68	0·68	0·00	0·0	0
Tayport	3,211	12·5	5·3	15·3	18·1	14·9	1·56	1·25	0·00	12·5	100
Thurso	2,779	22·0	10·4	18·0	17·3	12·7	1·80	1·08	0·36	1·6	82
Tillicoultry	3,004	16·6	6·7	12·6	15·3	13·1	1·00	0·67	0·33	10·0	160
Tobermory	740	13·5	2·7	17·6	18·9	12·7	1·35	0·00	0·00	20·0	200
Tranent	4,844	22·7	5·2	8·3	10·7	12·1	1·24	1·03	0·41	5·5	55
*Troon	8,492	13·9	4·9	7·3	10·2	10·9	0·82	0·82	0·24	5·9	59
Turriff	1,977	15·7	8·6	18·2	19·7	13·1	2·02	2·02	0·00	16·1	97
Whitburn	1,966	28·0	9·2	11·2	13·2	14·4	0·00	0·00	1·53	3·6	73
Whithorn	923	23·8	14·1	19·5	27·1	16·5	2·17	2·17	0·00	9·1	45
Wick	7,318	26·8	7·0	15·6	16·0	14·2	1·23	1·09	0·68	11·7	97
Wigtown	1,220	21·3	4·1	15·6	17·2	13·8	0·00	0·00	0·00	23·1	38
Williamsburgh (<i>vide</i> Elie, Liberty, and Williamsburgh)											

* Population as ascertained by 1921 Census contained a large proportion of non-residents and rates have therefore been calculated on an estimate of population based on the 1911 Census.

TABLE 6.—Birth-, Death-, and Marriage-rates in the County Districts of Scotland in 1927.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	†Principal Epi- demic Diseases.		
ABERDEEN COUNTY—											
Aberdeen	22,037	18·1	3·0	22·1	14·0	11·7	0·73	0·64	0·36	10·8	90
Alford	7,936	19·0	5·0	9·6	12·5	10·4	0·63	0·50	0·13	17·9	66
Deer	25,601	21·0	4·7	13·0	14·5	11·9	0·86	0·55	0·27	16·0	91
Deeside	11,573	20·7	4·4	10·1	12·8	10·2	0·78	0·60	0·35	12·9	42
Ellon	12,566	23·5	3·6	10·7	12·6	11·2	1·03	0·88	0·16	16·6	71
Garioch	11,589	21·7	3·6	11·6	13·7	11·6	0·78	0·60	0·43	19·4	56
Huntly	5,928	25·8	4·6	8·9	11·6	9·9	0·67	0·51	0·17	17·6	59
Turriff	9,994	24·8	3·8	11·1	12·6	10·7	1·10	0·80	0·50	21·4	81
ARGYLL COUNTY—											
Ardnamurchan	2,237	10·7	4·0	16·5	17·9	12·2	0·89	0·45	0·00	4·2	83
Cowal	10,632	8·3	3·1	8·9	10·0	8·1	0·47	0·28	0·47	9·1	57
Islay	5,951	13·3	2·5	14·6	15·5	11·7	0·84	0·84	0·34	21·5	38
Kintyre	6,483	15·1	4·0	8·8	10·8	9·2	0·83	0·77	0·31	16·3	41
Lorn	9,155	15·7	2·5	11·7	14·2	11·6	0·87	0·55	0·11	5·6	49
Mid-Argyll	6,359	12·3	1·9	15·4	13·1	9·8	1·10	0·79	0·00	12·8	38
Mull	4,627	10·2	1·3	17·7	19·5	13·0	0·86	0·65	0·00	12·8	43
AYR COUNTY—											
Ayr	41,439	23·6	6·9	12·1	12·6	13·4	0·80	0·56	0·60	8·4	94
Carrick	14,233	17·8	4·6	8·9	11·0	10·3	0·91	0·70	0·21	8·7	75
Kilmarnock	24,422	17·8	4·9	10·1	11·4	11·9	0·53	0·49	0·20	8·3	81
Northern	50,480	19·4	5·5	10·8	11·3	11·7	0·77	0·52	0·22	5·6	59
BANFF COUNTY—											
Banff	14,516	22·9	3·2	13·9	15·3	13·1	0·55	0·41	0·55	15·3	102
Keith	10,014	22·5	2·7	14·6	16·3	13·2	0·80	0·80	0·70	16·0	67
BERWICK COUNTY—											
East	8,323	16·0	5·8	12·4	14·9	12·4	0·84	0·72	0·12	4·5	68
Middle	7,125	14·7	3·6	12·9	15·7	12·9	0·56	0·28	0·00	12·4	124
West	5,037	18·9	4·8	11·5	13·3	11·6	0·60	0·20	0·40	8·4	63
BUTE COUNTY—											
*Arran	4,628	11·9	1·9	13·4	13·4	11·4	0·43	0·22	0·43	12·7	55
*Bute	2,552	9·0	2·0	12·9	14·5	12·2	0·78	0·78	0·39	4·3	174
‡Cumbrae	118	—	—	—	—	—	—	—	—	—	—
CAITHNESS COUNTY—											
Caithness	15,217	18·4	3·6	16·3	17·3	11·5	1·18	0·79	0·07	17·5	104
CLACKMANNAN COUNTY—											
Clackmannan	10,640	19·8	5·6	11·7	12·1	12·1	0·75	0·38	0·09	3·8	76
DUMBARTON COUNTY—											
Eastern	23,314	19·6	4·9	13·5	12·1	12·5	0·56	0·34	0·43	5·9	76
Western	30,710	16·9	4·3	11·2	12·7	12·7	0·68	0·33	0·52	7·5	90
DUMFRIES COUNTY—											
Annan	13,334	19·0	4·9	12·2	13·2	12·2	1·12	0·67	0·07	14·6	106
Dumfries	8,784	14·9	4·1	17·4	14·6	12·8	1·94	1·25	0·11	16·0	53
Langholm	2,880	16·7	8·7	10·8	11·8	10·2	0·00	0·00	0·69	16·7	104
Lockerbie	8,079	19·6	5·6	14·9	13·5	11·5	1·36	1·11	0·37	15·8	57
Thornhill	12,881	23·2	5·2	9·9	12·2	11·1	0·85	0·47	0·23	11·0	57
EAST LOTHIAN COUNTY—											
Eastern	5,438	18·8	5·5	9·2	11·8	11·2	0·92	0·74	0·55	4·9	59
Western	19,447	20·4	4·2	9·7	10·1	10·9	0·77	0·57	0·46	8·8	58

* See footnote at end of Table 5.

† Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria, Diarrhoea under 2 years.

‡ The population of this District is too small for the calculation of significant rates.

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
FIFE COUNTY—											
Cupar	14,895	15·8	5·3	17·5	17·0	12·9	0·60	0·54	0·13	8·9	64
Dunfermline	36,434	17·5	4·7	8·3	9·8	10·7	0·47	0·25	0·33	7·5	99
Kirkcaldy	44,696	22·8	4·5	11·7	11·4	12·6	0·63	0·40	0·78	6·1	81
St. Andrews	14,664	16·0	5·6	11·7	13·1	11·2	0·82	0·55	0·55	6·0	98
FORFAR COUNTY—											
Arbroath	8,518	19·6	5·3	11·6	14·8	12·9	0·47	0·23	0·47	9·6	96
Brechin	12,197	15·7	3·0	17·0	10·7	9·2	0·57	0·49	0·16	9·4	63
Dundee	9,888	16·0	2·7	12·1	9·7	9·2	0·61	0·40	0·40	8·2	57
Forfar	11,062	17·9	3·4	13·3	15·6	12·1	0·99	0·63	1·08	10·6	111
INVERNESS COUNTY—											
Inverness	7,308	15·2	2·9	20·9	13·3	11·1	1·09	0·96	0·82	8·1	45
Aird	7,941	15·0	3·1	13·1	15·7	11·5	1·39	1·01	0·13	10·9	50
Badenoch	7,766	14·8	2·6	11·1	13·4	10·2	0·90	0·64	0·00	16·5	52
Lochaber	6,792	15·3	3·2	11·0	13·4	10·3	1·18	0·59	0·15	5·8	48
Skye	10,284	15·1	2·8	21·0	22·5	14·0	2·43	2·04	0·39	7·7	39
Harris	5,020	19·7	2·6	11·0	11·8	8·9	1·59	1·39	0·00	8·1	40
North Uist	2,867	16·7	3·5	22·7	23·0	14·6	2·44	1·74	1·05	10·4	125
South Uist	6,680	19·5	2·2	10·6	11·4	7·9	1·05	0·75	0·00	10·8	31
KINCARDINE COUNTY—											
Laurencekirk	4,913	18·7	4·9	8·8	10·4	9·4	0·41	0·41	0·61	12·0	65
Lower Deeside	3,667	19·9	7·4	11·5	14·5	13·7	0·55	0·27	0·55	12·3	55
St. Cyrus	4,442	17·8	2·5	11·5	14·2	12·3	0·23	0·23	0·45	8·9	127
Stonehaven	4,504	19·8	5·6	8·9	9·3	8·7	0·22	0·22	0·22	12·4	45
Upper Deeside	3,274	21·7	1·2	13·4	15·0	12·5	2·75	2·75	0·31	14·1	70
KINROSS COUNTY—											
Kinross	5,413	15·5	4·4	17·0	10·7	9·0	0·37	0·18	0·00	13·1	48
KIRKCUDBRIGHT C'NTY.											
Eastern	7,664	16·3	5·9	11·9	15·0	12·9	0·65	0·52	0·00	14·4	48
Northern	2,761	22·5	5·1	9·4	11·6	9·9	0·72	0·72	0·00	9·7	129
Southern	7,861	18·2	5·6	12·5	12·8	11·2	1·73	1·27	0·25	13·3	63
Western	2,815	16·3	8·5	13·5	17·1	13·6	1·78	1·07	0·36	6·5	109
LANARK COUNTY—											
Lower Ward	30,977	18·3	3·3	10·9	9·9	11·4	0·71	0·55	0·48	5·5	81
Middle Ward	228,256	24·7	6·0	10·7	11·6	13·3	0·82	0·50	0·48	6·9	88
Upper Ward	47,249	19·5	4·7	10·1	11·1	11·5	0·80	0·55	0·34	7·4	69
MIDLOTHIAN COUNTY—											
Calder	18,893	19·3	5·6	7·2	10·0	10·5	0·58	0·37	0·11	5·8	36
Gala-Water	7,097	19·9	5·1	10·4	12·7	12·0	0·28	0·28	0·14	7·1	92
Lasswade	24,677	22·9	5·4	12·5	12·8	13·4	1·01	0·61	0·97	7·8	73
MORAY COUNTY—											
Moray	20,294	21·8	3·9	13·0	13·3	10·8	1·03	0·89	0·34	14·7	68
NAIRN COUNTY—											
Nairn	4,017	22·7	1·5	17·4	16·4	13·5	0·00	0·00	1·00	15·4	77
ORKNEY COUNTY—											
Mainland	8,277	16·8	5·6	13·5	15·2	10·3	0·72	0·60	0·24	7·2	43
North Isles	5,774	14·4	5·5	18·0	20·1	13·4	1·73	1·04	0·17	7·2	84
South Ronaldsay . . .	1,870	10·7	2·7	17·1	19·3	12·4	0·53	0·53	0·00	0·0	100
Walls	1,369	19·0	3·7	13·9	14·6	9·7	0·00	0·00	0·00	7·7	77
PEEBLES COUNTY—											
Peebles	7,313	14·2	3·3	9·0	11·2	9·8	0·96	0·68	0·14	10·6	77

TABLE 6—continued.

COUNTY DISTRICTS.	Estimated Population.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Uncorrected.	Corrected for Transfers.	Corrected and Ad- justed for Age and Sex Distribution.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
PERTH COUNTY—											
Blairgowrie	9,742	15·4	3·9	11·0	11·5	9·3	0·41	0·10	0·41	10·7	60
Central	11,146	15·8	3·9	11·4	12·9	10·7	0·54	0·36	0·27	9·7	68
Highland	14,214	11·0	3·1	12·7	12·9	9·9	0·70	0·56	0·07	14·7	51
Perth	21,848	15·4	3·7	8·8	12·0	10·5	0·46	0·46	0·46	10·4	71
Western	10,853	13·2	2·9	9·9	10·9	10·0	0·92	0·64	0·09	6·3	77
RENFREW COUNTY—											
Upper Ward	25,788	16·0	4·3	11·5	11·6	12·1	0·70	0·66	0·35	3·6	68
Lower Ward	27,006	13·4	3·4	9·2	10·1	10·9	0·63	0·41	0·15	6·1	58
ROSS & CROMARTY C'NTY.											
Black Isle	5,046	21·8	2·6	15·3	16·8	13·0	0·79	0·59	0·20	13·6	64
Easter Ross	9,941	16·9	2·5	16·3	15·9	12·3	1·21	0·80	0·10	7·7	83
Lewis	22,716	16·7	2·4	14·5	14·9	11·8	2·11	1·85	0·09	2·9	50
Mid-Ross	11,310	14·1	2·7	14·4	16·0	10·7	0·53	0·44	0·35	11·9	44
South-Western . . .	3,194	11·0	4·7	15·3	17·8	10·7	1·57	1·25	0·00	5·7	29
Western	3,294	15·5	1·5	22·2	23·7	12·7	1·52	1·52	0·30	2·0	59
ROXBURGH COUNTY—											
Hawick	2,849	19·3	8·1	14·7	14·7	12·6	0·35	0·35	0·00	16·4	0
Jedburgh	4,481	15·2	5·8	12·9	14·5	12·9	0·89	0·89	0·22	11·8	74
Kelso	5,694	16·7	4·6	10·7	13·0	11·6	0·35	0·35	0·35	10·5	84
Liddesdale	1,752	18·8	6·3	10·3	10·8	8·6	1·14	0·57	0·57	3·0	30
Melrose	4,631	13·2	3·2	10·1	11·4	8·6	0·43	0·43	0·00	3·3	49
SELKIRK COUNTY—											
Selkirk	3,600	19·7	3·9	9·4	13·6	12·1	0·56	0·28	0·00	11·3	56
SHETLAND COUNTY—											
Mainland	14,924	12·5	1·6	14·5	15·3	9·9	1·21	0·87	0·00	5·9	27
North Isles	3,747	11·7	1·1	13·9	15·2	10·3	2·94	2·94	0·00	11·4	68
STIRLING COUNTY—											
Central	27,359	20·3	4·7	9·2	11·0	11·9	0·84	0·55	0·29	7·9	61
Eastern	40,306	22·7	6·3	11·4	11·4	12·6	0·65	0·32	0·60	7·8	61
Western	11,521	15·7	4·2	10·9	11·7	10·7	0·61	0·26	0·35	5·5	55
SUTHERLAND COUNTY—											
Sutherland	15,153	16·4	2·8	16·2	16·8	11·0	1·72	1·39	0·07	10·8	24
WEST LOTHIAN COUNTY—											
Bathgate	38,423	21·0	4·2	8·1	10·3	12·0	0·96	0·65	0·68	5·2	87
Linlithgow	15,391	19·3	4·6	18·2	10·6	12·2	0·91	0·58	0·13	5·7	77
WIGTOWN COUNTY—											
Machars	7,651	20·3	4·3	11·5	12·4	10·6	1·18	0·65	0·26	12·9	65
Rhins	11,948	22·3	5·8	12·0	12·8	11·6	0·42	0·33	0·33	17·7	117

TABLE 7.—Births, Deaths, and Marriages in the Counties (including Burghs) in 1921.

COUNTIES.	Births.		Deaths.		RATES PER 1000 OF POPULATION.						Illegitimate Births per cent. of Total Births	Infantile Mortality. Rate per 1000 Births.					
	Total	Illegitimate.	Marriages.	Deaths.			Birth-rate.	Marriage rate.	Death-rate.								
				Total (Corrected for Transfers).	All Tuberculosis.	Tuberculosis of Respiratory System.			*Principal Epidemic Diseases.	Uncorrected.			Corrected for Transfers.	Corrected and Adjusted for Age and Sex Distribution.	All Tuberculosis.	Tubercu-losis of Respiratory System.	*Principal Epidemic Diseases.
SCOTLAND .	4,891,953	96,672	6,978	32,593	65,830	4,868	3,466	2,934	19.76	6.66	13.46	13.46	1.00	0.71	0.60	7.22	88.7
Aberdeen .	291,221	6,010	674	2,232	3,994	278	201	106	20.6	7.7	14.1	13.7	0.95	0.69	0.36	11.2	87
Argyll .	78,990	924	104	284	963	62	44	14	11.7	3.6	11.7	12.2	0.78	0.56	0.18	11.3	64
Ayr .	310,643	5,646	377	1,872	3,541	220	162	114	18.2	6.0	11.1	11.4	0.71	0.52	0.37	6.7	79
Banff .	53,233	1,205	162	272	886	48	36	37	22.6	5.1	15.9	16.6	0.90	0.68	0.70	13.4	104
Berwick .	26,602	437	29	130	391	18	12	6	16.4	4.9	12.6	14.7	0.68	0.45	0.23	6.6	78
Bute .	†18,100	231	21	52	236	15	11	5	12.8	2.9	13.3	13.0	0.83	0.61	0.28	9.1	100
Caithness .	25,314	637	73	135	428	32	23	7	21.2	5.3	16.3	16.9	1.26	0.91	0.28	13.6	99
Clackmannan .	32,374	615	84	214	434	30	18	4	19.0	6.6	12.3	13.4	0.93	0.56	0.12	5.5	75
Dumbarton .	151,672	2,909	156	767	1,789	112	70	89	19.2	5.1	10.5	11.8	0.74	0.46	0.59	5.4	82
Dumfries .	74,558	1,436	174	477	1,045	86	55	24	19.3	6.4	15.2	14.0	1.15	0.74	0.32	12.1	77
East Lothian .	48,471	857	56	246	529	35	27	15	17.7	5.1	10.0	10.9	0.72	0.56	0.31	6.5	65
Fife .	294,684	5,309	321	1,588	3,492	188	129	145	18.0	5.4	11.1	11.9	0.64	0.44	0.49	6.0	80
Forfar .	270,771	5,121	413	1,840	4,421	277	208	290	18.9	6.8	16.8	16.3	1.02	0.77	1.07	8.1	120
Inverness .	77,236	1,314	129	397	1,258	110	85	40	17.0	5.1	16.8	16.3	1.42	1.10	0.52	9.8	64
Kincardine .	42,093	815	83	179	554	36	25	16	19.4	4.3	11.0	13.2	0.86	0.59	0.38	10.2	88
Kinross .	7,973	129	11	41	94	7	3	1	16.2	5.1	15.2	11.8	0.88	0.38	0.13	8.5	47
Kirkcudbright .	35,352	643	67	226	536	45	33	6	16.2	6.4	12.8	15.2	1.27	0.93	0.17	10.4	76
Lanark .	1,573,734	35,460	2,205	12,028	21,556	1,767	1,246	1,405	22.5	7.6	13.9	13.7	1.12	0.79	0.39	6.2	101
Midlothian .	510,092	9,398	648	4,360	7,085	588	429	252	18.4	8.5	14.9	13.9	1.15	0.84	0.49	6.9	77
Moray .	39,246	796	113	245	644	48	39	12	20.3	6.2	16.2	16.4	1.22	0.99	0.31	14.2	74
Nairn .	8,226	143	18	39	143	1	1	4	17.4	4.7	17.1	17.4	0.12	0.12	0.49	12.6	91
Orkney .	22,368	330	20	140	397	25	19	3	14.8	6.3	17.1	17.7	1.12	0.85	0.13	6.1	61
Peebles .	14,914	226	23	79	190	9	7	3	15.2	5.3	10.9	12.7	0.60	0.47	0.20	10.2	53
Perth .	125,072	1,872	176	724	1,691	84	58	56	15.0	5.8	13.3	13.5	0.67	0.46	0.45	9.4	68
Renfrew .	291,998	5,873	277	1,576	3,665	307	216	121	20.1	5.4	12.2	12.6	1.05	0.74	0.41	4.7	83
Ross and Cromarty .	67,239	1,051	68	251	1,071	89	74	12	15.6	3.7	15.2	15.9	1.32	1.10	0.18	6.5	60
Roxburgh .	42,383	688	56	252	651	36	31	4	16.2	5.9	15.2	15.4	0.85	0.73	0.09	8.1	65
Selkirk .	20,792	318	25	124	299	23	13	0	15.3	6.0	12.9	14.4	1.11	0.63	0.00	7.9	75
Shetland .	23,392	282	20	88	338	32	25	0	12.1	3.8	14.0	14.4	1.37	1.07	0.00	7.1	43
Stirling .	160,221	3,372	225	1,020	1,864	124	77	76	21.0	6.4	11.6	11.6	0.77	0.48	0.47	6.7	70
Sutherland .	15,912	261	28	50	269	28	23	1	16.4	3.1	16.4	16.9	1.76	1.45	0.06	10.7	27
West Lothian .	84,464	1,828	98	486	952	79	49	54	21.6	5.8	10.6	11.3	0.94	0.58	0.64	5.4	86
Wigtown .	29,165	636	94	179	424	29	17	12	21.8	6.1	13.9	14.5	0.99	0.58	0.41	14.8	80

* Enteric Fever, Measles, Scarlet Fever, Whooping Cough, Diphtheria, Diarrhea under 2 years.

† The Census Population of the County of Bute was grossly inflated by the inclusion of summer visitors, and for the purpose of calculating rates an arbitrary population figure of 18,100 is used.

TABLE 8.—Birth-rate among Married and among Unmarried Women in 1927.

	Estimated Number of		Births.		Birth Rates.		
	Married Women aged 15-45.	Un-married Women and Widows aged 15-45.	Legiti-mate.	Illegiti-mate.	Total per 1000 Women aged 15-45.	Legiti-mate Births per 1000 Married Women aged 15-45.	Illegiti-mate Births per 1000 Un-married Women aged 15-45.
SCOTLAND	512,615	678,193	89,694	6,978	81·2	175·0	10·3
LARGER BURGHS	265,615	345,407	47,057	3,155	82·2	177·2	9·1
SMALLER BURGHS	99,449	135,578	15,614	1,181	71·5	157·0	8·7
COUNTY DISTRICTS	147,551	197,208	27,023	2,642	86·0	183·1	13·4
Counties.							
Aberdeen	28,972	41,627	5,336	674	85·1	184·2	16·2
Argyll	6,760	12,051	820	104	49·1	121·3	8·6
Ayr	34,155	42,507	5,269	377	73·6	154·3	8·9
Banff	5,117	6,491	1,043	162	103·8	203·8	25·0
Berwick	2,602	3,618	408	29	70·3	156·8	8·0
*Bute	1,517	3,071	210	21	50·3	138·4	6·8
Caithness	1,969	3,405	464	73	99·9	235·7	21·4
Clackmannan	3,418	4,592	581	34	76·8	170·0	7·4
Dumbarton	16,622	20,112	2,753	156	79·2	165·6	7·8
Dumfries	7,338	10,275	1,262	174	81·5	172·0	16·9
East Lothian	4,970	6,520	801	56	74·6	161·2	8·6
Fife	33,515	36,016	4,988	321	76·4	148·8	8·9
Forfar	27,086	42,022	4,708	413	74·1	173·8	9·8
Inverness	5,770	11,080	1,185	129	78·0	205·4	11·6
Kincardine	4,259	5,437	732	83	84·1	171·9	15·3
Kinross	734	1,093	118	11	70·6	160·8	10·1
Kirkcudbright	3,249	5,220	576	67	75·9	177·3	12·8
Lanark	175,420	209,019	33,255	2,205	92·2	189·6	10·5
Midlothian	52,957	79,720	8,750	648	70·8	165·2	8·1
Moray	3,636	5,369	683	113	88·4	187·8	21·0
Nairn	739	1,231	125	18	72·6	169·1	14·6
Orkney	1,821	2,863	310	20	70·5	170·2	7·0
Peebles	1,431	2,425	203	23	58·6	141·9	9·5
Perth	11,230	19,223	1,696	176	61·5	151·0	9·2
Renfrew	31,506	40,502	5,596	277	81·6	177·6	6·8
Ross and Cromarty	4,952	9,682	983	68	71·8	198·5	7·0
Roxburgh	4,049	6,852	632	56	63·1	156·1	8·2
Selkirk	2,028	3,533	293	25	57·2	144·5	7·1
Shetland	1,642	3,763	262	20	52·2	159·6	5·3
Stirling	16,893	19,831	3,147	225	91·8	186·3	11·3
Sutherland	1,104	2,112	233	28	81·2	211·1	13·3
West Lothian	9,329	8,710	1,730	98	101·3	185·4	11·3
Wigtown	2,673	4,205	542	94	92·5	202·8	22·4
Larger Burghs.							
Glasgow	119,113	148,032	22,128	1,453	88·3	185·8	9·8
Edinburgh	43,932	69,762	7,079	542	67·0	161·1	7·8
Dundee	18,085	27,747	3,249	268	76·7	179·7	9·7
Aberdeen	17,238	24,033	2,943	239	77·1	170·7	9·9
Paisley	9,361	13,593	1,708	83	78·0	182·5	6·1
Greenock	9,062	9,262	1,701	93	97·9	187·7	10·0
Motherwell and Wishaw	8,221	7,652	1,407	79	93·6	171·1	10·3
Clydebank	5,852	5,240	970	44	91·4	165·8	8·4
Coatbridge	4,730	4,892	1,099	60	120·5	232·3	12·3
Dunfermline	5,294	4,446	631	33	68·2	119·2	7·4
Kirkcaldy	4,568	5,713	695	45	72·0	152·1	7·9
Hamilton	4,621	4,592	823	63	96·2	178·1	13·7
Kilmarnock	4,148	5,251	744	36	83·0	179·4	6·9
Ayr	4,143	5,690	659	37	70·8	159·1	6·5
Falkirk	3,898	4,179	695	34	90·3	178·3	8·1
Perth	3,349	5,323	526	46	66·0	157·1	8·6

* See footnote, Table 7.

TABLE 9.—Method of Celebration, etc. of Marriages in Scotland, 1855-1926.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Proportion per 1000 of Population.	Established Church.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Denominations	Denomination not stated.	
DECENNIAL AVERAGES.										
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	19
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	41
1871-1880	25355	7·172	11549	5649	3305	2286	646	1633	25	263
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	650
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	1428
				Un. Free Ch.*						
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	2034
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	5312
ANNUAL NUMBERS.										
1916	31419	6·553	11632	7037		3612	985	2191	0	5962
1917	30421	6·324	11922	6858		3429	1070	2160	0	4982
1918	34529	7·175	13299	7790		3789	1243	2465	0	5943
1919	44060	9·141	16709	9808		4663	1429	3100	0	8351
1920	46754	9·611	18157	10739		5318	1346	3346	0	7848
1921	39243	8·037	15976	9082		4220	1076	2754	0	6135
1922	34875	7·009	14329	8022		3730	1031	2588	0	4675
1923	35200	7·182	14757	8411		4034	1005	2697	0	4296
1924	32328	6·622	13488	7657		3849	974	2425	0	3935
1925	32456	6·633	13548	7531		3865	951	2529	0	4032
1926	31244	6·381	13203	7403		3580	964	2382	0	3712
RATE PER HUNDRED MARRIAGES—DECENNIAL.										
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	0·09
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	0·18
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	1·04
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	2·50
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	0·00	4·75
				Un. Free Ch.*						
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	0·00	6·40
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	0·00	14·90
RATE PER HUNDRED MARRIAGES—ANNUAL.										
1916	100·00	...	37·02	22·40		11·50	3·13	6·97	0·00	18·98
1917	100·00	...	39·19	22·54		11·27	3·52	7·10	0·00	16·38
1918	100·00	...	38·52	22·56		10·97	3·60	7·14	0·00	17·21
1919	100·00	...	37·92	22·26		10·58	3·24	7·04	0·00	18·96
1920	100·00	...	38·84	22·97		11·37	2·88	7·16	0·00	16·78
1921	100·00	...	40·72	23·14		10·76	2·74	7·02	0·00	15·62
1922	100·00	...	41·68	23·34		10·85	3·00	7·53	0·00	13·60
1923	100·00	...	41·92	23·90		11·46	2·85	7·67	0·00	12·20
1924	100·00	...	41·72	23·69		11·91	3·01	7·50	0·00	12·17
1925	100·00	...	41·75	23·20		11·91	2·93	7·79	0·00	12·42
1926	100·00	...	42·26	23·69		11·46	3·09	7·62	0·00	11·88

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church.

TABLE 10.—Ages, Civil Conditions, etc., of Persons Marrying in Scotland, 1855 to 1926.
Numbers and Percentages.

YEARS.	Under 21 years.		Under 25 years.		25 years and over.		Signed by Writing.		Signed by Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
	DECENNIAL AVERAGES.													
1855-1860	1543	4478	8437	11997	12208	8648	18310	15841	2335	4804	16871	530	1743	587
1861-1870	1621	4756	9268	13085	13154	9337	20035	17686	2387	4736	19034	528	1956	636
1871-1880	1998	5774	10780	14992	14575	10363	23205	21034	2150	4321	21485	775	2242	811
1881-1890	1801	5482	10320	15104	15619	10835	24557	23396	1381	2572	22286	705	2153	787
1891-1900	1831	5624	11053	15909	18813	13357	29106	28704	740	1162	26138	786	2135	801
1901-1910	1884	5712	11080	16721	20744	15103	31354	31183	471	642	28296	815	1986	741
1911-1920	2132	6258	11596	17766	24051	17881	35426	35347	221	300	31306	1378	1995	959
	ANNUAL NUMBERS.													
1916	1679	5445	9935	15475	21484	15944	31163	31124	256	295	27457	1288	1781	886
1917	1900	5215	9348	14869	21073	15552	30200	30172	221	249	26200	1416	1845	959
1918	2081	5609	10425	16513	24104	18016	34338	34288	191	241	29542	1804	2042	1137
1919	2602	6991	13303	21098	30757	22962	43868	43788	192	272	37526	2679	2478	1375
1920	3020	8300	15785	23596	30969	23158	46586	46551	168	203	40618	2424	2472	1236
1921	2680	7342	13728	20136	25515	19107	39140	39096	103	147	34620	1665	2020	938
1922	2276	6489	11869	17687	22506	16688	34305	34270	70	105	30396	1247	1974	758
1923	2218	6326	12143	17899	23057	17301	35116	35078	84	122	31510	1098	1821	771
1924	2001	5955	11179	16546	21149	15782	32260	32228	68	100	29002	885	1692	749
1925	1991	6029	11039	16660	21417	15796	32377	32357	79	99	29217	802	1715	721
1926	1940	5971	10708	16243	20536	15001	31168	31180	76	64	28261	672	1649	662
	PERCENTAGES.													
1855-1860	7.41	21.51	40.85	58.11	59.15	41.89	88.69	76.73	11.31	23.27	85.47	2.69	8.86	2.98
1861-1870	7.23	21.25	41.34	58.37	58.66	41.63	89.35	78.88	10.65	21.12	85.94	2.37	8.03	3.66
1871-1880	7.87	22.37	42.49	59.12	57.51	40.88	91.52	82.98	8.48	17.02	84.88	3.06	8.86	3.20
1881-1890	6.94	21.13	40.59	58.23	59.41	41.77	94.68	90.21	5.32	9.79	85.94	2.72	8.30	3.04
1891-1900	6.13	18.85	37.01	54.36	62.99	45.64	97.49	96.05	2.51	3.95	87.54	2.63	7.15	2.68
1901-1910	5.92	17.94	34.81	52.50	65.19	47.50	98.52	97.99	1.48	2.01	88.87	2.56	6.24	2.33
1911-1920	5.98	17.56	32.53	49.84	67.47	50.16	99.38	99.16	0.62	0.84	87.84	3.87	5.60	2.69
1916	5.34	17.33	31.62	49.25	68.38	50.75	99.19	99.06	0.81	0.94	87.41	4.10	5.67	2.82
1917	6.25	17.14	30.73	48.88	69.27	51.12	99.27	99.18	0.73	0.82	86.13	4.65	6.07	3.15
1918	6.03	16.24	30.19	47.82	69.81	52.18	99.45	99.30	0.55	0.70	85.57	5.23	5.91	3.29
1919	5.91	15.87	30.19	47.88	69.81	52.12	99.56	99.38	0.44	0.62	85.17	6.08	5.63	3.12
1920	6.46	17.75	33.76	50.47	66.24	49.53	99.64	99.56	0.36	0.44	86.88	5.19	5.29	2.64
1921	6.83	18.71	34.98	51.31	65.02	48.69	99.74	99.63	0.26	0.37	88.22	4.24	5.15	2.39
1922	6.62	18.88	34.53	51.45	65.47	48.55	99.80	99.69	0.20	0.31	88.42	3.63	5.74	2.21
1923	6.30	17.97	34.50	50.85	65.50	49.15	99.76	99.65	0.24	0.35	89.52	3.12	5.17	2.19
1924	6.19	18.42	34.58	51.18	65.42	48.82	99.79	99.69	0.21	0.31	89.71	2.74	5.23	2.32
1925	6.13	18.58	34.01	51.33	65.99	48.67	99.76	99.69	0.24	0.31	90.02	2.47	5.29	2.22
1926	6.21	19.11	34.27	51.99	65.73	48.01	99.76	99.80	0.24	0.20	90.45	2.15	5.28	2.12

TABLE 11.—Regular and Irregular Marriages in Scotland, 1926.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Public Notice at Registrar's.	Banns and Public Notice.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	31,244	19,215	7,764	553	3,708	4	61·5	24·8	1·8	11·9	0·0
LARGER BURGHS	18,754	8,835	6,137	299	3,481	2	47·1	32·7	1·6	18·6	0·0
OTHER DISTRICTS	12,490	10,380	1,627	254	227	2	83·1	13·0	2·1	1·8	0·0
Counties.											
Aberdeen	2,107	1,306	534	42	225	—	62·0	25·3	2·0	10·7	—
Argyll	255	236	10	1	8	—	92·6	3·9	0·4	3·1	—
Ayr	1,614	1,374	163	28	49	—	85·1	10·1	1·8	3·0	—
Banff	273	260	6	4	3	—	95·2	2·2	1·5	1·1	—
Berwick	154	152	—	1	1	—	98·6	—	0·7	0·7	—
Bute	74	66	3	2	3	—	89·1	4·1	2·7	4·1	—
Caithness	128	124	—	—	4	—	96·9	—	—	3·1	—
Clackmannan	165	144	20	1	—	—	87·3	12·1	0·6	—	—
Dumbarton	709	435	258	12	3	1	61·4	36·4	1·7	0·4	0·1
Dumfries	513	432	30	8	43	—	84·2	5·8	1·6	8·4	—
East Lothian	203	185	13	5	—	—	91·1	6·4	2·5	—	—
Fife	1,618	1,223	280	44	71	—	75·6	17·3	2·7	4·4	—
Forfar	1,825	1,052	536	25	211	1	57·6	29·4	1·4	11·5	0·1
Inverness	431	339	50	7	35	—	78·7	11·6	1·6	8·1	—
Kincardine	187	159	25	3	—	—	85·0	13·4	1·6	—	—
Kinross	23	22	—	1	—	—	95·7	—	4·3	—	—
Kirkcudbright	239	224	13	1	1	—	93·7	5·5	0·4	0·4	—
Lanark	11,325	5,175	4,092	187	1,871	—	45·7	36·1	1·7	16·5	—
Midlothian	4,244	2,285	880	85	992	2	53·8	20·7	2·0	23·4	0·1
Moray	241	203	6	4	28	—	84·2	2·5	1·7	11·6	—
Nairn	47	41	—	—	6	—	87·2	—	—	12·8	—
Orkney	130	114	8	2	6	—	87·7	6·2	1·5	4·6	—
Peebles	90	89	1	—	—	—	98·9	1·1	—	—	—
Perth	694	551	73	16	54	—	79·4	10·5	2·3	7·8	—
Renfrew	1,587	1,030	507	24	26	—	64·9	32·0	1·5	1·6	—
Ross and Cromarty	270	182	70	7	11	—	67·4	25·9	2·6	4·1	—
Roxburgh	238	216	17	3	2	—	90·8	7·1	1·3	0·8	—
Selkirk	127	116	7	4	—	—	91·3	5·5	3·2	—	—
Shetland	119	118	—	—	1	—	99·2	—	—	0·8	—
Stirling	998	804	120	26	48	—	80·6	12·0	2·6	4·8	—
Sutherland	50	43	4	1	2	—	86·0	8·0	2·0	4·0	—
West Lothian	433	386	38	9	—	—	89·1	8·8	2·1	—	—
Wigtown	133	129	—	—	4	—	97·0	—	—	3·0	—
Larger Burghs.											
Glasgow	8,645	3,488	3,209	126	1,822	—	40·3	37·1	1·5	21·1	—
Edinburgh	3,813	1,907	839	74	992	1	50·0	22·0	2·0	26·0	0·0
Dundee	1,316	603	498	13	202	—	45·8	37·8	1·0	15·4	—
Aberdeen	1,403	616	537	29	221	—	43·9	38·3	2·1	15·7	—
Paisley	535	337	182	5	11	—	63·0	34·0	0·9	2·1	—
Greenock	443	281	142	6	14	—	63·4	32·0	1·4	3·2	—
Motherwell & Wishaw	332	192	119	6	15	—	57·8	35·9	1·8	4·5	—
Clydebank	232	125	104	2	—	1	53·9	44·8	0·9	—	0·4
Coatbridge	255	104	146	3	2	—	40·8	57·2	1·2	0·8	—
Dunfermline	253	92	114	9	38	—	36·4	45·1	3·5	15·0	—
Kirkcaldy	273	212	32	2	27	—	77·7	11·7	0·7	9·9	—
Hamilton	196	136	39	9	12	—	69·4	19·9	4·6	6·1	—
Kilmarnock	251	163	76	2	10	—	64·9	30·3	0·8	4·0	—
Ayr	279	222	18	2	37	—	79·6	6·4	0·7	13·3	—
Falkirk	242	195	18	5	24	—	80·6	7·4	2·1	9·9	—
Perth	286	162	64	6	54	—	56·6	22·4	2·1	18·9	—

TABLE 12.—Church of Celebration of Regular Marriages in Scotland, 1926.

	Total Marriages.	MARRIAGES ACCORDING TO EACH DENOMINATION.						Irregular.	PERCENTAGE TO TOTAL MARRIAGES.						
		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Denominations.		Established Church.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Denominations.	Irregular.
SCOTLAND	31,244	13,203	7,403	318	3,580	964	2,064	3,712	42.2	23.7	1.0	11.5	3.1	6.6	11.9
LARGER BURGHS	18,754	6,129	4,396	123	2,470	685	1,468	3,483	32.7	23.4	0.7	13.2	3.6	7.8	18.6
OTHER DISTRICTS	12,490	7,074	3,007	195	1,110	279	596	229	56.6	24.1	1.6	8.9	2.2	4.8	1.8
Counties.															
Aberdeen	2,107	1,116	510	1	38	76	141	225	53.0	24.2	0.0	1.8	3.6	6.7	10.7
Argyll	255	147	56	10	22	6	6	8	57.6	22.0	3.9	8.6	2.4	2.4	3.1
Ayr	1,614	991	346	1	112	37	78	49	61.4	21.5	0.1	6.9	2.3	4.8	3.0
Banff	273	171	46	-	22	9	22	3	62.6	16.8	-	8.1	3.3	8.1	1.1
Berwick	154	105	39	-	1	4	4	1	68.1	25.3	-	0.7	2.6	2.6	0.7
Bute	74	23	27	7	12	1	1	3	31.1	36.5	9.5	16.2	1.3	1.3	4.1
Caithness	128	62	40	10	-	1	11	4	48.4	31.3	7.8	-	0.8	8.6	3.1
Clackmannan	165	76	63	-	9	5	12	-	46.1	38.1	-	5.5	3.0	7.3	-
Dumbarton	709	309	143	-	177	25	51	4	43.6	20.2	-	25.0	3.5	7.2	0.5
Dumfries	513	305	104	2	24	18	17	43	59.4	20.3	0.4	4.7	3.5	3.3	8.4
East Lothian	203	140	37	-	18	5	3	-	69.0	18.2	-	8.9	2.4	1.5	-
Fife	1,618	858	494	5	74	32	84	71	53.0	30.5	0.3	4.6	2.0	5.2	4.4
Forfar	1,825	760	396	-	223	117	117	212	41.7	21.7	-	12.2	6.4	6.4	11.6
Inverness	431	173	105	53	41	5	19	35	40.1	24.4	12.3	9.5	1.2	4.4	8.1
Kincardine	187	130	35	-	-	22	-	-	69.5	18.7	-	-	11.8	-	-
Kinross	23	15	7	-	-	1	-	-	65.2	30.4	-	-	4.4	-	-
Kirkcudbright	239	180	36	-	10	1	11	1	75.3	15.1	-	4.2	0.4	4.6	0.4
Lanark	11,325	3,579	2,549	104	1,952	232	1,038	1,871	31.6	22.5	0.9	17.2	2.1	9.2	16.5
Midlothian	4,244	1,612	970	12	289	226	141	994	38.0	22.9	0.3	6.8	5.3	3.3	23.4
Moray	241	127	66	1	5	6	8	28	52.7	27.4	0.4	2.1	2.5	3.3	11.6
Nairn	47	17	15	4	1	1	3	6	36.2	31.9	8.5	2.1	2.1	6.4	12.8
Orkney	130	45	68	-	-	1	10	6	34.6	52.3	-	-	0.8	7.7	4.6
Peebles	90	61	24	-	-	4	1	-	67.8	26.7	-	-	4.4	1.1	-
Perth	694	420	134	-	30	23	33	54	60.5	19.3	-	4.3	3.3	4.8	7.8
Renfrew	1,587	589	418	3	345	64	142	26	37.1	26.3	0.2	21.8	4.0	9.0	1.6
Ross & Cromarty	270	75	72	91	1	2	18	11	27.8	26.6	33.7	0.4	0.7	6.7	4.1
Roxburgh	238	151	58	-	6	18	3	2	63.4	24.4	-	2.5	7.6	1.3	0.8
Selkirk	127	59	48	-	7	3	10	-	46.4	37.8	-	5.5	2.4	7.9	-
Shetland	119	73	34	-	-	-	11	1	61.3	28.6	-	-	-	9.3	0.8
Stirling	998	468	306	-	103	15	58	48	46.9	30.7	-	10.3	1.5	5.8	4.8
Sutherland	50	19	14	14	-	-	1	2	38.0	28.0	28.0	-	-	2.0	4.0
West Lothian	433	250	117	-	54	3	9	-	57.7	27.0	-	12.5	0.7	2.1	-
Wigtown	133	97	26	-	4	1	1	4	72.9	19.5	-	3.0	0.8	0.8	3.0
Larger Burghs.															
Glasgow	8,645	2,435	1,909	89	1,401	177	812	1,822	28.2	22.1	1.0	16.2	2.0	9.4	21.1
Edinburgh	3,813	1,341	876	12	249	215	127	993	35.2	23.0	0.3	6.5	5.6	3.3	26.1
Dundee	1,316	407	277	-	218	105	107	202	30.9	21.0	-	16.6	8.0	8.1	15.4
Aberdeen	1,403	565	424	1	34	76	88	221	40.2	30.2	0.1	2.4	5.0	6.4	15.7
Paisley	535	195	163	-	104	5	57	11	36.4	30.5	-	19.4	0.9	10.7	2.1
Greenock	443	154	106	2	107	16	44	14	34.8	23.9	0.5	24.1	3.6	9.9	3.2
Motherwell and Wishaw	332	116	74	-	67	19	41	15	34.9	22.3	-	20.2	5.7	12.4	4.5
Clydebank	232	96	38	-	63	6	28	1	41.4	16.4	-	27.1	2.6	12.1	0.4
Coatbridge	255	55	72	15	88	5	18	2	21.6	28.2	5.9	34.5	1.9	7.1	0.8
Dunfermline	253	96	67	-	12	9	31	38	37.9	26.5	-	4.7	3.6	12.3	15.0
Kirkcaldy	273	98	99	3	10	7	29	27	35.9	36.3	1.1	3.6	2.6	10.6	9.9
Hamilton	196	91	30	-	33	10	20	12	46.4	15.3	-	16.9	5.1	10.2	6.1
Kilmarnock	251	111	92	-	21	6	11	10	44.2	36.6	-	8.4	2.4	4.4	4.0
Ayr	279	156	30	1	20	20	15	37	55.9	10.7	0.3	7.2	7.2	5.4	13.3
Falkirk	242	93	83	-	22	7	13	24	38.4	34.3	-	9.1	2.9	5.4	9.9
Perth	236	120	56	-	21	8	27	54	42.0	19.6	-	7.3	2.8	9.4	18.9

TABLE 13.—Civil Condition of Persons Marrying in Scotland, 1926.

	Total Marriages.	NO. OF MARRIAGES BETWEEN				Condition not Stated.	PERCENTAGE OF MARRIAGES BETWEEN				Percentage Condition not Stated.
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	
SCOTLAND	31,244	28,261	672	1,649	662	—	90·4	2·2	5·3	2·1	—
LARGER BURGHS	18,754	16,738	485	1,034	497	—	89·3	2·6	5·5	2·6	—
OTHER DISTRICTS	12,490	11,523	187	615	165	—	92·3	1·5	4·9	1·3	—
Counties.											
Aberdeen	2,107	1,937	28	97	45	—	92·0	1·3	4·6	2·1	—
Argyll	255	233	4	11	7	—	91·4	1·6	4·3	2·7	—
Ayr	1,614	1,489	32	63	30	—	92·2	2·0	3·9	1·9	—
Banff	273	254	3	14	2	—	93·1	1·1	5·1	0·7	—
Berwick	154	144	2	7	1	—	93·5	1·3	4·5	0·7	—
Bute	74	66	2	6	—	—	89·2	2·7	8·1	—	—
Caithness	128	119	—	5	4	—	93·0	—	3·9	3·1	—
Clackmannan	165	149	5	9	2	—	90·3	3·0	5·5	1·2	—
Dumbarton	709	653	11	33	12	—	92·1	1·6	4·6	1·7	—
Dumfries	513	457	12	35	9	—	89·1	2·3	6·8	1·8	—
East Lothian	203	187	2	10	4	—	92·1	1·0	4·9	2·0	—
Fife	1,618	1,498	21	68	31	—	92·6	1·3	4·2	1·9	—
Forfar	1,825	1,613	35	134	43	—	88·4	1·9	7·3	2·4	—
Inverness	431	391	11	22	7	—	90·7	2·6	5·1	1·6	—
Kincardine	187	180	2	5	—	—	96·2	1·1	2·7	—	—
Kinross	23	23	—	—	—	—	100·0	—	—	—	—
Kirkcudbright	239	223	2	12	2	—	93·3	0·8	5·1	0·8	—
Lanark	11,325	10,103	292	650	280	—	89·2	2·6	5·7	2·5	—
Midlothian	4,244	3,789	130	216	109	—	89·3	3·0	5·1	2·6	—
Moray	241	218	4	16	3	—	90·5	1·7	6·6	1·2	—
Nairn	47	41	—	6	—	—	87·2	—	12·8	—	—
Orkney	130	116	—	12	2	—	89·2	—	9·2	1·6	—
Peebles	90	83	—	6	1	—	92·2	—	6·7	1·1	—
Perth	694	633	11	37	13	—	91·2	1·6	5·3	1·9	—
Renfrew	1,587	1,459	31	72	25	—	91·9	2·0	4·5	1·6	—
Ross and Cromarty	270	240	3	22	5	—	88·9	1·1	8·1	1·9	—
Roxburgh	238	215	5	16	2	—	90·3	2·1	6·7	0·9	—
Selkirk	127	120	1	6	—	—	94·5	0·8	4·7	—	—
Shetland	119	108	3	8	—	—	90·8	2·5	6·7	—	—
Stirling	998	946	11	26	15	—	94·8	1·1	2·6	1·5	—
Sutherland	50	47	1	1	1	—	94·0	2·0	2·0	2·0	—
West Lothian	433	402	7	18	6	—	92·8	1·6	4·2	1·4	—
Wigtown	133	125	1	6	1	—	93·9	0·8	4·5	0·8	—
Larger Burghs.											
Glasgow	8,645	7,641	239	518	247	—	88·4	2·8	6·0	2·8	—
Edinburgh	3,813	3,384	122	203	104	—	88·8	3·2	5·3	2·7	—
Dundee	1,316	1,152	31	96	37	—	87·5	2·4	7·3	2·8	—
Aberdeen	1,403	1,280	22	63	38	—	91·2	1·6	4·5	2·7	—
Paisley	535	494	11	21	9	—	92·3	2·1	3·9	1·7	—
Greenock	443	407	9	21	6	—	91·9	2·0	4·7	1·4	—
Motherwell & Wishaw	332	317	4	7	4	—	95·5	1·2	2·1	1·2	—
Clydebank	232	208	6	13	5	—	89·6	2·6	5·6	2·2	—
Coatbridge	255	228	9	8	10	—	89·4	3·5	3·2	3·9	—
Dunfermline	253	231	3	10	9	—	91·3	1·2	3·9	3·6	—
Kirkcaldy	273	251	5	11	6	—	92·0	1·8	4·0	2·2	—
Hamilton	196	179	3	13	1	—	91·3	1·5	6·7	0·5	—
Kilmarnock	251	237	1	8	5	—	94·4	0·4	3·2	2·0	—
Ayr	279	251	12	11	5	—	90·0	4·3	3·9	1·8	—
Falkirk	242	221	4	12	5	—	91·3	1·7	4·9	2·1	—
Perth	286	257	4	19	6	—	89·9	1·4	6·6	2·1	—

TABLE 14.—Method of Signature of Marriage Registers, or Schedules, in Scotland, 1926.

	Total Mar- riages.	NUMBER OF				PERCENTAGE OF			
		MEN.		WOMEN.		MEN.		WOMEN.	
		Signing by Writing.	Sign- ing by Mark.	Signing by Writing.	Sign- ing by Mark.	Signing by Writing.	Signing by Mark.	Signing by Writing.	Signing by Mark.
SCOTLAND . . .	31,244	31,168	76	31,180	64	99·8	0·2	99·8	0·2
LARGER BURGHS . . .	18,754	18,698	56	18,711	43	99·7	0·3	99·8	0·2
OTHER DISTRICTS . . .	12,490	12,470	20	12,469	21	99·8	0·2	99·8	0·2
Counties.									
Aberdeen	2,107	2,106	1	2,105	2	100·0	0·0	99·9	0·1
Argyll	255	253	2	254	1	99·2	0·8	99·6	0·4
Ayr	1,614	1,612	2	1,613	1	99·9	0·1	99·9	0·1
Banff	273	272	1	272	1	99·6	0·4	99·6	0·4
Berwick	154	154	—	154	—	100·0	—	100·0	—
Bute	74	73	1	74	—	98·6	1·4	100·0	—
Caithness	128	128	—	126	2	100·0	—	98·4	1·6
Clackmannan	165	165	—	165	—	100·0	—	100·0	—
Dumbarton	709	706	3	709	—	99·6	0·4	100·0	—
Dumfries	513	513	—	512	1	100·0	—	99·8	0·2
East Lothian	203	203	—	202	1	100·0	—	99·5	0·5
Fife	1,618	1,618	—	1,618	—	100·0	—	100·0	—
Forfar	1,825	1,822	3	1,818	7	99·8	0·2	99·6	0·4
Inverness	431	428	3	429	2	99·3	0·7	99·5	0·5
Kincardine	187	187	—	187	—	100·0	—	100·0	—
Kinross	23	23	—	23	—	100·0	—	100·0	—
Kirkcudbright	239	238	1	239	—	99·6	0·4	100·0	—
Lanark	11,325	11,281	44	11,293	32	99·6	0·4	99·7	0·3
Midlothian	4,244	4,234	10	4,239	5	99·8	0·2	99·9	0·1
Moray	241	241	—	240	1	100·0	—	99·6	0·4
Nairn	47	46	1	47	—	97·9	2·1	100·0	—
Orkney	130	130	—	130	—	100·0	—	100·0	—
Peebles	90	90	—	90	—	100·0	—	100·0	—
Perth	694	694	—	692	2	100·0	—	99·7	0·3
Renfrew	1,587	1,584	3	1,584	3	99·8	0·2	99·8	0·2
Ross and Cromarty	270	269	1	269	1	99·6	0·4	99·6	0·4
Roxburgh	238	238	—	238	—	100·0	—	100·0	—
Selkirk	127	127	—	127	—	100·0	—	100·0	—
Shetland	119	119	—	119	—	100·0	—	100·0	—
Stirling	998	998	—	998	—	100·0	—	100·0	—
Sutherland	50	50	—	50	—	100·0	—	100·0	—
West Lothian	433	433	—	432	1	100·0	—	99·8	0·2
Wigtown	133	133	—	132	1	100·0	—	99·2	0·8
Larger Burghs.									
Glasgow	8,645	8,608	37	8,620	25	99·6	0·4	99·7	0·3
Edinburgh	3,813	3,803	10	3,808	5	99·7	0·3	99·9	0·1
Dundee	1,316	1,314	2	1,310	6	99·8	0·2	99·5	0·5
Aberdeen	1,403	1,402	1	1,402	1	99·9	0·1	99·9	0·1
Paisley	535	533	2	534	1	99·6	0·4	99·8	0·2
Greenock	443	443	—	442	1	100·0	—	99·8	0·2
Motherwell & Wishaw	332	332	—	332	—	100·0	—	100·0	—
Clydebank	232	230	2	232	—	99·1	0·9	100·0	—
Coatbridge	255	253	2	253	2	99·2	0·8	99·2	0·8
Dunfermline	253	253	—	253	—	100·0	—	100·0	—
Kirkcaldy	273	273	—	271	2	100·0	—	99·3	0·7
Hamilton	196	196	—	196	—	100·0	—	100·0	—
Kilmarnock	251	251	—	251	—	100·0	—	100·0	—
Ayr	279	279	—	279	—	100·0	—	100·0	—
Falkirk	242	242	—	242	—	100·0	—	100·0	—
Perth	286	286	—	286	—	100·0	—	100·0	—

TABLE **15.**—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1926.

TABLE 15.—AGES of MEN at Marriage in Scotland, 1926.

TABLE 15.—AGES of MEN at Marriage in Scotland, 1926.

	All Ages.	Average Age.	Under 15	15-	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80 and over.	Not stated.
SCOTLAND	31,244	29·36	—	3	39	168	556	1,174	8,768	10,371	4,741	2,252	1,170	784	490	342	205	112	51	16	2	—	—
LARGER BURGHs	18,754	29·51	—	3	28	105	365	726	5,282	6,033	2,806	1,379	704	514	317	243	133	70	36	9	1	—	—
OTHER DISTRICTS	12,490	29·14	—	—	11	63	191	448	3,486	4,338	1,935	873	466	270	173	99	72	42	15	7	1	—	—
<i>Counties.</i>																							
Aberdeen . . .	2,107	29·11	—	—	3	11	40	81	643	701	291	135	66	51	31	25	13	11	5	—	—	—	—
Argyll . . .	255	32·37	—	—	—	—	—	3	32	88	59	31	16	6	5	3	3	2	2	—	—	—	—
Ayr . . .	1,614	28·43	—	—	2	10	33	71	474	566	246	90	51	24	20	9	8	9	1	—	—	—	—
Banff . . .	273	29·43	—	—	—	—	—	11	75	92	45	20	13	4	3	4	1	1	1	—	—	—	—
Berwick . . .	154	29·40	—	—	—	1	1	4	44	54	22	10	11	2	4	1	—	—	—	—	—	—	—
Bute . . .	74	31·47	—	—	—	—	—	3	17	21	13	8	6	2	1	—	—	—	—	—	—	—	—
Caithness . . .	128	30·73	—	—	—	—	—	4	26	41	27	12	5	4	1	—	—	—	—	—	—	—	—
Clackmannan . . .	165	27·89	—	—	—	2	3	6	62	43	30	8	5	2	4	—	—	—	—	—	—	—	—
Dumbarton . . .	709	29·00	—	—	—	4	11	16	198	253	126	42	20	17	9	4	4	3	—	—	—	—	—
Dumfries . . .	513	30·39	—	—	1	2	9	15	125	172	88	34	17	22	13	7	3	3	1	—	—	—	—
East Lothian . . .	203	28·29	—	—	—	2	7	5	55	76	31	16	5	1	4	—	—	—	—	—	—	—	—
Fife . . .	1,618	28·09	—	—	1	5	35	66	512	611	195	83	41	25	13	15	12	4	3	—	—	—	—
Forfar . . .	1,825	29·43	—	—	6	12	26	58	571	540	281	144	62	43	26	31	16	5	2	—	—	—	—
Inverness . . .	431	32·63	—	—	—	—	5	3	71	130	89	53	35	17	13	9	3	—	—	—	—	—	—
Kincardine . . .	187	27·83	—	—	1	1	5	7	68	60	23	5	6	7	2	1	1	—	—	—	—	—	—
Kinross . . .	23	27·76	—	—	—	—	—	1	8	9	3	1	—	1	—	—	—	—	—	—	—	—	—
Kirkcudbright . . .	239	29·72	—	—	—	—	5	6	58	87	38	21	12	4	4	—	—	—	—	—	—	—	—
Lanark . . .	11,325	29·28	—	1	17	77	220	475	3,259	3,589	1,695	826	413	304	181	133	77	38	15	4	1	—	—
Midlothian . . .	4,244	29·96	—	2	3	14	71	152	1,107	1,451	618	320	181	121	79	56	34	16	13	6	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

AGES of MEN at Marriage in Scotland, 1926.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
Moray	241	29·24	-	-	-	-	1	-	9	59	96	41	12	11	4	3	3	1	1	-	-	-	-
Nairn	47	31·03	-	-	-	-	-	-	1	15	12	11	1	1	-	5	5	1	1	-	-	-	-
Orkney	130	31·27	-	-	-	-	1	4	2	29	40	22	11	7	4	8	2	-	-	-	-	-	-
Peebles	90	29·43	-	-	-	-	1	2	6	17	35	9	12	3	4	-	-	-	1	-	-	-	-
Perth	694	30·51	-	-	-	1	14	34	16	147	255	123	52	32	27	11	8	6	2	2	1	-	-
Renfrew	1,587	28·55	-	-	-	-	-	1	72	483	509	239	106	51	37	20	9	4	6	1	-	-	-
Ross & Cromarty	270	34·13	-	-	-	-	-	1	5	36	69	58	42	23	15	5	2	1	1	-	-	-	-
Roxburgh	238	29·50	-	-	-	-	1	4	7	47	99	38	22	11	4	2	2	1	-	-	-	-	-
Selkirk	127	30·53	-	-	-	-	-	-	2	19	58	21	11	6	6	3	1	-	-	-	-	-	-
Shetland	119	32·20	-	-	-	-	-	-	2	16	38	28	16	10	5	2	-	2	-	-	-	-	-
Stirling	998	28·54	-	-	-	1	4	15	38	296	359	147	64	33	14	12	5	4	5	1	-	-	-
Sutherland	50	30·34	-	-	-	-	-	-	2	9	18	8	9	2	2	-	-	-	-	-	-	-	-
West Lothian	433	27·45	-	-	-	2	1	6	18	140	163	56	25	12	4	3	1	1	-	1	-	-	-
Wigtown	133	28·40	-	-	-	-	1	-	7	50	36	20	10	3	1	3	2	-	-	-	-	-	-
<i>Larger Burghs.</i>																							
Glasgow	8,645	29·74	-	-	1	15	57	172	348	2,386	2,671	1,316	672	345	263	158	123	65	35	13	4	-	-
Edinburgh	3,813	30·18	-	-	2	3	13	65	133	975	1,282	563	296	171	114	75	55	33	15	13	5	1	-
Dundee	1,316	29·24	-	-	-	5	9	24	45	430	375	195	105	38	32	16	22	14	3	3	-	-	-
Aberdeen	1,403	29·17	-	-	-	2	5	35	56	408	477	198	91	41	29	22	17	10	8	4	-	-	-
Paisley	535	28·46	-	-	-	1	5	13	19	156	183	86	31	19	8	8	2	2	2	-	-	-	-
Greenock	443	28·16	-	-	-	-	5	10	23	144	129	65	35	12	12	3	4	-	1	-	-	-	-
Motherwell and Wishaw	332	27·02	-	-	-	1	1	11	15	117	110	49	14	9	2	1	1	1	-	-	-	-	-
Clydebank	232	28·95	-	-	-	1	-	4	4	72	78	41	10	8	5	5	3	-	-	-	-	-	-
Coatbridge	255	28·29	-	-	-	-	1	1	13	80	89	40	13	6	7	4	1	-	-	-	-	-	-
Dunfermline	253	29·47	-	-	-	-	1	2	9	62	91	45	20	10	6	3	2	1	1	-	-	-	-
Kirkcaldy	273	28·27	-	-	-	-	2	3	10	87	112	25	12	9	3	2	5	3	-	-	-	-	-
Hamilton	196	26·85	-	-	-	-	2	8	10	75	62	16	8	7	6	1	-	1	1	-	-	-	-
Kilmarnock	251	28·40	-	-	-	-	1	3	7	72	103	38	12	4	5	3	-	1	1	1	-	-	-
Ayr	279	28·86	-	-	-	-	2	5	16	79	90	43	17	11	5	6	3	2	1	-	-	-	-
Falkirk	242	28·86	-	-	-	-	-	3	9	69	85	43	17	4	4	4	2	1	1	-	-	-	-
Perth	286	30·15	-	-	-	-	1	6	9	70	96	43	26	10	13	6	3	-	1	2	-	-	-

TABLE 16.—Ages of WOMEN at Marriage in Scotland, 1926.

	All Ages.	Average age.	Under 15	15-16	16-17	17-18	18-19	19-20	20-21	21-25	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	65-70	70-75	75-80 and over.	Not stated.
SCOTLAND	31,244	26·46	2	8	66,469	1242	1884	2,300	10,272	8,355	3,530	1,462	704	449	245	126	75	37	16	2	-	-
LARGER BURGHS	18,754	26·53	-	7	50,293	760	1099	1,352	6,083	4,955	2,118	945	445	310	161	89	54	22	9	2	-	-
OTHER DISTRICTS	12,490	26·35	2	1	16,176	382	775	938	4,289	3,400	1,432	517	259	139	84	37	21	15	7	-	-	-
<i>Counties.</i>																						
Aberdeen . . .	2,107	26·00	-	-	8	37	96	134	160	758	534	184	86	24	18	8	5	2	2	-	-	-
Argyll . . .	255	28·16	-	-	-	2	7	8	16	74	76	38	12	5	3	3	1	1	-	-	-	-
Ayr . . .	1,614	25·76	1	2	20	66	101	126	126	587	433	158	60	18	10	6	1	1	1	-	-	-
Banff . . .	273	26·75	-	-	-	2	10	20	20	87	80	34	13	5	1	2	1	-	-	-	-	-
Berwick . . .	154	26·64	-	-	-	-	5	10	7	51	49	17	12	1	1	1	-	-	-	-	-	-
Bute . . .	74	27·01	-	-	-	-	2	9	5	14	22	11	4	1	2	1	-	-	-	-	-	-
Caithness . . .	128	26·66	-	-	-	2	7	19	3	39	30	14	7	-	1	3	-	-	1	-	-	-
Clackmannan . . .	165	25·91	-	-	-	2	7	10	17	49	48	19	8	3	1	3	-	-	1	-	-	-
Dumbarton . . .	709	25·98	-	-	-	9	18	42	60	252	193	77	31	7	1	3	1	-	1	-	-	-
Dumfries . . .	513	27·28	-	-	3	7	26	28	34	144	138	71	32	8	5	3	1	2	1	-	-	-
East Lothian . . .	203	25·98	-	-	-	5	7	16	11	63	63	26	2	2	3	-	3	3	1	-	-	-
Fife . . .	1,618	25·59	-	-	2	37	68	101	132	598	421	139	60	11	12	5	8	3	1	-	-	-
Forfar . . .	1,825	26·75	-	-	3	25	60	95	149	592	476	246	72	38	10	8	1	-	-	-	-	-
Inverness . . .	431	27·80	-	-	-	4	6	21	24	124	114	76	37	15	7	1	1	-	-	-	-	-
Kincairdine . . .	187	24·50	-	-	-	2	5	5	11	67	52	24	5	6	2	1	-	-	-	-	-	-
Kinross . . .	23	26·07	-	-	-	-	-	1	2	11	4	3	1	1	-	-	-	-	-	-	-	-
Kirkcudbright . . .	239	26·78	-	-	-	-	5	19	16	69	76	36	6	2	-	1	-	-	-	-	-	-
Lanark . . .	11,325	26·24	1	4	22,189	497	732	841	3,685	2,969	1,231	530	245	181	101	53	29	12	3	1	-	-
Midlothian . . .	4,244	27·10	-	3	14,49	135	224	276	1,381	1,128	511	249	119	75	35	17	17	5	5	1	-	(x)
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)

AGES of WOMEN at Marriage in Scotland, 1926.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
Moray	241	26.11	-	-	-	5	11	13	17	78	70	29	8	5	-	4	-	1	-	-	-	-	-
Nairn	47	27.10	-	-	-	1	1	2	3	14	15	6	2	1	1	1	-	-	-	-	-	-	-
Orkney	130	26.35	-	-	2	1	2	4	12	52	32	10	7	3	3	2	-	-	-	-	-	-	-
Peebles	90	26.64	-	-	-	1	2	2	7	31	27	11	5	3	-	1	-	-	-	-	-	-	-
Perth	694	27.46	-	-	-	9	23	32	42	218	194	89	34	25	11	8	5	3	-	1	-	-	-
Renfrew	1,587	25.78	-	-	6	32	75	107	145	494	430	176	62	32	16	5	2	1	4	-	-	-	-
Ross & Cromarty	270	29.77	-	-	-	-	5	9	11	53	83	54	29	13	7	2	2	1	1	-	-	-	-
Roxburgh	238	27.05	-	-	1	3	6	8	12	66	77	40	15	7	3	-	-	-	-	-	-	-	-
Selkirk	127	28.04	-	-	-	-	2	6	4	30	49	21	6	5	2	2	-	-	-	-	-	-	-
Shetland	119	29.09	-	-	-	1	1	2	8	21	44	20	12	4	4	2	-	-	-	-	-	-	-
Stirling	998	25.61	-	-	2	15	57	62	86	343	268	101	30	14	10	4	2	1	2	-	1	-	-
Sutherland	50	27.70	-	-	-	-	3	-	2	16	16	4	5	4	-	-	-	-	-	-	-	-	-
West Lothian	433	24.72	-	-	-	3	22	41	33	172	104	39	14	3	-	1	-	-	-	-	-	-	-
Wigtown	133	26.06	-	-	1	4	5	9	8	39	40	15	6	4	2	-	-	-	-	-	-	-	-
<i>Larger Burghs.</i>																							
Glasgow	8,645	26.59	-	3	21	135	367	535	585	2,692	2,318	987	457	207	160	88	49	27	12	2	-	-	-
Edinburgh	3,813	27.30	-	3	11	44	116	198	242	1,224	1,000	475	235	117	72	34	17	15	4	5	-	-	-
Dundee	1,316	26.59	-	-	3	20	41	75	117	430	329	170	57	24	32	6	5	6	1	-	-	-	-
Aberdeen	1,403	26.24	-	-	6	18	66	80	107	500	364	121	61	39	15	13	6	3	2	2	-	-	-
Paisley	535	25.74	-	-	2	8	27	23	51	166	156	70	18	9	3	1	1	1	-	-	-	-	-
Greenock	443	25.11	-	-	4	14	27	42	40	131	111	45	13	8	6	1	1	-	-	-	-	-	-
Motherwell and Wishaw	332	24.28	-	1	-	11	24	19	37	127	73	25	9	4	1	1	-	-	-	-	-	-	-
Clydebank	232	25.83	-	-	1	4	5	7	17	103	55	23	10	4	1	1	1	-	-	-	-	-	-
Coatbridge	255	25.57	-	-	-	9	10	14	11	93	78	22	12	2	2	1	1	-	-	-	-	-	-
Dunfermline	253	26.36	-	-	-	1	10	14	17	91	73	23	12	3	4	4	-	-	1	-	-	-	-
Kirkcaldy	273	25.99	-	-	1	4	9	17	23	103	67	26	12	3	2	2	2	1	1	-	-	-	-
Hamilton	196	24.62	-	-	-	5	8	21	22	68	48	16	3	2	1	2	-	-	-	-	-	-	-
Kilmarnock	251	25.55	-	-	-	3	12	13	30	81	69	28	7	4	1	1	1	1	-	-	-	-	-
Ayr	279	26.56	-	-	-	5	12	19	12	96	75	28	16	8	5	2	1	1	-	-	-	-	-
Falkirk	242	25.74	-	-	1	5	15	10	23	81	65	26	10	2	2	2	1	1	-	-	1	-	-
Perth	286	27.17	-	-	-	7	11	12	18	97	74	33	13	9	3	-	4	-	1	-	-	-	-

TABLE 17.—Percentage Age Distribution of Persons at Marriage in Scotland in 1926.

AGES.	MEN.			WOMEN.		
	Scotland.	Larger Burghs.	Other Districts.	Scotland.	Larger Burghs.	Other Districts.
15—19 years	2·45	2·67	2·12	11·75	11·78	10·83
20—24	31·82	32·04	31·50	40·24	39·65	41·85
25—29	33·20	32·17	34·73	26·74	26·42	27·22
30—34	15·17	14·96	15·48	11·30	11·29	11·47
35—39	7·21	7·35	7·00	4·68	5·04	4·14
40—44	3·74	3·76	3·73	2·25	2·37	2·07
45—49	2·51	2·74	2·16	1·44	1·65	1·11
50 and above	3·90	4·31	3·28	1·60	1·80	1·31
Not stated	—	—	—	—	—	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00

TABLE 18.—Age Distribution of Persons at Marriage in Scotland, 1855–1926.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—19 years	55,597	2·73	236,263	11·58
20—24	706,604	34·65	882,665	43·28
25—29	652,997	32·02	525,820	25·78
30—34	290,256	14·23	201,249	9·87
35—39	142,827	7·01	97,293	4·77
40—44	78,156	3·83	48,471	2·38
45—49	48,144	2·36	26,037	1·28
50 and above	63,854	3·13	20,124	0·99
Not stated	823	0·04	1,336	0·07
TOTAL	2,039,258	100·00	2,039,258	100·00

TABLE 19.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1926.

AGES OF WIVES.													Total Husbands.							
Under 15	15	16	17	18	19	20	21	25	30	35	40	45		50	55	60	65	70	75	Not Stated
Under 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	-	1	3	10	11	1	4	1	-	-	-	-	-	-	-	-	-	-	3	
17	-	8	24	50	36	29	21	2	-	-	-	-	-	-	-	-	-	-	39	
18	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168	
19	-	3	7	112	142	94	121	15	3	1	1	-	-	-	-	-	-	-	556	
20	-	-	9	190	243	236	362	40	3	-	-	-	-	-	-	-	-	-	1,174	
21	-	2	35	672	1,033	1,284	4,346	1,031	119	23	2	-	-	-	-	-	-	-	8,768	
25	1	2	5	168	341	526	4,089	4,252	807	112	9	4	-	1	-	-	-	-	10,371	
30	1	-	1	31	57	98	942	1,979	1,301	274	34	10	2	2	-	-	-	-	4,741	
35	-	-	-	7	13	22	240	661	738	436	106	24	3	-	-	-	-	-	2,252	
40	-	-	-	1	4	6	96	235	309	271	183	53	8	2	-	-	-	-	1,170	
45	-	-	-	1	2	4	28	81	145	185	175	132	22	4	4	-	-	-	784	
50	-	-	-	-	-	-	14	35	71	74	96	92	88	14	4	2	-	-	490	
55	-	-	-	-	-	-	6	16	21	59	57	67	58	44	12	2	-	-	342	
60	-	-	-	-	1	-	2	5	9	18	24	40	36	32	25	9	4	-	205	
65	-	-	-	-	-	-	1	1	4	7	11	22	18	16	14	15	2	1	112	
70	-	-	-	-	-	-	-	-	-	2	3	4	7	8	14	6	7	-	51	
75	-	-	-	-	-	-	-	-	-	-	3	1	2	3	2	2	2	1	16	
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total Wives	2	8	66	469	1,242	1,884	2,300	10,272	8,355	3,530	1,462	704	449	245	126	75	37	16	2	31,244

Average age—Husbands, 29·36; Wives, 26·46.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at Marriage: Thus, of 1,884 *Wives* aged 19, 1 married a *Husband* aged 16, 11 married *Husbands* aged 17, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at Marriage:—Thus, of 39 *Husbands* aged 17, 1 married a *Wife* aged 15, 3 married *Wives* aged 16, etc.

TABLE 21.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland, 1926.

AGES OF WIDOWS.													Total Bachelors.	AGES OF BACHELORS.										Total Bachelors and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 37.11; Wives, 37.25.

TABLE 23.—AGES in Combination of WIDOWERS and WIDOWS at Marriage in Scotland, 1926.

AGES OF WIDOWERS.	AGES OF WIDOWS.															Total Widowers and Widows.
	Total Widowers.															
	18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	Not stated														
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	Not stated	662 {
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	-	-														

Average age—Husbands, 51·18; Wives, 45·85.

TABLE 24.—Ages at Death in 1927.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
Under 1	8,576	4,894	3,682	5,031	1,327	2,218
1-	4,103	2,228	1,875	2,668	592	843
5-	1,212	650	562	643	217	352
10-	805	433	372	434	137	234
15-	2,582	1,305	1,277	1,335	443	804
25-	2,950	1,402	1,548	1,562	530	858
35-	3,950	1,963	1,987	2,202	717	1,031
45-	6,089	3,191	2,898	3,535	1,018	1,536
55-	9,250	4,972	4,278	4,973	1,759	2,518
65-	12,849	6,607	6,242	6,242	2,758	3,849
75-	10,264	4,360	5,904	4,239	2,442	3,583
85-	3,199	1,091	2,108	1,081	730	1,388
Not stated	1	1	—	—	—	1
ALL AGES	65,830	33,097	32,733	33,945	12,670	19,215

TABLE 25.—Death-rate per 1000 in each Age-group in 1927.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
Under 1	76·0	85·8	66·0	89·8	62·2	62·6
1-	11·4	12·2	10·5	15·5	8·7	7·0
5-	2·5	2·7	2·4	2·8	2·4	2·2
10-	1·6	1·8	1·5	1·8	1·5	1·5
15-	2·8	2·9	2·7	2·9	2·6	2·9
25-	4·1	4·3	4·0	4·2	3·8	4·1
35-	6·2	6·6	5·9	6·8	5·8	5·5
45-	11·4	12·2	10·6	13·1	9·8	9·5
55-	25·5	28·8	22·5	29·0	23·6	21·6
65-	62·0	71·9	54·1	71·3	59·9	52·5
75-	137·6	154·6	127·3	156·3	139·7	120·7
85-	300·8	333·7	286·2	341·1	290·5	283·9
Not stated	—	—	—	—	—	—
ALL AGES	13·5	14·1	12·9	14·1	13·4	12·5

TABLE 26.—Percentage of Deaths in each Age-group in 1927.

Age Groups.	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts.
	Both Sexes.	Males.	Females.	Both Sexes.	Both Sexes.	Both Sexes.
Under 1	13·03	14·79	11·25	14·82	10·47	11·54
1-	6·23	6·73	5·73	7·86	4·67	4·39
5-	1·84	1·97	1·72	1·89	1·71	1·83
10-	1·22	1·31	1·13	1·28	1·08	1·22
15-	3·92	3·94	3·90	3·93	3·50	4·18
25-	4·48	4·24	4·73	4·60	4·18	4·47
35-	6·00	5·93	6·07	6·49	5·66	5·37
45-	9·25	9·64	8·85	10·41	8·04	7·99
55-	14·05	15·02	13·07	14·65	13·88	13·10
65-	19·53	19·96	19·07	18·39	21·77	20·03
75-	15·59	13·17	18·04	12·49	19·28	18·65
85-	4·86	3·30	6·44	3·19	5·76	7·22
Not stated	0·00	0·00	—	—	—	0·01
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00

TABLE **27**.—DEATHS, MALE AND FEMALE, AT EACH YEAR OF AGE, AND BY CONDITION AS TO MARRIAGE, IN SCOTLAND, 1927.

TABLE 27.—Deaths, Male and Female, at each year of Age,

M A L E S.											
AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	4894	4894	—	—	—	50 ...	318	63	236	18	1
1 ...	1236	1236	—	—	—	51 ...	329	64	234	31	—
2 ...	486	486	—	—	—	52 ...	345	87	226	32	—
3 ...	284	284	—	—	—	53 ...	377	73	267	37	—
4 ...	222	222	—	—	—	54 ...	419	98	280	41	—
5 ...	211	211	—	—	—	55 ...	399	78	281	38	2
6 ...	138	138	—	—	—	56 ...	477	111	325	40	1
7 ...	135	135	—	—	—	57 ...	442	99	294	49	—
8 ...	89	89	—	—	—	58 ...	439	80	295	63	1
9 ...	77	77	—	—	—	59 ...	486	94	314	78	—
10 ...	68	68	—	—	—	60 ...	483	87	329	64	3
11 ...	82	82	—	—	—	61 ...	485	67	325	93	—
12 ...	96	96	—	—	—	62 ...	583	114	369	99	1
13 ...	83	83	—	—	—	63 ...	588	96	383	109	—
14 ...	104	104	—	—	—	64 ...	590	103	361	126	—
15 ...	103	103	—	—	—	65 ...	647	102	393	151	1
16 ...	118	118	—	—	—	66 ...	609	98	375	136	—
17 ...	123	123	—	—	—	67 ...	613	96	374	142	1
18 ...	134	133	1	—	—	68 ...	655	95	391	169	—
19 ...	151	149	2	—	—	69 ...	684	106	383	193	2
20 ...	135	135	—	—	—	70 ...	688	100	391	197	—
21 ...	142	137	5	—	—	71 ...	685	88	346	251	—
22 ...	122	111	11	—	—	72 ...	721	92	368	260	1
23 ...	136	119	17	—	—	73 ...	658	77	349	232	—
24 ...	141	121	18	1	1	74 ...	647	84	301	261	1
25 ...	143	111	31	—	1	75 ...	593	83	288	222	—
26 ...	142	105	37	—	—	76 ...	665	85	288	290	2
27 ...	135	82	53	—	—	77 ...	522	65	213	244	—
28 ...	159	103	53	3	—	78 ...	487	47	215	225	—
29 ...	129	70	59	—	—	79 ...	466	56	178	232	—
30 ...	129	58	70	1	—	80 ...	379	34	150	195	—
31 ...	136	52	81	3	—	81 ...	340	32	119	189	—
32 ...	125	53	70	2	—	82 ...	333	29	105	199	—
33 ...	149	49	96	4	—	83 ...	283	25	83	175	—
34 ...	155	58	94	3	—	84 ...	292	28	98	166	—
35 ...	159	44	106	8	1	85 ...	232	22	60	150	—
36 ...	189	71	115	3	—	86 ...	225	23	62	140	—
37 ...	163	42	113	8	—	87 ...	168	15	55	98	—
38 ...	191	59	124	7	1	88 ...	118	11	27	80	—
39 ...	185	65	114	6	—	89 ...	101	13	19	69	—
40 ...	184	55	117	10	2	90 ...	71	7	11	53	—
41 ...	208	53	146	9	—	91 ...	41	8	8	25	—
42 ...	233	64	159	9	1	92 ...	45	3	7	35	—
43 ...	227	58	162	7	—	93 ...	25	2	4	19	—
44 ...	224	50	161	13	—	94 ...	25	3	6	16	—
45 ...	225	50	162	11	2	95 ...	16	1	3	12	—
46 ...	279	66	202	11	—	96 ...	9	—	—	9	—
47 ...	274	62	187	25	—	97 ...	5	1	—	4	—
48 ...	315	81	215	19	—	98 ...	3	—	1	2	—
49 ...	310	78	219	13	—	99 ...	3	—	2	1	—
100 and over											
Not Stated							4	—	1	3	—
							1	—	—	—	1
All Males							33,097	13,938	13,193	5,939	27

and by Condition as to Marriage, in Scotland, 1927.

FEMALES.

AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Not Stated.
0 ...	3682	3682	-	-	-	50 ...	289	67	192	30	-
1 ...	1080	1080	-	-	-	51 ...	284	54	192	38	-
2 ...	385	385	-	-	-	52 ...	309	66	199	44	-
3 ...	241	241	-	-	-	53 ...	323	67	208	48	-
4 ...	169	169	-	-	-	54 ...	367	64	238	65	-
5 ...	164	164	-	-	-	55 ...	337	75	200	62	-
6 ...	144	144	-	-	-	56 ...	388	96	217	75	-
7 ...	121	121	-	-	-	57 ...	371	68	224	79	-
8 ...	74	74	-	-	-	58 ...	374	80	200	94	-
9 ...	59	59	-	-	-	59 ...	407	77	219	111	-
10 ...	53	53	-	-	-	60 ...	401	68	204	129	-
11 ...	77	77	-	-	-	61 ...	442	64	246	132	-
12 ...	67	67	-	-	-	62 ...	466	89	252	125	-
13 ...	64	64	-	-	-	63 ...	502	93	242	167	-
14 ...	111	111	-	-	-	64 ...	590	125	261	204	-
15 ...	122	122	-	-	-	65 ...	561	108	240	213	-
16 ...	111	111	-	-	-	66 ...	542	113	220	209	-
17 ...	99	94	5	-	-	67 ...	571	103	236	232	-
18 ...	129	125	4	-	-	68 ...	573	138	202	233	-
19 ...	145	130	15	-	-	69 ...	593	121	193	279	-
20 ...	122	105	17	-	-	70 ...	619	136	194	289	-
21 ...	135	108	27	-	-	71 ...	663	132	177	354	-
22 ...	130	89	41	-	-	72 ...	738	162	208	368	-
23 ...	135	93	40	2	-	73 ...	694	136	175	383	-
24 ...	149	81	68	-	-	74 ...	688	132	153	403	-
25 ...	138	76	62	-	-	75 ...	686	129	141	416	-
26 ...	153	65	87	1	-	76 ...	711	151	150	410	-
27 ...	158	83	72	3	-	77 ...	696	143	120	433	-
28 ...	155	64	90	1	-	78 ...	702	136	101	465	-
29 ...	163	59	103	1	-	79 ...	550	99	57	394	-
30 ...	141	51	86	4	-	80 ...	577	119	66	392	-
31 ...	164	51	110	3	-	81 ...	542	100	57	385	-
32 ...	157	49	106	2	-	82 ...	516	113	46	357	-
33 ...	165	48	115	2	-	83 ...	483	99	45	339	-
34 ...	154	34	113	7	-	84 ...	441	96	36	309	-
35 ...	176	45	122	9	-	85 ...	358	70	21	267	-
36 ...	197	44	145	8	-	86 ...	415	81	22	312	-
37 ...	188	45	137	6	-	87 ...	310	81	8	221	-
38 ...	204	58	138	8	-	88 ...	236	47	9	180	-
39 ...	208	45	144	19	-	89 ...	183	37	8	138	-
40 ...	183	31	139	13	-	90 ...	145	35	1	109	-
41 ...	218	44	156	18	-	91 ...	117	25	4	88	-
42 ...	194	32	145	17	-	92 ...	91	19	2	70	-
43 ...	206	50	138	18	-	93 ...	63	16	1	46	-
44 ...	213	56	136	21	-	94 ...	65	18	1	46	-
45 ...	228	50	150	28	-	95 ...	47	10	-	37	-
46 ...	258	69	162	27	-	96 ...	31	6	-	25	-
47 ...	237	56	155	26	-	97 ...	19	5	-	14	-
48 ...	306	72	197	37	-	98 ...	13	4	-	9	-
49 ...	297	65	204	28	-	99 ...	6	1	-	5	-
100 and over						9					
Not stated						-					
All Females						32,733	12,967	9,617	10,149		

TABLE 28.—Deaths at various Age-periods in the Larger Burghs in 1927.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherwell & Wishaw.	Clydebank.	Coatbridge.	Dun- fermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Under 1 Year	2526	606	485	334	162	159	118	85	137	52	49	77	72	63	68	38
1—	1390	337	298	100	74	81	78	58	48	22	21	46	23	31	36	25
5—	294	101	51	31	24	31	19	12	15	7	5	11	12	6	14	10
10—	202	69	28	28	14	20	17	8	9	4	5	9	9	3	3	6
15—	645	202	104	55	62	52	46	20	31	16	12	21	22	16	15	16
25—	738	271	134	87	49	62	34	23	20	19	18	25	18	18	24	22
35—	1074	376	147	103	78	79	63	39	43	21	31	24	31	30	30	33
45—	1683	660	239	290	110	114	99	54	51	35	56	46	51	38	49	50
55—	2270	929	404	303	158	138	113	70	105	58	65	77	80	74	65	64
65—	2686	1259	530	387	240	186	124	84	110	77	99	72	107	90	85	106
75—	1585	984	382	428	134	118	62	47	47	61	91	51	61	63	48	77
85—	338	272	116	125	34	33	15	9	16	25	26	12	8	20	8	24
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All Ages	15431	6066	2918	2181	1139	1073	788	509	632	397	478	471	494	452	445	471

TABLE 29.—Death-rates per 1000 of Population in the Larger Burghs at various Age-periods in 1927.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherwell & Wishaw.	Clydebank.	Coatbridge.	Dun- fermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Under 1 Year	99·2	73·3	119·5	90·1	82·5	74·6	63·4	68·8	107·7	60·0	51·5	66·8	81·1	76·5	82·1	63·5
1—	17·8	13·7	27·1	9·5	11·3	11·4	12·0	14·3	11·6	7·4	7·6	12·5	8·3	11·9	14·1	13·2
5—	2·9	2·8	3·3	2·1	2·9	3·7	2·3	2·3	3·1	1·9	1·3	2·4	3·3	1·7	3·9	3·6
10—	1·9	1·8	1·7	1·7	1·7	2·5	2·1	1·5	1·8	1·2	1·2	2·0	2·4	0·8	0·8	2·0
15—	3·2	2·5	3·2	1·7	3·7	3·4	3·4	2·2	3·6	2·4	1·6	2·6	3·1	2·2	2·2	2·7
25—	4·4	4·2	5·3	3·8	3·5	4·9	3·3	3·0	3·2	2·7	3·0	4·2	3·2	3·2	4·8	4·4
35—	7·5	6·3	6·6	5·3	6·9	7·6	7·0	6·2	8·0	3·7	5·7	4·9	6·7	6·1	6·5	7·1
45—	14·3	12·7	11·6	11·5	12·0	13·9	14·4	11·0	11·3	8·7	11·9	11·8	12·7	9·5	12·7	12·4
55—	31·5	27·0	28·6	25·9	25·4	27·8	29·0	27·3	33·0	23·4	21·3	34·4	30·3	27·5	25·6	22·0
65—	79·0	66·0	68·4	56·9	76·2	70·4	72·3	83·7	87·8	59·4	53·8	64·6	72·8	57·8	70·8	63·2
75—	167·6	152·6	152·9	164·7	140·8	137·7	136·6	199·2	139·5	133·2	150·2	168·9	143·9	120·2	146·8	125·0
85 and over	331·4	336·6	407·0	375·4	323·8	351·1	241·9	500·0	551·7	390·6	361·1	363·6	190·5	384·6	210·5	226·4
All Ages	14·6	14·3	16·9	13·8	13·1	13·3	11·2	10·7	14·2	10·4	11·6	11·6	13·4	12·1	12·7	14·1

Causes of Death.	NUMBERS AGED											DEATH-RATE PER 100,000 AT AGES													
	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
Enteric Fever	41	-	3	2	12	7	7	7	2	1	-	-	1	-	1	0	1	1	1	1	1	0	-	-	
Typhus Fever	2	-	-	-	1	-	1	-	-	-	-	-	0	-	-	-	0	-	0	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	660	192	434	24	1	-	-	-	-	-	-	-	13	170	5	0	0	0	1	1	0	1	-	-	
Scarlet Fever	260	11	86	53	17	8	4	2	1	-	-	-	4	10	24	3	2	1	1	0	-	-	-	-	
Whooping-cough	850	431	393	24	-	-	-	-	-	-	-	1	17	382	109	5	-	-	0	0	-	-	1	-	
Diphtheria	485	28	249	160	22	12	3	2	4	2	2	1	10	25	69	33	4	1	0	0	1	1	1	9	
Influenza	2026	129	101	32	21	65	89	166	207	291	408	111	41	114	28	7	4	7	26	39	80	197	544		
Encephalitis Lethargica	117	1	7	7	2	19	23	15	19	20	4	-	2	1	2	1	0	2	3	4	6	2	-	1044	
Cerebro-spinal Meningitis	138	59	47	8	9	9	3	3	-	-	-	-	3	52	13	2	1	0	0	-	-	-	-	-	
Other Epidemic Diseases	210	45	16	7	7	9	10	15	19	37	29	3	4	40	4	1	1	1	2	4	10	14	17	28	
Tuberculosis of Respiratory System	3466	15	50	53	85	826	835	677	472	300	139	14	71	13	14	11	17	91	107	88	83	67	19	-	
Tuberculous Meningitis	531	99	235	83	37	43	15	8	9	1	1	-	11	88	65	17	8	5	2	1	0	0	-	-	
Tuberculosis of Intestines and Peritoneum	361	42	101	35	28	61	36	29	17	9	3	-	7	37	28	7	6	7	5	3	2	1	-	-	
Other Tuberculous Disease	510	25	68	35	38	100	73	45	47	41	27	8	10	22	19	7	8	11	10	7	9	11	13	28	
Malignant Tumours	6919	3	12	10	9	37	121	419	1174	1904	2083	1010	141	3	3	2	2	4	17	66	219	525	1005	1354	
Rheumatic Fever	225	-	6	22	40	53	22	20	28	17	12	5	5	-	2	5	8	6	3	3	5	6	7	-	
Meningitis (not Cerebro-spinal or Tuberculous)	416	138	135	40	20	26	10	19	15	4	8	1	9	122	37	8	4	3	1	3	1	4	1	-	
Apoplexy	6055	3	5	1	4	14	27	96	474	1183	2203	1703	124	3	1	0	1	2	4	15	88	326	1063	3216	
Heart Disease	7904	10	11	25	69	144	177	371	761	1484	2534	1882	162	9	3	5	14	16	25	59	142	409	1222	4100	
Diseases of Arteries	897	-	-	-	-	2	5	9	48	122	293	295	18	-	-	-	0	1	1	9	34	141	396	1157	
Bronchitis	3914	530	146	18	11	20	47	117	196	534	1058	913	80	470	40	4	2	2	7	18	87	147	510	1224	
Pneumonia (all forms)	5896	1576	1096	116	71	183	199	378	444	582	683	474	121	1397	304	24	14	20	28	60	83	160	329	636	
Other Diseases of Respiratory System	842	108	52	13	10	21	28	55	69	111	168	152	17	96	14	3	2	2	4	9	13	31	81	204	
Diarrhoea and Enteritis (under 2 years)	698	590	108	-	-	-	-	-	-	-	-	-	14	523	30	-	-	-	-	-	-	-	-	-	
Appendicitis	478	-	24	47	46	84	55	47	66	60	38	11	10	-	7	10	9	8	7	12	17	18	15	-	
All Diseases of Liver (not Malignant)	501	1	2	4	1	8	12	33	106	128	134	63	10	1	1	1	0	1	2	5	20	35	65	84	
Nephritis, Acute and Chronic	1870	4	21	20	13	65	100	158	327	460	462	214	38	4	6	4	3	7	14	25	61	127	223	287	
Puerperal Sepsis	184	-	-	-	-	38	91	55	-	-	-	-	4	-	-	-	-	4	13	9	-	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition	438	-	-	-	-	68	199	165	6	-	-	-	9	-	-	-	7	28	26	1	-	-	-	-	
Diseases of Early Infancy, and Malformations	3736	3678	36	7	7	7	-	-	1	-	-	-	76	3261	10	1	1	-	-	0	-	-	-	-	
Suicide	503	-	-	-	-	33	71	89	135	111	55	9	10	-	-	-	4	10	14	25	31	27	12	-	
Other Violent Deaths	*2454	84	277	182	100	269	245	212	302	268	235	197	50	74	77	38	20	34	33	56	74	113	264	771	
Other Defined Diseases	11194	700	346	176	129	322	414	689	1007	1335	1971	2694	229	621	96	37	26	58	109	188	365	951	8613	13269	
Causes ill-defined or Unknown	11109	74	39	7	6	12	23	45	123	243	296	199	23	66	11	1	1	3	7	23	67	143	267	395	
ALL CAUSES	65830	8576	4103	1212	805	2582	2950	3950	6089	9250	12849	10264	1346	7604	1138	253	164	284	412	623	1137	2550	6198	13761	30083

* Including 1 of unstated age.

TABLE 32.—Deaths and Death-rates—FEMALES—from Selected Causes in each Age-Group, 1927.

Causes of Death.	NUMBERS AGED										DEATH-RATE PER 100,000 AT AGES													
	All Ages.	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over	All Ages.	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75-85 and over
Enteric Fever	19	-	2	1	5	4	3	4	-	-	-	-	1	-	1	0	1	1	1	1	1	-	-	-
Typhus Fever	2	-	-	-	1	-	1	-	-	-	-	-	0	-	0	-	0	-	-	0	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	307	95	9	-	-	1	-	1	-	2	-	-	12	170	111	4	6	-	0	-	1	2	-	-
Scarlet Fever	120	6	28	14	8	7	2	1	1	-	-	-	5	11	30	12	-	2	2	1	0	1	-	2
Whooping-cough	447	217	16	-	-	-	-	-	-	-	-	-	18	389	119	7	-	-	-	-	-	-	-	-
Diphtheria	257	14	121	14	5	3	1	4	2	2	2	1	10	25	68	38	6	1	1	0	1	1	2	-
Influenza	1046	47	46	7	27	43	90	94	133	212	264	69	41	84	26	6	3	6	11	27	34	70	184	569
Encephalitis Lethargica	64	-	4	5	10	13	12	6	10	3	-	-	3	-	2	2	0	2	3	4	2	5	3	-
Cerebro-spinal Meningitis	60	24	4	2	3	4	1	6	7	15	7	2	2	43	13	1	1	1	1	0	-	-	-	-
Other Epidemic Diseases	94	19	4	5	4	4	4	4	14	51	8	-	4	34	14	2	2	1	1	1	3	7	13	15
Tuberculosis of Respiratory System	1681	7	25	57	496	435	297	171	106	51	8	-	66	13	14	12	23	106	112	88	62	56	44	17
Tuberculous Meningitis	218	38	36	18	24	3	4	-	-	-	-	-	9	68	53	15	7	5	1	1	-	-	-	-
Tuberculosis of Intestines and Peritoneum	175	14	16	11	35	23	18	11	5	1	-	-	7	25	23	7	5	8	6	5	4	3	1	-
Other Tuberculous Disease	241	8	31	17	52	55	17	23	21	15	4	2	9	14	17	7	7	11	9	5	8	11	13	9
Malignant Tumours	3884	2	8	5	3	18	76	294	708	988	1072	616	153	4	4	2	1	4	20	87	259	520	928	1328
Rheumatic Fever	116	-	4	8	17	32	14	8	12	7	2	-	5	-	2	3	7	7	4	2	4	6	6	4
Meningitis (not Cerebro-Spinal or Tuberculous)	201	68	64	18	11	14	4	8	7	3	3	1	8	122	86	8	5	3	1	2	3	2	3	2
Apoplexy	3345	1	4	1	2	7	11	51	271	612	1148	1008	229	182	2	2	0	1	2	3	15	99	322	994
Hæmorrhagic Disease	4073	7	3	16	39	69	98	200	385	705	1222	1036	293	160	13	2	7	16	15	25	59	141	371	1058
Diseases of Arteries	362	-	-	-	-	2	-	9	33	101	142	75	14	-	-	-	-	0	-	-	3	17	87	306
Bronchitis	1956	218	65	7	5	8	18	55	90	234	495	551	210	77	391	36	3	2	5	16	33	123	429	1188
Pneumonia (all forms)	2523	645	486	58	32	63	78	125	153	232	319	275	57	99	1157	272	24	13	14	20	37	56	122	276
Other diseases of Respiratory System	387	38	30	5	4	3	13	26	30	45	73	87	33	15	68	17	2	2	1	3	8	11	24	63
Diarrhea and Enteritis (under 2 years)	300	248	52	-	-	-	-	-	-	-	-	-	-	12	445	29	-	-	-	-	-	-	-	-
Appendicitis	213	-	7	27	19	35	25	20	29	24	20	7	-	8	-	4	11	8	6	6	11	13	17	15
All Diseases of Liver (not Malignant)	301	1	1	3	-	4	7	16	63	78	84	39	5	12	2	1	1	1	2	5	23	41	73	84
Nephritis, Acute and Chronic	931	3	8	7	32	56	87	183	214	217	105	11	37	5	4	3	3	7	14	26	67	113	188	226
Puerperal Sepsis	184	-	-	-	38	91	55	-	-	-	-	-	-	7	-	-	-	8	23	16	-	-	-	-
Other Diseases and Accidents of Pregnancy and Parturition	438	-	-	-	68	199	165	6	-	-	-	-	-	17	-	-	-	15	51	49	2	-	-	-
Diseases of Early Infancy, and Malformations	1643	1615	21	4	1	2	-	-	-	-	-	-	-	65	2897	12	2	0	-	-	-	-	-	-
Suicide	150	-	-	-	10	30	32	32	30	12	4	-	6	-	-	-	-	2	8	9	12	16	10	9
Other Violent Deaths	762	34	95	48	26	54	22	30	60	67	98	112	56	28	61	53	20	11	12	6	9	22	35	85
Other Defined Diseases	5839	286	152	83	57	145	223	355	491	621	945	1537	944	230	513	85	35	23	31	58	105	179	327	818
Causes Ill-defined or Unknown	454	27	16	4	2	2	10	8	47	88	125	98	27	18	48	9	2	1	0	3	2	17	46	108
ALL CAUSES	32733	3682	1875	562	372	1277	1548	1987	2898	4278	6242	5904	2108	1289	6605	1050	236	153	274	399	589	1058	2252	5406

TABLE 34.—Deaths and Death-rates from Selected Causes in Scotland and its Groups of Districts, in 1927.

Causes of Death.	NUMBERS.					DEATH-RATES PER 100,000 OF POPULATION.				
	SCOTLAND.			Larger Burghs.	Smaller Burghs.	County Districts	SCOTLAND.			County Districts
	Both Sexes.	Males.	Females.				Both Sexes.	Males.	Females.	
Enteric Fever - - - - -	41	22	19	15	10	16	1	1	1	1
Typhus Fever - - - - -	2	-	2	-	2	-	0	-	0	0
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	660	353	307	550	38	72	13	15	12	5
Scarlet Fever - - - - -	200	80	120	91	30	79	4	3	5	5
Whooping-cough - - - - -	850	403	447	575	124	151	17	17	18	10
Diphtheria - - - - -	485	228	257	304	75	106	10	10	10	7
Influenza - - - - -	2,026	980	1,046	696	493	837	41	42	41	54
Encephalitis Lethargica - - - - -	117	53	64	62	23	32	2	2	3	2
Cerebro-spinal Meningitis - - - - -	138	78	60	99	17	22	3	3	2	1
Other Epidemic Diseases - - - - -	210	116	94	107	45	58	4	5	4	4
Tuberculosis of Respiratory System - - - - -	3,466	1,785	1,681	1,979	583	904	71	76	66	59
Tuberculous Meningitis - - - - -	531	313	218	315	95	121	11	13	9	8
Tuberc. of Intestines and Peritoneum - - - - -	361	186	175	168	87	106	7	8	7	7
Other Tuberculous Disease - - - - -	510	269	241	277	80	153	10	11	9	10
Malignant Tumours - - - - -	6,919	3,035	3,884	3,544	1,370	2,005	141	129	153	130
Rheumatic Fever - - - - -	225	109	116	121	39	65	5	5	4	4
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	416	215	201	202	81	133	9	9	8	9
Apoplexy - - - - -	6,055	2,710	3,345	2,944	1,364	1,747	124	115	132	113
Heart Disease - - - - -	7,904	3,831	4,073	3,881	1,670	2,353	162	162	160	153
Diseases of Arteries - - - - -	897	535	362	490	170	237	18	23	14	15
Bronchitis - - - - -	3,914	1,958	1,956	2,139	703	1,072	80	83	77	70
Pneumonia (all forms) - - - - -	5,896	3,373	2,523	3,783	825	1,283	121	143	99	84
Other Diseases of Respiratory System - - - - -	842	455	387	408	153	281	17	19	15	18
Diarrhoea and Enteritis (under 2 years) - - - - -	698	398	300	478	81	139	14	17	12	9
Appendicitis - - - - -	478	265	213	216	102	160	10	11	8	10
All Diseases of Liver (not Malignant) - - - - -	501	200	301	259	97	145	10	9	12	9
Nephritis, Acute and Chronic - - - - -	1,870	939	931	961	365	544	38	40	37	35
Puerperal Sepsis - - - - -	184	-	184	104	23	57	4	-	7	4
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	438	-	438	229	78	131	9	-	17	9
Dis. of Early Infancy and Malformations - - - - -	3,736	2,093	1,643	1,989	670	1,077	76	89	65	70
Suicide - - - - -	503	353	150	293	88	122	10	15	6	8
Other Violent Deaths - - - - -	2,454	1,752	702	1,211	442	801	50	74	28	52
Other Defined Diseases - - - - -	11,194	5,355	5,839	4,973	2,411	3,810	229	229	230	247
Causes Ill-defined or Unknown - - - - -	1,109	655	454	482	236	391	23	28	18	25
ALL CAUSES - - - - -	65,830	33,097	32,733	33,945	12,670	19,215	1346	1407	1289	1248

TABLE 35.—Deaths from Selected Causes in the Larger Burghs, 1927.

Causes of Death.	All Larger Burghs.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherwell & Wishaw.	Clydebank.	Coatbridge.	Dunfermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Enteric Fever - - - - -	15	8	-	-	-	-	3	-	1	1	-	-	-	-	1	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	550	308	71	76	1	28	2	8	12	11	2	8	8	-	2	11	2
Scarlet Fever - - - - -	91	43	17	9	3	1	5	4	-	3	1	-	-	1	1	-	3
Whooping-cough - - - - -	575	356	43	48	15	7	9	8	15	19	6	1	2	7	18	4	7
Diphtheria - - - - -	304	115	43	69	15	14	3	6	12	4	-	1	-	1	2	12	7
Influenza - - - - -	696	205	164	69	41	22	22	25	3	13	26	20	21	38	5	6	16
Encephalitis Lethargica - - - - -	62	28	13	3	-	1	6	2	1	-	-	-	-	1	2	2	3
Cerebro-spinal Meningitis - - - - -	99	63	21	5	2	1	1	2	2	-	1	-	1	-	-	-	-
Other Epidemic Diseases - - - - -	107	54	21	8	6	4	1	3	1	1	-	2	-	3	-	-	1
Tuberculosis of Respiratory System - - - - -	1,979	944	381	153	105	64	70	51	31	33	22	19	18	26	20	27	15
Tuberculous Meningitis - - - - -	315	162	48	13	28	8	12	8	9	6	2	1	5	3	3	4	3
Tuberc. of Intestines and Peritoneum - - - - -	168	74	27	10	10	3	10	3	3	6	5	1	3	1	2	2	3
Other Tuberculous Disease - - - - -	277	111	55	24	15	11	14	13	2	4	3	4	6	4	1	7	3
Malignant Tumours - - - - -	3,544	1,578	716	280	233	116	104	81	51	57	46	55	37	41	56	40	53
Rheumatic Fever - - - - -	121	66	20	3	4	5	5	5	2	3	2	-	1	2	-	1	2
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	202	84	33	13	10	5	24	4	3	9	-	1	7	2	-	3	4
Apoplexy - - - - -	2,944	1,229	598	232	231	97	95	41	44	29	56	61	50	75	38	26	42
Heart Disease - - - - -	3,881	1,588	773	374	290	164	112	73	41	57	41	55	56	59	71	51	71
Diseases of Arteries - - - - -	490	162	101	49	70	21	12	7	5	4	4	12	1	3	9	4	26
Bronchitis - - - - -	2,139	1,027	359	195	113	57	75	49	26	35	24	22	36	33	35	28	25
Pneumonia (all forms) - - - - -	3,783	2,003	550	369	159	118	97	82	51	102	23	31	46	45	44	40	23
Other Diseases of Respiratory System - - - - -	408	154	90	28	28	7	15	9	6	4	7	6	9	9	10	14	12
Diarrhea and Enteritis (under 2 years) - - - - -	478	282	42	45	25	13	6	9	7	12	7	1	12	8	6	1	2
Appendicitis - - - - -	216	92	31	11	15	8	8	10	4	4	5	8	5	4	4	5	2
All Diseases of Liver (not Malignant) - - - - -	259	119	53	23	17	11	5	3	1	7	4	4	1	3	3	2	3
Nephritis, Acute and Chronic - - - - -	961	439	190	70	62	35	19	25	16	15	15	15	13	7	13	11	16
Puerperal Sepsis - - - - -	104	47	16	12	5	4	3	2	2	2	-	1	1	3	1	3	2
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	229	123	34	16	14	6	3	5	6	7	2	3	2	2	2	2	2
Dis. of Early Infancy, and Malformations - - - - -	1,989	887	291	174	163	85	74	64	37	45	22	30	21	26	23	30	17
Suicide - - - - -	293	137	59	22	16	6	4	5	3	2	4	6	5	4	4	7	9
Other Violent Deaths - - - - -	1,211	590	190	75	72	38	47	39	21	25	9	15	21	22	10	16	21
Other Defined Diseases - - - - -	4,973	2,075	988	401	380	164	188	118	80	99	54	90	76	57	61	75	67
Causes Ill-Defined or Unknown - - - - -	482	268	28	39	33	15	19	14	11	13	3	5	6	4	5	10	9
TOTAL - - - - -	33,945	15,431	6,066	2,918	2,181	1,139	1,073	788	509	632	397	478	471	494	452	445	471

TABLE 36.—Death-rates per 100,000 from Selected Causes in the Larger Burghs in 1927.

Causes of Death.	All Larger Burghs.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Motherswell & Wishaw.	Clydebank.	Coatbridge.	Dunfermline.	Kirkcaldy.	Hamilton.	Kilmarnock.	Ayr.	Falkirk.	Perth.
Enteric Fever	1	1	—	—	—	—	4	—	2	2	—	—	—	—	3	3	—
Typhus Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	23	29	17	44	1	32	2	11	25	—	5	19	20	—	5	31	6
Scarlet Fever	4	4	4	5	2	1	6	6	7	—	3	—	—	—	3	—	9
Whooping-cough	24	35	10	28	9	8	11	11	32	43	16	2	5	19	48	11	21
Diphtheria	13	11	10	40	9	16	4	9	25	9	—	2	—	3	5	34	21
Influenza	29	19	39	40	26	25	27	35	6	29	68	49	52	103	13	17	48
Encephalitis	—	3	3	2	—	1	7	3	2	—	—	—	—	3	5	6	9
Cerebro-spinal Meningitis	4	6	5	3	1	1	1	3	4	—	3	—	2	—	—	—	—
Other Epidemic Diseases	4	5	5	5	4	5	1	4	2	2	3	5	—	8	—	—	3
Tuberculosis of Respiratory System	82	90	90	89	66	74	87	72	65	74	57	46	44	70	53	77	45
Tuberculous Meningitis	13	15	11	8	18	9	15	11	19	14	5	2	12	8	8	11	9
Tuberc. of Intestines and Peritoneum	7	7	6	6	6	3	12	11	6	14	13	2	7	3	5	6	9
Other Tuberculous Disease	12	11	13	14	9	13	17	18	4	9	8	10	15	11	3	20	9
Malignant Tumours	147	150	168	162	147	133	129	115	107	128	120	134	91	111	150	114	159
Rheumatic Fever	5	6	5	2	3	6	6	7	4	7	5	—	2	5	—	3	6
Meningitis (not Cer. Spin. or Tuberc.)	8	8	8	8	6	6	30	6	6	20	—	2	17	5	—	9	12
Apoplexy	122	117	141	135	146	111	117	58	92	65	146	149	123	203	101	74	126
Heart Disease	161	151	182	217	183	188	138	111	86	123	107	134	138	160	190	145	213
Diseases of Arteries	20	15	24	28	44	24	15	10	11	9	10	29	2	8	24	11	78
Bronchitis	89	97	84	113	71	66	93	70	55	79	63	54	89	89	93	80	75
Pneumonia (all forms)	157	190	129	214	101	136	120	116	107	230	60	76	114	122	118	114	69
Other Diseases of Respiratory System	17	15	21	16	18	8	19	13	13	9	18	15	22	24	27	40	36
Diarrhea and Enteritis (under 2 years)	20	27	10	26	16	15	7	13	15	27	18	2	30	22	16	3	6
Appendicitis	—	9	7	6	9	9	10	14	8	9	13	19	12	11	11	14	6
All Diseases of Liver (not Malignant)	11	11	12	13	11	13	6	4	2	16	10	10	2	8	8	6	9
Nephritis, Acute and Chronic	40	42	45	41	39	40	23	35	34	34	39	37	32	19	35	31	48
Puerperal Sepsis	4	4	4	7	3	5	4	3	4	5	—	2	2	8	3	9	6
Other Diseases and Accidents of Pregnancy and Parturition	10	12	8	9	9	7	4	7	13	16	5	7	5	5	5	6	6
Dis. of Early Infancy, and Malformations	83	84	68	101	103	98	91	91	78	101	57	73	52	70	61	85	51
Suicide	—	13	14	13	10	7	5	7	6	5	10	15	12	11	11	20	27
Other Violent Deaths	—	56	45	46	46	44	58	55	44	56	23	37	52	59	27	46	63
Other Defined Diseases	—	197	232	233	240	188	232	167	168	223	141	219	188	154	163	214	201
Causes Ill-defined or Unknown	—	25	7	23	21	17	23	20	23	29	8	12	15	11	13	28	27
TOTAL	1412	1463	1427	1692	1379	1309	1327	1118	1069	1425	1036	1164	1163	1336	1207	1268	1411

TABLE 37.—Deaths from Selected Causes and in Age Groups in Scotland, 1917–1927.

	1927.	1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.
CAUSES OF DEATH.											
Enteric Fever	41	39	52	34	67	65	87	96	83	125	94
Typhus Fever	2	3	4	..	1	7	4	16	8	15	2
Small-pox	24	152
Measles	660	928	512	1,592	1,118	2,695	269	816	899	1,198	1,804
Scarlet Fever	200	343	404	410	352	247	270	245	222	168	212
Whooping-cough	850	506	1,737	1,625	989	1,408	1,478	628	1,573	1,603	2,128
Diphtheria	485	490	505	442	492	536	611	699	697	699	615
Influenza*	2,026	1,421	1,246	2,490	531	3,706	1,330	291	1,245	1,878	299
Encephalitis Lethargica†	117	169	154	181	125	45	61
Cerebro-spinal Meningitis	138	108	83	87	92	103	102	115	128	124	166
Other Epidemic Diseases	210	225	227	206	228	246	299	255	207	140	191
Tuberculosis of Respiratory System	3,466	3,384	3,734	3,887	3,996	4,061	3,970	4,194	4,294	5,217	5,073
Tuberculous Meningitis	531	496	569	622	664	594	609	590	653	834	861
Tuberculosis of Intestines and Peritoneum	361	367	465	498	521	538	493	525	568	738	788
Other Tuberculous Disease	510	614	622	646	609	625	665	733	811	911	903
Malignant Tumours	6,919	6,640	6,675	6,498	6,376	6,133	5,962	5,765	5,657	5,472	5,544
Rheumatic Fever	225	219	150	145	174	166	184	203	148	151	159
Meningitis (not Cerebro-spinal or Tuberculous)	416	460	442	498	550	584	574	731	832	991	798
Apoplexy	6,055	5,906	5,920	5,983	5,781	5,808	5,549	5,646	5,721	5,504	5,714
Heart Disease	7,904	7,410	7,375	7,339	6,901	6,727	6,562	6,703	6,829	6,576	6,658
Diseases of Arteries	897	844	839	873	802	835	836	699	658	557	524
Bronchitis	3,914	3,586	4,027	4,480	3,574	5,127	3,971	4,701	5,823	5,217	4,776
Pneumonia (all forms)	5,896	5,262	5,393	6,706	4,674	6,617	4,940	6,689	11,094	14,344	5,353
Other Diseases of Respiratory System	842	858	853	896	843	1,036	893	1,023	1,172	1,277	1,088
Diarrhoea and Enteritis (under 2 years)	698	798	876	830	790	892	1,527	1,287	1,015	1,046	1,218
Appendicitis	478	483	479	486	515	458	499	445	426	402	430
All Diseases of Liver (not Malignant)	501	577	509	422	454	440	425	447	383	392	441
Nephritis, Acute and Chronic	1,870	1,834	1,833	1,880	1,799	1,967	1,906	1,869	1,947	2,107	2,208
Puerperal Sepsis	184	173	171	184	218	228	250	242	150	113	165
Other Diseases and Accidents of Preg. and Parturition	438	483	471	438	500	531	536	598	511	575	409
Diseases of Early Infancy, and Malformations	3,736	3,951	3,970	4,349	4,250	4,642	5,098	5,106	4,206	3,744	3,697
Suicide	503	424	372	360	327	276	273	236	234	190	207
Other Violent Deaths	2,454	2,233	2,445	2,239	2,142	2,168	2,429	2,683	2,752	2,673	2,761
Other Defined Diseases	11,194	11,423	11,241	11,775	11,692	12,132	12,476	12,372	12,795	11,890	12,642
Causes Ill-defined or Unknown	1,109	1,123	1,152	1,256	1,136	1,162	1,048	1,379	1,414	1,501	1,555
ALL CAUSES	65,830	63,780	65,507	70,357	63,283	72,905	66,210	68,179	75,149	78,372	69,483
AGES AT DEATH.											
Under 1	8,576	8,514	9,430	10,446	8,825	11,664	11,130	12,565	10,795	9,836	10,473
1–4	4,103	4,228	4,819	6,570	4,926	7,524	4,461	4,361	6,506	8,015	7,245
5–9	1,212	1,143	1,182	1,190	1,178	1,282	1,377	1,530	1,928	2,407	1,704
10–14	805	818	871	927	836	937	966	1,032	1,258	1,766	1,177
15–24	2,582	2,681	2,818	2,881	2,759	3,075	3,033	3,304	4,078	5,725	3,318
25–34	2,950	3,005	2,953	3,133	3,042	3,551	3,403	3,734	5,151	6,873	3,526
35–44	3,950	3,739	3,836	4,037	3,818	4,438	4,182	4,563	5,030	5,951	4,721
45–54	6,089	5,901	5,774	6,143	5,755	6,269	5,928	6,230	6,767	7,089	6,278
55–64	9,250	8,942	9,089	9,118	8,722	9,187	8,680	8,960	9,411	9,072	8,736
65–74	12,849	12,099	12,111	12,481	11,610	12,111	10,907	10,614	11,601	10,711	10,789
75–84	10,264	9,646	9,586	10,371	9,139	9,978	9,402	8,732	9,889	8,497	9,025
85 and over	3,199	3,064	3,036	3,060	2,672	2,838	2,739	2,547	2,722	2,407	2,460
Not stated	1	..	2	..	1	1	2	7	13	23	31
ALL AGES	65,830	63,780	65,507	70,357	63,283	72,905	66,210	68,179	75,149	78,372	69,483

* Figures for 1921 and following years include all deaths from Influenza, but those of earlier years are not comparable as they include only those deaths of which Influenza was the sole named cause.

† Figures for 1920 and previous years are included with Meningitis (not Cerebro-spinal or Tuberculous). In 1920 the deaths from Encephalitis Lethargica so included numbered 91.

TABLE 38. -Death-rates from Selected Causes and in Age Groups in Scotland, 1917-1927.

	1927.	1926.	1925.	1924.	1923.	1922.	1921.	1920.	1919.	1918.	1917.
CAUSES OF DEATH.	DEATH-RATE PER 100,000 OF POPULATION.										
Enteric Fever	1	1	1	1	1	1	2	2	2	3	2
Typhus Fever	0	0	0	..	0	0	0	0	0	0	0
Small-pox	0	3
Measles	13	19	10	33	23	55	6	17	19	25	38
Scarlet Fever	4	7	8	8	7	5	6	5	5	3	4
Whooping-cough	17	10	35	33	20	29	30	13	33	33	44
Diphtheria	10	10	10	9	10	11	13	15	15	16	13
Influenza*	41	29	25	51	11	76	27	6	25	38	6
Encephalitis Lethargica†	2	3	3	4	3	1	1
Cerebro-spinal Meningitis	3	2	2	2	2	2	2	2	3	3	3
Other Epidemic Diseases	4	5	5	4	5	5	6	5	4	3	4
Tuberculosis of Respiratory System	71	69	76	80	82	83	81	86	89	108	105
Tuberculous Meningitis	11	10	12	13	14	12	12	12	13	17	18
Tuberculosis of Intestines and Peritoneum	7	7	10	10	11	11	10	11	12	15	16
Other Tuberculous Disease	10	13	13	13	12	13	14	15	17	19	19
Malignant Tumours	141	136	136	133	130	125	122	119	117	114	115
Rheumatic Fever	5	4	3	3	4	3	4	4	3	3	3
Meningitis (not Cerebro-spinal or Tuberculous)	9	9	9	10	11	12	12	15	17	20	16
Apoplexy	124	121	121	123	118	118	114	116	117	113	118
Heart Disease	162	151	151	150	141	137	134	138	140	135	137
Diseases of Arteries	18	17	17	18	16	18	17	15	13	10	11
Bronchitis	80	73	82	92	73	105	81	97	119	107	98
Pneumonia (all forms)	121	107	110	137	95	135	101	138	227	293	110
Other Diseases of Respiratory System	17	18	17	18	17	21	18	21	24	26	23
Diarrhoea and Enteritis (under 2 years)	14	16	18	17	16	18	31	26	21	21	25
Appendicitis	10	10	10	10	11	9	10	9	9	8	9
All Diseases of Liver (not Malignant)	10	12	10	9	9	9	9	9	8	8	9
Nephritis, Acute and Chronic	38	37	37	39	37	40	39	38	40	43	45
Puerperal Sepsis	4	4	3	4	4	5	5	5	3	2	3
Other Diseases and Accidents of Preg. and Parturition	9	10	10	9	10	11	11	12	10	12	8
Diseases of Early Infancy, and Malformations	76	81	81	89	87	95	104	105	86	77	76
Suicide	10	9	8	7	7	6	6	5	5	4	4
Other Violent Deaths	50	46	50	46	44	44	50	55	56	55	57
Other Defined Diseases	229	233	230	241	239	248	256	255	260	243	261
Causes Ill-defined or Unknown	23	23	24	26	23	24	21	28	29	31	32
ALL CAUSES	1346	1303	1339	1441	1291	1487	1356	1402	1536	1604	1431
AGES AT DEATH.	DEATH-RATE PER 1000 OF AGE-GROUP POPULATION.										
Under 1	76.0	75.4	83.6	92.8	78.1	103.2	100.1	113.5	96.9	88.4	94.8
1-4	11.4	11.7	13.4	18.3	13.6	20.8	10.3	10.1	14.9	18.4	16.7
5-9	2.5	2.4	2.5	2.5	2.5	2.7	2.6	2.9	3.7	4.6	3.3
10-14	1.6	1.7	1.8	1.9	1.7	1.9	1.9	2.1	2.5	3.5	2.4
15-24	2.8	2.9	3.1	3.2	3.0	3.4	3.4	3.7	4.5	6.3	3.7
25-34	4.1	4.2	4.1	4.4	4.2	4.9	4.5	4.9	6.8	9.0	4.7
35-44	6.2	5.9	6.1	6.4	6.0	7.0	6.8	7.4	8.1	9.7	7.7
45-54	11.4	11.0	10.8	11.5	10.7	11.7	12.9	13.6	14.7	15.5	13.8
55-64	25.5	24.6	25.1	25.2	24.0	25.3	28.6	29.6	30.9	29.9	29.0
65-74	62.0	58.3	58.4	60.3	55.9	58.3	57.5	56.2	61.0	56.4	57.2
75-84	137.6	129.2	128.5	139.4	122.3	133.5	145.2	152.4	169.3	146.7	155.5
85 and over	300.8	287.9	285.4	288.4	250.8	270.9	286.6
Not stated
ALL AGES	13.5	13.0	13.4	14.4	12.9	14.9	13.6	14.0	15.4	16.0	14.3

* See footnote, Table 37.

† See footnote, Table 37.

TABLE 39.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1927.

YEAR.	NUMBER OF DEATHS FROM															
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tuberculosis.		Pneumonia.*	Bronchitis.*	Violence.	
											All Forms.	Respiratory.				
1855	1309	1180	2138	873	1903	3017	}	2419	79	871	10,007	7129	2094	3036	1913	
1856	1306	1033	3011	1020	2331	2425		2363	81	908	9,077	6247	1970	2762	2003	
1857	845	1028	2235	1148	1539	4132		3087	90	960	10,326	7184	1890	2867	2068	
1858	332	1538	2671	1494	1963	3169		2790	86	963	10,265	7264	2355	3935	1980	
1859	682	972	3614	1336	2660	2736	2436	90	1004	9,951	7172	1900	3228	2054		
1860	1495	1587	2927	1485	1812	2379	2344	96	1014	11,212	8165	2416	5400	2186		
1861	766	971	1764	1571	2204	2416	2579	122	1165	10,582	7571	1974	5017	2089		
1862	426	1404	1281	2393	2799	2350	3021	126	1152	11,429	8211	1932	5764	2057		
1863	1646	2212	3413	3615	1649	2493	3441	139	1162	10,981	7614	2212	5484	2260		
1864	1741	1102	3411	3156	1993	2581	4804	125	1300	11,445	8083	2268	6383	2291		
1865	383	1195	2244	2010	2318	3180	}	3272	158	1257	11,417	8089	1969	6194	2382	
1866	200	1038	2706	1588	1860	3954		2172	1404	156	1327	11,653	8283	2207	6629	2245
1867	100	1341	2253	1535	1728	2811		1745	1378	156	1288	11,668	8248	2070	6777	2196
1868	15	1149	3141	1688	2490	3267		1561	1404	185	1327	11,487	8154	2098	6261	2247
1869	64	1670	4680	1639	2461	2880	2059	1335	215	1426	12,079	8525	2630	8030	2313	
1870	114	834	4356	1487	1783	3150	1460	1207	186	1373	13,027	9148	2415	7777	2363	
1871	1442	2057	2586	1850	1504	2839	1129	1234	227	1432	13,011	9102	2655	8663	2361	
1872	2448	925	2101	2190	2850	2732	795	1223	193	1559	12,596	8715	2570	7897	2571	
1873	1126	1450	2227	2335	1598	3491	628	1495	180	1537	11,952	8286	3012	8308	2839	
1874	1246	1103	6321	2234	1690	3343	726	1455	193	1646	11,303	7873	3440	8667	3103	
1875	76	1022	4720	1842	2481	3604	615	1625	212	1672	12,450	8699	3685	9864	2908	
1876	39	1241	2364	1672	2250	3321	471	1448	210	1695	12,219	8491	3296	8194	2990	
1877	38	1019	1374	1871	1571	2665	265	1427	222	1732	12,193	8342	3144	9182	2906	
1878	4	1372	1870	1892	2788	3576	263	1477	207	1829	12,567	8445	2964	8689	2595	
1879	8	769	1592	1590	2483	2374	210	1013	225	1830	12,098	8336	3067	9185	2400	
1880	10	1427	2165	1639	2641	3367	170	1338	228	1873	11,989	8074	3203	8562	2537	
1881	19	1012	1573	1615	1620	2552	229	1004	225	1914	11,275	7739	3237	8765	2955	
1882	3	1289	1583	1867	2108	3119	180	1204	244	2056	11,608	8012	3342	7715	2566	
1883	11	1629	1336	1699	2968	2528	152	998	240	2037	11,092	8401	4824	7983	2882	
1884	14	1440	1266	1775	2511	3147	138	1050	276	2110	10,795	7915	4539	7220	2743	
1885	39	1426	944	1445	2157	2485	111	889	243	2173	10,724	7922	4432	7899	2477	
1886	24	681	1058	1251	1882	2846	80	755	248	2313	10,942	7959	4040	7908	2444	
1887	17	1598	1179	1605	3212	2863	126	835	244	2373	10,275	7418	4220	7409	2587	
1888	3	1406	732	1614	1722	2190	102	665	229	2450	9,725	7044	4171	7140	2455	
1889	8	1948	701	1882	2268	3028	69	795	226	2643	9,722	7098	3994	7033	2794	
1890	—	2509	739	1762	3039	2743	77	777	196	2428	10,294	7660	4923	8057	2859	
1891	—	1775	736	1450	2437	2989	107	799	214	2703	10,141	7361	5642	9309	2940	
1892	11	2280	871	1347	1792	2504	59	644	204	2715	9,318	6765	4901	7260	2776	
1893	68	3639	832	1679	2026	4312	51	932	181	2816	9,801	6921	5446	7119	2756	
1894	129	791	834	1828	2552	2272	36	702	164	2928	9,729	7108	4551	6111	2775	
1895	47	2063	782	1260	1948	4000	34	730	208	2993	10,688	7688	5606	8202	2963	
1896	2	1515	669	1126	1970	2854	38	662	217	3013	9,685	6893	4745	5579	2811	
1897	10	2056	716	812	2877	3849	29	655	200	3212	10,085	7200	5942	6768	3019	
1898	2	2290	909	850	2476	4351	63	814	229	3453	10,140	7090	5613	5789	3186	
1899	1	1599	831	856	1894	4771	29	803	202	3572	10,497	7275	5712	6140	3204	
1900	53	1825	654	961	1812	3301	35	644	215	3503	10,336	7299	6270	6914	3422	
1901	278	1655	595	878	2751	4336	35	717	206	3662	9,911	6776	5784	5818	3242	
1902	80	1388	524	787	1765	2396	18	552	180	3711	9,536	6572	6976	6092	3167	
1903	41	1133	407	715	1946	2996	13	552	213	3798	9,726	6630	6475	5421	3114	
1904	185	1512	277	750	2405	3158	14	410	184	3920	10,158	6738	6984	5698	2949	
1905	4	1662	211	721	2243	2945	44	373	248	4132	9,619	6374	6672	4821	2949	

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given.

TABLE 39—continued.

YEAR.	NUMBER OF DEATHS FROM														
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-Cough.	All Diarrhoeal Diseases.	Typhus.	Enteric Fever.	Syphilis.	Cancer.	Tuberculosis.		Pneumonia.*	Bronchitis.*	Violence.
											All Forms.	Respiratory.			
1906	1	1445	230	862	1363	3345	10	400	245	4509	9,999	6491	6392	4730	3060
1907	1	1153	233	729	2485	2177	14	367	226	4551	10,070	6415	6934	5167	3123
1908	6	2503	381	748	2144	3081	8	282	230	4611	9,462	6079	6928	5177	3067
1909	-	890	555	917	2215	2171	26	296	246	4782	9,274	6000	7003	5307	2730
1910	-	2243	595	939	999	2711	10	264	199	4863	8,517	5409	6329	4704	2725
1911	5	923	451	931	2347	2909	8	272	210	4948	8,387	5451	5905	4546	2888
1912	17	1983	439	821	1427	1851	14	196	218	5195	8,149	5306	6109	4796	2931
1913	-	1329	591	791	1819	2648	7	171	213	5212	8,005	5103	5551	4662	3124
1914	1	1458	815	901	1342	2753	6	225	227	5388	7,696	4917	5703	4729	3127
1915	2	2221	950	836	2820	2348	5	171	173	5291	7,819	5291	7393	6495	3457
1916	1	1603	588	813	718	2305	8	149	175	5431	7,672	5126	5243	4477	3335
1917	-	1804	212	648	2128	1827	2	91	199	5544	7,625	5073	5353	4776	2968
1918	-	1198	168	756	1603	1507	15	125	177	5472	7,700	5217	14344	5217	2863
1919	-	899	222	727	1573	1569	8	83	193	5657	6,326	4294	11094	5823	2986
1920	152	816	245	724	628	1892	16	96	237	5765	6,042	4194	6689	4701	2919
1921	24	269	270	611	1478	1991	4	87	199	5962	5,737	3970	5393	4135	2702
1922	-	2695	247	536	1408	1244	7	65	162	6133	5,818	4061	8265	5730	2444
1923	-	1118	352	492	989	1159	1	67	168	6376	5,790	3996	4840	3635	2469
1924	-	1592	410	442	1625	1147	-	34	151	6498	5,653	3887	7691	4843	2599
1925	-	512	404	505	1737	1168	4	52	114	6675	5,390	3734	5821	4191	2817
1926	-	928	343	490	506	1084	3	39	147	6640	4,861	3384	5844	3771	2657
1927	-	660	200	485	850	976	2	41	104	6919	4,868	3466	6642	4231	2957

* See footnote, previous page.

TABLE 40.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1927.

YEAR.	Small-pox.	Measles	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tuber- culosis.		Pneumonia.*	Bronchitis.*	Violence.
											All Forms.	Respir- atory.			
1855	49	44	79	32	71	112	90		3	32	372	265	78	113	71
1856	47	37	108	37	83	87	85		3	33	325	224	71	99	72
1857	30	37	79	41	55	147	110		3	34	367	255	67	102	73
1858	12	54	94	52	69	111	98		3	34	360	255	83	138	69
1859	24	34	126	47	93	96	85		3	35	347	250	66	113	72
1860	52	55	101	51	63	82	81		3	35	389	283	84	187	76
Mean 1855-1860	35	43	98	44	72	106	91		3	34	360	255	75	126	72
1861	26	33	60	54	75	83	88		4	40	362	259	68	172	72
1862	15	48	44	81	95	80	103		4	39	389	279	66	196	70
1863	55	74	115	121	55	84	116		5	39	369	256	74	184	76
1864	58	37	113	105	66	86	160		4	43	380	268	75	212	76
1865	13	39	74	66	76	105	108	35	5	41	376	266	65	204	78
1866	7	34	88	52	61	129	71	46	5	43	380	270	72	216	78
1867	3	43	73	50	56	91	56	45	5	42	377	267	67	219	71
1868	0	37	100	54	80	104	50	45	6	42	367	261	67	200	72
1869	2	52	147	51	77	90	65	42	7	45	380	268	83	252	73
1870	4	26	135	46	55	98	45	37	6	43	404	283	75	241	73
Mean 1861-1870	18	42	96	68	70	95	165	142	5	42	379	268	71	210	73

* See footnote, Table 39.

† Mean 1865-1870.

TABLE 40—continued.

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	All Diarrhoeal Diseases.	Typhus Fever.	Enteric Fever.	Syphilis.	Cancer.	Tuberculosis.		Pneumonia.*	Bronchitis.†	Violence.
											All Forms.	Respiratory.			
1871	44	63	79	57	46	87	35	38	7	44	398	278	81	265	72
1872	74	28	64	66	86	83	24	37	6	47	381	264	78	239	78
1873	33	43	66	69	47	104	19	44	5	46	355	246	89	247	84
1874	37	32	186	66	50	98	21	43	6	48	332	231	101	254	91
1875	2	30	137	53	70	104	18	47	6	48	361	252	107	286	84
1876	1	36	68	48	64	95	13	41	6	49	350	243	94	235	86
1877	1	29	39	53	45	76	8	41	6	49	347	237	89	261	83
1878	0	39	52	53	78	100	7	41	6	51	353	237	83	244	73
1879	0	21	44	44	69	66	6	28	6	51	336	231	85	255	67
1880	0	39	59	45	72	92	5	37	6	51	329	221	88	235	70
Mean 1871-1880	19	36	79	55	63	90	15	40	6	49	354	244	90	252	76
1881	1	27	43	44	44	69	6	27	6	52	306	210	88	238	80
1882	0	35	42	50	57	84	5	32	7	55	311	215	90	207	69
1883	0	43	36	45	79	67	4	27	6	54	296	224	129	213	77
1884	0	38	33	47	66	83	4	28	7	56	285	209	120	191	73
1885	1	37	25	38	57	65	3	23	6	57	282	208	116	207	65
1886	1	18	28	33	49	74	2	20	6	60	285	207	105	206	64
1887	0	41	30	41	83	74	3	22	6	61	265	191	109	191	67
1888	0	36	19	41	44	56	3	17	6	63	249	181	107	183	63
1889	0	49	18	48	58	77	2	20	6	67	247	180	101	179	71
1890	-	63	19	44	77	69	2	20	5	61	260	193	124	203	72
Mean 1881-1890	0	39	29	43	61	72	3	23	6	59	278	202	109	201	70
1891	-	44	18	36	61	75	3	20	5	68	254	184	141	233	74
1892	0	56	22	33	44	62	1	16	5	67	231	168	121	180	69
1893	2	89	20	41	50	105	1	23	4	69	240	169	133	174	67
1894	3	19	20	44	62	55	1	17	4	71	235	172	110	148	67
1895	1	49	19	30	47	96	1	17	5	72	256	184	134	196	71
1896	0	36	16	27	47	68	1	16	5	71	229	163	112	132	67
1897	0	48	17	19	67	90	1	15	5	75	237	169	139	159	71
1898	0	53	21	20	57	101	1	19	5	80	235	164	130	134	74
1899	0	37	19	20	44	110	1	18	5	82	241	167	131	141	74
1900	1	42	15	22	41	75	1	15	5	80	235	166	143	157	78
Mean 1891-1900	1	47	19	29	52	84	1	18	5	74	239	171	130	165	71
1901	6	37	13	20	62	98	1	16	5	83	223	153	130	131	73
1902	2	31	12	18	40	54	0	12	4	83	214	147	156	136	71
1903	1	25	9	16	43	67	0	12	5	84	216	147	144	121	69
1904	4	33	6	17	53	70	0	9	4	87	224	151	154	126	65
1905	0	36	5	16	49	65	1	8	5	91	211	140	146	106	65
1906	0	31	5	19	30	73	0	9	5	98	218	141	139	103	67
1907	0	25	5	16	54	47	0	8	5	99	218	139	150	112	68
1908	0	54	8	16	46	66	0	6	5	99	204	131	149	111	66
1909	-	19	12	20	47	46	1	6	5	102	198	128	150	113	58
1910	-	48	13	20	21	58	0	6	4	103	181	115	134	100	58
Mean 1901-1910	1	34	9	18	44	64	0	9	5	93	211	139	145	116	66
1911	0	19	9	20	49	61	0	6	4	104	177	115	124	96	61
1912	0	42	9	17	30	39	0	4	5	110	172	112	129	101	63
1913	-	28	12	17	38	56	0	4	5	110	170	108	117	99	66
1914	0	31	17	19	28	58	0	5	5	113	162	104	120	100	65
1915	0	47	20	18	59	49	0	4	4	111	164	111	155	136	72
1916	0	33	12	17	15	48	0	3	4	113	160	107	109	93	70
1917	-	38	4	13	44	38	0	2	4	115	159	105	111	99	62
1918	-	25	3	16	33	31	0	3	4	114	160	108	298	108	59
1919	-	19	5	15	33	33	0	2	4	117	131	89	230	121	62
1920	3	17	5	15	13	39	0	2	5	119	124	86	138	97	60
Mean 1911-1920	0	30	10	17	34	45	0	4	4	113	158	105	153	105	64
1921	0	6	6	13	30	41	0	2	4	122	118	81	110	85	55
1922	-	55	5	11	29	25	0	1	3	125	119	83	169	117	50
1923	-	23	7	10	20	24	0	1	3	130	118	82	99	74	50
1924	-	33	8	9	33	23	0	1	3	133	116	80	158	99	53
1925	-	10	8	10	35	24	0	1	2	136	110	76	119	86	58
1926	-	19	7	10	10	22	0	1	3	136	99	69	119	77	54
1927	-	13	4	10	17	20	0	1	2	141	100	71	136	86	60

* See footnote, Table 39.

TABLE 41.—Deaths and Death-rates from Puerperal Conditions in 1927.

	Births.	Deaths from Puerperal Con- ditions.	Death-rate per 1000 Births.
SCOTLAND . . .	96,672	622	6·4
LARGER BURGHS .	50,212	333	6·6
SMALLER BURGHS .	16,795	101	6·0
COUNTY DISTRICTS .	29,665	188	6·3
Glasgow . . .	23,581	170	7·2
Edinburgh . . .	7,621	50	6·6
Dundee . . .	3,517	28	8·0
Aberdeen . . .	3,182	19	6·0
Paisley . . .	1,791	10	5·6
Greenock . . .	1,794	6	3·3
Motherwell & Wishaw	1,486	7	4·7
Clydebank . . .	1,014	8	7·9
Coatbridge . . .	1,159	9	7·8
Dunfermline . . .	664	2	3·0
Kirkcaldy . . .	740	4	5·4
Hamilton . . .	886	3	3·4
Kilmarnock . . .	780	5	6·4
Ayr . . .	696	3	4·3
Falkirk . . .	729	5	6·9
Perth . . .	572	4	7·0

TABLE 42.—Deaths from Malignant Disease in 1927.

LOCATION.	MALES.									FEMALES.								
	All Ages.	Under 25	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	Under 25	25-	35-	45-	55-	65-	75-	85 and over
Lip	37	-	-	-	3	5	14	10	5	2	-	-	-	-	-	-	1	1
Mouth	41	-	-	-	7	15	15	4	-	10	-	-	-	3	2	3	2	-
Tongue	125	-	-	5	19	44	41	16	-	13	-	-	1	2	4	4	2	-
Jaw	86	1	1	3	13	27	28	10	3	20	1	-	1	2	4	6	5	1
Pharynx, Throat	66	-	1	2	13	25	19	6	-	33	-	1	4	9	4	9	6	-
Esophagus	128	2	1	2	19	52	36	15	1	82	-	-	6	16	26	24	9	1
Stomach	808	-	7	31	141	262	268	90	9	798	1	12	29	88	219	282	148	19
Intestine	486	6	5	21	63	143	170	71	7	607	2	6	23	82	136	187	146	25
Rectum	232	2	3	10	39	66	75	34	3	163	2	5	8	20	46	50	29	3
Salivary Glands .	6	1	1	-	-	3	-	1	-	9	-	1	-	-	5	2	-	1
Liver	210	-	1	3	29	59	79	33	6	308	1	4	12	42	89	91	64	5
Pancreas	74	2	1	5	11	26	21	8	-	82	-	-	5	10	28	30	7	2
Peritoneum	21	1	1	3	2	8	5	1	-	21	1	-	3	7	2	7	1	-
Abdomen	43	1	1	4	5	16	11	5	-	78	1	2	3	7	21	27	16	1
Larynx	50	-	-	3	4	13	25	5	-	22	-	1	2	7	7	3	2	-
Lung	83	-	4	8	13	30	21	7	-	50	3	2	4	19	11	7	4	-
Pleura	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mediastinum	52	1	-	4	12	14	19	2	-	50	2	1	8	13	13	5	8	-
Thorax	5	-	1	-	1	2	1	-	-	6	-	-	-	2	1	3	-	-
Kidney	43	2	1	3	9	13	13	2	-	36	9	-	7	5	7	3	4	1
Bladder, Urethra	74	-	1	3	10	22	25	13	-	35	-	-	2	5	6	13	7	2
Testis, Penis, Scrotum	30	1	1	3	6	6	8	5	-	-	-	-	-	-	-	-	-	-
Prostate	115	-	-	2	6	25	56	23	3	-	-	-	-	-	-	-	-	-
Breast	4	-	-	-	2	-	1	1	-	611	-	9	65	162	142	132	80	21
Ovary	-	-	-	-	-	-	-	-	-	83	3	7	8	28	13	19	4	1
Uterus	-	-	-	-	-	-	-	-	-	529	2	17	84	151	149	92	32	2
Vagina, Vulva . . .	-	-	-	-	-	-	-	-	-	37	-	-	4	2	9	16	6	-
Pelvis	14	2	1	1	3	2	3	2	-	17	-	1	-	5	5	6	-	-
Brain	5	1	1	-	2	-	1	-	-	1	-	-	-	-	1	-	-	-
Spinal Cord	3	-	1	-	1	-	-	1	-	3	-	-	-	1	1	1	-	-
Eye and Orbit . . .	12	4	1	1	2	1	1	2	-	4	-	-	-	1	-	2	1	-
Ear	13	-	-	1	-	-	3	9	-	3	-	-	-	2	-	-	1	-
Nose	4	-	-	-	1	2	1	-	-	7	1	-	-	-	-	3	3	-
Skull and Spinal Column	7	1	-	1	4	-	-	-	1	10	1	-	2	2	3	1	1	-
Spleen	1	-	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-
Thyroid	6	1	-	-	1	2	-	2	-	22	-	-	2	1	6	10	3	-
Lymphatic Glands	61	3	2	4	7	19	21	4	1	31	1	2	3	4	6	8	6	1
Rib and Sternum . .	1	-	1	-	-	-	-	-	-	3	-	1	-	-	-	2	-	-
Arm and Leg	38	3	4	2	7	4	16	1	1	45	5	4	6	4	11	10	3	2
Scalp and Face . . .	35	-	2	-	4	5	11	10	3	38	-	-	-	3	7	10	13	5
Skin	6	-	1	-	1	1	2	1	-	6	-	-	1	-	2	2	1	-
Other Locations . . .	3	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	1	-
Not stated	6	-	-	-	4	2	-	-	-	6	-	-	-	1	3	2	-	-
TOTAL	3035	35	45	125	466	916	1011	394	43	3884	36	76	294	708	988	1072	616	94

TABLE **43.**—DEATHS FROM SUICIDE IN 1927.

TABLE 43.—Deaths from

	TOTAL.		Cut ; Stab.		Drowning.		
	Males.	Fem.	Males.	Fem.	Males.	Fem.	
SCOTLAND - - - - -	353	150	67	12	48	22	(1)
COUNTIES (including Burghs).							
Aberdeen	20	11	5	1	—	—	(2)
Argyll	6	—	2	—	1	—	(3)
Ayr	16	6	1	2	1	1	(4)
Banff	8	—	1	—	1	—	(5)
Berwick	1	1	—	—	—	—	(6)
Bute	—	—	—	—	—	—	(7)
Caithness	1	2	—	—	1	—	(8)
Clackmannan	3	3	—	—	—	1	(9)
Dumbarton	9	—	2	—	1	—	(10)
Dumfries	1	1	—	—	—	—	(11)
East Lothian	2	—	—	—	—	—	(12)
Fife	24	7	2	—	3	—	(13)
Forfar	29	18	3	1	6	3	(14)
Inverness	6	—	2	—	—	—	(15)
Kincardine	6	—	3	—	1	—	(16)
Kinross	—	—	—	—	—	—	(17)
Kirkcudbright	2	—	—	—	—	—	(18)
Lanark	105	52	23	5	22	7	(19)
Midlothian	52	22	7	1	7	2	(20)
Moray	—	2	—	—	—	1	(21)
Nairn	1	—	—	—	—	—	(22)
Orkney	1	2	—	—	—	—	(23)
Peebles	1	—	1	—	—	—	(24)
Perth	16	9	4	1	3	3	(25)
Renfrew	13	4	1	1	—	—	(26)
Ross and Cromarty	3	—	1	—	—	—	(27)
Roxburgh	6	3	1	—	1	1	(28)
Selkirk	2	—	1	—	—	—	(29)
Shetland	1	—	—	—	—	—	(30)
Stirling	14	7	6	—	—	3	(31)
Sutherland	—	—	—	—	—	—	(32)
West Lothian	2	—	—	—	—	—	(33)
Wigtown	2	—	1	—	—	—	(34)
LARGER BURGHS.							
Glasgow	88	49	19	5	20	6	(35)
Edinburgh	44	15	7	1	6	—	(36)
Dundee	15	7	2	—	2	—	(37)
Aberdeen	8	8	1	1	—	—	(38)
Paisley	5	1	—	—	—	—	(39)
Greenock	3	1	1	—	—	—	(40)
Motherwell and Wishaw	2	3	1	—	—	1	(41)
Clydebank	3	—	—	—	—	—	(42)
Coatbridge	2	—	1	—	—	—	(43)
Dunfermline	3	1	—	—	—	—	(44)
Kirkcaldy	4	2	—	—	—	—	(45)
Hamilton	4	1	1	—	1	—	(46)
Kilmarnock	3	1	—	1	—	—	(47)
Ayr	3	1	—	—	—	—	(48)
Falkirk	3	4	1	—	—	1	(49)
Perth	6	3	—	—	1	1	(50)
TOTAL, Larger Burghs - - -	196	97	34	8	30	9	(51)

SUICIDE in 1927.

	Gunshot Wounds.		Hanging.		Poison.		Precipitation.		Railways.		Otherwise or Not Stated.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
(1)	32	-	52	9	137	101	8	5	7	-	2	1
(2)	1	-	4	-	9	10	-	-	1	-	-	-
(3)	2	-	-	-	1	-	-	-	-	-	-	-
(4)	2	-	4	2	7	1	-	-	1	-	-	-
(5)	2	-	3	-	-	-	-	-	1	-	-	-
(6)	-	-	-	1	1	-	-	-	-	-	-	-
(7)	-	-	-	-	-	-	-	-	-	-	-	-
(8)	-	-	-	-	-	2	-	-	-	-	-	-
(9)	-	-	1	-	2	2	-	-	-	-	-	-
(10)	3	-	-	-	3	-	-	-	-	-	-	-
(11)	-	-	-	1	1	-	-	-	-	-	-	-
(12)	1	-	1	-	-	-	-	-	-	-	-	-
(13)	3	-	4	-	11	7	-	-	-	-	1	-
(14)	2	-	1	-	16	14	-	-	1	-	-	-
(15)	2	-	2	-	-	-	-	-	-	-	-	-
(16)	-	-	-	-	2	-	-	-	-	-	-	-
(17)	-	-	-	-	-	-	-	-	-	-	-	-
(18)	-	-	-	-	2	-	-	-	-	-	-	-
(19)	2	-	14	1	40	39	3	-	-	-	1	-
(20)	4	-	5	2	26	14	2	3	1	-	-	-
(21)	-	-	-	-	-	1	-	-	-	-	-	-
(22)	1	-	-	-	-	-	-	-	-	-	-	-
(23)	1	-	-	2	-	-	-	-	-	-	-	-
(24)	-	-	-	-	-	-	-	-	-	-	-	-
(25)	1	-	2	-	5	4	1	1	-	-	-	-
(26)	2	-	4	-	4	2	1	-	1	-	-	1
(27)	1	-	1	-	-	-	-	-	-	-	-	-
(28)	-	-	2	-	1	2	1	-	-	-	-	-
(29)	-	-	1	-	-	-	-	-	-	-	-	-
(30)	-	-	1	-	-	-	-	-	-	-	-	-
(31)	1	-	2	-	4	3	-	1	1	-	-	-
(32)	-	-	-	-	-	-	-	-	-	-	-	-
(33)	-	-	-	-	2	-	-	-	-	-	-	-
(34)	1	-	-	-	-	-	-	-	-	-	-	-
(35)	1	-	9	1	36	34	2	3	-	-	1	-
(36)	2	-	2	1	25	13	1	-	1	-	-	-
(37)	-	-	-	-	11	7	-	-	-	-	-	-
(38)	-	-	2	-	5	7	-	-	-	-	-	-
(39)	-	-	3	-	1	1	1	-	-	-	-	-
(40)	1	-	-	-	1	-	-	-	-	-	-	1
(41)	-	-	-	-	1	2	-	-	-	-	-	-
(42)	1	-	-	-	2	-	-	-	-	-	-	-
(43)	-	-	1	-	-	-	-	-	-	-	-	-
(44)	-	-	-	-	3	1	-	-	-	-	-	-
(45)	-	-	1	-	3	2	-	-	-	-	-	-
(46)	-	-	1	-	1	1	-	-	-	-	-	-
(47)	-	-	2	-	1	-	-	-	-	-	-	-
(48)	-	-	-	-	3	1	-	-	-	-	-	-
(49)	-	-	-	-	2	2	-	1	-	-	-	-
(50)	-	-	1	-	3	1	1	1	-	-	-	-
(51)	5	-	22	2	98	72	5	5	1	-	1	1

TABLE 44.—Deaths from Poison in Scotland in 1927.

ACCIDENTAL POISONING.								
Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.	
Lysol, - - -	1	2	3	Brought forward,	10	7	17	
Acetic Acid, - - -	-	1	1	Poisonous Berries, - - -	-	1	1	
Bromide and Chloral -	1	-	1	Hydrochloric Acid, - - -	-	1	1	
Carbolic Acid, - - -	1	-	1	Salts of Sorrel, - - -	-	1	1	
Carbon Disulphide, - - -	-	1	1	Sheep Dip, - - -	1	-	1	
Chloral, - - -	1	-	1	Not Stated, - - -	1	1	2	
Corrosive Sublimate, - - -	-	1	1	Poisonous Vapours :—				
Iodine, - - -	-	1	1	Coal Gas, - - -	16	14	30	
Irritant, - - -	1	-	1	Carbon Monoxide, - - -	4	1	5	
Laudanum, - - -	-	1	1	Coke Gas, - - -	1	-	1	
Liquid Ammonia, - - -	1	-	1	Fumes from Brewers' Vat, - - -	1	-	1	
Morphia, - - -	1	-	1	Coal Vapours, - - -	1	-	1	
Nitric Acid, - - -	1	-	1	Not Stated, - - -	1	-	1	
Paraldehyde, - - -	1	-	1					
Phosphorus, - - -	1	-	1					
Carried forward,	10	7	17	Total, - - -	36	26	62	

SUICIDAL POISONING.								
Coal Gas, - - -	76	46	122	Brought forward,	133	98	231	
Lysol, - - -	41	42	83	Ammonia, - - -	1	-	1	
Carbolic Acid, - - -	5	2	7	Weed Killer, - - -	1	-	1	
Strychnine, - - -	2	2	4	Caustic Potash, - - -	1	-	1	
Iodine, - - -	-	3	3	Methyl Salicylate, - - -	-	1	1	
Corrosive, - - -	2	1	3	Cyanide of Potassium, - - -	-	1	1	
Oxalic Acid, - - -	1	2	3	Antimony, - - -	-	1	1	
Chloroform, - - -	2	-	2	Not Stated, - - -	1	-	1	
Prussic Acid, - - -	4	-	4					
Carried forward,	133	98	231	Total, - - -	137	101	238	

DEATHS UNDER ANÆSTHETICS (Secondary Cause).								
Chloroform, - - -	28	17	45	Brought forward,	59	36	95	
Chloroform and Ether, - - -	25	9	34	Ethyl Chloride, Chloroform and Ether, - - -	1	-	1	
Ether, - - -	3	8	11	Ethyl Bromide, - - -	1	-	1	
Nitrous Oxide, - - -	1	-	1	Novocaine and Cocaine, - - -	-	1	1	
Nitrous Oxide and Ether, - - -	1	-	1	Novocaine and Adrenalin, - - -	-	2	2	
Nitrous Oxide, Chloroform and Ether, - - -	-	1	1	Novocaine and Chloroform, - - -	-	1	1	
Ethyl Chloride, - - -	1	-	1	Stovaine, - - -	1	1	2	
Ethyl Chloride and Ether, - - -	-	1	1					
Carried forward,	59	36	95	Total - - -	62	41	103	

TABLE 45.—Age in Completed Months of Children aged under One Year dying from Selected Causes in Scotland in 1927.

CAUSES OF DEATH.	Total.	SEXES.		Under 1 Month.	AGE IN COMPLETED MONTHS.										
		Males.	Females.		1	2	3	4	5	6	7	8	9	10	11
Measles - - - - -	192	97	95	2	2	3	1	7	10	22	21	27	30	35	32
Whooping-cough - - -	431	214	217	11	35	29	30	35	26	37	35	41	58	45	49
Diphtheria - - - - -	28	14	14	-	-	-	2	1	-	3	3	5	6	4	4
Cerebro-spinal Meningitis - - -	59	35	24	-	-	3	5	3	9	5	7	12	9	4	2
Posterior Basal Meningitis - - -	4	2	2	-	-	-	-	1	-	2	-	-	1	-	-
Tubercular Meningitis - - - - -	99	61	38	-	1	7	4	9	11	10	10	15	7	12	13
Abdominal Tuberculosis - - - - -	42	28	14	1	2	2	3	5	6	3	5	3	4	4	4
Other Tuberculous Disease - - -	40	25	15	1	3	2	1	7	1	5	1	4	4	7	4
Syphilis - - - - -	44	25	19	13	10	9	7	2	1	1	1	-	-	-	-
Convulsions - - - - -	291	175	116	112	25	29	31	20	14	13	13	10	13	6	5
Bronchitis - - - - -	530	312	218	97	90	61	59	46	36	27	27	20	17	25	25
Broncho-pneumonia - - - - -	1270	751	519	101	94	107	106	101	108	118	117	100	117	99	102
Pneumonia - - - - -	306	180	126	34	22	23	32	28	29	17	17	25	34	18	27
Pulmonary Congestion - - - - -	78	50	28	13	16	6	6	6	6	5	4	5	3	5	3
Diseases of Stomach - - - - -	63	33	30	8	7	11	7	9	5	5	3	2	2	1	3
Diarrhœa - - - - -	590	342	248	60	68	99	77	66	45	39	42	31	24	18	21
Congenital Malformations - - -	444	248	196	280	60	39	24	9	14	9	4	-	2	2	1
Congenital Debility - - - - -	1188	686	502	734	146	108	77	45	32	17	7	10	4	4	4
Premature Birth - - - - -	1724	955	769	1636	58	11	15	1	-	-	2	-	-	-	1
Other Infantile Diseases - - -	322	174	148	303	9	6	-	3	-	1	-	-	-	-	-
Overlaying - - - - -	24	16	8	13	3	2	4	-	1	-	-	1	-	-	-
Suffocation (otherwise) - - - -	29	19	10	12	4	5	6	-	1	1	-	-	-	-	-
All Other Causes - - - - -	778	452	326	161	80	56	66	56	54	54	50	53	53	43	52
Total - - - - -		8,576		3592	735	618	563	460	409	394	369	364	388	332	352
Males - - - - -	-	4894	-	2020	426	359	343	280	232	235	214	181	226	166	212
Females - - - - -	-	-	3682	1572	309	259	220	180	177	159	155	183	162	166	140

TABLE 46.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1927.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles -	192	5	4	7	12	13	7	15	19	6	12	35	57
Whooping-cough -	431	33	49	58	51	46	44	30	32	26	25	14	23
Diphtheria -	28	3	1	2	1	2	2	2	1	1	1	4	8
Cerebro-spinal Meningitis -	59	4	4	11	4	9	6	4	6	2	2	2	5
Posterior Basal Meningitis -	4	-	-	-	1	1	-	1	-	-	-	1	-
Tubercular Meningitis -	99	9	10	11	7	12	7	9	5	8	7	7	7
Abdominal Tuberculosis -	42	3	5	7	5	4	2	3	2	2	4	4	1
Other Tuberculous Disease -	40	6	2	4	1	4	4	2	2	3	4	3	5
Syphilis -	44	8	4	7	1	2	3	4	2	3	5	2	3
Convulsions -	291	38	31	37	38	25	14	15	16	17	16	17	27
Bronchitis -	530	75	81	73	47	33	16	13	9	8	23	60	92
Broncho-pneumonia -	1270	170	161	176	116	74	52	46	38	49	68	136	184
Pneumonia -	306	48	18	37	22	20	11	8	7	19	23	53	40
Pulmonary Congestion -	78	11	9	6	6	6	4	1	4	2	7	11	11
Other Diseases of Stomach -	63	3	5	5	7	6	5	7	4	3	7	5	6
Diarrhœa -	590	45	32	52	40	48	25	49	58	64	48	68	61
Congenital Malformations -	444	45	33	40	35	42	42	23	29	43	37	33	42
Congenital Debility -	1188	125	103	109	124	91	93	103	80	76	76	82	126
Premature Birth -	1724	178	173	160	140	148	114	148	121	115	124	130	173
Other Infantile Diseases -	322	31	28	21	26	27	19	16	19	34	42	32	27
Overlaying -	24	2	8	3	2	-	1	-	1	2	3	-	2
Suffocation (otherwise) -	29	4	1	3	3	2	1	2	-	1	2	5	5
All Other Causes -	778	82	92	117	71	66	36	42	32	52	60	54	74
Total -	8576	928	854	946	760	681	508	543	487	536	596	758	979

TABLE 47.—Deaths from selected causes of Children under one year of age—1927.

Note.—(1) The heading 'Other Infectious Diseases' comprises small-pox, chicken-pox, scarlet fever, and erysipelas; (2) 'Digestive Diseases' comprises diarrhoea, enteritis, and other digestive diseases; (3) 'Congenital Causes' comprises congenital malformations, premature birth, atrophy, debility, atelectasis, and marasmus.

COUNTIES (Landward).	DEATHS FROM													
	Measles.	Whooping-cough.	Diphtheria.	Tuberculous Meningitis.	Abdominal Tuberculosis.	Other Tuberculous Disease.	Other Infectious Diseases.	Meningitis (not Tuberculous).	Convulsions.	Pneumonia (all forms).	Bronchitis.	Digestive Diseases.	Congenital Causes.	Other Causes.
Aberdeen, Landward,	..	9	1	1	(a) 1	1	11	23	10	16	78	18
Argyll,	..	2	..	1	1	..	3	1	4	11	3
Ayr,	..	12	..	3	1	..	(b) 1	4	9	21	15	17	103	18
Banff,	..	2	2	9	1	5	25	5
Berwick,	(c) 1	1	..	2	2	..	22	..
Bute,	1	1	2	3
Caithness,	1	..	1	..	2	..	5	2	1	12	5
Clackmannan,	4	..	1	9	2
Dumbarton,	..	1	1	3	1	3	16	8	6	37	6
Dumfries,	..	4	..	1	(c) 1	1	1	9	4	3	32	9
East Lothian,	..	2	1	1	3	2	1	13	6
Fife,	..	2	6	..	6	2	..	4	3	29	23	10	83	16
Forfar,	..	1	3	..	1	1	..	1	1	6	3	4	35	3
Inverness,	..	6	..	1	2	6	8	1	18	5
Kincardine,	..	3	6	1	2	13	4
Kinross,	2	1	1
Kirkcudbright,	(b) 1	3	1	4	13	6
Lanark,	..	7	24	1	8	5	(d) 3	9	25	104	37	45	286	50
Midlothian,	..	5	1	2	3	8	5	5	28	10
Moray,	..	1	3	3	..	4	15	4
Nairn,	1	2	3	1
Orkney,	1	2	..	1	1	9	3
Peebles,	1	1	1	1	..	4	..
Perth,	..	1	2	(a) 1	..	3	5	5	5	38	4
Renfrew,	2	1	1	3	1	10	1	6	16	8
Ross and Cromarty,	..	3	..	1	1	3	13	..	4	17	9
Roxburgh,	1	..	2	8	6
Selkirk,	2	1	..	1	..
Shetland,	1	1	..	5	1
Stirling,	..	2	..	2	1	6	3	20	6	4	48	8
Sutherland,	1	4	1
West Lothian,	..	2	2	..	1	3	(a) 1	1	1	11	9	8	46	8
Wigtown,	..	1	..	1	2	1	3	4	27	2
Total Landward,	23	83	4	32	15	5	(e) 10	39	82	328	146	164	1062	225

(a) Scarlet Fever.

(b) Chicken-pox.

(c) Erysipelas.

(d) 1 Scarlet Fever; 2 Erysipelas.

(e) 4 Scarlet Fever; 4 Erysipelas; 2 Chicken-pox.

TABLE 47—(continued).—Deaths from selected causes of Children under one year of age—1927.

BURGHs with Populations over 20,000.	DEATHS FROM														Total.
	Measles.	Whooping-cough.	Diphtheria.	Tuberculous Meningitis.	Abdominal Tuberculosis.	Other Tuberculous Disease.	Other Infectious Diseases.	Meningitis (not Tuberculous).	Convulsions.	Pneumonia (all forms).	Bronchitis.	Digestive Diseases.	Congenital Causes.	Other Causes.	
Glasgow,	82	186	12	21	6	8	(c) 18	34	63	579	143	277	878	219	2,526
Edinburgh,	23	19	..	5	1	5	(d) 3	11	24	99	32	42	287	55	606
Dundee,	20	21	9	1	(e) 5	7	9	126	29	48	174	36	485
Aberdeen,	1	7	..	6	2	4	21	59	22	31	162	19	334
Paisley,	7	7	..	2	2	1	(b) 1	3	5	23	8	11	84	8	162
Greenock,	5	1	3	1	2	..	10	12	26	10	6	72	11	159
Motherwell and Wishaw, .	3	2	..	1	2	2	3	22	8	7	61	7	118
Clydebank,	5	7	..	2	..	1	4	15	1	7	87	6	85
Coatbridge,	5	13	..	1	2	1	..	4	..	42	7	13	44	5	137
Dunfermline,	2	3	1	..	(b) 1	..	1	8	4	6	22	4	52
Kirkcaldy,	2	1	3	4	5	2	30	2	49
Hamilton,	3	1	1	2	..	1	3	15	6	15	20	10	77
Kilmarnock,	5	(b) 1	..	1	14	8	11	26	6	72
Ayr,	7	3	14	5	6	23	5	63
Falkirk,	3	3	..	1	..	2	..	1	1	12	4	3	30	8	68
Perth,	4	1	7	3	2	17	4	38
Airdrie,	5	..	2	1	8	4	7	24	3	54
Rutherglen,	5	4	1	3	5	1	3	24	2	48
Dumbarton,	1	..	1	(a) 1	1	5	6	4	3	18	2	42
Stirling,	1	1	2	2	2	3	2	21	3	37
Port Glasgow,	2	6	2	4	28	2	44
Inverness,	8	1	4	3	2	4	14	4	40
Total,	157	309	22	46	25	29	(f) 30	78	166	1095	311	510	2096	419	5,296
All Burghs with populations of 10,000 but under 20,000,	6	21	1	5	1	2	(g) 2	7	17	52	32	33	201	41	421
All Burghs with populations of 5000 but under 10,000,	3	5	..	4	..	3	..	4	11	46	23	17	128	27	271
All Burghs with populations under 5000,	3	13	1	12	1	1	(b) 1	10	14	55	18	22	191	23	370
Total Burghal,	169	348	24	67	27	35	(h) 33	99	209	1248	384	582	2616	517	6,358
Total Landward,	23	83	4	32	15	5	(j) 10	39	32	328	146	164	1062	225	2,218
Scotland,	192	431	28	99	42	40	(k) 43	138	291	1576	530	746	3678	742	8,576

(a) Scarlet Fever.

(c) 3 Scarlet Fever; 7 Erysipelas; 8 Chicken-pox.

(e) 2 Scarlet Fever; 2 Erysipelas; 1 Chicken-pox.

(g) 1 Scarlet Fever; 1 Erysipelas.

(j) 4 Scarlet Fever; 4 Erysipelas; 2 Chicken-pox.

(b) Erysipelas.

(d) 1 Erysipelas; 2 Chicken-pox.

(f) 6 Scarlet Fever; 13 Erysipelas; 11 Chicken-pox.

(h) 7 Scarlet Fever; 15 Erysipelas; 11 Chicken-pox.

(k) 11 Scarlet Fever; 19 Erysipelas; 13 Chicken-pox.

TABLE 48.—Births, Deaths under one year by age-periods, and
Death-rates per 1000 Births—1927.

COUNTIES (Landward).	Number of Births.	DEATHS—AGE											
		Under 1 Week.		1 Week and under 1 Month.		1 Month and under 3 Months.		3 Months and under 6 Months.		6 Months and under 12 Months.		Under 1 Year (Total).	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Aberdeen, Landward, .	2,276	45	19.8	34	14.9	38	16.7	25	11.0	27	11.9	169	74.3
Argyll, ,	558	9	16.1	4	7.2	4	7.2	5	9.0	4	7.2	26	46.6
Ayr, ,	2,642	65	24.6	31	11.7	34	12.9	30	11.4	44	16.7	204	77.2
Banff, ,	558	15	26.9	5	9.0	8	14.3	9	16.1	12	21.5	49	87.8
Berwick, ,	333	15	45.0	5	15.0	7	21.0	1	3.0	28	84.1
Bute, ,	80	3	37.5	1	12.5	2	25.0	1	12.5	7	37.5
Caithness, ,	280	9	32.1	3	10.7	5	17.9	5	17.9	7	25.0	29	103.6
Clackmannan, ,	211	6	28.4	5	23.7	2	9.5	3	14.2	16	75.8
Dumbarton, ,	978	24	24.5	13	13.3	9	9.2	21	21.5	15	15.3	82	83.8
Dumfries, ,	890	21	23.6	14	15.7	15	16.9	4	4.5	11	12.4	65	73.0
East Lothian, ,	499	9	18.0	7	14.0	7	14.0	6	12.0	29	58.1
Fife, ,	2,127	59	27.7	25	11.8	27	12.7	30	14.1	43	20.2	184	86.5
Forfar, ,	715	19	26.6	8	11.2	10	14.0	15	21.0	7	9.8	59	82.5
Inverness, ,	881	7	7.9	8	9.1	9	10.2	8	9.1	10	11.4	42	47.7
Kincardine, ,	404	7	17.3	6	14.9	4	9.9	6	14.9	6	14.9	29	71.8
Kinross, ,	84	1	11.9	1	11.9	2	23.8	4	47.6
Kirkcudbright, ,	376	10	26.6	5	13.3	4	10.6	5	13.3	4	10.6	28	74.5
Lanark, ,	7,117	192	27.0	86	12.1	111	15.6	92	12.9	125	17.6	606	85.1
Midlothian, ,	1,071	18	16.8	15	14.0	15	14.0	7	6.5	12	11.2	67	62.6
Moray, ,	442	11	24.9	2	4.5	7	15.8	6	18.6	4	9.0	30	67.9
Nairn, ,	91	2	22.0	1	11.0	1	11.0	1	11.0	2	22.0	7	76.9
Orkney, ,	268	6	22.4	2	7.5	1	3.7	5	18.7	3	11.2	17	63.4
Peebles, ,	104	3	28.8	2	19.2	2	19.2	1	9.6	8	76.9
Perth, ,	962	23	23.9	14	14.6	10	10.4	7	7.3	10	10.4	64	66.5
Renfrew, ,	776	17	21.9	6	7.7	7	9.0	9	11.6	10	12.9	49	63.1
Ross and Cromarty, ,	902	16	17.7	8	8.9	7	7.8	6	6.7	14	15.5	51	56.5
Roxburgh, ,	312	6	19.2	5	16.0	3	9.6	2	6.4	1	3.2	17	54.5
Selkirk, ,	71	1	14.1	1	14.1	1	14.1	1	14.1	4	56.3
Shetland, ,	230	2	8.7	2	8.7	2	8.7	1	4.3	1	4.3	8	34.8
Stirling, ,	1,652	32	19.4	16	9.7	12	7.3	18	10.9	22	13.3	100	60.5
Sutherland, ,	249	4	16.1	1	4.0	1	4.0	6	24.1
West Lothian, ,	1,105	26	23.5	11	10.0	15	13.6	21	19.0	20	18.1	93	84.2
Wigtown, ,	421	15	35.6	8	19.0	9	21.4	6	14.3	3	7.1	41	97.4
Total Landward, .	29,665	697	23.5	349	11.8	388	13.1	353	11.9	431	14.5	2218	74.8

TABLE 48—(continued).—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births—1927.

BURGHs with Populations over 20,000.	Number of Births.	DEATHS—AGE.											
		Under 1 Week.		1 Week and under 1 Month.		1 Month and under 3 Months.		3 Months and under 6 Months.		6 Months and under 12 Months.		Under 1 Year (Total).	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Glasgow,	23,581	575	24.4	302	12.8	388	16.5	471	20.0	790	33.5	2,526	107.1
Edinburgh,	7,621	188	24.7	76	10.0	98	12.9	101	13.3	143	18.8	606	79.5
Dundee,	3,517	91	25.9	82	23.3	75	21.3	88	25.0	149	42.4	485	137.9
Aberdeen,	3,182	101	31.7	62	19.5	46	14.5	62	19.5	68	19.8	334	105.0
Paisley,	1,791	48	26.8	29	16.2	24	13.4	21	11.7	40	22.3	162	90.5
Greenock,	1,794	44	24.5	21	11.7	24	13.4	24	13.4	46	25.6	159	88.6
Motherwell and Wishaw, .	1,486	40	26.9	15	10.1	15	10.1	18	12.1	30	20.2	118	79.4
Clydebank,	1,014	24	23.7	14	13.8	6	5.9	17	16.8	24	23.7	85	83.8
Coatbridge,	1,159	24	20.7	18	15.5	17	14.7	26	22.4	52	44.9	137	118.2
Dunfermline,	664	13	19.6	8	12.0	4	6.0	9	13.6	18	27.1	52	78.3
Kirkcaldy,	740	18	24.3	12	16.2	2	2.7	7	9.5	10	13.5	49	66.2
Hamilton,	886	17	19.2	4	4.5	16	18.1	13	14.7	27	30.5	77	86.9
Kilmarnock,	780	20	25.6	6	7.7	12	15.4	9	11.5	25	32.1	72	92.3
Ayr,	696	17	24.4	6	8.6	5	7.2	13	13.7	22	31.6	63	90.5
Falkirk,	729	20	27.4	10	13.7	12	16.5	10	13.7	16	21.9	68	93.3
Perth,	572	10	17.5	4	7.0	7	12.2	7	12.2	10	17.5	38	66.4
Airdrie,	641	17	26.5	7	10.9	8	12.5	8	12.5	14	21.8	54	84.2
Rutherglen,	444	15	33.8	9	20.3	5	11.3	4	9.0	15	33.8	48	108.1
Dumbarton,	469	13	27.7	7	14.9	9	19.2	5	10.7	8	17.1	42	89.6
Stirling,	459	13	28.3	8	17.4	2	4.4	9	19.6	5	10.9	37	80.6
Port Glasgow,	511	21	41.1	5	9.8	3	5.9	6	11.7	9	17.6	44	86.1
Inverness,	360	6	16.7	5	13.9	9	25.0	5	13.9	15	41.7	49	111.1
Total,	53,096	1335	25.1	710	13.4	787	14.8	933	17.6	1531	28.8	5,296	99.7
All Burghs with popula- tions of 10,000 but under 20,000,	5,254	139	26.5	58	11.0	72	13.7	56	10.7	96	18.3	421	80.1
All Burghs with popula- tions of 5000 but under 10,000,	3,769	83	22.0	48	12.7	46	12.2	36	9.6	58	15.4	271	71.9
All Burghs with popula- tions under 5000,	4,888	116	23.7	57	11.7	60	12.3	54	11.0	83	17.0	370	75.7
Total Burghal,	67,007	1673	25.0	873	13.0	965	14.4	1079	16.1	1768	26.4	6,358	94.9
Total Landward,	29,665	697	23.5	349	11.8	388	13.1	353	11.9	431	14.5	2,218	74.8
Scotland,	96,672	2370	24.5	1222	12.6	1353	14.0	1432	14.8	2199	22.7	8,576	88.7

TABLE 49.—Deaths (uncorrected for Transfers) from Certified and Uncertified Causes in 1927.

	TOTAL DEATHS (UNCOR- RECTED).	DEATHS FROM CERTIFIED CAUSES.	DEATHS FROM UNCERTI- FIED CAUSES.	PERCENTAGE OF UNCERTIFIED TO TOTAL DEATHS.		
				1927.	1926.	Mean of Five Years 1922-1926.
SCOTLAND,	65,830	65,349	481	0·7	0·7	0·8
NORTHERN DIVISION, . .	1,384	1,292	92	6·6	6·8	8·7
NORTH WESTERN Do. . .	2,815	2,001	314	13·6	11·6	14·6
NORTH-EASTERN Do. . .	6,199	6,195	4	0·6	0·2	0·2
EAST-MIDLAND Do. . .	9,998	9,985	13	0·1	0·1	0·1
WEST-MIDLAND Do. . .	4,608	4,571	37	0·8	0·7	0·7
SOUTH-WESTERN Do. . .	28,928	28,920	8	0·0	0·0	0·1
SOUTH-EASTERN Do. . .	9,757	9,745	12	0·1	0·2	0·2
SOUTHERN Do. . .	2,641	2,640	1	0·0	0·2	0·1
<hr/>						
<i>Counties.</i>						
Aberdeen,	4,112	4,109	3	0·1	0·2	0·1
Argyll,	923	890	33	3·6	3·3	3·4
Ayr,	3,438	3,437	1	0·0	0·0	0·1
Banff,	846	845	1	0·1	0·3	0·2
Berwick,	336	336	—	—	—	0·0
Bute,	241	241	—	—	0·9	0·4
Caithness,	412	409	3	0·7	1·5	1·9
Clackmannan,	397	397	—	—	0·3	0·1
Dumbarton,	1,586	1,583	3	0·2	—	0·1
Dumfries,	1,137	1,137	—	—	0·1	0·1
East Lothian,	487	486	1	0·2	0·2	0·7
Fife,	3,266	3,261	5	0·2	0·2	0·2
Forfar,	4,546	4,546	—	—	0·0	0·0
Inverness,	1,294	1,152	142	11·0	9·0	10·3
Kincardine,	465	465	—	—	0·2	0·2
Kinross,	121	121	—	—	—	0·2
Kirkcudbright,	453	453	—	—	0·7	0·2
Lanark,	21,934	21,931	3	0·0	0·0	0·0
Midlothian,	7,608	7,599	9	0·1	0·2	0·2
Moray,	635	635	—	—	—	0·1
Nairn,	141	141	—	—	1·6	0·6
Orkney,	383	371	12	3·1	4·0	5·1
Peebles,	162	162	—	—	—	0·2
Perth,	1,668	1,660	8	0·5	0·4	0·4
Renfrew,	3,556	3,552	4	0·1	0·1	0·2
Ross and Cromarty,	1,021	849	172	16·8	15·1	20·1
Roxburgh,	646	645	1	0·2	—	0·1
Selkirk,	269	269	—	—	0·3	0·1
Shetland,	328	286	42	12·8	13·1	16·8
Stirling,	1,858	1,857	1	0·1	0·1	0·0
Sutherland,	261	226	35	13·4	11·3	14·3
West Lothian,	895	893	2	0·2	—	0·1
Wigtown,	405	405	—	—	—	0·2

TABLE 50. --Meteorology of Scotland for 1927; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1927.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer(inch)	29.512	29.934	29.582	29.795	30.041	29.800	29.852	29.757	29.711	29.894	29.875	29.978	29.811
Mean of Max. Temp.	43°·5	44°·9	49°·3	50°·9	55°·3	58°·4	65°·7	64°·5	58°·2	54°·8	46°·5	38°·6	52°·5
„ „ Min. „	35°·5	35°·4	38°·3	38°·0	41°·6	44°·8	53°·1	52°·5	46°·1	43°·7	38°·2	32°·8	41°·7
Mean Temperature.	39°·5	40°·1	43°·8	44°·4	48°·4	51°·6	59°·4	58°·5	52°·1	49°·2	42°·3	35°·7	47°·1
Absolute Maximum .	58°	61°	65°	66°	80°	74°	82°	76°	75°	70°	65°	53°	82°
Absolute Minimum .	10°	14°	18°	17°	16°	28°	37°	30°	30°	16°	9°	0°	0°
Rainfall(Normal100)	130	67	93	145	100	165	99	121	200	139	106	44	117
Births	8257	7626	8892	8463	8538	8115	7971	7913	7612	7989	7333	7963	96672
Deaths	6214	6112	7111	5695	5348	4769	4640	4507	4494	4963	5296	6681	65830
Marriages	3362	1904	2091	2693	1433	3815	3835	2523	2746	2574	2061	3556	32593
Rates per 1000 of Estimated Population													
Births	19.9	20.3	21.4	21.0	20.5	20.2	19.2	19.0	18.9	19.2	18.2	19.2	19.8
Deaths	15.0	16.3	17.1	14.2	12.9	11.9	11.2	10.8	11.2	11.9	13.2	16.1	13.5
Marriages	8.1	5.1	5.0	6.7	3.4	9.5	9.2	6.1	6.8	6.2	5.1	8.6	6.7

TABLE 51.—Deaths, Temperature, and Rainfall in the Larger Burghs of Scotland during each Week of 1927.

Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
			Maxi- mum.	Mini- mum.	Mean.						Maxi- mum.	Mini- mum.	Mean.	
January 8	771	16.8	53.0	21.0	40.0	1.05	27	July 9	570	12.4	73.0	47.0	58.7	1.22
15	738	16.0	57.0	30.0	43.3	0.90	28	16	566	12.3	78.0	48.0	59.9	0.47
22	724	15.7	43.0	16.0	32.9	0.33	29	23	548	11.9	77.0	44.6	59.1	0.75
29	751	16.3	49.3	29.0	40.8	1.73	30	30	539	11.7	73.5	50.0	60.4	0.68
February 5	762	16.6	51.0	22.0	39.1	0.82	31	August 6	519	11.3	74.0	49.0	61.2	0.75
12	677	14.7	51.2	21.0	37.0	0.10	32	13	533	11.6	73.0	46.0	60.8	2.37
19	782	17.0	55.0	20.0	40.3	0.29	33	20	469	10.2	69.0	41.0	55.7	1.16
26	789	17.2	53.0	27.0	42.7	0.88	34	27	507	11.0	69.5	42.0	57.2	1.01
March 5	805	17.5	53.0	38.0	44.5	0.93	35	September 3	529	11.5	71.2	39.0	57.5	0.39
12	791	17.2	51.0	29.0	40.4	0.24	36	10	517	11.3	68.0	44.0	57.5	1.14
19	735	16.0	57.2	29.0	43.8	0.29	37	17	551	12.0	64.0	34.0	50.0	0.47
26	763	16.6	62.1	36.0	46.5	1.17	38	24	524	11.4	61.0	39.0	48.9	2.97
April 2	766	16.7	57.1	28.0	42.7	0.49	39	October 1	589	12.8	61.8	37.0	49.4	2.62
9	713	15.5	56.0	31.0	43.5	0.62	40	8	607	13.2	70.0	30.0	49.4	0.53
16	671	14.6	60.0	33.0	46.1	0.46	41	15	582	12.7	63.0	40.8	50.2	0.07
23	673	14.6	66.0	39.0	50.2	0.33	42	22	616	13.4	56.6	22.0	44.4	1.87
30	633	13.8	56.1	25.0	38.9	0.55	43	29	617	13.4	64.0	39.0	51.4	1.73
May 7	671	14.6	68.3	28.9	46.4	1.44	44	November 5	601	13.1	63.0	36.0	51.9	1.70
14	576	12.5	77.3	28.0	46.7	0.40	45	12	574	12.5	45.7	23.0	35.7	0.39
21	608	13.2	64.0	33.0	49.7	0.52	46	19	667	14.5	53.0	24.0	41.5	0.75
28	566	12.3	66.2	32.0	49.9	0.17	47	26	745	16.2	53.0	36.4	44.1	0.98
June 4	611	13.1	63.2	36.0	50.7	0.52	48	December 3	725	15.8	50.0	21.0	38.7	0.21
11	618	13.5	65.2	35.0	49.2	0.43	49	10	812	17.7	50.2	28.6	42.0	0.25
18	601	13.1	67.0	37.0	53.5	1.01	50	17	742	16.1	42.9	19.0	34.4	0.20
25	552	12.0	66.1	40.0	51.9	1.28	51	24	922	20.1	43.0	15.0	33.1	1.12
July 2	501	10.9	73.0	42.0	53.6	0.29	52	31	941	20.5	43.0	28.0	32.7	0.09

This Table is compiled from Weekly Returns for 1927. Deaths and Death-rates have been provisionally corrected by allocation to place of usual residence

TABLE 52.—VACCINATIONS in SCOTLAND.

Year.	Total Births Registered.	Number Surviving at Six Months.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox.				
NUMBERS.										
1916	110,071	101,042	58,172	289	387	0	9,029	35,553	2,382	4,259
1917	97,480	89,632	50,030	199	444	0	7,848	32,816	2,469	3,674
1918	98,558	90,035	48,833	226	540	0	8,523	33,492	2,748	4,196
1919	106,274	98,091	56,489	379	465	0	8,183	35,583	1,706	3,469
1920	136,545	126,230	88,587	458	1,015	3	10,315	28,150	3,083	4,934
1921	123,216	113,496	70,497	393	1,276	0	9,717	34,098	3,049	4,186
1922	115,085	106,917	66,047	351	979	4	8,168	33,224	2,613	3,699
1923	111,916	104,305	64,340	319	831	0	7,611	32,451	2,615	3,749
1924	106,901	99,077	62,096	286	887	0	7,824	29,568	2,619	3,621
1925	104,155	96,721	58,694	305	800	0	7,434	31,274	2,457	3,191
1926	102,457	95,512	57,741	332	1,063	0	6,945	30,804	2,338	3,234
RATE PER CENT OF TOTAL BIRTHS.										
1916	100·00	—	52·85	0·26	0·35	0·00	8·20	32·30	2·17	3·87
1917	100·00	—	51·32	0·20	0·46	0·00	8·05	33·67	2·53	3·77
1918	100·00	—	49·55	0·23	0·55	0·00	8·65	33·98	2·79	4·25
1919	100·00	—	53·15	0·36	0·44	0·00	7·70	33·48	1·61	3·26
1920	100·00	—	64·88	0·33	0·77	0·00	7·55	20·62	2·26	3·59
1921	100·00	—	57·21	0·32	1·04	0·00	7·89	27·67	2·47	3·40
1922	100·00	—	57·39	0·31	0·85	0·00	7·10	28·87	2·27	3·21
1923	100·00	—	57·49	0·28	0·74	0·00	6·80	29·00	2·34	3·35
1924	100·00	—	58·08	0·27	0·83	0·00	7·32	27·66	2·45	3·39
1925	100·00	—	56·35	0·29	0·77	0·00	7·14	30·03	2·36	3·06
1926	100·00	—	56·36	0·32	1·04	0·00	6·78	30·06	2·28	3·16
RATE PER CENT. OF CHILDREN SURVIVING AT SIX MONTHS.										
1864-1873	—	100·00	96·19	0·22	0·28	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	94·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·58	0·00	—	14·88	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1916	—	100·00	57·57	0·29	0·38	0·00	—	35·19	2·36	4·21
1917	—	100·00	55·82	0·22	0·50	0·00	—	36·61	2·75	4·10
1918	—	100·00	54·24	0·25	0·60	0·00	—	37·20	3·05	4·66
1919	—	100·00	57·59	0·38	0·47	0·00	—	36·28	1·74	3·54
1920	—	100·00	70·18	0·36	0·81	0·00	—	22·30	2·44	3·91
1921	—	100·00	62·11	0·35	1·12	0·00	—	30·04	2·69	3·69
1922	—	100·00	61·77	0·33	0·92	0·00	—	31·08	2·44	3·46
1923	—	100·00	61·68	0·31	0·80	0·00	—	31·11	2·51	3·59
1924	—	100·00	62·67	0·29	0·90	0·00	—	29·84	2·64	3·66
1925	—	100·00	60·68	0·32	0·83	0·00	—	32·33	2·54	3·30
1926	—	100·00	60·45	0·35	1·11	0·00	—	32·25	2·45	3·39

TABLE 53.—Deaths from Small-pox in Scotland, 1855-1926, with Vaccination Particulars, 1864-1926.

State of Vaccination of Children whose Births were Registered in each Year from 1864 to 1926: Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox in each Year from 1855 to 1926.					Deaths from Cow-pox and Effects of Vaccination, 1853-1926.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	183	102	3	
1864	95.8	0.7	0.8	..	2.7	1,741	983	435	313	9	
1865	96.3	0.7	0.5	..	2.5	383	199	107	73	4	
1866	96.5	0.6	0.3	..	2.6	200	128	45	27	..	
1867	96.8	0.6	0.2	..	2.4	100	62	25	13	..	
1868	96.5	0.9	0.3	..	2.3	15	12	2	1	..	
1869	96.2	0.9	0.2	..	2.7	64	33	16	15	..	
1870	96.6	0.8	0.2	..	2.4	114	46	39	29	..	
1871	96.4	0.8	0.4	..	2.4	1,442	307	659	462	14	
1872	96.9	0.7	0.2	..	2.2	2,448	552	1,005	864	26	
1873	96.4	1.0	0.2	..	2.4	1,126	263	486	367	9	
1874	96.2	1.1	0.2	..	2.5	1,246	291	551	395	8	
1875	96.4	1.1	0.2	..	2.3	76	17	33	23	3	
1876	96.7	0.9	0.2	..	2.2	39	7	13	18	1	
1877	96.7	1.1	0.2	..	2.0	38	4	22	12	..	
1878	96.7	1.0	0.2	..	2.1	4	1	2	1	..	
1879	96.6	1.1	0.2	..	2.1	8	1	1	6	..	
1880	96.6	1.2	0.1	..	2.1	10	2	6	2	..	
1881	96.3	1.4	0.1	..	2.2	19	2	10	6	1	
1882	96.0	1.5	0.2	..	2.3	3	3	..	
1883	96.0	1.6	0.2	..	2.2	11	2	3	6	..	
1884	95.7	1.7	0.2	..	2.4	14	2	6	5	1	1
1885	95.5	1.8	0.2	..	2.5	39	3	13	23	..	3
1886	95.2	2.0	0.2	..	2.6	24	4	10	9	1	3
1887	94.9	2.2	0.2	..	2.7	17	..	6	11	..	6
1888	95.0	2.1	0.2	..	2.7	3	1	1	1	..	2
1889	94.5	2.4	0.2	..	2.9	8	1	1	6	..	3
1890	94.6	2.5	0.2	..	2.7	4
1891	94.8	2.3	0.2	..	2.7	5
1892	94.8	2.2	0.3	..	2.7	11	2	2	7	..	3
1893	94.8	2.2	0.4	..	2.6	68	11	13	43	1	1
1894	94.9	2.3	0.4	..	2.4	129	19	31	75	4	3
1895	94.9	2.3	0.4	..	2.4	47	4	8	35	..	1
1896	94.2	2.4	0.5	..	2.9	2	1	..	1	..	1
1897	94.1	2.5	0.5	..	2.9	10	3	1	5	1	3
1898	93.4	2.7	0.5	..	3.4	2	..	1	1	..	1
1899	93.6	2.5	0.5	..	3.4	1	1
1900	94.5	2.0	0.4	..	3.1	53	10	7	36	..	1
1901	93.5	2.4	0.8	..	3.2	278	36	32	205	5	..
1902	93.9	2.4	0.4	..	3.3	80	11	13	53	3	..
1903	94.5	2.1	0.3	..	3.1	41	6	5	29	1	1
1904	93.9	2.4	0.4	..	3.3	185	35	18	128	4	..
1905	93.8	2.4	0.4	..	3.4	4	2	..	2	..	1
1906	91.9	2.6	0.5	0.2	4.8	1	1	..	1
1907	83.5	3.3	0.7	6.2	6.3	1	1
1908	76.8	3.1	0.7	13.4	6.0	6	..	1	5
1909	71.7	2.9	0.7	19.4	5.3	1
1910	67.6	2.7	0.6	23.8	5.3	2
1911	64.2	2.5	1.0	26.7	5.6	5	..	2	3
1912	62.1	2.6	0.4	29.6	5.3	17	1	3	12	1	..
1913	58.6	2.5	0.4	33.2	5.3
1914	56.6	2.5	0.6	34.5	5.8	1	1	..	1
1915	59.0	2.2	0.3	33.9	4.8	2	2
1916	57.8	2.4	0.4	35.2	4.2	1	1
1917	56.0	2.8	0.5	36.6	4.1
1918	54.5	3.0	0.6	37.2	4.7
1919	53.0	1.7	0.5	36.3	3.5	2
1920	70.5	2.5	0.8	22.3	3.9	152	25	35	81	11	..
1921	62.5	2.7	1.1	30.0	3.7	24	2	6	16	..	1
1922	62.1	2.4	0.9	31.1	3.5	2
1923	62.0	2.5	0.8	31.1	3.6	3
1924	63.0	2.6	0.9	29.8	3.7	3
1925	61.0	2.6	0.8	32.3	3.3
1926	60.8	2.4	1.1	32.3	3.4

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1 EVENTS REGISTERED IN 1927. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1926.

(Figures in this Table show actual numbers as **Registered**, and are not "Corrected for Transfers.")

No.	COUNTIES AND LARGER BURGHES.	CENSUS POPULATION.		REGISTERED BIRTHS, DEATHS AND MARRIAGES, 1927.			VACCINATIONS, 1926.										
		1921	1911	Births.		Deaths.	Marr- riages.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.				Died before Vaccination.	Statutory Declara- tions of Conscientious Objection.	Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.	Total Births for 1926.
				Total.	Illeg- itimate.				On the ground of previous successful Vaccination.	On the ground of Conscitu- tional Insusceptibility.	In respect of the children having already had Smallpox.						
	SCOTLAND . . .	4,882,497	4,760,904	96,655	6976	65,830	32,593	57,741	332	1063	...	6945	30,804	2338	3234	102,457	
1	Shetland . . .	25,520	27,911	281	19	328	88	28	..	1	...	8	276	...	7	320	
2	Orkney . . .	24,111	25,897	331	18	383	140	139	..	2	...	16	190	7	3	357	
3	Caithness . . .	28,285	32,010	539	67	412	135	226	..	3	...	26	215	16	24	510	
4	Sutherland . . .	17,802	20,179	255	24	261	50	100	..	2	...	6	85	10	23	226	
5	Ross and Cromarty . . .	70,818	77,364	1,030	59	1,021	251	516	..	4	...	55	277	43	134	1,029	
6	Inverness . . .	82,455	87,272	1,299	117	1,294	397	739	4	8	...	55	346	27	195	1,374	
7	Nairn . . .	8,790	9,319	142	17	141	39	142	1	3	...	13	8	...	4	171	
8	Moray . . .	41,558	43,427	796	112	635	245	594	5	60	101	37	57	854	
9	Banff . . .	57,298	61,402	1,190	147	846	272	583	...	9	...	86	549	14	60	1,301	
10	Aberdeen . . .	301,016	312,177	6,076	686	4,112	2,232	4,957	52	43	...	493	722	125	109	6,501	
11	Kincardine . . .	41,779	41,008	774	70	465	179	597	7	7	...	54	115	19	29	828	
12	Forfar . . .	271,052	281,417	5,160	430	4,546	1,840	2,165	1	42	...	421	2648	46	139	5,462	
13	Perth . . .	125,503	124,342	1,841	156	1,668	724	1,447	4	30	...	112	282	13	45	1,933	
14	Fife . . .	292,925	267,733	5,227	276	3,266	1,588	2,660	15	56	...	331	2620	110	157	5,949	
15	Kinross . . .	7,963	7,527	128	9	121	41	92	...	4	...	5	25	...	1	127	
16	Clackmannan . . .	32,542	31,121	600	26	397	214	330	2	7	...	43	233	20	3	638	

17	Stirling	161,719	160,991	3,263	181	1,858	1,020	1,660	25	37	...	208	1504	58	81	3,573
18	Dumbarton	150,570	135,957	2,790	124	1,586	767	1,151	7	22	...	167	1463	58	115	2,983
19	Argyll	76,862	70,902	904	96	923	284	589	1	12	...	36	175	37	56	906
20	Bute	33,711	18,186	231	16	241	52	180	16	25	6	8	235
21	Renfrew	286,693	268,052	5,800	275	3,556	1,576	3,026	27	52	...	438	2478	204	117	6,342
22	Ayr	299,273	268,337	5,613	352	3,438	1,872	3,223	19	46	...	335	2050	154	94	5,921
23	Lanark	1,561,944	1,497,408	35,735	2331	21,934	12,028	21,230	133	490	...	2900	10,552	923	1294	37,522
24	West Lothian	83,962	80,161	1,725	70	895	486	982	3	12	...	110	677	46	54	1,884
25	Midlothian	506,377	507,666	9,757	808	7,608	4,360	6,584	21	123	...	624	2154	244	250	10,000
26	East Lothian	47,487	43,254	836	54	487	246	618	1	8	...	49	204	25	14	919
27	Berwick	28,246	29,643	423	27	336	130	369	...	6	...	25	32	13	7	452
28	Peebles	15,332	15,258	215	18	162	79	173	...	1	...	5	15	8	12	214
29	Selkirk	22,607	24,601	306	21	269	124	187	...	8	...	12	109	9	1	326
30	Roxburgh	44,989	47,192	669	46	646	252	470	...	5	...	37	115	15	4	646
31	Dumfries	75,370	72,825	1,487	176	1,137	477	1,038	4	6	...	117	404	14	77	1,660
32	Kirkcudbright	37,155	38,367	603	60	453	226	541	...	5	...	41	92	11	12	702
33	Wigtown	30,783	31,998	629	88	405	179	405	...	9	...	41	63	26	48	592
LARGER BURGHES.																
	Glasgow	1,051,518	1,024,386	24,020	1691	16,406	8,990	15,452	72	387	...	2035	5704	442	944	25,036
	Edinburgh	420,264	424,046	8,074	733	6,718	3,861	5,610	17	106	...	524	1657	180	213	8,307
	Dundee	168,315	176,351	3,591	309	3,021	1,268	1,087	...	25	...	309	2252	24	125	3,822
	Aberdeen	158,963	163,891	3,324	295	2,293	1,502	2,837	51	24	...	291	262	50	42	3,557
	Paisley	84,837	84,455	1,837	94	1,206	586	928	4	11	...	170	689	117	42	1,961
	Greenock	81,123	75,140	1,789	96	1,097	400	680	4	12	...	139	1064	10	33	1,942
	Motherwell and Wishaw	68,869	65,933	1,483	71	660	373	784	...	20	...	169	589	115	15	1,632
	Clydebank	46,601	37,642	964	36	355	248	380	...	6	...	51	518	9	54	1,018
	Coatbridge	43,919	43,275	997	38	582	258	556	3	12	...	93	279	30	23	996
	Dunfermline	39,899	29,213	703	35	449	248	416	9	53	299	21	23	821
	Kirkcaldy	39,591	39,601	756	45	462	248	360	1	8	...	38	388	26	7	828
	Hamilton	39,504	38,747	891	55	411	263	362	...	6	...	64	577	12	14	1,035
	Kilmarnock	35,911	34,877	794	34	554	322	337	10	1	...	41	361	41	4	795
	Ayr	35,763	32,986	781	44	565	261	650	4	10	...	60	111	21	13	869
	Falkirk	33,308	33,574	697	30	492	262	227	...	1	...	50	421	12	6	717
	Perth	33,208	35,854	611	53	588	333	453	3	14	...	32	150	4	13	669
TOTAL (Larger Burghs)																
		2,381,593	2,339,971	51,312	3659	35,859	19,423	31,119	178	643	...	4059	15,321	1114	1571	54,005

CAUSES OF DEATH IN SCOTLAND IN 1927—BOTH SEXES.

		All Ages.	Age												85 and over
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-		
All Causes - - - - -		*65830	8576	4103	1212	805	2582	2950	3950	6089	9250	12,849	10,264	3199	
I. EPIDEMIC AND ENDEMIC DISEASES.															
1	(a) Enteric Fever - - -	41	-	-	3	2	12	7	7	7	2	1	-	-	
	(b) Paratyphoid Fever - - -	13	-	1	-	-	1	4	1	4	1	1	-	-	
2	Typhus Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-	-	
5	Malaria - - - - -	7	-	-	-	-	2	-	1	2	2	-	-	-	
6	(a) Smallpox { Vaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Do. { Unvaccinated - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Do. { Vaccination Doubtful - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Measles - - - - -	660	192	434	24	1	1	2	-	4	-	2	-	-	
8	Scarlet Fever - - - - -	200	11	86	53	17	18	8	4	2	1	-	-	-	
9	Whooping-cough - - - -	850	431	393	24	-	-	-	1	-	-	-	1	-	
10	Diphtheria - - - - -	485	28	249	160	22	12	3	2	4	2	2	-	1	
11	Influenza—														
	(a) Sole Cause - - - - -	394	32	6	2	5	10	8	12	19	37	85	139	39	
	(b) with Phthisis - - - -	24	-	-	-	1	1	5	7	4	5	1	-	-	
	(c) with Bronchitis - - - -	317	21	9	2	2	5	5	9	23	42	80	92	27	
	(d) with Pneumonia - - - -	746	50	63	12	9	32	44	95	111	94	129	91	16	
	(e) with other Respiratory Disease	90	1	8	1	-	1	3	3	5	22	18	18	10	
	(f) with Diseases and Accidents of Pregnancy and Parturition	13	-	-	-	-	1	5	7	-	-	-	-	-	
	(g) with other Cause - - -	442	25	15	15	4	15	19	33	45	91	95	66	19	
16	Dysentery - - - - -	12	3	2	1	-	1	-	3	-	2	-	-	-	
21	Erysipelas - - - - -	124	19	2	2	1	2	5	8	12	30	27	13	3	
22	Infantile Paralysis - - -	25	3	6	3	6	2	1	2	1	-	1	-	-	
23	Encephalitis Lethargica - -	117	1	7	7	2	19	23	15	19	20	4	-	-	
24	(a) Cerebro-spinal Meningitis -	138	59	47	8	9	9	3	3	-	-	-	-	-	
	(b) Posterior Basal Meningitis -	7	4	2	1	-	-	-	-	-	-	-	-	-	
25	Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	22	16	3	-	-	1	-	-	-	2	-	-	-	
Other Infectious Diseases.															
26	Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	Anthrax - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	
28	Rabies - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
29	Tetanus - - - - -	20	3	-	3	3	1	2	-	2	3	2	1	-	
30	Mycoses - - - - -	16	3	-	-	1	-	-	4	3	4	-	1	-	
31	(a) Laryngeal Tuberculosis - -	4	-	-	-	-	2	2	-	-	-	-	-	-	
	(b) Pulmonary Tuberculosis - -	3462	15	50	53	85	824	833	677	472	300	139	14	-	
32	Tuberculous Meningitis - -	531	99	235	83	37	43	15	8	9	1	1	-	-	
33	Tuberculosis of Intestines and Peritoneum	361	42	101	35	28	61	36	29	17	9	3	-	-	
34	Tuberculosis of Spine - - -	99	1	4	10	5	21	18	10	13	11	6	-	-	
35	Tuberculosis of Joints - - -	53	-	3	-	5	6	6	5	3	11	7	4	3	
36	Tuberculosis of other Organs—														
	(a) Skin - - - - -	6	1	-	-	-	1	-	-	-	-	3	1	-	
	(b) Bones (except Spine) - - -	25	4	3	-	-	4	2	1	5	-	4	2	-	
	(c) Lymphatic System (Abdom. Glands excepted)	17	2	4	2	1	3	1	-	-	2	2	-	-	
	(d) Genito-urinary System - -	39	-	-	-	3	6	12	6	6	5	1	-	-	
	(e) Others - - - - -	3	-	1	1	-	-	-	-	-	-	1	-	-	
37	Disseminated Tuberculosis—														
	(a) Acute - - - - -	87	11	28	6	6	14	11	5	4	2	-	-	-	
	(b) Chronic - - - - -	181	6	25	16	18	45	23	18	16	10	3	1	-	
38	Syphilis - - - - -	104	44	2	-	-	3	4	12	19	9	11	-	-	
40	Other Venereal Disease (39)	6	3	-	-	-	1	-	1	-	1	-	-	-	
41	(a) Vaccinia - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
	(b) Pyæmia, Septicæmia (not Puerperal)	104	14	3	5	5	7	11	11	13	13	18	4	-	
42	Other Infectious Diseases - -	-	-	-	-	-	-	-	-	-	-	-	-	-	

* Including 1 of unstated age.

			All Ages.	Age												
				-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
II. GENERAL DISEASES NOT INCLUDED ABOVE.																
43	Cancer, Buccal Cavity	-	359	-	1	-	-	1	2	12	56	108	117	52	10	
44	Do. Stomach and Liver	-	2368	-	1	-	-	3	25	85	342	721	787	363	41	
45	Do. Peritoneum, Intestine, Rectum	-	1528	-	1	2	2	9	20	67	215	399	494	281	38	
46	Do. Female Genital Organs	-	646	-	-	-	2	3	23	96	179	171	127	42	3	
47	Do. Breast	-	615	-	-	-	-	-	10	65	164	142	132	81	21	
48	Do. Skin	-	112	-	-	-	-	1	3	1	12	19	34	34	8	
49	Do. other Organs	-	1291	3	9	8	5	20	38	93	206	344	392	157	16	
50	Tumours, non - Malignant (not Cerebral, Uterine, or Ovarian)	-	33	2	1	-	1	1	2	1	1	9	5	9	1	
51	Rheumatic Fever	-	225	-	6	22	40	53	22	20	28	17	12	5	-	
52	(a) Chronic Rheumatism	-	39	-	-	-	-	2	1	-	4	2	13	13	4	
	(b) Osteo-arthritis	-	97	-	-	1	-	2	4	2	11	20	29	24	4	
	(c) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	Scorbutus	-	3	-	1	-	1	-	-	1	-	-	-	-	-	
56	Rickets	-	16	6	9	-	-	-	-	1	-	-	-	-	-	
57	Diabetes	-	519	-	1	4	7	29	25	32	53	152	146	60	10	
58	(a) Pernicious Anæmia	-	434	-	4	-	1	6	13	35	73	153	121	27	1	
	(b) Other Anæmia, Chlorosis	-	57	3	6	1	1	2	4	5	6	11	11	5	2	
69	(a) Purpura	-	26	4	2	-	4	2	4	3	2	1	1	2	1	
	(b) Hæmophilia	-	9	6	1	-	-	-	1	-	-	1	-	-	-	
	(c) Other General Diseases (54, 55)	-	16	1	3	2	1	1	3	-	-	1	2	1	1	
Diseases of Ductless Glands.																
59	Diseases of Pituitary Gland	-	9	-	-	1	3	-	1	-	3	1	-	-	-	
60	(a) Exophthalmic Goitre	-	81	-	-	-	-	7	10	18	30	9	7	-	-	
	(b) Other Diseases of Thyroid and Parathyroid (61)	-	48	3	2	-	1	1	2	-	8	10	15	6	-	
62	Diseases of Thymus	-	2	2	-	-	-	-	-	-	-	-	-	-	-	
63	Diseases of Suprarenal Capsules, Addison's Disease	-	14	-	-	-	-	-	1	5	4	2	2	-	-	
64	Diseases of Spleen	-	10	-	-	-	1	-	-	1	2	4	1	1	-	
65	(a) Leuchæmia	-	76	2	8	3	4	6	7	6	8	15	13	4	-	
	(b) Hodgkin's Dis., Lymphadenoma	-	69	-	1	5	-	8	8	9	10	14	10	4	-	
Chronic Poisonings.																
66	(a) Delirium Tremens	-	9	-	-	-	-	-	1	5	2	1	-	-	-	
	(b) Acute Alcoholism	-	25	-	-	-	-	1	3	7	8	3	3	-	-	
	(c) Other Alcoholism	-	11	-	-	-	-	1	-	2	3	2	2	1	-	
67	Chronic Inorganic Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a) Lead	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
	(b) Other Occupational	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
68	Chronic Organic Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DISEASES OF THE NERVOUS SYSTEM.																
70	(a) Cerebral Abscess	-	33	2	1	-	5	4	9	3	5	4	-	-	-	
	(b) Encephalitis (other than Encephalitis Lethargica)	-	64	4	3	2	-	7	6	9	7	13	11	2	-	
71	Meningitis (other than Tuberculous or Cerebro-spinal)	-	416	138	135	40	20	26	10	19	15	4	8	1	-	
72	Locomotor Ataxy	-	72	-	-	-	-	-	-	10	13	26	21	2	-	
73	Other Diseases of Spinal Cord	-	167	-	-	-	3	2	9	8	34	52	44	14	1	
74	(a) Cerebral Hæmorrhage	-	4137	1	2	-	3	9	14	67	353	857	1488	1108	235	
	(b) Apoplexy	-	534	-	1	-	-	1	4	7	33	104	204	151	29	
	(c) Cerebral Embolism and Thrombosis	-	781	2	1	1	1	2	5	11	48	115	277	269	49	
75	(a) Hemiplegia	-	603	-	1	-	-	2	4	11	40	107	234	175	29	
	(b) Paralysis, other or unspecified	-	71	-	-	-	-	3	1	4	6	19	26	9	3	
76	General Paralysis of Insane	-	140	-	-	-	-	3	10	41	58	21	5	2	-	
77	Other Insanity	-	128	-	-	-	-	6	12	15	23	29	22	17	4	
78	Epilepsy	-	213	6	8	7	11	48	34	32	28	24	9	6	-	
79	Eclampsia (not Puerperal). (Age 5 and over)	-	9	-	-	2	1	-	1	4	-	1	-	-	-	
80	Infantile Convulsions. (Age under 5)	-	370	291	79	-	-	-	-	-	-	-	-	-	-	

		All Ages.	Age												85 and over
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-		
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81	Chorea	-	-	-	3	-	3	-	-	1	1	-	2	-	
82	Neuritis	-	-	-	-	-	-	2	3	7	8	4	3	-	
84	(a) Cerebral Tumour	-	1	7	7	2	17	13	38	47	27	14	2	-	
	(b) Other Diseases of Nervous System (83)	368	5	6	6	2	5	16	27	28	74	115	66	18	
85	Diseases of Eye	-	-	-	-	-	-	-	-	2	2	-	1	-	
86	(a) Mastoid Disease	-	13	5	4	7	8	5	3	4	4	1	1	1	
	(b) Diseases of Ear	-	34	12	10	13	16	9	6	7	9	3	1	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87	Pericarditis	-	-	2	2	3	7	1	8	4	6	11	1	1	
88	(a) Acute Endocarditis	-	-	2	8	15	35	25	21	14	9	10	1	3	
	(b) Acute Myocarditis	-	-	2	1	3	3	4	7	11	14	19	14	3	
89	Angina Pectoris	-	-	-	-	-	-	1	18	45	123	190	80	9	
90	(a) Valvular Disease of Heart	-	4	3	9	40	86	107	205	363	598	892	572	102	
	(b) Fatty Degeneration of Heart	-	1	-	-	-	1	2	12	38	71	97	46	11	
	(c) Other Disease of Heart	-	5	2	5	8	12	37	100	286	663	1315	1168	307	
91	(a) Aneurysm	-	-	-	-	-	2	5	6	36	50	41	10	2	
	(b) Arterio-sclerosis	-	-	-	-	-	-	-	3	11	71	248	284	121	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	1	1	4	1	-	
92	Embolism, Thrombosis (not Cerebral)	104	3	2	-	-	1	3	13	17	23	29	11	2	
93	Diseases of Veins	-	-	-	-	-	3	1	3	6	11	9	3	1	
94	(a) Status Lymphaticus	-	7	9	2	-	1	1	-	-	-	-	-	-	
	(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	11	1	3	2	-	1	-	-	1	-	2	1	-	
95	Hæmorrhage (cause unspecified)	4	-	-	-	-	-	-	-	1	1	1	1	-	
96	Other Diseases of Circulatory System	8	-	-	-	-	-	-	1	3	2	1	1	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97	Diseases of Nose	-	2	1	-	3	3	2	5	4	-	1	-	-	
98	(a) Laryngismus Stridulus	-	11	5	-	-	-	1	-	-	-	-	-	-	
	(b) Laryngitis	-	10	11	4	1	1	1	1	4	2	4	2	1	
	(c) Croup (not Diphtheritic)	-	1	1	-	-	-	-	-	-	-	-	-	-	
	(d) Other Diseases of Larynx	-	-	1	-	-	-	-	-	-	1	-	-	-	
99	Bronchitis	-	530	146	18	11	20	47	117	196	534	1053	913	324	
100	Broncho-pneumonia	-	1270	829	55	17	32	35	74	96	141	233	153	37	
101	Pneumonia	-	306	267	61	54	151	164	304	348	441	450	321	57	
102	Pleurisy	-	6	11	2	1	11	13	19	26	33	40	21	4	
103	Congestion of Lung	-	78	21	6	2	3	4	10	11	25	74	113	46	
104	Gangrene of Lung	-	-	-	1	-	1	2	2	3	2	3	1	-	
105	Asthma	-	-	-	-	1	1	5	10	12	24	28	7	3	
106	Emphysema	-	-	-	-	-	-	-	4	2	3	1	4	-	
107	(a) Interstitial Pneumonia	-	-	-	-	-	-	-	3	6	18	14	3	-	
	(b) Diseases of Mediastinum	-	-	-	-	-	1	-	-	-	-	-	-	-	
	(c) Other Diseases of Respiratory System	13	-	1	-	2	-	-	1	1	3	3	1	1	
VI. DISEASES OF THE DIGESTIVE SYSTEM.															
108	Diseases of Buccal Cavity	-	5	7	2	1	4	1	2	5	7	6	1	1	
109	Diseases of Tonsils and Pharynx	-	8	19	16	2	4	7	7	8	5	3	3	-	
110	Diseases of Oesophagus	-	-	1	-	-	-	2	2	1	-	-	2	-	
111	(a) Ulcer of Stomach	-	2	-	-	2	9	26	64	84	74	74	34	3	
	(b) Ulcer of Duodenum	-	-	-	-	-	6	32	39	55	56	26	10	1	
112	Other Diseases of Stomach	-	61	17	10	7	2	6	11	17	39	60	51	12	

	All Ages.	Age											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.													
113 Diarrhœa and Enteritis (under 2 years)	698	590	108	-	-	-	-	-	-	-	-	-	-
114 (a) Diarrhœa and Enteritis (over 2 years)	266	-	48	19	3	7	8	18	26	27	52	43	15
(b) Ulcer of Intestine (not Duodenal)	37	1	-	-	1	5	4	3	6	12	1	4	-
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Appendicitis - - - -	478	-	24	47	46	84	55	47	66	60	38	11	-
118 (a) Hernia - - - -	236	26	7	-	1	3	4	15	35	41	64	29	11
(b) Intestinal Obstruction - -	286	43	16	5	7	12	13	27	21	36	56	43	7
119 Other Diseases of Intestines -	63	5	1	1	1	4	3	3	12	12	9	11	1
120 Acute Yellow Atrophy of Liver -	11	-	-	-	-	4	-	4	1	1	1	-	-
121 Hydatids of Liver - - - -	2	-	-	-	-	1	-	-	1	-	-	-	-
122 Cirrhosis of Liver - - - -	147	-	1	-	1	2	4	12	41	43	38	3	2
123 Gallstones - - - -	141	-	-	-	-	-	2	7	26	39	45	21	1
124 Other Diseases of Liver - -	200	1	1	4	-	1	6	10	37	45	50	39	6
125 Diseases of Pancreas - - - -	48	-	1	1	-	6	2	6	8	13	10	-	1
126 Peritonitis (nature unspecified) -	88	4	10	23	5	1	5	11	12	8	3	5	1
127 Other Diseases of Digestive System	2	-	-	-	-	-	1	-	-	-	1	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.													
128 Acute Nephritis - - - -	224	4	15	16	10	26	25	27	37	27	27	8	2
129 Chronic Nephritis, Bright's Disease	1646	-	6	4	3	39	75	131	290	433	435	206	24
131 Other Diseases of Kidney (130) -	143	18	8	2	-	4	9	21	22	17	21	17	4
132 Urinary Calculus - - - -	28	-	-	-	-	-	2	6	5	9	4	2	-
133 Diseases of Bladder - - - -	186	4	1	-	1	1	9	6	12	25	49	61	17
134 Diseases of Urethra - - - -	41	-	-	-	-	1	-	5	8	13	12	2	-
135 Diseases of Prostate - - - -	310	-	-	-	-	-	2	1	6	45	133	103	20
136 Other Diseases of Male Reproductive Organs	11	3	2	1	-	-	1	-	2	1	-	-	1
137 Cysts, and Other Tumours of Ovary (non-Malignant)	54	-	-	-	-	1	9	13	10	3	16	2	-
138 Salpingitis, Pelvic Abscess - -	47	-	-	1	-	10	10	8	13	2	3	-	-
139 Uterine Tumour (non-Malignant)	53	-	-	-	-	-	4	15	26	3	3	2	-
140 Uterine Hæmorrhage (non-puerperal)	6	-	-	-	-	-	3	-	2	-	-	-	1
141 (a) Metritis - - - -	10	-	-	1	-	-	4	2	1	2	-	-	-
(b) Other Diseases of Female Reproductive Organs	19	-	-	-	-	1	3	2	8	4	1	-	-
142 Non-puerperal Diseases of Breast	4	3	-	-	-	-	-	1	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.													
143 (a) Abortion, Miscarriage - -	39	-	-	-	-	4	19	16	-	-	-	-	-
(b) Uncontrollable Vomiting - -	19	-	-	-	-	7	9	3	-	-	-	-	-
(c) Ectopic Gestation - - - -	11	-	-	-	-	2	5	3	1	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	26	-	-	-	-	3	7	16	-	-	-	-	-
144 Puerperal Hæmorrhage - - - -	66	-	-	-	-	8	29	28	1	-	-	-	-
145 Other Accidents of Parturition -	53	-	-	-	-	8	22	22	1	-	-	-	-
146 Puerperal Sepsis - - - -	184	-	-	-	-	38	91	55	-	-	-	-	-
147 Phlegmasia Alba Dolens, Embolism	47	-	-	-	-	6	17	22	2	-	-	-	-
148 Albuminuria of Pregnancy, Eclampsia	109	-	-	-	-	19	54	35	1	-	-	-	-
149 Other Diseases of Puerperium -	67	-	-	-	-	11	36	20	-	-	-	-	-
150 Puerperal Diseases of Breast -	1	-	-	-	-	-	1	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.													
151 (a) Senile Gangrene - - - -	263	-	-	-	-	-	-	-	-	24	82	120	37
(b) Noma, Cancrum Oris - - - -	2	1	-	1	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	15	1	-	-	-	-	-	1	4	7	1	1	-
152 Carbuncle, Boil - - - -	23	1	-	-	-	1	-	1	5	5	6	3	1
153 Phlegmon, Abscess - - - -	137	25	11	1	3	11	3	12	20	20	20	9	2
154 Other Diseases of Skin - - - -	72	18	6	-	-	1	1	5	3	10	9	15	4

		All Ages.	Age.											
			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
X. DISEASES OF ORGANS OF LOCOMOTION.														
155 Dis. of Bones (Mastoid excluded)	99	4	11	22	17	18	3	2	7	4	5	5	1	
156 Diseases of Joints - - -	22	2	1	-	-	1	-	-	5	6	4	3	-	
158 Other Diseases of Organs of Locomotion (157)	4	-	-	-	-	-	-	-	1	1	2	-	-	
XI. MALFORMATIONS.														
159 Malformations—														
(a) Hydrocephalus - - -	63	52	9	-	1	-	-	-	1	-	-	-	-	
(b) Congenital Heart - - -	163	139	11	4	3	6	-	-	-	-	-	-	-	
(c) Other Malformations - -	276	253	16	3	3	1	-	-	-	-	-	-	-	
XII. DISEASES OF EARLY INFANCY.														
160 Congenital Debility, Icterus, Sclerema, Marasmus	1188	1188	-	-	-	-	-	-	-	-	-	-	-	
161 (a) Premature Birth - - -	1724	1724	-	-	-	-	-	-	-	-	-	-	-	
(b) Injury at Birth - - -	119	119	-	-	-	-	-	-	-	-	-	-	-	
162 Other Diseases peculiar to Early Infancy (163)	203	203	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.														
164 Senility, Senile Dementia - -	3528	-	-	-	-	-	-	-	-	11	500	1805	1212	
XIV. VIOLENT CAUSES.														
174 Suicide (165-173) - - -	503	-	-	-	-	33	71	89	135	111	55	9	-	
175 Poisoning by Food - - -	7	-	1	2	-	-	1	-	-	1	1	1	-	
177 Other Acute Accidental Poisonings	23	-	2	1	-	1	3	-	5	7	2	2	-	
179 Burns and Scalds (178) - - -	*300	21	154	9	4	23	13	7	11	17	15	17	8	
180 (a) Overlaying - - -	24	24	-	-	-	-	-	-	-	-	-	-	-	
(b) Asphyxia, Suffocation (otherwise)	53	29	5	2	1	3	2	1	3	3	2	1	1	
181 Exposure to Poisonous Vapours -	39	-	-	2	2	6	2	2	8	7	4	5	1	
182 Accidental Drowning - - -	305	1	17	22	13	52	34	35	53	44	29	5	-	
183 Accidents with Fire Arms - - -	8	-	-	-	1	2	1	2	2	-	-	-	-	
185 Accidental Falls - - -	228	-	10	15	10	8	17	15	33	27	46	38	9	
186 Accidents in—(a) Coal Mines -	129	-	-	-	-	28	35	29	24	11	2	-	-	
(b) Other Mines - - -	6	-	-	-	-	-	2	1	2	1	-	-	-	
(c) Quarries - - -	7	-	-	-	1	1	2	2	1	-	-	-	-	
187 Accidents with Machinery - -	10	-	-	-	1	2	1	2	2	2	-	-	-	
188 Accidents with—														
(a) Horsed Vehicles - - -	18	-	3	2	1	1	2	2	2	4	1	-	-	
(b) Railways - - -	102	-	3	2	3	16	13	13	21	19	8	4	-	
(c) Tramways - - -	18	-	2	3	-	1	-	1	4	4	2	1	-	
(d) Motor Vehicles - - -	448	-	40	86	35	61	44	41	50	40	33	13	5	
(e) Aircraft - - -	3	-	-	-	-	2	1	-	-	-	-	-	-	
(f) Other Vehicles - - -	24	-	1	-	1	5	6	2	1	4	2	1	1	
(g) Other Crushing Accidents -	40	-	2	2	2	2	9	4	6	7	5	1	-	
190 War Casualties (191) - - -	11	-	-	-	-	-	3	4	4	-	-	-	-	
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
195 Weather Agencies (193, 194) -	14	-	-	-	-	-	1	1	-	6	5	1	-	
196 Electricity (Lightning excepted) -	5	-	-	-	-	-	4	1	-	-	-	-	-	
200 Homicide (197-199) - - -	21	8	1	2	-	1	2	2	3	2	-	-	-	
202 Other Violence—Form specified (176, 184, 189, 201)	521	1	29	24	25	45	38	39	61	48	67	90	54	
203 Violence of Unspecified Nature -	90	-	7	8	-	9	9	6	6	14	11	17	3	
XV. ILL-DEFINED CAUSES.														
204 Sudden Death (not otherwise defined) - - -	23	-	-	-	-	-	1	-	3	8	8	2	1	
205 (a) Heart Failure - - -	593	18	3	2	3	8	12	22	65	141	183	115	21	
(b) Syncope - - -	206	8	-	2	-	3	2	13	31	47	58	37	5	
(c) Other Ill-defined Causes - -	55	3	26	1	-	-	3	2	3	6	7	4	-	
(d) Natural Causes - - -	187	35	10	2	3	-	4	6	18	34	31	30	14	
(e) Cause not specified - - -	45	10	-	-	-	1	1	2	3	7	9	11	1	

* Including 1 of unstated age.

	All Ages.	Age																	100 and over				
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-		80-	85-	90-	95-
		4894	2228	650	433	629	676	708	694	887	1076	1403	1788	2243	2739	3208	3399	2733		1627	844	207	36
All Causes	*33097	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
1. EPIDEMIC AND ENDEMIC DISEASES.																							
1 (a) Enteric Fever	22	-	-	1	1	3	4	2	1	3	3	-	2	-	-	1	-	-	-	-	-	-	
(b) Paratyphoid Fever	8	-	1	-	-	1	-	2	1	-	-	2	-	-	1	-	-	-	-	-	-	-	
2 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Malaria	6	-	-	-	-	1	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	
6 (a) Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles	353	97	235	15	1	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	
8 Scarlet Fever	80	5	33	25	3	6	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
9 Whooping-cough	403	214	180	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 Diphtheria	228	14	128	70	8	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
11 Influenza—																							
(a) Sole Cause	166	22	3	1	4	3	2	2	2	4	1	4	11	11	18	20	23	23	7	5	-	-	
(b) with Phthisis	18	-	-	-	1	1	-	2	2	2	2	2	4	4	13	18	16	12	7	-	-	-	
(c) with Bronchitis	128	13	5	1	1	1	3	-	1	2	7	5	9	9	36	39	25	14	7	-	1	-	
(d) with Pneumonia	415	33	37	5	5	15	5	9	15	21	32	36	27	26	6	3	5	3	5	-	-	-	
(e) with other Respiratory Disease	49	1	4	1	-	1	-	1	-	1	2	2	8	5	-	-	-	-	-	-	-	-	
(f) with Diseases and Accidents of Pregnancy and Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(g) with other Cause	204	13	6	10	3	3	4	7	5	5	6	14	19	29	23	20	11	10	9	1	-	-	
16 Dysentery	9	3	2	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	
21 Erysipelas	70	11	1	1	1	1	1	3	-	4	2	4	3	6	6	7	6	-	1	-	-	-	
22 Infantile Paralysis	10	2	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
23 Encephalitis Lethargica	53	1	3	2	1	7	2	7	3	2	1	6	5	5	-	1	-	-	-	-	-	-	
24 (a) Cerebro-spinal Meningitis	78	35	23	6	6	4	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
(b) Posterior Basal Meningitis	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	10	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	

* Including 1 of unstated age.

CAUSES OF DEATH IN SCOTLAND IN 1927—MALES—*continued.*

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
I. EPIDEMIC AND ENDEMIC DISEASES—continued.																							
Other Infectious Diseases.																							
26 Glanders - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27 Anthrax - - - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28 Rabies - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29 Tetanus - - - - -	16	1	2	3	1	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-
30 Mycoses - - - - -	12	2	-	-	-	-	-	-	-	2	1	1	2	2	-	-	-	-	-	-	-	-	-
31 (a) Laryngeal Tuberculosis - - -	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Tuberculosis - - -	1782	8	25	25	28	134	195	221	177	196	184	161	140	108	86	63	25	5	1	-	-	-	-
32 Tuberculous Meningitis - - -	313	61	140	47	19	15	4	7	5	3	1	6	3	1	-	1	-	-	-	-	-	-	-
33 Tuberculosis of Intestines and Peritoneum	186	28	60	19	17	16	10	7	6	2	9	4	2	3	1	1	1	-	-	-	-	-	-
34 Tuberculosis of Spine - - -	48	-	1	4	2	2	5	8	3	3	4	6	2	4	1	1	2	-	-	-	-	-	-
35 Tuberculosis of Joints - - -	28	-	2	-	3	-	3	1	3	-	3	-	1	1	5	2	1	2	-	1	-	-	-
36 Tuberculosis of other Organs—																							
(a) Skin - - - - -	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Bones (except Spine) - - -	14	4	-	-	-	2	1	1	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-
(c) Lymphatic System (Abdom. Glands excepted)	8	1	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(d) Genito-urinary System - - -	23	-	-	-	1	2	4	3	3	3	1	-	3	2	1	1	-	-	-	-	-	-	-
(e) Others - - - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Disseminated Tuberculosis—																							
(a) Acute - - - - -	53	9	19	4	4	3	3	4	1	2	-	3	-	1	-	-	-	-	-	-	-	-	-
(b) Chronic - - - - -	89	2	12	7	11	8	13	5	6	5	6	1	7	2	2	2	-	-	-	-	-	-	-
38 Syphilis - - - - -	71	25	-	-	-	-	3	3	1	3	2	5	11	8	1	6	3	-	-	-	-	-	-
40 Other Venereal Disease (39) - -	5	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
41 (a) Vaccinia - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pyæmia, Septicæmia (not Puerperal)	56	8	1	2	3	1	4	1	4	4	2	4	2	5	4	7	2	1	1	-	-	-	-
42 Other Infectious Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. GENERAL DISEASES NOT INCLUDED ABOVE.																							
43 Cancer, Buccal Cavity - - - -	307	-	-	-	-	-	1	1	-	2	6	15	33	48	50	58	44	30	11	8	-	-	-
44 Do. Stomach and Liver - - -	1166	-	-	-	-	-	2	2	7	15	22	79	112	169	214	207	181	104	36	15	1	-	-
45 Do. Peritoneum, Intestine, Rectum (a)	738	-	-	2	2	1	4	5	4	10	24	40	64	87	130	124	126	71	34	7	3	-	(x)
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

[illegible]

CAUSES OF DEATH IN SCOTLAND IN 1927—MALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
III. DISEASES OF THE NERVOUS SYSTEM.																							
70 (a) Cerebral Abscess - - -	20	1	-	-	3	3	-	3	3	1	1	2	2	2	1	-	3	-	-	-	-	-	-
(b) Encephalitis (other than Encephalitis Lethargica)	25	1	3	-	-	2	2	-	1	-	2	1	1	5	2	1	-	1	-	-	-	-	-
71 Meningitis (other than Tuberculous or Cerebro-spinal)	215	70	71	22	9	5	7	3	3	4	7	5	3	-	1	4	1	-	-	-	-	-	-
72 Locomotor Ataxy - - -	62	-	-	-	-	-	-	-	2	1	7	8	4	15	7	12	6	1	3	-	-	-	-
73 Other Diseases of Spinal Cord - - -	93	-	-	-	-	2	-	2	9	1	3	9	8	17	13	17	10	5	143	66	-	-	-
74 (a) Cerebral Hæmorrhage - - -	1891	-	1	-	1	1	4	2	7	6	24	55	95	155	267	340	383	325	25	9	14	2	1
(b) Apoplexy - - -	237	-	-	-	1	1	1	2	2	1	1	5	8	20	22	46	54	36	46	11	3	1	-
(c) Cerebral Embolism and Thrombosis -	336	2	-	-	-	-	1	2	1	1	4	3	18	13	29	44	62	42	21	4	1	-	-
75 (a) Hemiplegia - - -	246	-	-	-	-	-	-	-	3	-	2	3	2	3	8	7	9	1	3	1	-	-	-
(b) Paralysis, other or unspecified	40	-	-	-	-	1	-	-	2	11	21	26	18	10	5	2	1	2	3	-	-	-	-
76 General Paralysis of Insane - - -	108	-	-	-	-	2	3	2	8	3	4	4	4	8	7	7	9	6	3	-	-	-	-
77 Other Insanity - - -	59	-	-	-	-	-	-	-	3	8	6	8	11	10	5	2	4	1	1	-	-	-	-
78 Epilepsy - - -	121	2	5	3	6	16	13	12	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-
79 Eclampsia (not Puerperal). (Age 5 and over)	6	-	-	2	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
80 Infantile Convulsions. (Age under 5) -	221	175	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 Chorea - - -	3	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
82 Neuritis - - -	11	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	2	-	-	-	-	-	-
84 (a) Cerebral Tumour - - -	87	-	3	6	1	2	9	3	1	11	7	9	14	11	4	4	2	-	1	-	-	-	-
(b) Other Diseases of Nervous System (83)	189	4	5	3	-	3	1	2	3	6	9	8	2	16	28	25	36	23	7	6	2	-	-
85 Diseases of Eye - - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
86 (a) Mastoid Disease - - -	32	9	2	2	4	2	-	1	3	1	1	-	-	4	2	1	-	-	-	1	-	-	-
(b) Diseases of Ear - - -	58	18	4	6	6	5	6	2	-	2	-	1	3	1	2	-	1	1	-	-	-	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.																							
87 Pericarditis - - -	31	-	2	2	2	2	2	-	-	3	2	1	2	2	3	5	1	1	-	1	-	-	-
88 (a) Acute Endocarditis - - -	62	-	1	2	6	11	6	4	3	5	6	3	4	4	1	3	1	1	-	1	-	-	-
(b) Acute Myocarditis (a)	51	-	1	-	2	1	1	1	2	2	2	5	3	3	3	12	2	4	4	3	(w)	(v)	(x)
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
89 Angina Pectoris -	-	311	1	5	7	10	19	37	53	60	70	82	14	3	-	-	-	-	-	-	-	-	-	-
90 (a) Valvular Disease of Heart -	-	1375	30	37	48	71	103	123	160	210	231	182	59	25	-	-	-	-	-	-	-	-	-	-
(b) Fatty Degeneration of Heart -	-	106	1	1	4	2	8	11	13	25	16	16	5	2	-	-	-	-	-	-	-	-	-	-
(c) Other Disease of Heart -	-	1895	5	19	31	48	97	136	230	312	364	340	188	83	17	-	-	-	-	-	-	-	-	-
91 (a) Aneurysm -	-	116	4	1	5	16	15	15	21	22	8	5	2	1	-	-	-	-	-	-	-	-	-	-
(b) Arterio-sclerosis -	-	415	-	2	1	1	7	26	26	63	96	97	49	39	8	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Arteries -	-	4	-	-	-	-	-	-	1	3	8	2	3	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral) -	-	55	-	2	2	5	6	10	2	8	1	2	1	-	-	-	-	-	-	-	-	-	-	-
93 Diseases of Veins -	-	11	-	-	-	1	2	1	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
94 (a) Status Lymphaticus -	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease) -	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System -	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

V. DISEASES OF THE RESPIRATORY SYSTEM.																								
97 Diseases of Nose -	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Laryngismus Stridulus -	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis -	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) 'Croup (not Diphtheritic) -	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx -	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis -	-	1958	81	16	13	6	6	13	16	24	24	38	43	63	128	172	250	313	226	136	86	23	5	-
100 Broncho-pneumonia -	-	1604	751	455	22	9	10	8	7	24	21	21	25	25	35	32	55	59	32	17	12	3	1	-
101 Pneumonia -	-	1769	180	155	36	30	50	51	55	106	114	102	131	131	150	133	136	114	103	47	16	5	1	-
102 Pleurisy -	-	113	3	8	4	2	4	6	3	6	4	4	11	7	9	9	8	14	10	1	1	2	2	-
103 Congestion of Lung -	-	185	50	4	4	2	1	1	1	4	2	2	3	3	7	7	17	20	29	14	16	2	-	-
104 Gangrene of Lung -	-	14	-	-	-	-	-	-	-	2	2	3	1	1	1	1	2	1	2	2	1	-	-	-
105 Asthma -	-	50	-	-	-	-	-	-	-	2	2	3	4	4	9	5	10	8	4	2	1	-	-	-
106 Emphysema -	-	11	-	-	-	-	-	-	-	1	1	1	1	2	2	1	1	2	4	-	-	-	-	-
107 (a) Interstitial Pneumonia -	-	25	-	-	-	-	-	-	-	-	-	-	-	-	7	6	5	2	2	-	-	-	-	-
(b) Diseases of Mediastinum -	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System -	-	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-

VI. DISEASES OF THE DIGESTIVE SYSTEM.																								
108 Diseases of Buccal Cavity -	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109 Diseases of Tonsils and Pharynx -	-	42	6	11	9	1	-	-	3	1	1	2	2	-	4	1	1	-	-	1	-	-	-	-
110 Diseases of Oesophagus -	-	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1927—MALES—continued.

All Ages.	Age														100 and over								
	-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																							
111 (a) Ulcer of Stomach - - -	246	-	-	-	1	5	2	6	15	23	26	30	29	21	22	26	20	9	9	2	-	-	-
112 (b) Ulcer of Duodenum - - -	192	-	-	-	-	-	6	16	13	18	13	14	29	27	26	15	7	6	1	1	4	1	-
113 Other Diseases of Stomach - -	131	33	5	3	1	1	1	1	1	5	2	3	3	9	8	11	12	12	9	4	1	-	-
113 Diarrhoea and Enteritis (under 2 years)	398	342	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
114 (a) Do. do. (over 2 years) -	120	27	11	1	1	2	2	2	-	2	5	6	7	8	7	7	19	11	1	3	-	-	-
114 (b) Ulcer of Intestine (not Duodenal)	18	-	-	-	-	2	1	1	-	1	1	3	2	3	2	1	-	-	1	-	-	-	-
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Appendicitis - - -	265	-	17	20	27	29	20	12	18	14	13	18	19	17	19	8	10	3	1	4	-	-	-
118 (a) Hernia - - -	109	22	7	-	1	-	3	2	1	3	4	3	10	6	12	12	8	6	4	2	-	1	-
118 (b) Intestinal Obstruction - -	157	29	11	3	7	5	4	1	5	7	8	4	5	9	8	16	17	13	3	2	-	-	-
119 Other Diseases of Intestines -	37	4	1	-	1	1	1	1	1	-	2	6	1	5	1	4	3	4	-	1	-	-	-
120 Acute Yellow Atrophy of Liver -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121 Hydatids of Liver - - -	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122 Cirrhosis of Liver - - -	101	-	1	-	1	1	1	2	1	3	4	11	17	11	19	15	10	2	1	2	-	-	-
123 Gallstones - - -	28	-	-	-	-	1	-	-	1	-	1	2	1	3	5	4	4	5	1	1	-	-	-
124 Other Diseases of Liver - - -	66	-	-	-	-	1	-	1	1	3	4	3	7	6	6	8	9	7	9	1	-	-	-
125 Diseases of Pancreas - - -	19	-	1	-	-	-	1	-	-	2	1	2	3	3	2	2	4	2	1	1	-	-	-
126 Peritonitis, nature unspecified -	28	4	2	1	-	-	1	1	2	1	1	2	3	2	2	-	1	3	2	-	-	-	-
127 Other Diseases of Digestive System	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																							
128 Acute Nephritis - - -	116	1	9	9	4	5	7	6	6	5	8	10	10	9	6	11	4	3	1	2	-	-	-
129 Chronic Nephritis, Bright's Disease	823	-	4	3	2	12	9	11	21	19	39	47	77	101	130	120	110	75	30	11	2	-	-
131 Other Diseases of Kidney (130) -	58	5	3	2	-	1	-	4	1	4	2	5	5	3	6	4	4	4	4	1	-	-	-
132 Urinary Calculus - - -	19	-	-	-	-	-	-	1	1	2	1	3	4	9	7	12	23	-	2	1	-	-	-
133 Diseases of Bladder - - -	115	3	-	-	-	-	-	2	1	1	2	3	4	9	6	7	23	23	15	7	2	-	-
134 Diseases of Urethra - - -	39	-	-	-	-	-	-	-	-	3	2	3	5	6	6	7	5	1	1	-	-	-	-
135 Diseases of Prostate - - -	310	-	-	-	-	-	-	2	-	-	1	2	4	12	33	47	86	69	34	19	1	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
136 Other Diseases of Male Reproductive Organs	11	3	2	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-
137 Cysts, and Other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138 Salpingitis, Pelvic Abscess -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Uterine Tumour (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141 (a) Metritis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142 Non-puerperal Diseases of Breast	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

VIII. DISEASES OF PREGNANCY AND PARTURITION.

143 (a) Abortion, Miscarriage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Ectopic Gestation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Puerperal Hæmorrhage -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
145 Other Accidents of Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
146 Puerperal Sepsis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
147 Phlegmasia Alba Dolens, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
148 Albuminuria of Pregnancy, Eclampsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149 Other Diseases of Puerperium -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.

151 (a) Senile Gangrene -	130	-	-	-	-	-	-	-	-	-	-	-	-	-	12	19	29	26	32	7	4	1	-
(b) Noma, Cancrum Oris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
(c) Other Gangrene	12	1	-	-	-	-	-	-	-	-	-	2	2	4	1	3	1	1	-	-	-	-	-
152 Carbuncle, Boil	13	1	-	-	-	1	-	-	-	-	-	-	3	2	1	3	7	4	2	1	-	-	-
153 Phlegmon, Abscess	89	14	7	-	1	2	5	-	2	4	3	7	8	7	10	3	1	6	1	-	-	-	-
154 Other Diseases of Skin -	34	12	5	-	-	-	-	1	-	-	2	-	1	1	4	-	1	6	1	-	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1927—MALES—continued.

	All Ages.	Age															100 and over						
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85-	90-	95
X. DISEASES OF ORGANS OF LOCOMOTION.																							
155 Dis. of Bones (Mastoid excluded) -	61	1	5	18	10	11	3	-	-	1	-	5	1	1	2	1	-	2	-	-	-	-	
156 Diseases of Joints -	11	1	1	-	-	1	-	-	-	-	2	1	2	1	-	1	1	-	-	-	-	-	
158 Other Diseases of Organs of Locomotion (157)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
XI. MALFORMATIONS.																							
159 Malformations—	28	22	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
(a) Hydrocephalus -	106	92	4	2	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Congenital Heart	144	134	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Malformations -																							
XII. DISEASES OF EARLY INFANCY.																							
160 Congenital Debility, Icterus, Sclerema, Marasmus	636	686	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
161 (a) Premature Birth -	955	955	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Injury at Birth -	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
162 Other Diseases peculiar to Early Infancy (163)	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XIII. OLD AGE.																							
164 Senility, Senile Dementia (a)	1330 (b)	- (c)	- (d)	- (e)	- (f)	- (g)	- (h)	- (i)	- (j)	- (k)	- (l)	- (m)	- (n)	1 (o)	2 (p)	42 (q)	183 (r)	314 (s)	404 (t)	266 (u)	95 (v)	21 (w)	2 (x)

XIV. VIOLENT CAUSES.

XIV. VIOLENT CAUSES.																							
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
174 Suicide (165-173) -	353	-	-	-	-	9	14	18	23	27	30	47	56	47	34	29	14	2	3	-	-	-	
175 Poisoning by Food -	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	
177 Other Acute Accidental Poisonings -	12	-	2	-	-	-	-	1	2	-	-	2	2	1	2	2	1	5	-	1	-	-	
179 Burns and Scalds (178) -	*153	10	96	6	-	4	5	3	6	1	1	2	1	2	6	2	1	-	-	-	-	-	
180 (a) Overlaying -	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Asphyxia, Suffocation (otherwise) -	35	19	4	-	1	-	2	-	2	-	1	1	1	-	2	1	-	1	-	-	-	-	
181 Exposure to Poisonous Vapours -	24	-	-	1	2	2	1	2	-	1	1	4	2	3	1	1	-	1	1	1	-	-	
182 Accidental Drowning -	246	-	13	21	12	19	19	14	15	8	18	15	25	25	13	13	11	4	1	-	-	-	
183 Accidents with Fire Arms -	7	-	-	-	1	2	4	8	6	1	1	1	10	8	12	16	14	6	12	-	2	-	
185 Accidental Falls -	153	-	9	13	6	3	4	17	18	13	16	16	8	7	4	1	1	-	-	-	-	-	
186 Accidents in—(a) Coal Mines	129	-	-	-	-	12	16	2	1	1	-	-	2	-	1	-	-	-	-	-	-	-	
(b) Other Mines	6	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	
(c) Quarries -	7	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187 Accidents with Machinery -	8	-	-	-	1	1	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-	
188 Accidents with—																							
(a) Horses and Vehicles	16	-	2	1	1	1	-	1	1	1	1	2	-	2	2	1	-	-	-	-	-	-	
(b) Railways -	95	-	3	2	2	6	8	6	7	4	8	10	9	5	13	6	2	3	1	-	-	-	
(c) Tramways -	12	-	2	3	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	-	-	
(d) Motor Vehicles	335	-	24	61	26	27	23	25	15	19	19	18	22	14	14	7	11	3	4	3	-	-	
(e) Aircraft -	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(f) Other Vehicles	21	-	1	-	1	2	2	2	4	-	2	4	2	1	3	2	-	-	-	1	-	-	
(g) Other Crushing Accidents	39	-	2	2	2	1	1	3	5	1	3	4	2	3	4	4	1	1	-	-	-	-	
190 War Casualties (191) -	11	-	-	-	-	-	-	-	3	1	3	4	-	-	-	-	-	-	-	-	-	-	
192 Starvation -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195 Weather Agencies (193, 194) -	8	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	1	-	-	-	-	-	
196 Electricity (Lightning excepted) -	5	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
200 Homicide (197, 199) -	10	5	-	2	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
202 Other Violence—Form specified (176, 184, 189, 201)	333	-	21	17	18	16	26	22	13	13	21	29	23	18	15	16	15	20	12	17	1	-	
203 Violence of Unspecified Nature -	63	-	3	3	-	3	6	5	4	1	5	4	2	3	7	7	-	6	4	-	-	-	

XV. ILL-DEFINED CAUSES.

204 Sudden Death (not otherwise defined)	12	-	-	-	-	-	-	-	-	-	-	1	-	4	2	-	3	2	-	-	-	-
205 (a) Heart Failure -	364	14	1	1	2	4	3	2	5	8	11	8	33	39	48	53	61	45	18	6	2	-
(b) Syncope -	118	3	-	-	-	-	2	-	1	4	7	5	13	14	17	19	14	12	6	1	-	-
(c) Other Ill-defined Causes -	27	2	16	-	-	-	-	-	1	1	1	-	1	-	2	2	1	1	-	-	-	-
(d) Natural Causes -	112	22	6	2	2	-	1	1	1	3	1	5	8	13	11	9	7	12	3	5	-	1
(e) Cause not specified	22	6	-	-	-	-	1	-	1	1	1	-	2	3	2	1	1	-	3	-	-	-

* Including 1 of unstated age.

CAUSES OF DEATH IN SCOTLAND IN 1927—FEMALES.

	All Ages.	Age														100 and over								
		Age																						
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-	
All Causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
I. EPIDEMIC AND ENDEMIC DISEASES.																								
1 (a) Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 (b) Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 (a) Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (b) Do. { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 (c) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 (d) Do. { Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9 Measles	-	307	199	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10 Scarlet Fever	-	120	53	28	14	7	1	6	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	
11 Whooping-cough	-	447	213	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 Diphtheria	-	257	14	90	14	3	2	2	1	-	1	2	2	-	-	-	1	1	-	1	-	-	-	
13 Influenza—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14 (a) Sole Cause	-	228	10	3	1	4	1	2	2	5	3	4	10	10	5	20	27	39	54	20	4	2	1	
15 (b) with Phthisis	-	6	-	-	-	-	-	-	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-	
16 (c) with Bronchitis	-	189	8	4	1	-	1	1	3	1	2	6	5	9	15	21	28	39	25	18	-	1	-	
17 (d) with Pneumonia	-	331	17	26	4	6	6	6	14	23	23	18	25	23	18	33	21	29	23	8	1	-	-	
18 (e) with other Respiratory Disease	-	41	4	-	-	-	1	2	3	6	1	-	1	3	6	2	7	5	5	4	1	-	-	
19 (f) with Diseases and Accidents of Pregnancy and Parturition	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20 (g) with other Cause	-	238	12	9	1	4	4	3	4	11	11	14	11	17	26	27	25	29	16	8	1	-	-	
21 Dysentery	-	3	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Erysipelas	-	54	8	1	-	-	1	-	2	1	1	4	1	6	6	7	7	5	2	2	-	-	-	
23 Infantile Paralysis	-	15	1	2	5	1	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	
24 Encephalitis Lethargica	-	64	4	5	1	9	1	5	8	1	4	5	1	6	4	2	1	-	-	-	-	-	-	
25 (a) Cerebro-spinal Meningitis	-	60	24	2	3	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
26 (b) Posterior Basal Meningitis	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	-	12	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	-	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

CAUSES OF DEATH IN SCOTLAND IN 1927—FEMALES—continued.

	All Ages.	Age														100 and over								
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-	
II. GENERAL DISEASES NOT INCLUDED ABOVE—continued.																								
53	Scorbutus	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Rickets	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57	Diabetes	-	-	2	2	3	10	6	12	5	15	14	19	41	67	51	48	40	6	4	2	-	-	
58	(a) Pernicious Anæmia	-	-	-	1	1	2	5	5	7	14	17	26	40	46	39	30	16	5	1	-	-	-	
	(b) Other Anæmia, Chlorosis	-	-	-	1	1	2	3	1	2	2	2	1	2	3	5	2	1	4	1	-	1	-	
69	(a) Purpura	-	-	-	2	2	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	
	(b) Hæmophilia	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other General Diseases (54, 55)	-	2	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Ductless Glands.																								
59	Diseases of Pituitary Gland	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
60	(a) Exophthalmic Goitre	-	-	-	-	1	6	4	5	9	8	12	16	4	4	5	2	-	-	-	-	-	-	
	(b) Other Diseases of Thyroid and Parathyroid (61)	-	-	-	-	-	1	-	1	-	-	3	3	5	5	4	9	2	2	-	-	-	-	
62	Diseases of Thymus	-	-	-	-	-	-	-	1	-	-	1	3	-	1	1	1	-	-	-	-	-	-	
63	Diseases of Suprarenal Capsules, Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
64	Diseases of Spleen	-	-	-	1	-	1	1	2	2	1	2	3	1	1	3	2	1	1	-	-	-	-	
65	(a) Leuchæmia	-	1	-	1	-	3	1	2	3	1	1	3	6	2	3	1	1	-	-	-	-	-	
	(b) Hodgkin's Disease, Lymphadenoma	-	-	1	-	1	-	2	2	3	-	-	-	3	3	1	1	1	-	-	-	-	-	
Chronic Poisonings.																								
66	(a) Delirium Tremens	-	-	-	-	-	-	-	1	3	1	-	-	-	-	2	-	-	-	-	-	-	-	
	(b) Acute Alcoholism	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	
	(c) Other Alcoholism	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	
67	Chronic Inorganic Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a) Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Occupational	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
68	Chronic Organic Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	

III. DISEASES OF THE NERVOUS SYSTEM.															
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
70 (a) Cerebral Abscess - - -	13	1	1	-	2	1	-	-	3	1	-	-	3	1	-
(b) Encephalitis (other than Encephalitis Lethargica)	39	3	-	2	-	2	1	4	1	5	2	3	2	3	3
71 Meningitis (other than Tuberculous or Cerebro-spinal)	201	68	64	18	11	7	7	3	1	2	6	3	4	2	1
72 Locomotor Ataxy - - -	10	-	-	-	-	-	-	-	-	1	-	1	-	1	-
73 Other Diseases of Spinal Cord - - -	74	-	-	-	1	-	-	2	4	1	3	9	8	10	12
74 (a) Cerebral Haemorrhage - - -	2246	1	1	-	2	4	1	4	1	13	24	62	141	171	264
(b) Apoplexy - - -	297	-	1	-	-	-	1	1	1	3	2	11	14	19	34
(c) Cerebral Embolism and Thrombosis	445	-	1	1	-	-	1	1	1	2	3	10	14	23	36
75 (a) Hemiplegia - - -	357	-	1	-	-	1	1	-	2	1	3	6	13	22	43
(b) Paralysis, other or unspecified	31	-	-	-	-	1	1	-	1	-	2	-	1	4	4
76 General Paralysis of Insane - - -	32	-	-	-	-	1	-	-	-	5	4	8	6	3	3
77 Other Insanity - - -	69	-	-	-	-	1	3	2	6	5	6	9	6	7	7
78 Epilepsy - - -	92	4	3	4	5	6	13	8	6	11	7	7	2	4	5
79 Eclampsia (not Puerperal). (Age 5 and over)	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-
80 Infantile Convulsions. (Age under 5) -	149	116	33	-	-	-	-	-	-	-	-	-	-	-	-
81 Chorea - - -	7	-	-	3	-	1	1	-	-	-	-	-	-	-	-
82 Neuritis - - -	16	-	-	-	-	-	-	-	-	-	1	-	1	5	1
84 (a) Cerebral Tumour - - -	88	1	4	1	1	4	2	5	4	9	11	13	11	7	5
(b) Other Diseases of Nervous System (83)	179	1	1	3	2	1	-	4	7	4	8	11	7	13	17
85 Diseases of Eye - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - -	24	4	3	2	3	4	2	-	1	1	-	3	-	-	-
(b) Diseases of Ear - - -	62	16	8	4	7	3	2	4	3	-	4	1	2	2	4

(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
87 Pericarditis - - -	15	-	-	-	1	3	-	1	1	1	2	1	-	1	4	1	-	-	-	-	-	-
88 (a) Acute Endocarditis - - -	81	1	1	9	9	9	7	11	-	7	3	4	3	2	5	1	-	-	2	-	-	-
(b) Acute Myocarditis - - -	30	-	1	1	1	1	-	1	-	-	-	-	5	3	2	3	4	2	-	-	-	-
89 Angina Pectoris - - -	155	-	-	-	-	-	-	-	-	-	-	6	10	14	34	26	22	12	6	-	-	-
90 (a) Valvular Disease of Heart - - -	1606	3	-	6	20	20	19	33	33	53	67	91	98	152	163	209	188	143	61	9	4	-
(b) Fatty Degeneration of Heart - - -	173	-	-	-	-	-	1	-	-	3	5	12	16	11	36	28	14	11	6	2	-	-
(c) Other Disease of Heart - - -	2013	4	1	3	4	6	2	9	14	23	27	51	90	110	187	265	384	256	152	42	7	-
91 (a) Aneurysm - - -	36	-	-	-	2	2	-	-	-	-	-	1	4	6	8	9	3	-	1	-	-	-
(b) Arterio-sclerosis - - -	323	-	-	-	-	-	-	-	-	-	-	1	3	3	16	27	62	78	50	24	-	-
(c) Other Diseases of Arteries - - -	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral) - - -	49	-	1	-	-	-	1	2	-	6	3	2	4	4	7	7	2	1	-	-	-	-
93 Diseases of Veins - - -	26	-	-	-	2	2	1	1	-	-	3	-	3	4	2	3	-	2	1	-	-	-

CAUSES OF DEATH IN SCOTLAND IN 1927—FEMALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
IV. DISEASES OF THE CIRCULATORY SYSTEM—continued.																							
94 (a) Status Lymphaticus	13	5	5	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	6	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
95 Hæmorrhage (cause unspecified)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
96 Other Diseases of Circulatory System	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.																							
97 Diseases of Nose	10	2	-	-	1	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-
(a) Laryngismus Stridulus	7	3	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
(b) Laryngitis	17	2	6	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis	1956	218	65	7	5	3	5	7	11	26	29	38	52	107	127	193	302	292	259	157	44	7	2
100 Broncho-pneumonia	1368	519	374	33	8	7	9	8	12	14	15	22	28	29	45	51	68	63	41	16	3	3	-
101 Pneumonia	1155	126	112	25	24	23	24	34	24	52	44	42	61	65	93	88	112	105	66	27	7	1	-
102 Pleurisy	74	3	3	2	1	-	1	2	1	5	4	1	7	7	8	11	7	7	3	3	1	-	-
103 Congestion of Lung	208	28	17	2	1	1	1	1	1	1	3	6	1	1	10	14	23	25	45	16	10	2	-
104 Gangrene of Lung	1	-	-	-	-	-	-	-	3	2	3	3	2	5	5	6	4	3	-	1	1	-	-
105 Asthma	41	-	-	-	-	-	-	-	-	2	2	1	3	3	2	4	3	-	-	-	-	-	-
106 Emphysema	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107 (a) Interstitial Pneumonia	19	-	-	-	-	-	-	-	-	-	-	1	3	3	2	4	3	-	1	-	-	-	-
(b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	7	-	1	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.																							
108 Diseases of Buccal Cavity	22	3	2	-	1	2	2	2	1	-	1	1	3	-	2	2	3	1	-	1	-	-	-
109 Diseases of Tonsils and Pharynx	40	2	8	7	1	2	1	-	3	1	3	3	-	1	1	1	1	-	2	-	-	-	-
110 Diseases of Oesophagus (a)	5	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	1	-	(u)	(v)	(w)	(x)
	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
1111	(a) Ulcer of Stomach -	126	2	-	-	1	1	1	2	3	8	7	10	15	14	17	19	9	9	7	1	-	-	
1112	(b) Ulcer of Duodenum -	33	-	-	-	-	-	-	1	2	4	4	4	8	2	1	2	2	1	2	-	-	-	
1113	Other Diseases of Stomach -	162	28	10	5	4	-	-	1	3	2	2	5	6	8	14	18	19	16	14	5	2	-	
1114	Diarrhea and Enteritis (under 2 years) -	300	248	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1115	(a) Do. do. (over 2 years) -	146	-	21	8	2	1	3	3	3	6	5	3	10	6	6	13	13	18	13	8	3	1	
1116	(b) Ulcer of Intestine (not Duodenal) -	19	-	-	-	1	1	2	2	1	1	-	-	-	4	3	-	-	3	-	-	-	-	
1117	Ankylostomiasis, Intestinal Parasites (115) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1118	Appendicitis -	213	-	7	27	19	15	20	14	11	9	11	15	14	14	10	12	8	3	4	-	-	-	
1119	(a) Hernia -	127	4	-	-	-	-	-	-	1	4	4	7	15	17	6	24	20	11	8	4	2	-	
1120	(b) Intestinal Obstruction -	129	14	5	2	-	2	1	3	4	8	4	5	7	9	10	10	13	17	10	4	1	-	
1121	Other Diseases of Intestines -	26	1	-	1	-	2	1	1	-	-	1	1	4	2	4	2	-	5	2	-	-	-	
1122	Acute Yellow Atrophy of Liver -	8	-	-	-	-	3	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	
1123	Hydatids of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1124	Cirrhosis of Liver -	46	-	-	-	-	-	-	1	-	-	5	8	5	9	4	7	6	1	-	-	-	-	
1125	Gallstones -	113	-	-	-	-	-	-	-	1	1	5	9	14	15	16	16	21	11	4	-	-	-	
1126	Other Diseases of Liver -	134	1	1	3	-	-	-	-	5	1	2	12	15	16	17	16	17	9	14	3	2	-	
1127	Diseases of Pancreas -	29	-	-	1	1	4	1	1	2	2	2	3	2	4	4	2	2	-	-	-	1	-	
1128	Peritonitis (nature unspecified) -	60	-	8	22	5	-	-	-	2	4	5	6	1	1	3	-	2	-	-	-	-	-	
1129	Other Diseases of Digestive System -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																								
128	Acute Nephritis -	108	3	6	7	6	8	6	7	6	10	4	7	10	3	9	5	7	3	1	-	-	-	
129	Chronic Nephritis, Bright's Disease -	823	-	2	1	1	6	12	24	19	27	46	81	85	89	113	101	104	71	30	8	2	1	
130	Other Diseases of Kidney (130) -	85	13	5	-	-	3	-	2	2	6	9	7	5	2	6	7	6	5	4	3	-	-	
131	Urinary Calculus -	9	-	-	-	-	-	-	-	1	3	3	1	1	1	1	1	-	-	-	-	-	-	
132	Diseases of Bladder -	71	1	1	-	-	-	1	3	3	1	2	1	4	4	5	6	8	9	14	5	3	-	
133	Diseases of Urethra -	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
134	Diseases of Prostate -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135	Other Diseases of Male Reproductive Organs -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
136	Cysts, and other Tumours of Ovary (non-Malignant) -	54	-	-	-	-	-	1	3	6	7	6	6	4	1	2	10	6	1	1	-	-	-	
137	Salpingitis, Pelvic Abscess -	47	-	-	1	-	1	9	3	7	4	4	9	4	-	2	1	2	-	-	-	-	-	
138	Uterine Tumour (non-Malignant) -	53	-	-	-	-	-	-	1	3	7	8	13	13	2	1	1	2	2	-	-	-	-	
139	Uterine Haemorrhage (non-puerperal) -	6	-	-	-	-	-	-	3	-	-	-	-	2	-	1	-	-	-	1	-	-	-	
140	(a) Metritis -	10	-	-	1	-	-	1	-	4	1	1	1	-	-	2	-	-	-	-	-	-	-	
141	(b) Other Diseases of Female Reproductive Organs -	19	-	-	-	-	-	-	2	1	-	2	5	3	3	1	1	-	-	-	-	-	-	
142	Non-puerperal Diseases of Breast -	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	

CAUSES OF DEATH IN SCOTLAND IN 1927—FEMALES—continued.

	All Ages.	Age														100 and over							
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																							
143 (a) Abortion, Miscarriage -	39	-	-	-	-	2	7	12	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting -	19	-	-	-	-	2	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Ectopic Gestation -	11	-	-	-	-	-	2	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases and Accidents of Pregnancy -	26	-	-	-	-	-	3	2	10	6	-	-	-	-	-	-	-	-	-	-	-	-	
144 Puerperal Hemorrhage -	66	-	-	-	-	1	9	20	20	8	1	-	-	-	-	-	-	-	-	-	-	-	
145 Other Accidents of Parturition -	53	-	-	-	-	-	8	9	18	4	1	-	-	-	-	-	-	-	-	-	-	-	
146 Puerperal Sepsis -	184	-	-	-	-	8	51	40	36	19	-	-	-	-	-	-	-	-	-	-	-	-	
147 Phlegmasia Alba Dolens, Embolism -	47	-	-	-	-	-	8	9	9	13	1	-	-	-	-	-	-	-	-	-	-	-	
148 Albuminuria of Pregnancy, Eclampsia -	109	-	-	-	-	10	33	21	26	9	1	-	-	-	-	-	-	-	-	-	-	-	
149 Other Diseases of Puerperium -	67	-	-	-	-	3	19	17	12	8	-	-	-	-	-	-	-	-	-	-	-	-	
150 Puerperal Diseases of Breast -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																							
151 (a) Senile Gangrene -	133	-	-	-	-	-	-	-	-	-	-	-	2	10	13	21	40	22	20	5	-	-	
(b) Noma, Cancrum Oris -	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
(c) Other Gangrene -	3	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	1	1	1	-	-	-	
152 Carbuncle, Boil -	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	1	-	-	-	
153 Phlegmon, Abscess -	48	11	4	1	2	3	1	1	1	4	2	3	1	2	4	4	3	4	4	-	-	-	
154 Other Diseases of Skin -	38	6	1	-	-	-	-	-	-	2	2	-	1	4	3	5	4	4	3	1	-	-	
X. DISEASES OF ORGANS OF LOCOMOTION.																							
155 Diseases of Bones (Mastoid excluded) -	38	3	6	4	7	2	2	1	2	1	-	1	1	1	1	1	3	-	1	-	-	-	
156 Diseases of Joints -	11	1	-	-	-	-	-	-	-	-	-	2	3	-	2	1	1	1	1	-	-	-	
158 Other Diseases of Organs of Locomotion (157)	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)

(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
XI. MALFORMATIONS.																								
159	Malformations—																							
	(a) Hydrocephalus - - -	35	30	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Congenital Heart - - -	57	47	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other Malformations - - -	132	119	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF EARLY INFANCY.																								
160	Congenital Debility, Icterus, Sclerema, Marasmus	502	502	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161	(a) Premature Birth - - -	769	769	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Injury at Birth - - -	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	Other Diseases peculiar to Early Infancy (163)	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XIII. OLD AGE.																								
164	Senility, Senile Dementia - - -	2198	-	-	-	-	-	-	-	-	-	-	-	-	-	8	49	226	448	639	527	229	68	4
XIV. VIOLENT CAUSES.																								
174	Suicide (165-173) - - -	150	-	-	-	-	5	5	15	15	16	16	18	14	23	7	9	3	4	-	-	-	-	-
175	Poisoning by Food - - -	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177	Other Acute Accidental Poisonings	11	-	-	1	-	1	-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	-
179	Burns and Scalds (178) - - -	147	11	58	3	4	9	5	3	1	2	3	5	3	6	3	2	10	7	5	5	2	-	-
180	(a) Overlying - - -	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Asphyxia, Suffocation (otherwise)	18	10	1	2	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
181	Exposure to Poisonous Vapours - - -	15	-	-	1	-	2	1	-	-	-	-	2	7	5	3	2	2	1	3	-	-	-	-
182	Accidental Drowning - - -	59	1	4	1	1	7	7	2	3	3	6	6	7	-	1	3	2	-	-	-	-	-	-
183	Accidents with Fire Arms - - -	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
185	Accidental Falls - - -	75	-	1	2	4	-	1	1	2	1	3	6	4	4	3	2	14	12	8	5	2	-	-

CAUSES OF DEATH IN SCOTLAND IN 1927—FEMALES—continued.

	All Ages.	Age													100 and over								
		-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-		60-	65-	70-	75-	80-	85-	90-	95-
XIV. VIOLENT CAUSES—continued.																							
186 Accidents in—(a) Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Quarries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187 Accidents with Machinery	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 Accidents with—																							
(a) Horsed Vehicles	2	1	1	1	1	1	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
(b) Railways	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Tramways	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	4	1	2	-	-	-
(d) Motor Vehicles	113	16	25	9	3	8	3	1	3	1	4	1	6	6	9	9	6	4	2	2	-	-	-
(e) Aircraft	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
(f) Other Vehicles	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
(g) Other Crushing Accidents	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190 War Casualties (191)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192 Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194)	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	-	-	-	-
196 Electricity (Lightning excepted)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200 Homicide (197, 199)	11	3	1	7	7	3	1	1	1	2	3	5	4	7	8	14	22	29	29	31	4	1	-
202 Other Violence—Form specified (176, 184, 189, 201)	188	1	8	7	7	3	-	1	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-
203 Violence of Unspecified Nature	27	-	4	5	-	-	-	-	-	-	-	-	-	2	2	-	4	2	5	1	1	-	-
XV. ILL-DEFINED CAUSES.																							
204 Sudden Death (not otherwise defined)	11	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	4	-	-	1	-	-	-
(a) Heart Failure	229	4	2	1	1	-	1	1	3	2	2	8	16	24	30	32	37	32	20	9	3	1	-
(b) Syncope	88	5	-	2	-	-	-	-	1	1	1	3	10	9	7	8	17	16	3	3	1	-	-
(c) Other Ill-defined Causes	28	1	10	1	-	-	1	1	1	-	2	2	1	1	3	2	2	3	1	1	-	-	-
(d) Natural Causes	75	13	4	-	1	-	-	2	2	-	-	3	8	1	2	9	6	8	7	3	5	-	-
(e) Cause not specified	23	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	4	1	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND, 1927.

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927.

All Causes.	65,830	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
I. EPIDEMIC AND ENDEMIC DISEASES.																	
1 (a) Enteric Fever	41	1	-	3	3	1	-	-	-	4	-	-	3	-	2	-	-
2 (b) Paratyphoid Fever	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Typhus Fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Malaria	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (a) Small-pox { Vaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (b) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (c) Do. { Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles	660	6	-	3	1	1	-	-	-	13	1	3	35	79	32	1	-
8 Scarlet Fever	200	11	2	5	1	3	-	-	2	3	1	5	20	15	4	5	-
9 Whooping-Cough	850	30	4	44	21	-	-	-	-	23	17	3	37	62	32	8	-
10 Diphtheria	485	18	4	24	2	-	3	1	-	28	-	2	28	84	4	1	-
11 Influenza—																	
(a) Sole Cause	394	22	14	23	14	-	-	4	8	7	7	9	29	11	41	5	1
(b) with Phthisis	24	-	1	4	-	1	-	-	-	1	-	-	2	1	1	1	-
(c) with Bronchitis	317	19	5	33	15	1	-	1	5	8	9	4	24	9	18	1	-
(d) with Pneumonia	746	57	11	69	19	3	-	2	10	6	20	13	52	52	25	5	-
(e) with other Respiratory Disease	90	9	1	10	1	1	-	-	-	-	5	4	6	1	2	2	-
(f) with Diseases and Accidents of Pregnancy and Parturition	13	2	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-
(g) with other Cause	442	20	10	26	7	4	1	5	6	8	15	4	41	36	12	6	1
16 Dysentery	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Erysipelas	124	4	1	3	3	2	-	1	-	2	2	1	1	6	1	1	-
22 Infantile Paralysis	25	1	-	2	1	1	-	-	-	-	1	1	3	1	-	-	-
23 Encephalitis Lethargica	117	-	-	6	-	-	-	-	-	7	1	-	5	4	2	-	-
24 (a) Cerebro-spinal Meningitis	138	3	-	2	2	-	-	-	-	2	-	-	7	8	-	-	-
24 (b) Posterior Basal Meningitis	7	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	22	-	-	2	-	-	-	-	-	-	-	-	-	2	1	1	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927.

	Kirkeudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
All Causes	536	21556	7085	644	143	397	190	1691	3665	1071	651	299	338	1864	269	952	424
I. EPIDEMIC AND ENDEMIC DISEASES.																	
1 (a) Enteric Fever	-	11	-	-	1	-	-	1	4	2	1	-	-	2	-	1	1
2 (b) Paratyphoid Fever	-	2	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
5 Typhus Fever	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-
6 (a) Small-pox { Vaccinated.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (b) Do. { Unvaccinated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (c) Do. { Vaccination Doubtful.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles	-	357	85	-	-	-	-	5	36	4	-	-	-	25	-	10	1
8 Scarlet Fever	2	61	22	3	3	3	-	12	9	-	1	-	-	6	-	8	-
9 Whooping Cough	-	454	50	3	-	-	2	13	21	5	-	-	-	9	1	8	1
10 Diphtheria	1	148	47	3	-	-	1	17	27	-	1	-	-	25	-	13	2
11 Influenza—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 (a) Sole Cause	1	66	42	10	-	7	1	12	10	25	2	2	6	7	2	5	1
21 (b) with Phthisis	-	5	-	1	-	-	-	-	-	4	-	2	-	-	-	-	-
22 (c) with Bronchitis	8	72	22	6	-	1	2	13	12	7	3	1	5	8	-	5	-
23 (d) with Pneumonia	4	172	76	8	3	5	-	15	25	22	13	6	5	24	3	13	6
25 (e) with other Respiratory Disease	1	18	9	2	-	1	-	3	4	4	3	-	-	1	1	1	1
(f) with Diseases and Accidents of Pregnancy and Parturition	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
(g) with other Cause	2	71	54	11	-	14	1	17	20	6	13	4	6	10	1	4	6
16 Dysentery	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Erysipelas	3	43	15	2	-	3	1	1	8	4	1	-	-	5	-	5	-
22 Infantile Paralysis	-	7	1	-	-	-	-	-	1	-	1	-	-	2	-	1	-
23 Encephalitis Lethargica	2	42	13	2	-	-	-	5	10	1	4	-	-	9	-	2	-
24 (a) Cerebro-spinal Meningitis	-	80	23	-	-	-	-	-	4	-	1	1	-	2	-	1	-
25 (b) Posterior Basal Meningitis	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	1	12	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued.

	Kirkcudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
I. EPIDEMIC AND ENDEMIC DISEASES—continued.																	
Other Infectious Diseases.																	
26 Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27 Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Rabies	-	5	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-
29 Tetanus	-	3	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
30 Mycoses	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31 (a) Laryngeal Tuberculosis	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Tuberculosis	33	1243	429	39	1	19	7	58	216	74	31	13	25	77	23	49	17
32 Tuberculous Meningitis	5	220	58	4	-	-	1	7	33	8	-	4	4	12	-	11	5
33 Tuberculosis of Intestines and Peritoneum	3	131	34	2	-	2	-	5	27	1	1	1	-	17	1	13	3
34 Tuberculosis of Spine	3	41	9	1	-	1	-	2	5	1	-	2	1	1	2	-	2
35 Tuberculosis of Joints	-	21	5	-	-	-	-	4	-	1	1	1	1	2	-	1	-
36 Tuberculosis of Other Organs—																	
(a) Skin	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Bones (except Spine)	-	9	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
(c) Lymphatic System (Abdom. glands excepted)	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Genito-urinary System	-	11	8	-	-	-	1	2	1	-	-	1	-	2	-	-	-
(e) Others	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Disseminated Tuberculosis—																	
(a) Acute	-	27	8	-	-	1	-	1	8	1	1	1	-	4	2	2	-
(b) Chronic	1	56	30	2	-	2	-	4	16	3	1	-	1	9	-	3	-
38 Syphilis	-	45	9	1	-	1	-	1	1	-	2	-	-	1	-	3	-
40 Other Venereal Disease (39)	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 (a) Vaccinia	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
(b) Pyæmia, Septicæmia (not Puerperal)	-	31	15	2	-	1	1	2	3	1	4	-	1	5	-	-	-
42 Other Infectious Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued.

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
II. GENERAL DISEASES NOT INCLUDED ABOVE.																	
43 Cancer, Buccal Cavity . . .	359	19	5	17	5	2	2	3	2	12	3	7	30	24	8	5	1
44 Do. Stomach and Liver . . .	2368	155	43	116	33	12	10	17	12	58	31	18	118	160	51	21	3
45 Do. Peritoneum, Intestine, Rectum	1528	96	21	65	27	13	7	10	13	33	26	10	82	109	37	20	2
46 Do. Female Genital Organs . .	646	29	11	25	7	3	6	3	4	21	7	6	29	44	11	4	1
47 Do. Breast . . .	615	45	12	37	7	6	4	2	3	14	9	5	38	40	16	6	1
48 Do. Skin . . .	112	7	1	4	3	1	1	-	-	4	-	1	2	9	5	-	1
49 Do. Other Organs . . .	1291	75	18	83	13	16	3	7	9	26	19	11	70	82	20	8	-
50 Tumours, non-malignant (not Cere- bral, Uterine, or Ovarian)	33	3	1	3	1	1	-	-	-	-	-	1	1	3	-	-	-
51 Rheumatic Fever . . .	225	10	1	10	1	-	-	-	1	9	1	1	12	6	3	2	-
52 (a) Chronic Rheumatism . . .	39	3	1	1	-	-	1	1	-	-	-	-	2	6	1	1	-
(b) Osteo-arthritis . . .	97	2	5	9	2	3	1	-	1	3	2	1	3	5	3	2	-
(c) Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 Scorbutus . . .	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Rickets . . .	16	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Diabetes . . .	519	30	8	35	1	5	2	1	5	15	9	2	30	25	7	4	1
58 (a) Pernicious Anæmia . . .	434	21	8	29	3	4	5	7	1	15	12	3	27	28	6	1	-
(b) Other Anæmia, Chlorosis . .	57	2	-	5	-	-	1	-	2	-	-	-	4	6	-	-	-
69 (a) Purpura . . .	26	3	1	2	-	-	1	-	1	-	1	-	-	-	-	-	-
(b) Hemophilia . . .	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other General Diseases (54, 55) .	16	-	-	1	-	-	1	-	-	-	-	-	1	1	1	-	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued.

	Kirkcudbright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
II. GENERAL DISEASES NOT INCLUDED ABOVE.																	
43 Cancer, Buccal Cavity . . .	4	89	45	2	-	6	2	16	22	1	4	1	1	9	7	4	1
44 Do. Stomach and Liver . . .	19	756	268	24	3	11	3	78	123	45	24	8	13	65	5	54	11
45 Do. Peritoneum, Intestine, Rectum . . .	24	479	161	22	2	6	6	40	75	22	16	7	8	56	6	17	10
46 Do. Female Genital Organs . . .	6	223	83	13	1	5	2	16	56	3	6	4	5	16	1	10	5
47 Do. Breast . . .	2	158	75	5	3	4	-	23	42	10	10	5	3	18	3	7	2
48 Do. Skin . . .	3	42	9	-	1	-	-	2	5	3	-	2	-	5	-	2	-
49 Do. Other Organs . . .	8	411	178	11	1	11	5	39	68	15	14	7	4	37	5	13	3
50 Tumours, non-malignant (not Cerebral, Uterine, or Ovarian) . . .	-	9	4	1	-	-	-	1	1	-	-	-	1	1	1	-	-
51 Rheumatic Fever . . .	-	95	24	3	-	-	1	4	15	3	2	2	-	9	2	6	2
52 (a) Chronic Rheumatism . . .	-	10	1	1	1	1	-	-	2	3	1	-	-	1	-	-	1
(b) Osteo-arthritis . . .	1	26	5	-	2	1	-	2	5	3	-	-	-	7	2	-	-
(c) Gout . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53 Scorbutus . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56 Rickets . . .	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Diabetes . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58 (a) Pernicious Anæmia . . .	7	178	46	5	-	6	1	8	35	6	3	-	2	19	3	8	4
(b) Other Anæmia, Chlorosis . . .	4	133	49	6	1	2	1	10	16	6	6	1	1	18	1	6	2
69 (a) Purpura . . .	2	15	5	-	-	-	1	1	6	-	1	-	-	2	-	2	-
(b) Hæmophilia . . .	-	9	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-
(c) Other General Diseases (54, 55) . . .	-	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	-	2	2	-	-	-	-	1	1	1	-	-	-	2	-	1	-

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued.

[illegible]

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued.

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.*	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
III. DISEASES OF THE NERVOUS SYSTEM.																	
70 (a) Cerebral Abscess	33	4	1	1	-	-	-	1	-	2	1	-	4	-	-	1	-
(b) Encephalitis (other than Enceph- alitis Lethargica)	64	5	-	1	-	-	-	-	1	2	2	-	4	7	2	1	-
71 Meningitis (other than Tuberculous or Cerebro-spinal)	416	19	8	19	2	1	-	4	5	13	5	3	30	19	5	1	1
72 Locomotor Ataxy	72	5	2	5	1	-	1	-	1	3	2	-	2	5	-	-	-
73 Other Diseases of Spinal Cord	167	9	2	11	1	-	2	2	-	2	2	3	13	12	3	5	-
74 (a) Cerebral Hemorrhage	4137	289	82	228	64	32	22	29	41	147	80	34	246	260	44	21	14
(b) Apoplexy	534	58	7	47	17	6	2	10	1	14	15	-	23	26	16	1	-
(c) Cerebral Embolism and Throm- bosis	781	44	11	47	6	2	-	3	4	14	14	18	56	67	17	11	-
75 (a) Hemiplegia	603	25	13	33	6	6	3	11	4	10	5	3	23	47	10	3	2
(b) Paralysis, other or unspecified	71	3	2	6	1	-	-	-	-	1	3	-	4	2	2	1	-
76 General Paralysis of Insane	140	11	1	10	-	-	1	3	-	4	3	-	5	14	-	4	-
77 Other Insanity	128	5	3	4	2	1	2	-	-	2	3	1	7	3	19	1	-
78 Epilepsy	213	13	3	14	4	2	-	1	-	4	4	2	12	14	3	2	-
79 Eclampsia (not Puerperal). (Age 5 and over)	9	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-
80 Infantile Convulsions. (Age under 5)	370	39	1	23	5	-	3	-	2	17	8	3	13	16	8	3	-
81 Chorea	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
82 Neuritis	27	1	-	2	2	-	-	-	1	2	1	-	1	1	2	-	-
84 (a) Cerebral Tumour	175	9	2	8	4	-	-	-	2	7	2	-	16	11	5	2	-
(b) Other Diseases of Nervous System (83)	368	20	9	29	6	1	1	2	1	10	5	6	19	19	6	3	-
85 Diseases of Eye	5	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease	56	-	-	1	1	-	-	-	1	2	2	1	4	2	-	-	-
(b) Diseases of Ear	120	7	1	4	2	-	-	-	1	3	-	2	6	5	1	1	-

	Kirkcud- bright.	Lanark.	Midlothian.	Moray.	Nairn.	Orkney.	Peebles.	Perth.	Renfrew.	Ross and Cromarty.	Roxburgh.	Selkirk.	Shetland.	Stirling.	Sutherland.	West Lothian.	Wigtown.
III. DISEASES OF THE NERVOUS SYSTEM.																	
70 (a) Cerebral Abscess	-	9	2	1	-	1	-	-	4	-	-	-	-	1	-	-	-
(b) Encephalitis (other than Enceph- alitis Lethargica)	-	14	15	-	-	-	-	-	5	-	-	1	-	-	1	2	1
71 Meningitis (other than Tuberculous or Cerebro-spinal)	-	139	38	1	-	2	1	9	46	9	2	1	1	19	4	8	1
72 Locomotor Ataxy	1	16	11	1	-	-	-	3	6	1	-	-	1	4	-	1	-
73 Other Diseases of Spinal Cord	1	43	16	5	-	1	-	6	8	4	2	2	3	6	-	2	1
74 (a) Cerebral Hæmorrhage	51	1207	426	42	18	19	21	103	258	49	58	13	18	112	18	54	37
(b) Apoplexy	8	136	30	2	-	3	4	32	38	6	3	-	6	14	4	2	3
(c) Cerebral Embolism and Throm- bosis	6	163	135	22	5	7	6	31	17	5	8	10	1	27	1	14	9
75 (a) Hemiplegia	11	180	100	1	1	4	-	10	30	17	22	3	2	10	3	3	2
(b) Paralysis, other or unspecified . .	-	24	7	1	-	1	1	-	4	6	-	-	-	1	-	-	-
76 General Paralysis of Insane	1	40	21	-	-	1	1	4	12	1	2	-	-	-	-	1	-
77 Other Insanity	-	28	3	1	1	1	-	10	10	8	-	2	-	7	3	-	1
78 Epilepsy	1	59	15	2	-	1	1	8	21	2	5	-	3	11	1	5	-
79 Eclampsia (not Puerperal). (Age 5 and over)	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80 Infantile Convulsions. (Age under 5)	2	127	30	3	1	3	1	4	31	6	-	1	-	11	2	5	2
81 Chorea	-	4	-	-	-	-	1	-	1	1	-	-	-	-	-	1	1
82 Neuritis	-	6	3	-	-	-	-	-	4	-	-	-	-	-	-	-	-
84 (a) Cerebral Tumour	-	66	22	-	-	-	1	3	5	-	3	2	-	3	-	-	2
(b) Other Diseases of Nervous System (83)	5	113	33	2	1	3	1	17	19	8	10	3	-	10	2	3	1
85 Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease	1	24	6	-	-	-	-	1	2	-	1	-	-	1	-	2	1
(b) Diseases of Ear	-	58	14	-	-	-	-	1	5	-	1	1	-	5	-	2	-

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
IV. DISEASES OF THE CIRCULATORY SYSTEM.																	
87. Pericarditis	46	8	-	1	1	-	2	-	-	2	2	-	1	3	1	-	-
88 (a) Acute Endocarditis	143	6	-	9	1	-	-	-	-	2	3	-	4	12	3	1	-
(b) Acute Myocarditis	81	6	-	1	-	-	-	-	-	1	3	-	1	7	2	-	-
89 Angina Pectoris	466	32	3	34	3	1	1	3	5	12	3	7	36	21	8	32	1
90 (a) Valvular Disease of Heart	2981	185	55	206	36	23	11	23	34	59	46	23	130	247	76	42	8
(b) Fatty Degeneration of Heart	279	6	11	26	2	2	1	1	2	5	8	1	17	14	5	-	-
(c) Other Disease of Heart	3908	315	56	180	75	22	20	29	17	95	71	42	224	278	59	42	9
91 (a) Aneurysm	152	13	2	6	1	-	3	1	-	2	-	2	10	5	3	-	2
(b) Arterio-sclerosis	738	79	8	29	11	7	-	10	10	14	12	7	69	56	7	9	1
(c) Other Diseases of Arteries	7	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
92 Embolism, Thrombosis (not Cerebral)	104	3	1	4	4	2	-	-	1	6	4	-	7	3	-	1	-
93 Diseases of Veins	37	4	-	1	1	-	1	-	-	2	1	-	4	-	-	-	-
94 (a) Status Lymphaticus	20	-	1	1	-	-	-	1	-	-	-	-	1	-	1	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	11	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified)	4	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
96 Other Diseases of Circulatory System	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.																	
97 Diseases of Nose	21	1	-	2	-	-	1	1	-	-	-	-	1	-	-	-	-
98 (a) Laryngismus Stridulus	17	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-	-
(b) Laryngitis	42	1	-	2	1	-	-	1	-	2	2	-	3	3	-	-	-
(c) Croup (not Diphtheritic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis	3914	211	31	250	51	19	17	25	22	112	67	30	206	256	65	15	3
100 Broncho-pneumonia	2972	121	16	124	45	8	2	10	16	82	40	8	111	294	29	20	1
101 Pneumonia	2924	130	31	131	24	16	5	10	7	86	33	20	122	172	43	17	5
102 Pleurisy	187	15	3	18	2	3	-	1	-	8	2	-	12	16	2	1	1
103 Congestion of Lung	393	24	3	21	5	2	3	4	3	16	1	4	19	20	10	6	-
104 Gangrene of Lung	15	-	2	-	-	3	-	-	-	-	-	-	-	1	-	2	-
105 Asthma	91	4	-	3	-	-	-	2	1	-	3	-	-	6	2	-	-
106 Emphysema	14	-	-	4	-	-	-	-	-	5	-	-	7	-	1	-	-
107 (a) Interstitial Pneumonia	44	4	-	5	-	-	-	-	-	1	1	-	-	-	-	-	-
(b) Diseases of Mediastinum	1	-	-	-	1	-	-	-	-	3	-	-	3	1	-	-	-

	Wigtown.	West Lothian.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew.	Perth.	Peebles.	Orkney.	Nairn.	Moray.	Midlothian.	Lanark.	Kirkcudbright.	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																		
128 Acute Nephritis	1	2	2	8	1	-	1	3	8	5	1	1	1	3	22	96	-	VII. DISEASES OF THE GENITO-URINARY SYSTEM.
129 Chronic Nephritis, Bright's Disease .	14	20	7	38	10	6	5	34	99	52	11	8	1	12	199	521	11	128 Acute Nephritis
131 Other Diseases of Kidney (130) . . .	1	2	-	1	1	1	1	4	5	6	-	-	-	1	23	50	2	129 Chronic Nephritis, Bright's Disease .
132 Urinary Calculus	-	-	-	1	1	2	-	-	2	1	-	4	-	-	3	7	-	131 Other Diseases of Kidney (130) . . .
133 Diseases of Bladder	-	1	2	5	1	-	-	7	8	1	-	-	-	-	17	54	8	132 Urinary Calculus
134 Diseases of Urethra	-	1	1	-	1	-	2	-	4	-	4	4	1	-	4	13	-	133 Diseases of Bladder
135 Diseases of Prostate	2	8	-	9	1	-	-	8	17	15	-	-	-	5	41	78	1	134 Diseases of Urethra
136 Other Diseases of Male Reproductive Organs	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	7	-	135 Diseases of Prostate
137 Cysts, and Other Tumours of Ovary (non-Malignant)	-	-	1	-	-	2	-	-	5	1	-	-	-	-	10	15	-	136 Other Diseases of Male Reproductive Organs
138 Salpingitis, Pelvic Abscess	-	1	-	2	-	-	1	-	2	2	-	-	-	1	4	19	-	137 Cysts, and Other Tumours of Ovary (non-Malignant)
139 Uterine Tumour (non-Malignant) . .	-	-	-	1	-	-	1	2	5	-	-	-	-	-	4	12	1	138 Salpingitis, Pelvic Abscess
140 Uterine Haemorrhage (non- puerperal)	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	139 Uterine Tumour (non-Malignant) . .
141 (a) Metritis	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-	140 Uterine Haemorrhage (non- puerperal)
(b) Other Diseases of Female Reproductive Organs	-	1	-	1	-	-	-	-	-	1	1	-	-	-	3	6	-	(a) Metritis
142 Non-puerperal Diseases of Breast .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	(b) Other Diseases of Female Reproductive Organs
VIII. DISEASES OF PREGNANCY AND PARTURITION.																		
143 (a) Abortion, Miscarriage	-	-	-	2	-	-	-	-	3	1	-	-	-	-	2	17	-	VIII. DISEASES OF PREGNANCY AND PARTURITION.
(b) Uncontrollable Vomiting	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	-	143 (a) Abortion, Miscarriage
(c) Ectopic Gestation	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	4	-	(b) Uncontrollable Vomiting
(d) Other Diseases and Accidents of Pregnancy	-	1	-	1	-	-	-	-	2	-	-	-	-	1	4	12	-	(c) Ectopic Gestation
144 Puerperal Haemorrhage	1	-	-	1	-	-	-	1	5	2	-	-	-	-	6	25	1	(d) Other Diseases and Accidents of Pregnancy
145 Other Accidents of Parturition . . .	-	3	-	2	-	-	-	-	-	-	-	1	-	-	5	25	-	144 Puerperal Haemorrhage
146 Puerperal Sepsis	-	3	-	10	-	-	-	2	14	7	1	1	-	-	17	76	3	145 Other Accidents of Parturition . . .
147 Phlegmasia Alba Dolens, Embolism .	-	-	-	1	-	-	1	2	-	1	-	1	-	2	6	10	-	146 Puerperal Sepsis
148 Albuminuria of Pregnancy, Eclampsia	1	1	-	1	1	2	2	2	7	-	2	-	-	-	11	40	2	147 Phlegmasia Alba Dolens, Embolism .
149 Other Diseases of Puerperium	-	3	-	4	1	1	-	-	5	-	-	1	-	1	4	23	-	148 Albuminuria of Pregnancy, Eclampsia
150 Puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	149 Other Diseases of Puerperium

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued.

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian	Fife.	Forfar.	Inverness.	Kincardine.	Kinross.
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																	
151 (a) Senile Gangrene . . .	263	20	3	6	5	2	1	3	2	5	6	1	15	23	6	3	1
(b) Noma, Cancrum Oris . . .	2	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-
(c) Other Gangrene . . .	15	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
152 Carbuncle, Boil . . .	23	8	2	5	2	1	-	4	1	4	1	-	6	11	2	-	-
153 Phlegmon, Abscess . . .	137	4	2	4	1	-	-	-	-	1	1	-	2	3	2	2	-
154 Other Diseases of Skin . . .	72																
X. DISEASES OF ORGANS OF LOCOMOTION.																	
155 Dis. of Bones (Mastoid excluded) .	99	9	-	8	-	-	1	-	-	8	3	-	8	-	-	-	-
156 Diseases of Joints . . .	22	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
158 Other Diseases of Organs of Loco- motion (157)	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
XI. MALFORMATIONS.																	
159 Malformations—																	
(a) Hydrocephalus . . .	63	4	2	5	-	-	-	-	-	1	1	1	6	7	1	-	-
(b) Congenital Heart . . .	163	4	2	7	3	-	2	1	-	4	3	2	7	3	1	-	-
(c) Other Malformations . . .	276	10	2	10	2	1	3	1	-	11	7	1	20	14	1	1	-
XII. DISEASES OF EARLY INFANCY.																	
160 Congenital Debility, Icterus, Scler- ema, Marasmus	1188	72	10	85	23	10	4	9	6	32	11	10	52	101	15	12	-
161 (a) Premature Birth . . .	1724	125	7	87	27	12	-	12	12	55	23	13	99	109	11	18	2
(b) Injury at Birth . . .	119	10	2	9	5	-	-	-	1	4	2	1	4	5	1	-	-
162 Other Diseases peculiar to Early Infancy (163)	203	22	1	8	3	3	1	1	1	2	5	1	15	13	2	1	1
XIII. OLD AGE.																	
164 Senility, Senile Dementia . . .	3528	263	106	184	57	32	13	29	35	100	67	17	186	262	122	55	6

Wigtown.	5	-	-	-	1	-		-	-		-	1	2		16	13	-	1		31
West Lothian.	1	-	-	-	3	2		5	-		2	6	8		31	28	2	4		35
Sutherland.	4	-	-	-	-	1		-	-		1	1	1		1	1	-	-		40
Stirling.	8	-	-	1	4	-		2	3	-	-	5	9		37	52	4	8		123
Shetland.	2	-	-	-	-	1		-	-	-	-	-	1		4	2	-	1		72
Selkirk.	-	-	-	-	-	2		1	-	-	-	-	-		3	10	1	1		22
Roxburgh.	3	-	-	-	-	1		3	-	-	1	1	-		11	11	1	2		28
Ross and Cromarty.	9	-	-	-	1	-		2	1	-	1	1	-		10	7	-	4		149
Renfrew.	17	-	-	2	10	4		6	2	-	7	7	15		81	116	6	9		180
Perth.	10	-	-	-	5	2		4	-	-	1	4	5		27	27	1	5		83
Peebles.	-	-	-	-	-	1		-	1	-	-	-	-		3	2	1	1		15
Orkney.	2	-	-	-	1	1		1	-	-	1	-	1		1	6	-	2		40
Nairn.	-	-	-	-	-	-		-	-	-	-	1	-		3	2	-	-		8
Moray.	5	-	-	-	-	-		1	-	-	-	1	4		9	10	-	2		44
Midlothian.	37	-	2	-	15	11		8	4	1	5	23	28		85	171	19	15		328
Lanark.	56	1	8	11	49	21		29	9	2	16	72	115		407	644	40	67		761
Kirkcudbright.	2	-	-	1	-	3		-	-	-	-	1	3		7	10	-	1		35
<p>IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.</p> <p>151 (a) Senile Gangrene</p> <p> (b) Noma, Cancerum Oris</p> <p> (c) Other Gangrene</p> <p>152 Carbuncle, Boil</p> <p>153 Phlegmon, Abscess</p> <p>154 Other Diseases of Skin</p>																				
<p>X. DISEASES OF ORGANS OF LOCOMOTION.</p> <p>155 Diseases of Bones (Mastoid excluded)</p> <p>156 Diseases of Joints</p> <p>158 Other Diseases of Organs of Locomotion (157)</p>																				
<p>XI. MALFORMATIONS.</p> <p>159 Malformations—</p> <p> (a) Hydrocephalus</p> <p> (b) Congenital Heart</p> <p> (c) Other Malformations</p>																				
<p>XII. DISEASES OF EARLY INFANCY.</p> <p>160 Congenital Debility, Icterus, Sclerema, Marasmus</p> <p>161 (a) Premature Birth</p> <p> (b) Injury at Birth</p> <p>162 Other Diseases peculiar to Early Infancy (163)</p>																				
<p>XIII. OLD AGE.</p> <p>164 Senility, Senile Dementia</p>																				

CAUSES OF DEATH IN THE COUNTIES OF SCOTLAND (BOTH SEXES)—1927—continued

	SCOTLAND.	Aberdeen.	Argyll.	Ayr.	Banff.	Berwick.	Bute.	Caithness.	Clack- mannan.	Dumbarton.	Dumfries.	East Lothian.	Fife.	Forfar.	Inverness.	Kincardine	Kinross.
XIV. VIOLENT CAUSES.																	
174 Suicide (165-173)	503	31	6	22	8	2	-	3	6	9	2	2	31	47	6	6	-
175 Poisoning by Food	7	-	-	1	1	-	-	-	-	2	1	-	1	1	-	-	-
177 Other Acute Accidental Poisonings	23	-	-	1	2	1	-	1	2	8	2	3	2	16	4	-	-
179 Burns and Scalds (178)	300	10	4	14	-	-	-	-	-	1	-	-	15	5	-	1	-
180 (a) Overlaying	24	1	-	-	-	-	-	-	-	3	-	-	1	8	-	-	-
(b) Asphyxia, Suffocation (otherwise)	53	3	1	5	-	-	1	-	1	1	-	2	1	3	-	-	-
181 Exposure to Poisonous Vapours	39	-	-	3	1	2	-	-	1	21	6	-	5	21	7	5	1
182 Accidental Drowning	305	18	8	20	2	1	1	1	4	12	3	-	13	10	2	1	-
183 Accidents with Fire Arms	8	2	1	-	-	-	-	-	2	4	2	-	3	1	2	-	-
185 Accidental Falls	228	5	-	10	2	-	1	-	1	12	3	-	12	10	2	1	-
186 Accidents in—(a) Coal Mines	129	-	-	24	-	-	-	-	1	4	2	-	1	1	-	-	-
(b) Other Mines	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Quarries	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
187 Accidents with Machinery	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
188 Accidents with—																	
(a) Horsed Vehicles	18	-	1	1	-	-	2	-	-	-	-	-	-	2	-	1	-
(b) Railways	102	4	-	2	2	1	-	-	-	4	-	-	4	4	1	1	-
(c) Tramways	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Motor Vehicles	448	7	4	31	1	3	1	1	4	13	6	1	16	16	2	3	1
(e) Aircraft	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
(f) Other Vehicles	24	1	-	2	2	-	-	-	-	2	-	-	3	-	1	-	-
(g) Other Crushing Accidents	40	2	-	-	-	-	-	-	-	2	-	-	2	7	-	-	-
190 War Casualties (191)	11	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
192 Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194)	14	1	2	-	-	-	-	-	-	-	-	-	3	-	-	-	-
196 Electricity (Lightning excepted)	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
200 Homicide (197-199)	21	2	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
202 Other Violence—Form specified (176, 184, 189, 201)	521	61	12	26	11	4	-	4	2	14	10	7	51	24	15	6	-
203 Violence of Unspecified Nature	90	2	2	6	2	2	-	1	-	2	1	1	6	3	4	3	-
XV. ILL-DEFINED CAUSES.																	
204 Sudden Death (not otherwise defined)	23	1	1	3	-	-	-	4	-	1	-	-	-	-	1	-	-
205 (a) Heart Failure	593	31	12	35	3	4	7	11	3	17	12	3	32	36	13	6	1
(b) Syncope	206	6	4	7	4	1	-	4	-	11	4	-	5	12	3	1	-
(c) Other Ill-defined Causes	55	1	3	3	-	-	-	1	-	1	1	-	-	5	2	-	-

	Wigtown.	West Lothian.	Sutherland.	Stirling.	Shetland.	Selkirk.	Roxburgh.	Ross and Cromarty.	Renfrew.	Perth.	Peebles.	Orkney.	Nairn.	Moray.	Hidlothian.	Lanark.	Kirkcudbright.	
XIV. VIOLENT CAUSES.																		
174 Suicide (165-173)	2	2	-	21	1	2	9	3	17	25	1	3	1	2	71	160	2	174 Suicide (165-173)
175 Poisoning by Food	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	175 Poisoning by Food
177 Other Acute Accidental Poisonings	-	1	-	9	1	1	1	5	23	4	2	1	-	2	27	10	6	177 Other Acute Accidental Poisonings
179 Burns and Scalds (178)	-	-	-	1	-	-	-	-	1	2	1	-	-	-	1	135	-	179 Burns and Scalds (178)
180 (a) Overlying	-	-	-	1	-	-	-	-	1	1	-	-	-	-	3	10	-	180 (a) Overlying
(b) Asphyxia, Suffocation (otherwise)	1	-	-	1	-	-	-	-	2	1	-	-	-	-	5	20	-	(b) Asphyxia, Suffocation (otherwise)
181 Exposure to Poisonous Vapours	-	8	1	1	1	-	2	7	2	1	1	6	1	7	18	11	-	181 Exposure to Poisonous Vapours
182 Accidental Drowning	-	-	-	14	1	-	3	-	20	16	-	-	-	-	26	72	1	182 Accidental Drowning
183 Accidents with Fire Arms	-	-	-	1	1	-	-	-	1	4	-	-	-	1	18	1	3	183 Accidents with Fire Arms
185 Accidental Falls	-	-	-	2	-	-	-	-	11	-	-	-	-	-	2	125	-	185 Accidental Falls
186 Accidents in—(a) Coal Mines	-	1	-	5	-	-	-	-	-	-	-	-	-	-	18	52	-	186 Accidents in—(a) Coal Mines
(b) Other Mines	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	(b) Other Mines
(c) Quarries	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	(c) Quarries
187 Accidents with Machinery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	187 Accidents with Machinery
188 Accidents with—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	188 Accidents with—
(a) Horsed Vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	-	(a) Horsed Vehicles
(b) Railways	-	1	-	6	-	-	1	-	7	7	-	-	2	2	12	37	-	(b) Railways
(c) Tramways	-	4	-	-	-	-	-	-	2	12	-	-	-	-	4	12	-	(c) Tramways
(d) Motor Vehicles	-	-	-	10	-	-	2	-	29	8	1	2	1	3	64	207	1	(d) Motor Vehicles
(e) Aircraft	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	9	-	(e) Aircraft
(f) Other Vehicles	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	16	-	(f) Other Vehicles
(g) Other Crushing Accidents	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	(g) Other Crushing Accidents
190 War Casualties (191)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	190 War Casualties (191)
192 Starvation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	192 Starvation
195 Weather Agencies (193, 194)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	195 Weather Agencies (193, 194)
196 Electricity (Lightning excepted)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	196 Electricity (Lightning excepted)
200 Homicide (197, 199)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	-	200 Homicide (197, 199)
202 Other Violence—Form specified (176, 184, 189, 201)	-	-	-	17	2	-	5	15	38	12	2	1	1	6	38	116	5	202 Other Violence—Form specified (176, 184, 189, 201)
203 Violence of Unspecified Nature	1	2	-	7	-	1	-	2	5	4	-	3	-	3	9	14	4	203 Violence of Unspecified Nature
XV. ILL-DEFINED CAUSES																		
204 Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	3	1	-	2	-	-	1	4	-	204 Sudden Death (not otherwise defined)
205 (a) Heart Failure	-	5	3	9	4	13	4	1	25	26	2	8	1	10	28	197	6	205 (a) Heart Failure
(b) Syncope	-	2	2	9	3	-	1	5	10	9	2	2	1	3	10	80	-	(b) Syncope
(c) Other Ill-defined Causes	-	-	2	1	-	-	-	3	5	-	-	1	1	-	2	23	-	(c) Other Ill-defined Causes
(d) Natural Causes	-	-	-	12	1	-	-	24	17	4	-	-	1	6	4	60	4	(d) Natural Causes
(e) Cause not Specified	-	1	-	-	2	-	-	3	3	-	-	-	-	-	1	7	-	(e) Cause not Specified

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. GENERAL DISEASES NOT INCLUDED ABOVE.													
43 Cancer, Buccal Cavity - -	359	28	22	31	29	25	30	28	23	38	37	32	36
44 Do. Stomach and Liver - -	2368	194	170	194	207	197	199	189	219	200	190	186	223
45 Do. Peritoneum, Intestine, Rectum	1528	138	108	111	112	133	122	121	142	116	156	126	143
46 Do. Female Genital Organs -	646	50	70	48	50	42	45	59	54	47	64	49	68
47 Do. Breast - - - -	615	52	53	64	41	53	58	44	52	43	48	45	59
48 Do. Skin - - - -	112	10	9	15	8	9	8	9	10	7	9	12	6
49 Do. Other Organs - - -	1291	119	88	95	104	98	116	108	107	110	109	125	112
50 Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)	33	7	2	5	3	2	3	-	1	4	-	3	3
51 Rheumatic Fever - - -	225	19	20	23	16	22	14	26	14	15	17	15	24
52 (a) Chronic Rheumatism - -	39	2	4	3	4	5	1	4	2	4	3	3	4
(b) Osteo-arthritis - - -	97	12	8	13	6	16	4	6	7	6	4	8	7
(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
53 Scorbutus - - - - -	3	-	-	-	-	-	-	1	1	1	-	-	-
56 Rickets - - - - -	16	1	3	-	1	2	-	2	3	2	1	-	1
57 Diabetes - - - - -	519	46	37	38	42	40	43	47	35	38	41	61	51
58 (a) Pernicious Anæmia - -	434	45	23	40	39	39	40	51	35	35	40	26	21
(b) Other Anæmia, Chlorosis -	57	10	5	5	5	3	2	5	5	7	5	4	1
69 (a) Purpura - - - - -	26	1	1	2	3	-	6	4	4	1	3	-	1
(b) Hæmophilia - - - - -	9	1	1	-	1	2	-	2	-	1	-	-	1
(c) Other General Diseases (54, 55)	16	3	1	-	-	1	1	2	1	-	2	1	4
Diseases of Ductless Glands.													
59 Diseases of Pituitary Gland -	9	1	-	-	-	-	2	1	-	3	-	2	-
60 (a) Exophthalmic Goitre - -	81	5	6	5	10	6	7	7	4	9	8	8	6
(b) Other Diseases of Thyroid and Parathyroid (61)	48	6	3	3	3	5	3	1	9	2	6	1	6
62 Diseases of Thymus - - -	2	-	-	1	-	-	-	-	-	1	-	-	-
63 Diseases of Suprarenal Capsules, Addison's Disease	14	1	1	1	1	-	1	2	2	2	2	1	-
64 Diseases of Spleen - - -	10	-	1	1	1	1	2	1	1	-	1	-	1
65 (a) Leuchæmia - - - - -	76	11	2	8	2	6	3	5	7	5	8	10	9
(b) Hodgkin's Dis., Lymphadenoma	69	4	6	7	6	1	7	9	10	3	7	5	4
Chronic Poisonings.													
66 (a) Delirium Tremens - - -	9	-	-	1	-	1	1	2	2	-	1	-	1
(b) Acute Alcoholism - - -	25	6	3	2	-	2	2	2	1	2	3	2	-
(c) Other Alcoholism - - -	11	2	2	-	-	-	-	1	2	-	2	2	-
67 Chronic Inorganic Poisoning—													
(a) Lead - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
(b) Other Occupational - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
68 Chronic Organic Poisoning -	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DISEASES OF THE NERVOUS SYSTEM.													
70 (a) Cerebral Abscess - - -	33	8	3	3	-	2	1	2	5	2	2	4	1
(b) Encephalitis (other than Encephalitis Lethargica)	64	5	8	7	3	6	6	3	2	5	7	4	8
71 Meningitis (other than Tuberculous or Cerebro-spinal)	416	29	47	48	36	35	25	28	40	29	35	23	41
72 Locomotor Ataxy - - - -	72	2	3	9	10	6	5	6	5	8	8	2	8
73 Other Diseases of Spinal Cord -	167	14	12	17	10	22	10	9	16	17	10	14	16
74 (a) Cerebral Hæmorrhage - -	4137	377	403	348	308	342	313	320	319	306	318	345	438
(b) Apoplexy - - - - -	534	53	56	60	49	46	33	37	38	50	41	36	35
(c) Cerebral Embolism and Thrombosis	781	69	57	73	59	74	57	70	56	57	66	60	83
75 (a) Hemiplegia - - - - -	603	47	45	67	54	51	37	32	42	43	63	53	66
(b) Paralysis, other or unspecified	71	3	3	10	8	6	6	8	4	4	2	4	8
76 General Paralysis of Insane -	140	16	12	18	7	9	15	11	5	10	12	11	14
77 Other Insanity - - - - -	128	14	7	15	11	7	9	9	5	13	6	14	18
78 Epilepsy - - - - -	213	30	15	19	21	20	13	11	17	17	20	15	15
79 Eclampsia (not Puerperal). (Age 5 and over)	9	-	-	2	1	-	2	-	-	1	1	1	1
80 Infantile Convulsions. (Age under 5)	370	44	42	47	46	32	18	18	21	21	24	21	36

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
III. DISEASES OF THE NERVOUS SYSTEM—continued.													
81 Chorea - - - - -	10	4	-	-	1	2	-	-	-	1	-	1	1
82 Neuritis - - - - -	27	4	1	3	1	3	3	2	1	-	3	3	3
84 (a) Cerebral Tumour - - -	175	14	11	17	14	15	13	19	12	18	15	12	15
(b) Other Diseases of Nervous System (83)	368	41	28	45	30	29	21	26	29	23	34	30	32
85 Diseases of Eye - - - -	5	-	1	1	-	-	1	1	-	-	1	-	-
86 (a) Mastoid Disease - - -	56	4	6	5	6	6	3	4	4	5	3	3	7
(b) Diseases of Ear - - - -	120	10	10	14	8	11	7	9	12	12	14	6	7
IV. DISEASES OF THE CIRCULATORY SYSTEM.													
87 Pericarditis - - - - -	46	3	4	4	6	5	2	5	3	1	4	6	3
88 (a) Acute Endocarditis - -	143	16	15	16	8	11	11	14	4	16	9	10	13
(b) Acute Myocarditis - - -	81	9	8	16	3	5	11	4	4	2	7	10	2
89 Angina Pectoris - - - -	466	48	45	38	34	44	31	30	40	33	34	39	50
90 (a) Valvular Disease of Heart	2981	258	284	312	243	255	228	222	243	227	214	214	281
(b) Fatty Degeneration of Heart	279	26	24	25	24	19	22	18	19	16	26	33	27
(c) Other Disease of Heart - -	3908	329	334	369	308	333	307	307	259	284	334	334	410
91 (a) Aneurysm - - - - -	152	20	15	12	9	15	12	10	14	11	10	9	15
(b) Arterio-sclerosis - - - -	738	56	69	81	68	72	50	47	61	46	58	51	79
(c) Other Diseases of Arteries -	7	-	2	1	1	-	1	-	-	-	-	1	1
92 Embolism, Thrombosis (not Cerebral)	104	9	6	15	7	9	11	5	5	5	12	7	13
93 Diseases of Veins - - - -	37	3	-	2	-	2	3	1	5	1	2	8	10
94 (a) Status Lymphaticus - -	20	2	1	1	2	2	-	2	-	1	1	4	4
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	11	2	-	-	1	2	-	-	-	1	1	2	2
95 Hæmorrhage (cause unspecified) -	4	-	1	-	-	2	1	-	-	-	-	-	-
96 Other Diseases of Circulatory System	8	-	-	1	1	1	1	2	1	-	-	-	1
V. DISEASES OF THE RESPIRATORY SYSTEM.													
97 Diseases of Nose - - - -	21	5	1	5	2	1	-	1	1	1	-	2	2
98 (a) Laryngismus Stridulus - -	17	1	1	2	-	3	1	2	-	1	2	2	2
(b) Laryngitis - - - - -	42	7	2	4	2	3	3	4	1	3	4	4	5
(c) Croup (not Diphtheritic) - -	2	-	-	-	-	-	-	-	1	-	1	-	-
(d) Other Diseases of Larynx - -	2	-	-	-	-	-	1	-	-	-	-	-	1
99 Bronchitis - - - - -	3914	496	492	587	400	293	194	166	125	147	225	294	495
100 Broncho-pneumonia - - - -	2972	328	351	437	298	191	149	123	112	132	185	271	395
101 Pneumonia - - - - -	2924	295	262	353	242	247	213	173	139	147	248	264	341
102 Pleurisy - - - - -	187	20	14	21	22	18	12	11	10	17	11	13	18
103 Congestion of Lung - - - -	393	41	51	39	38	33	19	13	17	17	31	38	56
104 Gangrene of Lung - - - -	15	1	1	3	3	1	2	2	-	-	2	-	-
105 Asthma - - - - -	91	12	11	15	8	5	4	4	7	5	7	3	10
106 Emphysema - - - - -	14	-	3	3	-	1	1	1	-	1	2	-	2
107 (a) Interstitial Pneumonia - -	44	5	4	4	3	1	5	3	3	-	7	4	5
(b) Diseases of Mediastinum - -	1	-	-	-	-	-	-	-	-	-	-	-	1
(c) Other Diseases of Respiratory System	13	2	1	2	2	2	1	1	-	-	1	1	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.													
108 Diseases of Buccal Cavity - -	42	6	2	5	2	3	3	1	-	5	5	4	6
109 Diseases of Tonsils and Pharynx -	82	7	7	6	2	6	9	9	4	5	7	9	11
110 Diseases of Œsophagus - - -	8	-	1	-	1	-	1	1	1	1	1	-	1
111 (a) Ulcer of Stomach - - - -	372	37	39	25	26	34	26	28	26	27	30	35	39
(b) Ulcer of Duodenum - - - -	225	19	25	20	13	15	20	20	15	15	9	19	35
112 Other Diseases of Stomach - -	293	28	30	29	24	18	29	25	24	20	21	20	25

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.													
13 Diarrhœa and Enteritis (under 2 years)	698	56	35	58	48	54	34	58	67	77	55	79	77
14 (a) Diarrhœa and Enteritis (over 2 years)	266	28	14	19	19	18	13	23	41	30	24	17	20
(b) Ulcer of Intestine (not Duodenal)	37	1	2	3	6	4	3	4	4	3	4	1	2
16 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-
17 Appendicitis - - - -	478	50	28	48	34	47	36	36	45	36	39	48	31
18 (a) Hernia - - - -	236	21	17	26	23	18	23	17	12	16	22	25	16
(b) Intestinal Obstruction - -	286	35	21	20	20	33	22	26	17	19	17	28	28
19 Other Diseases of Intestine -	63	1	2	6	4	6	6	8	8	4	6	7	5
20 Acute Yellow Atrophy of Liver -	11	1	-	-	4	-	-	1	2	2	-	1	-
21 Hydatids of Liver - - - -	2	-	-	1	-	-	-	1	-	-	-	-	-
22 Cirrhosis of Liver - - - -	147	15	7	23	14	9	7	10	14	8	13	17	10
23 Gallstones - - - -	141	10	15	12	17	9	7	7	9	12	15	9	19
24 Other Diseases of Liver - -	200	24	9	17	13	16	13	16	20	17	18	19	18
25 Diseases of Pancreas - - - -	48	4	5	4	2	3	-	6	7	5	5	5	2
26 Peritonitis (nature unspecified) -	88	14	9	6	3	6	8	4	5	10	7	8	8
27 Other Diseases of Digestive System	2	-	-	-	-	-	-	-	-	-	1	-	1
VII. DISEASES OF THE GENITO-URINARY SYSTEM.													
28 Acute Nephritis - - - -	224	18	29	20	29	11	16	20	12	13	21	16	19
29 Chronic Nephritis, Bright's Disease	1646	155	123	153	123	149	143	102	130	145	136	148	139
31 Other Diseases of Kidney (130) -	143	7	8	9	15	15	17	17	12	15	6	11	11
32 Urinary Calculus - - - -	28	3	2	5	2	-	3	2	3	3	-	3	2
33 Diseases of Bladder - - - -	186	11	13	10	13	16	13	13	13	17	14	26	27
34 Diseases of Urethra - - - -	41	4	3	2	4	2	5	2	9	4	4	2	-
35 Diseases of Prostate - - - -	310	33	20	24	20	26	20	34	24	28	20	29	32
36 Other Diseases of Male Reproductive Organs	11	2	3	1	-	-	-	-	-	-	2	2	1
37 Cysts, and other Tumours of Ovary (non-Malignant)	54	7	5	2	8	2	4	3	5	4	4	7	3
38 Salpingitis, Pelvic Abscess - -	47	6	6	3	3	4	3	3	1	5	1	6	6
39 Uterine Tumour (non-Malignant)	53	5	8	5	6	4	5	3	3	6	3	2	3
40 Uterine Hæmorrhage (non-puerperal)	6	1	1	-	-	1	1	1	1	-	-	-	-
41 (a) Metritis - - - -	10	1	-	1	-	3	1	1	1	-	1	1	-
(b) Other Diseases of Female Reproductive Organs	19	-	-	3	1	2	1	-	-	6	3	2	1
42 Non-puerperal Diseases of Breast	4	-	-	-	1	-	-	-	-	1	-	1	1
VIII. DISEASES OF PREGNANCY AND PARTURITION.													
43 (a) Abortion, Miscarriage - -	39	2	4	2	5	2	5	-	3	4	3	5	4
(b) Uncontrollable Vomiting - -	19	-	1	-	3	1	2	1	1	5	2	1	2
(c) Ectopic Gestation - - - -	11	2	-	-	2	-	1	1	2	1	1	1	-
(d) Other Diseases and Accidents of Pregnancy	26	-	1	-	-	1	3	4	3	1	3	7	3
44 Puerperal Hæmorrhage - - -	66	5	5	5	7	1	5	7	4	7	5	10	5
45 Other Accidents of Parturition	53	8	-	6	5	3	7	-	1	5	7	6	5
46 Puerperal Sepsis - - - -	184	30	12	16	15	12	15	15	13	13	12	13	18
47 Phlegmasia Alba Dolens, Embolism	47	1	2	3	4	5	4	4	3	3	6	7	5
48 Albuminuria of Pregnancy, Eclampsia	109	12	5	11	8	12	8	7	10	7	9	7	13
49 Other Diseases of Puerperium -	67	7	7	7	3	4	4	9	5	2	4	8	7
50 Puerperal Diseases of Breast -	1	-	1	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.													
51 (a) Senile Gangrene - - - -	263	38	23	30	25	26	21	15	21	14	16	17	17
(b) Noma, Cancrum Oris - - - -	2	-	-	-	-	1	-	-	-	-	-	1	-
(c) Other Gangrene - - - -	15	1	-	4	4	1	1	2	-	-	-	1	1
52 Carbuncle, Boil - - - -	23	1	2	2	3	-	2	2	1	3	2	2	3
53 Phlegmon, Abscess - - - -	137	13	16	11	14	7	16	6	10	12	5	13	14
54 Other Diseases of Skin - - - -	72	2	4	4	9	8	5	5	5	8	9	6	7

	Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
X. DISEASES OF ORGANS OF LOCOMOTION.													
155 Dis. of Bones (Mastoid excluded)	99	9	8	8	8	8	3	10	8	6	12	9	
156 Diseases of Joints - - -	22	2	1	1	2	3	3	2	1	2	1	2	
158 Other Diseases of Organs of Locomotion (157)	4	1	-	-	1	-	-	-	1	1	-	-	
XI. MALFORMATIONS.													
159 Malformations—													
(a) Hydrocephalus - - -	63	4	2	8	7	7	9	6	2	3	6	3	
(b) Congenital Heart - - -	163	16	12	14	16	18	20	6	10	19	7	12	
(c) Other Malformations - -	276	31	21	24	16	22	22	13	22	28	28	24	
XII. DISEASES OF EARLY INFANCY.													
160 Congenital Debility, Icterus, Sclerema, Marasmus	1188	125	103	108	124	92	93	103	80	76	76	82	12
161 (a) Premature Birth - - -	1724	178	173	162	140	148	114	148	121	114	124	129	17
(b) Injury at Birth - - -	119	10	8	8	13	13	10	7	8	17	14	6	
162 Other Diseases peculiar to Early Infancy (163)	203	21	20	13	13	14	9	9	11	17	28	26	2
XIII. OLD AGE.													
164 Senility, Senile Dementia - -	3528	363	370	400	307	275	249	246	204	200	271	270	37
XIV. VIOLENT CAUSES.													
174 Suicide (165-173) - - -	503	38	34	45	45	44	37	71	46	37	38	40	2
175 Poisoning by Food - - -	7	-	-	-	2	-	1	-	3	-	1	-	
177 Other Acute Accidental Poisonings	23	-	2	2	2	2	4	3	1	-	-	4	
179 Burns and Scalds (178) - -	300	45	21	22	28	19	18	18	17	20	31	31	3
180 (a) Overlaying - - -	24	2	8	3	2	-	1	-	1	2	3	-	
(b) Asphyxia, Suffocation (otherwise)	53	14	1	5	4	3	2	4	3	2	5	5	
181 Exposure to Poisonous Vapours -	39	5	13	3	1	2	-	-	1	-	3	7	
182 Accidental Drowning - - -	305	19	19	26	26	36	21	32	41	25	19	22	1
183 Accidents with Fire Arms - -	8	2	1	-	1	2	1	-	-	1	-	-	
185 Accidental Falls - - -	228	21	10	20	15	21	23	16	18	16	21	23	2
186 Accidents in—(a) Coal Mines -	129	5	12	11	13	13	11	15	15	5	8	10	1
(b) Other Mines - - -	6	-	1	-	-	1	-	-	1	-	-	1	
(c) Quarries - - -	7	2	2	-	1	1	-	-	-	-	1	-	
187 Accidents with Machinery - -	10	1	1	3	-	1	-	-	-	1	-	1	
188 Accidents with—													
(a) Horsed Vehicles - - -	18	2	3	1	2	1	-	2	1	2	1	1	
(b) Railways - - -	102	8	5	4	15	6	7	13	10	8	4	10	1
(c) Tramways - - -	18	3	-	4	1	-	2	1	-	4	-	2	
(d) Motor Vehicles - - -	448	38	25	27	38	27	36	44	39	50	36	42	4
(e) Aircraft - - -	3	-	-	1	-	-	-	-	-	-	2	-	
(f) Other Vehicles - - -	24	2	-	2	3	4	1	6	1	-	1	3	
(g) Other Crushing Accidents -	40	7	2	2	4	1	3	2	11	2	-	5	
190 War Casualties (191) - - -	11	4	2	-	2	1	1	-	-	-	-	-	
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	
195 Weather Agencies (193, 194) -	14	2	2	1	2	1	1	2	-	-	-	3	
196 Electricity (Lightning excepted) -	5	-	-	1	-	-	-	2	1	1	-	-	
200 Homicide (197, 199) - - -	21	-	2	3	2	6	-	2	2	-	2	2	
202 Other Violence—Form specified (176, 184, 189, 201)	521	52	49	32	33	42	44	48	52	50	24	49	4
203 Violence of Unspecified Nature -	90	12	3	14	12	7	9	4	3	9	6	4	
XV. ILL-DEFINED CAUSES.													
204 Sudden Death (not otherwise defined)	23	3	1	1	4	3	5	-	2	2	-	-	
205 (a) Heart Failure - - -	593	46	51	58	53	47	54	34	47	52	43	49	5
(b) Syncope - - -	206	16	10	26	22	16	22	9	7	23	13	12	3
(c) Other Ill-defined Causes -	55	4	4	7	6	4	2	-	5	8	3	4	
(d) Natural Causes - - -	187	13	18	15	20	20	12	13	9	17	13	19	1
(e) Cause not Specified - - -	45	5	5	6	1	4	5	4	2	2	2	3	

CAUSES OF DEATH IN GLASGOW IN 1927.

				All Ages.			Age															
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over				
All Causes—Both Sexes				-	-	-	15431	-	-	-	2526	1390	294	202	645	738	1074	1683	2270	2686	1585	338
Males				-	-	-	-	8062	-	-	1434	737	160	101	341	345	545	922	1306	1416	645	110
Females				-	-	-	-	-	7369	-	1092	653	134	101	304	393	529	761	964	1270	940	228
I. EPIDEMIC AND ENDEMIC DISEASES.																						
1	(a)	Enteric Fever	- - -	8	5	3	-	-	-	-	2	1	1	3	1	-	-	-	-	-	-	-
	(b)	Paratyphoid Fever	- - -	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2		Typhus Fever	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5		Malaria	- - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	(a)	Smallpox	{ Vaccinated - Unvaccinated - Vaccination Doubtful	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	Do.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c)	Do.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7		Measles	- - -	308	155	153	82	218	6	-	1	1	-	-	-	-	-	-	-	-	-	-
8		Scarlet Fever	- - -	43	23	20	3	23	10	1	3	-	2	-	1	-	-	-	-	-	-	-
9		Whooping-cough	- - -	366	160	206	186	171	9	-	-	-	-	-	-	-	-	-	-	-	-	-
10		Diphtheria	- - -	115	52	63	12	66	30	-	3	1	1	-	-	-	2	-	-	-	-	-
11		Influenza—																				
	(a)	Sole Cause	- - -	26	12	14	1	1	-	-	1	-	2	4	3	7	7	-	-	-	-	-
	(b)	with Phthisis	- - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	(c)	with Bronchitis	- - -	38	16	22	4	-	-	-	1	1	5	6	13	8	-	-	-	-	-	-
	(d)	with Pneumonia	- - -	98	63	35	7	6	-	2	2	8	10	18	11	19	13	2	-	-	-	-
	(e)	with other Respiratory Disease	- - -	6	2	4	-	1	-	-	-	-	-	-	3	1	1	-	-	-	-	-
	(f)	with Diseases and Accidents of Pregnancy and Parturition	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(g)	with other Cause	- - -	36	21	15	5	-	1	-	1	2	2	2	12	10	1	-	-	-	-	-
16		Dysentery—	- - -	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
21		Erysipelas	- - -	34	19	15	7	-	-	-	1	1	1	2	11	8	2	1	-	-	-	-
22		Infantile Paralysis	- - -	3	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
23		Encephalitis Lethargica	- - -	28	12	16	-	1	1	-	5	6	7	3	4	1	-	-	-	-	-	-
24	(a)	Cerebro-spinal Meningitis	- - -	63	37	26	33	23	2	3	1	1	-	-	-	-	-	-	-	-	-	-
	(b)	Posterior Basal Meningitis	- - -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25		Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)	- - -	11	5	6	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Infectious Diseases.																						
26		Glanders	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27		Anthrax	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28		Rabies	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29		Tetanus	- - -	2	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
30		Mycoses	- - -	3	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
31	(a)	Laryngeal Tuberculosis	- - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	(b)	Pulmonary Tuberculosis	- - -	943	517	426	2	17	11	23	225	221	185	156	80	20	3	-	-	-	-	-
32		Tuberculous Meningitis	- - -	162	93	69	21	74	24	13	18	6	2	4	-	-	-	-	-	-	-	-
33		Tuberculosis of Intestines and Peritoneum	- - -	74	41	33	6	20	7	7	20	8	1	4	1	-	-	-	-	-	-	-
34		Tuberculosis of Spine—	- - -	26	11	15	1	1	2	3	6	3	2	4	3	1	-	-	-	-	-	-
35		Tuberculosis of Joints	- - -	17	9	8	-	2	-	3	2	-	1	2	3	3	-	1	-	-	-	-
36		Tuberculosis of other Organs—																				
	(a)	Skin	- - -	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	(b)	Bones (except Spine)	- - -	6	3	3	1	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	(c)	Lymphatic System (Abdom. Glands excepted)	- - -	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	(d)	Genito-urinary System	- - -	9	5	4	-	-	-	2	2	2	-	2	1	-	-	-	-	-	-	-
	(e)	Others	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37		Disseminated Tuberculosis—																				
	(a)	Acute	- - -	19	11	8	-	5	2	1	6	2	1	2	-	-	-	-	-	-	-	-
	(b)	Chronic	- - -	31	12	19	3	3	-	5	13	3	2	1	-	-	1	-	-	-	-	-
38		Syphilis	- - -	36	25	11	10	-	-	-	-	2	4	12	4	4	-	-	-	-	-	-
40		Other Venereal Diseases (39)	- - -	4	4	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
41	(a)	Vaccinia	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b)	Pyæmia, Septicæmia (not Puer-peral)	- - -	21	8	13	1	2	2	2	1	3	3	4	-	3	-	-	-	-	-	-
42		Other Infectious Diseases	- - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

				All Ages.			Age.													
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over		
II. DISEASES OF THE NERVOUS SYSTEM—continued.																				
81	Chorea	-	-	4	2	2	-	-	1	-	1	-	-	1	1	-	-	-		
82	Neuritis	-	-	5	1	4	-	-	-	-	-	-	1	1	3	-	-	-		
84	(a) Cerebral Tumour	-	-	48	24	24	-	1	1	1	6	3	12	10	7	6	1	-		
	(b) Other Diseases of Nervous System (83)			78	43	35	1	2	2	-	1	2	7	7	13	26	14	3		
85	Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
86	(a) Mastoid Disease	-	-	17	11	6	8	1	-	1	3	-	-	2	1	-	1	-		
	(b) Diseases of Ear	-	-	40	20	20	18	5	3	2	4	-	2	3	2	1	-	-		
IV. DISEASES OF THE CIRCULATORY SYSTEM.																				
87	Pericarditis	-	-	14	5	9	-	-	1	1	4	1	2	-	2	3	-	-		
88	(a) Acute Endocarditis	-	-	45	16	29	-	1	3	4	9	10	9	-	6	3	-	-		
	(b) Acute Myocarditis	-	-	17	9	8	-	-	-	-	1	1	2	1	5	3	4	-		
89	Angina Pectoris	-	-	95	69	26	-	-	-	-	-	-	3	16	31	31	13	1		
90	(a) Valvular Disease of Heart	-	-	596	295	301	2	-	3	12	23	36	68	99	123	150	70	10		
	(b) Fatty Degeneration of Heart	-	-	48	20	28	-	-	-	-	1	1	1	7	13	20	5	-		
	(c) Other Diseases of Heart	-	-	773	401	372	1	-	-	2	2	9	14	87	150	279	183	46		
91	(a) Aneurysm	-	-	50	40	10	-	-	-	-	1	3	2	12	18	12	2	-		
	(b) Arterio-sclerosis	-	-	110	61	49	-	-	-	-	-	-	2	3	12	36	39	18		
	(c) Other Diseases of Arteries	-	-	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-		
92	Embolism, Thrombosis (not Cerebral)	-	-	20	7	13	1	-	-	-	1	-	1	6	4	6	1	-		
93	Diseases of Veins	-	-	7	3	4	-	-	-	-	-	1	1	1	3	1	-	-		
94	(a) Status Lymphaticus	-	-	11	2	9	2	5	2	-	1	1	-	-	-	-	-	-		
	(b) Other Dis. of Lymphatic System (not Leuchæmia or Hodgkin's Disease)	-	-	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-		
95	Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
96	Other Diseases of Circulatory System	-	-	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-		
V. DISEASES OF THE RESPIRATORY SYSTEM.																				
97	Diseases of Nose	-	-	6	3	3	-	-	-	-	1	1	3	-	-	1	-	-		
98	(a) Laryngismus Stridulus	-	-	6	5	1	5	1	-	-	-	-	-	-	-	-	-	-		
	(b) Laryngitis	-	-	12	9	3	3	2	1	-	-	-	-	3	-	2	1	-		
	(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(d) Other Diseases of Larynx	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
99	Bronchitis	-	-	1027	551	476	143	42	4	2	6	19	43	62	183	276	199	48		
100	Broncho-pneumonia	-	-	1034	579	455	459	320	20	5	13	7	21	32	40	71	38	8		
101	Pneumonia	-	-	969	631	338	120	87	17	17	42	50	128	127	172	121	77	11		
102	Pleurisy	-	-	32	19	13	-	3	1	1	2	1	3	4	5	8	3	1		
103	Congestion of Lung	-	-	72	40	32	24	4	2	-	1	-	3	2	4	14	12	6		
104	Gangrene of Lung	-	-	6	6	-	-	-	1	-	-	-	-	3	-	2	-	-		
105	Asthma	-	-	9	5	4	-	-	-	-	-	1	1	1	3	3	-	-		
106	Emphysema	-	-	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-		
107	(a) Interstitial Pneumonia	-	-	5	3	2	-	-	-	-	-	-	1	-	2	2	-	-		
	(b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	(c) Other Diseases of Respiratory System	-	-	3	1	2	-	-	-	1	-	-	-	1	-	1	-	-		
VI. DISEASES OF THE DIGESTIVE SYSTEM.																				
108	Diseases of Buccal Cavity	-	-	15	8	7	1	2	2	-	2	-	1	2	3	1	-	1		
109	Diseases of Tonsils and Pharynx	-	-	19	7	12	1	5	3	1	1	1	2	3	-	1	1	-		
110	Diseases of Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
111	(a) Ulcer of Stomach	-	-	76	53	23	1	-	-	-	1	5	21	24	12	9	3	-		
	(b) Ulcer of Duodenum	-	-	38	32	6	-	-	-	-	1	7	9	9	8	2	1	1		
112	Other Diseases of Stomach	-	-	66	30	36	16	5	4	1	1	-	1	4	9	15	9	1		

				All Ages.			Age.											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																		
113	Diarrhœa and Enteritis (under 2 years)	282	169	113	238	44	-	-	-	-	-	-	-	-	-	-	-	-
114	(a) Diarrhœa and Enteritis (over 2 years)	58	27	31	-	13	5	-	1	2	5	7	8	9	7	1	-	-
	(b) Ulcer of Intestine (not Duodenal)	10	5	5	-	-	-	-	3	-	-	2	5	-	-	-	-	-
116	Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Appendicitis - - - -	92	45	47	-	5	12	14	16	12	7	13	8	5	-	-	-	-
118	(a) Hernia - - - -	63	28	35	9	5	-	-	-	1	5	11	7	14	7	4	-	-
	(b) Intestinal Obstruction - -	46	23	23	8	2	1	1	3	4	3	5	5	9	5	-	-	-
119	Other Diseases of Intestine - -	19	8	11	2	-	-	-	2	1	1	4	6	1	2	-	-	-
120	Acute Yellow Atrophy of Liver -	3	-	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-
121	Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Cirrhosis of Liver - - - -	40	28	12	-	1	-	-	2	3	3	11	9	11	-	-	-	-
123	Gallstones - - - -	29	9	20	-	-	-	-	-	-	2	7	9	7	4	-	-	-
124	Other Diseases of Liver - - -	47	13	34	1	-	1	-	-	3	3	9	16	8	6	-	-	-
125	Diseases of Pancreas - - - -	7	3	4	-	1	-	-	-	-	2	2	2	-	-	-	-	-
126	Peritonitis (nature unspecified) -	25	7	18	-	2	7	1	1	1	8	4	-	-	1	-	-	-
127	Other Diseases of Digestive System	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																		
128	Acute Nephritis - - - -	63	32	31	2	6	2	3	7	3	10	9	6	9	5	1	-	-
129	Chronic Nephritis, Bright's Disease	376	183	193	-	2	-	1	7	18	33	77	107	93	35	3	-	-
131	Other Diseases of Kidney (130)	40	18	22	16	6	1	-	1	1	4	3	3	3	2	-	-	-
132	Urinary Calculus - - - -	6	4	2	-	-	-	-	-	1	2	1	2	-	-	-	-	-
133	Diseases of Bladder - - - -	39	30	9	4	-	-	-	-	2	3	4	6	7	9	4	-	-
134	Diseases of Urethra - - - -	11	9	2	-	-	-	-	1	-	2	3	2	3	-	-	-	-
135	Diseases of Prostate - - - -	51	51	-	-	-	-	-	-	1	-	3	12	28	6	1	-	-
136	Other Diseases of Male Reproductive Organs	5	5	-	1	-	1	-	-	-	-	2	1	-	-	-	-	-
137	Cysts, and other Tumours of Ovary (non-Malignant)	9	-	9	-	-	-	-	-	1	1	2	1	4	-	-	-	-
138	Salpingitis, Pelvic Abscess - -	14	-	14	-	-	1	-	3	3	3	3	1	-	-	-	-	-
139	Uterine Tumour (non-Malignant)	10	-	10	-	-	-	-	-	2	4	2	-	1	1	-	-	-
140	Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141	(a) Metritis - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	(b) Other Diseases of Female Reproductive Organs	4	-	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
142	Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																		
143	(a) Abortion, Miscarriage - -	13	-	13	-	-	-	-	2	5	6	-	-	-	-	-	-	-
	(b) Uncontrollable Vomiting - -	4	-	4	-	-	-	-	-	3	1	-	-	-	-	-	-	-
	(c) Ectopic Gestation - - - -	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	(d) Other Diseases and Accidents of Pregnancy	9	-	9	-	-	-	-	3	1	5	-	-	-	-	-	-	-
144	Puerperal Hæmorrhage - - -	18	-	18	-	-	-	-	1	12	5	-	-	-	-	-	-	-
145	Other Accidents of Parturition -	21	-	21	-	-	-	-	4	12	5	-	-	-	-	-	-	-
146	Puerperal Sepsis - - - -	47	-	47	-	-	-	-	8	24	15	-	-	-	-	-	-	-
147	Phlegmasia Alba Dolens, Embolism	7	-	7	-	-	-	-	2	2	3	-	-	-	-	-	-	-
148	Albuminuria of Pregnancy, Eclampsia	29	-	29	-	-	-	-	3	16	10	-	-	-	-	-	-	-
149	Other Diseases of Puerperium -	19	-	19	-	-	-	-	2	9	8	-	-	-	-	-	-	-
150	Puerperal Diseases of Breast -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																		
151	(a) Senile Gangrene - - - -	39	22	17	-	-	-	-	-	-	-	-	5	18	14	2	-	-
	(b) Noma, Cancrum Oris - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	(c) Other Gangrene - - - -	6	6	-	1	-	-	-	-	-	-	2	3	-	-	-	-	-
152	Carbuncle, Boil - - - -	6	4	2	-	-	-	-	-	-	-	-	3	2	1	-	-	-
153	Phlegmon, Abscess - - - -	35	29	6	7	3	-	2	1	-	1	6	5	6	4	-	-	-
154	Other Diseases of Skin - - - -	16	8	8	5	1	-	-	1	-	1	-	3	3	2	-	-	-

	All Ages.			Age.												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
X. DISEASES OF ORGANS OF LOCOMOTION.																
155 Dis. of Bones (Mastoid excluded)	22	15	7	1	2	5	2	6	-	-	3	1	2	-	-	-
156 Diseases of Joints - - -	8	4	4	-	-	-	-	1	-	-	2	1	3	1	-	-
158 Other Diseases of Organs of Locomotion (157)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
XI. MALFORMATIONS.																
159 Malformations—																
(a) Hydrocephalus - - -	13	2	11	12	1	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Heart - - -	41	25	16	37	3	1	-	-	-	-	-	-	-	-	-	-
(c) Other Malformations - -	71	34	37	67	4	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF EARLY INFANCY.																
160 Congenital Debility, Icterus, Sclerema, Marasmus	274	154	120	274	-	-	-	-	-	-	-	-	-	-	-	-
161 (a) Premature Birth - - -	423	226	197	423	-	-	-	-	-	-	-	-	-	-	-	-
(b) Injury at Birth - - -	30	14	16	30	-	-	-	-	-	-	-	-	-	-	-	-
162 Other Diseases peculiar to Early Infancy (163)	35	12	23	35	-	-	-	-	-	-	-	-	-	-	-	-
XIII. OLD AGE.																
164 (a) Senility, Senile Dementia -	441	173	268	-	-	-	-	-	-	-	-	2	92	25	95	-
XIV. VIOLENT CAUSES.																
174 Suicide (165-173) - - -	137	88	49	-	-	-	-	8	19	24	42	32	9	3	-	-
175 Poisoning by Food - - -	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
177 Other Acute Accidental Poisonings	8	3	5	-	-	-	-	-	-	-	3	3	1	1	-	-
179 Burns and Scalds (178) - -	94	52	42	5	60	1	1	6	4	-	5	4	4	4	-	-
180 (a) Overlaying - - -	9	6	3	9	-	-	-	-	-	-	-	-	-	-	-	-
(b) Asphyxia, Suffocation (otherwise)	16	13	3	5	2	1	-	3	2	1	1	-	-	1	-	-
181 Exposure to Poisonous Vapours -	7	6	1	-	-	1	2	-	-	-	-	2	1	-	1	-
182 Accidental Drowning - - -	54	44	10	-	2	4	4	7	9	7	8	8	5	-	-	-
183 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185 Accidental Falls - - -	115	82	33	-	7	10	4	5	9	9	19	13	21	14	4	-
186 Accidents in—(a) Coal Mines -	6	6	-	-	-	-	-	1	2	2	-	1	-	-	-	-
(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187 Accidents with Machinery - -	5	4	1	-	-	-	-	1	-	1	1	2	-	-	-	-
188 Accidents with—																
(a) Horsed Vehicles - - -	6	6	-	-	1	-	-	-	-	1	2	1	1	-	-	-
(b) Railways - - -	16	16	-	-	-	-	-	1	2	4	6	1	1	1	-	-
(c) Tramways - - -	11	5	6	-	1	1	-	1	-	1	2	2	2	1	-	-
(d) Motor Vehicles - - -	139	98	41	-	9	28	12	14	9	13	21	13	15	3	2	-
(e) Aircraft - - -	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(f) Other Vehicles - - -	7	6	1	-	-	-	-	-	2	-	1	2	1	-	1	-
(g) Other Crushing Accidents -	12	12	-	-	-	-	-	1	3	2	4	1	1	-	-	-
190 War Casualties (191) - - -	2	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196 Electricity (Lightning excepted) -	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
200 Homicide (197, 199) - - -	7	3	4	2	-	1	-	-	1	1	1	1	-	-	-	-
202 Other Violence—Form specified (176, 184, 189, 201)	64	44	20	-	2	3	4	6	5	8	15	5	5	9	2	-
203 Violence of Unspecified Nature -	7	5	2	-	1	-	-	-	2	-	-	2	1	1	-	-
XV. ILL-DEFINED CAUSES.																
204 Sudden Death (not otherwise defined)	3	2	1	-	-	-	-	-	-	-	-	3	-	-	-	-
205 (a) Heart Failure - - -	137	86	51	4	-	-	-	2	1	7	18	36	42	24	3	-
(b) Syncope - - -	62	36	26	4	-	-	-	1	-	5	12	17	15	8	-	-
(c) Other Ill-defined Causes - -	18	8	10	-	9	-	-	-	-	-	2	4	3	-	-	-
(d) Natural Causes - - -	44	29	15	11	5	1	2	-	-	3	8	8	5	1	-	-
(e) Cause not specified - - -	4	3	1	-	-	-	-	-	-	-	2	1	1	-	-	-

[illegible]

	All Ages.			Age													85 and over
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
III. DISEASES OF THE NERVOUS SYSTEM—continued.																	
81 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82 Neuritis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
84 (a) Cerebral Tumour - - - -	15	5	10	-	-	1	1	1	1	3	5	3	-	-	-	-	
(b) Other Diseases of Nervous System (83)	28	12	16	1	-	1	-	-	2	4	2	4	6	7	-	-	
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
86 (a) Mastoid Disease - - - - -	6	2	4	-	2	1	-	2	1	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - - -	14	6	8	2	1	-	3	3	2	2	-	1	-	-	-	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.																	
87 Pericarditis - - - - -	5	4	1	-	1	-	1	-	-	1	-	-	2	-	-	-	
88 (a) Acute Endocarditis - - - -	15	8	7	-	-	-	-	7	4	1	3	-	-	-	-	-	
(b) Acute Myocarditis - - - - -	7	6	1	-	-	-	-	-	1	-	2	-	2	2	-	-	
89 Angina Pectoris - - - - -	42	27	15	-	-	-	-	-	-	1	4	10	16	10	-	-	
90 (a) Valvular Disease of Heart -	246	118	128	-	-	2	4	6	10	14	41	52	63	48	-	-	
(b) Fatty Degeneration of Heart -	28	11	17	-	-	-	-	-	-	1	4	6	11	5	-	-	
(c) Other Disease of Heart - - -	430	207	223	-	1	-	-	-	4	14	36	66	153	118	3	-	
91 (a) Aneurysm - - - - -	16	16	-	-	-	-	-	-	-	-	4	6	4	1	-	-	
(b) Arterio-sclerosis - - - - -	84	51	33	-	-	-	-	-	-	-	-	8	30	36	1	-	
(c) Other Diseases of Arteries - -	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
92 Embolism, Thrombosis (not Cerebral	8	3	5	-	-	-	-	-	-	2	1	2	3	-	-	-	
93 Diseases of Veins - - - - -	3	-	3	-	-	-	-	-	-	-	-	1	2	-	-	-	
94 (a) Status Lymphaticus - - - -	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
95 Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.																	
97 Diseases of Nose - - - - -	5	1	4	1	-	-	1	-	1	-	2	-	-	-	-	-	
98 (a) Laryngismus Stridulus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - - -	5	2	3	1	2	-	-	-	-	1	-	1	-	-	-	-	
(c) Croup (not Diphtheritic) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases of Larynx - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
99 Bronchitis - - - - -	359	167	192	32	11	-	2	2	6	14	24	46	106	85	-	-	
100 Broncho-pneumonia - - - - -	250	123	127	77	61	2	2	1	5	11	13	19	29	24	-	-	
101 Pneumonia - - - - -	300	168	132	22	23	7	10	12	23	28	34	45	47	40	-	-	
102 Pleurisy - - - - -	15	8	7	1	1	-	-	-	3	1	-	4	4	3	-	-	
103 Congestion of Lung - - - - -	37	18	19	7	2	-	-	-	1	2	1	2	5	15	-	-	
104 Gangrene of Lung - - - - -	2	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
105 Asthma - - - - -	14	7	7	-	-	-	-	-	-	3	1	5	5	-	-	-	
106 Emphysema - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
107 (a) Interstitial Pneumonia - - -	8	3	5	-	-	-	-	-	-	-	-	3	2	3	-	-	
(b) Diseases of Mediastinum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Respiratory System	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
VI. DISEASES OF THE DIGESTIVE SYSTEM.																	
108 Diseases of Buccal Cavity - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
109 Diseases of Tonsils and Pharynx	11	2	9	1	2	1	-	1	2	2	-	1	1	-	-	-	
110 Diseases of Oesophagus - - - -	3	-	3	-	1	-	-	-	-	1	-	-	-	1	-	-	
111 (a) Ulcer of Stomach - - - - -	32	20	12	-	-	-	-	2	2	5	5	5	10	2	-	-	
(b) Ulcer of Duodenum - - - - -	27	22	5	-	-	-	-	-	2	4	10	6	4	1	-	-	
112 Other Diseases of Stomach - - -	24	11	13	3	2	-	-	-	-	2	4	6	3	3	-	-	

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.															
13 Diarrhoea and Enteritis (under 2 years)	42	23	19	32	10	-	-	-	-	-	-	-	-	-	-
14 (a) Diarrhoea and Enteritis (over 2 years)	30	13	17	-	6	1	-	-	1	1	2	4	3	8	4
(b) Ulcer of Intestine (not Duodenal)	3	1	2	-	-	-	-	-	-	1	1	-	-	1	-
16 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 Appendicitis - - - -	31	21	10	-	1	3	2	3	3	3	6	3	5	2	-
18 (a) Hernia - - - -	28	14	14	1	-	-	-	1	-	1	7	5	8	3	2
(b) Intestinal Obstruction - -	31	16	15	1	1	1	-	1	2	6	3	4	8	3	1
19 Other Diseases of Intestines -	7	6	1	1	-	-	-	-	-	-	3	-	1	2	-
20 Acute Yellow Atrophy of Liver -	4	1	3	-	-	-	-	2	-	-	1	-	1	-	-
21 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22 Cirrhosis of Liver - - - -	19	16	3	-	-	-	-	-	-	3	5	8	2	-	1
23 Gallstones - - - -	19	5	14	-	-	-	-	-	-	-	2	5	9	2	1
24 Other Diseases of Liver - -	11	3	8	-	-	1	-	-	-	-	2	2	3	2	1
25 Diseases of Pancreas - - -	7	5	2	-	-	-	-	-	-	1	1	5	-	-	-
26 Peritonitis (nature unspecified) -	7	5	2	3	2	-	-	-	-	-	1	1	-	-	-
27 Other Diseases of Digestive System	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.															
28 Acute Nephritis - - - -	18	8	10	1	1	2	-	1	2	-	4	3	3	1	-
29 Chronic Nephritis, Bright's Disease	172	88	84	-	1	-	-	4	7	15	41	49	35	18	2
31 Other Diseases of Kidney (130) -	20	5	15	1	1	-	-	-	1	7	1	4	2	2	1
32 Urinary Calculus - - - -	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-
33 Diseases of Bladder - - - -	12	5	7	-	-	-	-	-	-	-	2	-	5	2	3
34 Diseases of Urethra - - - -	4	4	-	-	-	-	-	-	-	1	-	2	1	-	-
35 Diseases of Prostate - - - -	32	32	-	-	-	-	-	-	-	1	1	2	17	10	1
36 Other Diseases of Male Reproductive Organs	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
37 Cysts, and other Tumours of Ovary (non-Malignant)	9	-	9	-	-	-	-	1	-	2	1	1	3	1	-
38 Salpingitis, Pelvic Abscess - -	4	-	4	-	-	-	-	1	-	1	1	-	1	-	-
39 Uterine Tumour (non-Malignant)	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-
40 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 (a) Metritis - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	3	-	3	-	-	-	-	-	-	1	2	-	-	-	-
42 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.															
43 (a) Abortion, Miscarriage - -	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-
(b) Uncontrollable Vomiting - -	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	4	-	4	-	-	-	-	-	2	2	-	-	-	-	-
144 Puerperal Hæmorrhage - - -	5	-	5	-	-	-	-	1	1	3	-	-	-	-	-
145 Other Accidents of Parturition -	5	-	5	-	-	-	-	1	1	3	-	-	-	-	-
146 Puerperal Sepsis - - - -	16	-	16	-	-	-	-	5	7	4	-	-	-	-	-
147 Phlegmasia Alba Dolens, Embolism	4	-	4	-	-	-	-	-	1	3	-	-	-	-	-
148 Albuminuria of Pregnancy, Eclampsia	9	-	9	-	-	-	-	1	4	4	-	-	-	-	-
149 Other Diseases of Puerperium -	3	-	3	-	-	-	-	1	2	-	-	-	-	-	-
150 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.															
151 (a) Senile Gangrene - - - -	32	18	14	-	-	-	-	-	-	-	-	5	8	17	2
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	2	2	-	-	-	-	-	-	-	-	1	-	-	1	-
152 Carbuncle, Boil - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
153 Phlegmon, Abscess - - - -	11	7	4	3	-	-	-	1	1	-	2	1	2	1	-
154 Other Diseases of Skin - - -	9	5	4	3	1	-	-	-	-	-	-	1	3	1	-

CAUSES OF DEATH IN DUNDEE IN 1927.

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
All Causes—Both Sexes				2918	-	-	485	298	51	28	104	134	147	239	404	530	382	116	
Males				-	1414	-	294	172	27	12	43	52	70	124	206	237	150	27	
Females				-	-	1504	191	126	24	16	61	82	77	115	198	293	232	89	
I. EPIDEMIC AND ENDEMIC DISEASES.																			
1 (a) Enteric Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Paratyphoid Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Typhus Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Malaria				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Smallpox				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Unvaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Vaccination				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Doubtful				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles				76	50	26	20	55	1	-	-	-	-	-	-	-	-	-	
8 Scarlet Fever				9	5	4	2	4	2	1	-	-	-	-	-	-	-	-	
9 Whooping-cough				48	25	23	21	26	1	-	-	-	-	-	-	-	-	-	
10 Diphtheria				69	34	35	9	45	12	3	-	-	-	-	-	-	-	-	
11 Influenza—																			
(a) Sole Cause				6	5	1	2	-	-	1	1	-	-	-	-	1	1	-	
(b) with Phthisis				1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
(c) with Bronchitis				5	1	4	-	-	-	-	-	-	-	-	1	-	3	1	
(d) with Pneumonia				34	17	17	1	3	1	-	1	2	5	7	5	4	3	2	
(e) with other Respiratory Disease				1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
(f) with Diseases and Accidents of Pregnancy and Parturition				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(g) with other Cause				22	10	12	-	-	1	-	1	3	-	2	6	7	2	-	
16 Dysentery				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Erysipelas				6	2	4	2	-	-	-	-	-	-	-	2	2	-	-	
22 Infantile Paralysis				1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
23 Encephalitis Lethargica				3	2	1	-	1	2	-	-	-	-	-	-	-	-	-	
(a) Cerebro-spinal Meningitis				5	3	2	1	3	1	-	-	-	-	-	-	-	-	-	
(b) Posterior Basal Meningitis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Other Infectious Diseases.																			
26 Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Anthrax				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28 Rabies				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29 Tetanus				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Mycoses				2	-	2	-	-	-	-	-	-	1	-	1	-	-	-	
(a) Laryngeal Tuberculosis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Tuberculosis				153	76	77	-	3	2	4	45	40	30	12	14	3	-	-	
32 Tuberculous Meningitis				13	12	1	-	13	-	-	-	-	-	-	-	-	-	-	
33 Tuberculosis of Intestines and Peritoneum				10	4	6	-	2	1	-	3	1	2	1	-	-	-	-	
34 Tuberculosis of Spine				4	2	2	-	-	-	-	1	1	-	-	-	2	-	-	
35 Tuberculosis of Joints				1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
36 Tuberculosis of other Organs—																			
(a) Skin				1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
(b) Bones (except Spine)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Lymphatic System (Abdom. Glands excepted)				1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
(d) Genito-urinary System				1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
(e) Others				1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
37 Disseminated Tuberculosis—																			
(a) Acute				7	3	4	-	1	2	1	1	1	1	-	-	-	-	-	
(b) Chronic				8	4	4	-	3	-	1	1	2	-	-	1	-	-	-	
38 Syphilis				11	8	3	2	-	-	-	-	-	3	4	1	1	-	-	
39 Other Venereal Diseases (39)				1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
(a) Vaccinia				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pyæmia, Septicæmia (not Puerperal)				1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
42 Other Infectious Diseases				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
II. GENERAL DISEASES NOT INCLUDED ABOVE.																			
43	Cancer,	Buccal Cavity	- -	14	12	2	-	-	-	-	-	-	3	2	15	25	40	16	1
44	Do.	Stomach and Liver	- -	102	44	58	-	-	-	-	-	1	-	4	9	19	24	7	3
45	Do.	Peritoneum, Intestine, Rectum	- -	67	28	39	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Do.	Female Genital Organs	- -	26	-	26	-	-	-	-	-	-	1	1	7	9	6	2	2
47	Do.	Breast	- -	19	-	19	-	-	-	-	-	-	-	1	8	3	3	2	-
48	Do.	Skin	- -	5	3	2	-	-	-	-	-	-	-	-	-	-	2	3	-
49	Do.	Other Organs	- -	47	24	23	1	-	-	-	-	2	-	5	8	12	17	2	1
50	Tumours,	non-malignant (not Cerebral, Uterine, or Ovarian)	- -	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
51	Rheumatic Fever	- -	3	-	3	-	-	1	-	1	-	-	-	-	-	-	1	1	-
52	(a) Chronic Rheumatism	- -	5	2	3	-	-	-	-	-	-	-	-	-	-	2	1	2	-
	(b) Osteo-arthritis	- -	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Gout	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Scorbutus	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Rickets	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57	Diabetes	- -	19	10	9	-	1	-	-	-	-	2	2	2	2	4	5	3	-
58	(a) Pernicious Anæmia	- -	15	5	10	-	-	-	-	-	-	-	1	1	3	7	4	-	-
	(b) Other Anæmia, Chlorosis	- -	4	2	2	1	-	-	-	-	1	-	1	-	-	1	-	-	-
69	(a) Purpura	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Hæmophilia	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other General Diseases (54, 55)	- -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diseases of Ductless Glands.																			
59	Diseases of Pituitary Gland	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	(a) Exophthalmic Goitre	- -	4	-	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-
	(b) Other Diseases of Thyroid and Parathyroid (61)	- -	4	1	3	-	-	-	-	-	-	-	-	2	-	-	1	1	-
62	Diseases of Thymus	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Diseases of Suprarenal Capsules, Addison's Disease	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Diseases of Spleen	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	(a) Leuchæmia	- -	4	2	2	-	-	-	-	-	-	1	1	-	-	2	-	-	-
	(b) Hodgkin's Dis., Lymphadenoma	- -	5	5	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-
Chronic Poisonings.																			
66	(a) Delirium Tremens	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Acute Alcoholism	- -	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	(c) Other Alcoholism	- -	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
67	Chronic Inorganic Poisoning—	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(a) Lead	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Occupational	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Chronic Organic Poisoning	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DISEASES OF THE NERVOUS SYSTEM.																			
70	(a) Cerebral Abscess	- -	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
	(b) Encephalitis (other than En- cephalitis Lethargica)	- -	4	1	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-
71	Meningitis (other than Tuberculous or Cerebro-spinal)	- -	13	5	8	7	3	2	-	1	-	-	-	-	-	-	-	-	-
72	Locomotor Ataxy	- -	4	4	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-
73	Other Diseases of Spinal Cord	- -	7	3	4	-	-	-	-	-	-	-	-	-	1	2	2	1	1
74	(a) Cerebral Hæmorrhage	- -	154	54	100	-	-	-	-	1	1	2	2	16	35	49	43	7	7
	(b) Apoplexy	- -	7	4	3	-	-	-	-	-	-	-	-	-	-	5	2	-	-
	(c) Cerebral Embolism and Throm- bosis	- -	36	14	22	-	-	-	-	-	-	1	1	2	4	13	11	4	4
75	(a) Hemiplegia	- -	35	19	16	-	-	-	-	-	-	-	-	-	1	9	12	11	2
	(b) Paralysis, other or unspecified	- -	2	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
76	General Paralysis of Insane	- -	12	10	2	-	-	-	-	-	-	3	3	4	1	1	-	-	-
77	Other Insanity	- -	3	1	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-
78	Epilepsy	- -	4	3	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-
79	Eclampsia (not Puerperal). (Age 5 and over)	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	Infantile Convulsions. (Age under 5)	- -	13	8	5	9	4	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81 Chorea - - - - -	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
82 Neuritis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (a) Cerebral Tumour - - -	10	7	3	-	-	1	-	1	1	1	2	4	1	-	-
(b) Other Diseases of Nervous System (83)	9	4	5	-	-	-	-	-	1	1	-	1	4	2	-
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(b) Diseases of Ear - - - - -	3	1	2	-	-	1	-	-	-	-	1	1	-	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87 Pericarditis - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
88 (a) Acute Endocarditis - - -	7	1	6	-	-	-	3	-	2	-	2	-	-	-	-
(b) Acute Myocarditis - - -	5	2	3	-	-	-	-	-	-	-	-	1	1	2	1
89 Angina Pectoris - - - - -	10	5	5	-	-	-	-	-	-	-	1	4	3	2	-
90 (a) Valvular Disease of Heart	167	72	95	-	-	-	3	6	8	13	23	46	47	20	1
(b) Fatty Degeneration of Heart	6	3	3	-	-	-	-	-	-	1	2	2	1	-	-
(c) Other Disease of Heart - -	178	73	105	-	-	-	-	1	1	6	12	27	56	54	21
91 (a) Aneurysm - - - - -	4	3	1	-	-	-	-	-	-	1	-	1	2	-	-
(b) Arterio-sclerosis - - - -	45	24	21	-	-	-	-	-	-	-	-	2	12	25	6
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral)	2	-	2	-	-	-	-	-	-	-	1	1	-	-	-
93 Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94 (a) Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97 Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Laryngismus Stridulus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	195	98	97	29	3	-	1	-	6	6	11	29	65	35	10
00 Broncho-pneumonia - - - -	257	137	120	112	86	2	3	1	8	6	13	13	9	4	-
01 Pneumonia - - - - -	112	64	48	14	17	5	4	1	7	6	9	13	24	10	2
02 Pleurisy - - - - -	10	10	-	2	-	-	2	-	-	1	2	1	-	2	-
03 Congestion of Lung - - - -	10	3	7	1	-	-	-	-	-	-	-	2	-	5	2
04 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Asthma - - - - -	5	3	2	-	-	-	-	-	-	-	1	2	2	-	-
06 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
07 (a) Interstitial Pneumonia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Mediastinum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
VI. DISEASES OF THE DIGESTIVE SYSTEM.															
08 Diseases of Buccal Cavity - -	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
09 Diseases of Tonsils and Pharynx -	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-
10 Diseases of Oesophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 (a) Ulcer of Stomach - - - -	10	5	3	-	-	-	-	-	-	1	3	3	3	-	-
(b) Ulcer of Duodenum - - - -	11	10	1	-	-	-	-	1	1	4	3	2	-	-	-
12 Other Diseases of Stomach - -	8	2	6	4	-	-	-	-	-	1	1	1	-	-	1

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
113 Diarrhœa and Enteritis (under 2 years)	45	25	20	40	5	-	-	-	-	-	-	-	-	-	-	-
114 (a) Diarrhœa and Enteritis (over 2 years)	7	2	5	-	1	1	-	-	-	-	1	-	3	1	-	-
(b) Ulcer of Intestine (not Duodenal)	5	1	4	-	-	-	-	1	1	1	-	1	-	1	-	-
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Appendicitis - - - -	11	6	5	-	-	-	1	2	3	1	3	-	1	-	-	-
118 (a) Hernia - - - -	5	1	4	1	-	-	-	-	-	-	-	1	3	3	1	-
(b) Intestinal Obstruction - -	14	8	6	3	-	-	2	-	-	1	-	1	3	3	1	-
119 Other Diseases of Intestines -	3	2	1	-	-	-	-	-	-	-	1	1	-	1	-	-
120 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122 Cirrhosis of Liver - - - -	5	4	1	-	-	-	-	-	-	-	2	1	2	-	-	-
123 Gallstones - - - -	6	1	5	-	-	-	-	-	-	-	3	1	-	2	-	-
124 Other Diseases of Liver - -	12	3	9	-	-	-	-	1	1	-	4	1	4	1	-	-
125 Diseases of Pancreas - - -	4	1	3	-	-	-	-	1	1	1	-	-	1	-	-	-
126 Peritonitis (nature unspecified) -	4	-	4	-	-	2	-	-	-	-	-	2	-	-	-	-
127 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
128 Acute Nephritis - - - -	11	7	4	-	-	2	-	1	2	2	1	3	-	-	-	-
129 Chronic Nephritis, Bright's Disease	59	29	30	-	1	-	-	1	3	6	10	20	12	6	-	-
131 Other Diseases of Kidney (130) -	5	3	2	-	-	1	-	-	1	-	1	-	1	-	-	-
132 Urinary Calculus - - - -	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
133 Diseases of Bladder - - - -	5	2	3	-	-	-	-	-	2	-	-	-	1	2	-	-
134 Diseases of Urethra - - - -	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
135 Diseases of Prostate - - - -	8	8	-	-	-	-	-	-	-	-	-	-	2	3	3	-
136 Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Cysts, and Other Tumours of Ovary (non-Malignant)	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-
138 Salpingitis, Pelvic Abscess - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
139 Uterine Tumour (non-Malignant)	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-
140 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
142 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
143 (a) Abortion, Miscarriage - -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting - -	2	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
144 Puerperal Hæmorrhage - - -	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
145 Other Accidents of Parturition -	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-
146 Puerperal Sepsis - - - -	12	-	12	-	-	-	-	4	5	3	-	-	-	-	-	-
147 Phlegmasia Alba Dolens, Embolism	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
148 Albuminuria of Pregnancy, Eclampsia	6	-	6	-	-	-	-	2	3	1	-	-	-	-	-	-
149 Other Diseases of Puerperium -	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
150 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
151 (a) Senile Gangrene - - - -	11	6	5	-	-	-	-	-	-	-	-	-	1	5	4	1
(b) Noma, Cancrum Oris - - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
152 Carbuncle, Boil - - - -	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
153 Phlegmon, Abscess - - - -	9	4	5	4	2	-	-	-	1	-	-	1	1	1	-	-
154 Other Diseases of Skin - - - -	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
X. DISEASES OF ORGANS OF LOCOMOTION.															
155 Dis. of Bones (Mastoid excluded)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156 Diseases of Joints - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
158 Other Diseases of Organs of Locomotion (157)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
XI. MALFORMATIONS.															
159 Malformations—															
(a) Hydrocephalus - - -	5	3	2	5	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Heart - - -	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
(c) Other Malformations - -	10	5	5	10	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF EARLY INFANCY.															
160 Congenital Debility, Icterus, Sclerema, Marasmus	74	47	27	74	-	-	-	-	-	-	-	-	-	-	-
161 (a) Premature Birth - - -	68	33	35	68	-	-	-	-	-	-	-	-	-	-	-
(b) Injury at Birth - - -	5	4	1	5	-	-	-	-	-	-	-	-	-	-	-
162 Other Diseases peculiar to Early Infancy (163)	10	6	4	10	-	-	-	-	-	-	-	-	-	-	-
XIII. OLD AGE.															
164 Senility, Senile Dementia - -	108	35	73	-	-	-	-	-	-	-	-	1	19	53	35
XIV. VIOLENT CAUSES.															
174 Suicide (165-173) - - -	22	15	7	-	-	-	-	2	3	2	7	6	2	-	-
175 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Other Acute Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179 Burns and Scalds (178) - -	10	7	3	3	5	-	-	1	-	-	-	-	-	1	-
180 (a) Overlaying - - -	5	4	1	5	-	-	-	-	-	-	-	-	-	-	-
(b) Asphyxia, Suffocation (otherwise)	8	6	2	4	2	-	-	-	-	-	-	2	-	-	-
181 Exposure to Poisonous Vapours -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
182 Accidental Drowning - - -	13	12	1	-	-	1	-	1	2	2	2	3	2	-	-
183 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185 Accidental Falls - - -	7	5	2	-	-	-	-	-	2	-	1	3	1	-	-
186 Accidents in—(a) Coal Mines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 Accidents with—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a) Horsed Vehicles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Railways - - -	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-
(c) Tramways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Motor Vehicles - - -	9	6	3	-	-	-	2	2	1	2	1	1	-	-	-
(e) Aircraft - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(f) Other Vehicles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(g) Other Crushing Accidents -	6	5	1	-	-	1	1	-	2	-	1	1	-	-	-
190 War Casualties (191) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196 Electricity (Lightning excepted) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200 Homicide (197-199) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202 Other Violence—Form specified (176, 184, 189, 201)	11	8	3	-	-	-	-	-	-	1	-	1	1	6	2
203 Violence of Unspecified Nature -	3	3	-	-	-	1	-	1	-	-	-	-	-	1	-
XV. ILL-DEFINED CAUSES.															
204 Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205 (a) Heart Failure - - -	25	10	15	4	2	-	-	1	-	2	-	7	5	4	-
(b) Syncope - - -	8	5	3	-	-	1	-	1	-	1	1	2	-	2	-
(c) Other Ill-defined Causes - -	5	1	4	-	3	-	-	-	-	-	1	-	-	1	-
(d) Natural Causes - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
(e) Cause not specified - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

			All Ages.			Age											
			Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
II. GENERAL DISEASES NOT INCLUDED ABOVE.																	
43	Cancer,	Buccal Cavity - -	11	11	-	-	-	-	-	-	-	-	1	4	6	-	-
44	Do.	Stomach and Liver -	81	39	42	-	-	-	-	-	-	5	14	23	21	17	1
45	Do.	Peritoneum, Intestine, Rectum	62	30	32	-	-	-	-	1	-	3	6	18	22	11	-
46	Do.	Female Genital Organs -	13	-	13	-	-	-	-	-	1	1	6	-	5	-	-
47	Do.	Breast - - - -	22	-	22	-	-	-	-	-	-	-	6	7	5	2	2
48	Do.	Skin - - - -	3	1	2	-	-	-	-	-	-	-	-	-	-	3	-
49	Do.	Other Organs - -	41	23	18	-	1	-	-	-	2	3	10	9	8	8	-
50	Tumours, non - malignant (not Cerebral, Uterine, or Ovarian)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	Rheumatic Fever - - -	4	-	4	-	-	-	-	1	1	-	2	-	-	-	-	-
52	(a) Chronic Rheumatism - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Osteo-arthritis - - -	2	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	(c) Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Scorbutus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Rickets - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
57	Diabetes - - - - -	16	4	12	-	-	-	1	1	1	1	1	2	4	3	4	-
58	(a) Pernicious Anæmia - -	16	5	11	-	-	-	-	2	2	2	1	3	6	6	2	-
	(b) Other Anæmia, Chlorosis -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	(a) Purpura - - - - -	3	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-
	(b) Hæmophilia - - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other General Diseases (54, 55)	4	1	3	-	-	-	1	-	1	-	-	-	-	1	1	-
Diseases of Ductless Glands.																	
59	Diseases of Pituitary Gland -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	(a) Exophthalmic Goitre - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Diseases of Thyroid and Parathyroid (61)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
62	Diseases of Thymus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Diseases of Suprarenal Capsules, Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Diseases of Spleen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	(a) Leuchæmia - - - - -	5	3	2	-	1	-	-	-	-	-	-	-	-	3	1	-
	(b) Hodgkin's Dis., Lymphadenoma	8	3	5	-	1	-	-	1	1	-	2	2	-	-	1	-
Chronic Poisonings.																	
66	(a) Delirium Tremens - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Acute Alcoholism - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	(c) Other Alcoholism - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	Chronic Inorganic Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(a) Lead - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Occupational - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Chronic Organic Poisoning - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DISEASES OF THE NERVOUS SYSTEM.																	
70	(a) Cerebral Abscess - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Encephalitis (other than En- cephalitis Lethargica)	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
71	Meningitis (other than Tuberculous or Cerebro-spinal)	10	4	6	4	1	2	1	-	-	1	1	-	-	-	-	-
72	Locomotor Ataxy - - - -	3	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-
73	Other Diseases of Spinal Cord -	5	4	1	-	-	1	-	1	-	-	-	3	-	-	-	-
74	(a) Cerebral Hæmorrhage - -	183	70	113	-	-	-	-	1	-	1	11	39	60	54	17	-
	(b) Apoplexy - - - - -	8	3	5	-	-	-	-	-	-	-	-	2	4	2	-	-
	(c) Cerebral Embolism and Throm- bosis	29	9	20	-	-	-	-	-	-	1	2	4	14	7	1	-
75	(a) Hemiplegia - - - - -	11	5	6	-	-	-	-	-	-	-	1	1	4	3	-	-
	(b) Paralysis, other or unspecified	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
76	General Paralysis of Insane -	8	6	2	-	-	-	-	-	-	1	5	1	1	-	-	-
77	Other Insanity - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
78	Epilepsy - - - - -	8	6	2	-	-	-	3	-	-	-	1	1	1	2	-	-
79	Eclampsia (not Puerperal). (Age 5 and over)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	Infantile Convulsions. (Age under 5)	23	11	12	21	2	-	-	-	-	-	-	-	-	-	-	-

	All Ages.			Age													85 and over
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
III. DISEASES OF THE NERVOUS SYSTEM—continued.																	
81 Chorea - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
82 Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84 (a) Cerebral Tumour - - -	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
(b) Other Diseases of Nervous System (83)	8	5	3	1	1	-	-	-	1	-	-	2	2	-	-	-	
85 Diseases of Eye - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
86 (a) Mastoid Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - -	7	6	1	-	1	-	1	2	1	-	-	1	1	-	-	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.																	
87 Pericarditis - - - - -	4	3	1	-	-	-	-	-	-	-	1	1	2	-	-	-	
88 (a) Acute Endocarditis - - -	5	2	3	-	-	-	-	-	3	-	-	1	-	1	-	-	
(b) Acute Myocarditis - - -	3	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	
89 Angina Pectoris - - - - -	14	8	6	-	-	-	-	-	-	-	2	3	5	4	-	-	
90 (a) Valvular Disease - - - -	95	37	58	-	-	1	3	3	4	10	16	16	16	21	-	-	
(b) Fatty Degeneration of Heart	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
(c) Other Disease of Heart - -	168	77	91	-	-	1	-	-	1	5	9	24	45	68	-	-	
91 (a) Aneurysm - - - - -	10	7	3	-	-	-	-	-	-	1	1	5	3	-	-	-	
(b) Arterio-sclerosis - - - -	59	25	34	-	-	-	-	-	-	-	1	4	15	26	-	-	
(c) Other Diseases of Arteries -	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
92 Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
93 Diseases of Veins - - - - -	2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	
94 (a) Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
95 Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.																	
97 Diseases of Nose - - - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
98 (a) Laryngismus Stridulus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
(c) Croup (not Diphtheritic) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases of Larynx -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
99 Bronchitis - - - - -	113	43	70	22	3	3	-	2	-	-	6	5	29	32	-	-	
100 Broncho-pneumonia - - - -	85	51	34	52	16	1	-	-	-	2	2	3	5	3	-	-	
101 Pneumonia - - - - -	74	45	29	7	12	1	1	2	3	3	6	15	8	16	-	-	
102 Pleurisy - - - - -	8	6	2	-	-	-	-	2	-	-	3	2	-	-	-	-	
103 Congestion of Lung - - - -	11	5	6	-	-	-	1	-	-	-	-	1	4	5	-	-	
104 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
105 Asthma - - - - -	2	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	
106 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107 (a) Interstitial Pneumonia - -	4	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	
(b) Diseases of Mediastinum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Respiratory System	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
V. DISEASES OF THE DIGESTIVE SYSTEM.																	
108 Diseases of Buccal Cavity - -	2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	
109 Diseases of Tonsils and Pharynx -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
110 Diseases of Oesophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
111 (a) Ulcer of Stomach - - - -	10	6	4	-	-	-	-	-	1	2	1	4	-	2	-	-	
(b) Ulcer of Duodenum - - - -	4	4	-	-	-	-	-	-	1	-	-	3	-	-	-	-	
112 Other Diseases of Stomach - -	11	4	7	3	1	-	-	1	1	-	2	-	1	1	-	-	

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
13 Diarrhœa and Enteritis (under 2 years)	25	16	9	25	-	-	-	-	-	-	-	-	-	-	-	
14 (a) Diarrhœa and Enteritis (over 2 years)	3	1	2	-	-	-	-	-	-	-	-	-	1	1	1	
(b) Ulcer of Intestine (not Duodenal)	3	2	1	1	-	-	1	-	-	-	-	1	-	-	-	
16 Ankylostomiasis, Intestinal Para- sites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17 Appendicitis - - - -	15	10	5	-	1	1	2	-	1	2	3	2	3	-	-	
18 (a) Hernia - - - -	9	3	6	1	-	-	1	-	-	2	1	1	3	-	-	
(b) Intestinal Obstruction - -	5	4	1	1	-	-	-	-	-	2	-	-	1	1	-	
19 Other Diseases of Intestine -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22 Cirrhosis of Liver - - - -	3	3	-	-	-	-	-	-	-	-	2	-	1	-	-	
23 Gallstones - - - -	6	-	6	-	-	-	-	-	-	-	2	2	2	-	-	
24 Other Diseases of Liver - - -	8	4	4	-	-	-	-	-	-	2	-	1	2	3	-	
25 Diseases of Pancreas - - - -	3	1	2	-	-	-	-	-	1	1	-	-	1	-	-	
26 Peritonitis (nature unspecified) -	6	2	4	-	2	-	-	-	1	-	1	-	1	1	-	
27 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF THE GENITO- URINARY SYSTEM.																
28 Acute Nephritis - - - -	7	3	4	-	-	-	2	1	-	4	-	-	-	-	-	
29 Chronic Nephritis, Bright's Disease	55	27	28	-	-	-	-	1	2	4	11	21	6	10	-	
31 Other Diseases of Kidney (130) -	6	2	4	-	1	-	-	1	-	1	1	1	-	1	-	
32 Urinary Calculus - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
33 Diseases of Bladder - - - -	5	4	1	-	-	-	-	-	-	-	-	1	1	3	-	
34 Diseases of Urethra - - - -	5	5	-	-	-	-	-	-	-	-	1	3	1	-	-	
35 Diseases of Prostate - - - -	8	8	-	-	-	-	-	-	-	-	-	3	4	1	-	
36 Other Diseases of Male Repro- ductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37 Cysts, and other Tumours of Ovary (non-Malignant)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
38 Salpingitis, Pelvic Abscess - -	4	-	4	-	-	-	-	1	2	-	1	-	-	-	-	
39 Uterine Tumour (non-Malignant)	3	-	3	-	-	-	-	-	-	-	2	-	1	-	-	
40 Uterine Hæmorrhage (non-puer- peral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Diseases of Female Re- productive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
43 (a) Abortion, Miscarriage - -	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	
(b) Uncontrollable Vomiting - -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(c) Ectopic Gestation - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
(d) Other Diseases and Accidents of Pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
44 Puerperal Hæmorrhage - - - -	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-	
45 Other Accidents of Parturition -	2	-	2	-	-	-	-	1	-	1	-	-	-	-	-	
46 Puerperal Sepsis - - - -	5	-	5	-	-	-	-	-	4	1	-	-	-	-	-	
47 Phlegmasia Alba Dolens, Embolism	2	-	2	-	-	-	-	-	1	-	1	-	-	-	-	
48 Albuminuria of Pregnancy, Eclampsia	2	-	2	-	-	-	-	1	1	-	-	-	-	-	-	
49 Other Diseases of Puerperium -	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-	
50 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
51 (a) Senile Gangrene - - - -	10	5	5	-	-	-	-	-	-	-	-	1	-	4	5	
(b) Noma, Cancrum Oris - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
52 Carbuncle, Boil - - - -	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
53 Phlegmon, Abscess - - - -	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	
54 Other Diseases of Skin - - - -	2	1	1	-	-	-	-	-	-	1	-	-	-	1	-	

	All Ages.			Age													8+ ar ov
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
X. DISEASES OF ORGANS OF LOCOMOTION.																	
155 Dis. of Bones (Mastoid excluded)	3	2	1	-	-	1	1	1	-	-	-	-	-	-	-		
156 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
158 Other Diseases of Organs of Locomotion (157)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XI. MALFORMATIONS.																	
159 Malformations—																	
(a) Hydrocephalus - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-		
(b) Congenital Heart - - -	4	4	-	4	-	-	-	-	-	-	-	-	-	-	-		
(c) Other Malformations - -	5	2	3	5	-	-	-	-	-	-	-	-	-	-	-		
XII. DISEASES OF EARLY INFANCY.																	
160 Congenital Debility, Icterus, Sclerema, Marasmus	39	25	14	39	-	-	-	-	-	-	-	-	-	-	-		
161 (a) Premature Birth - - -	91	47	44	91	-	-	-	-	-	-	-	-	-	-	-		
(b) Injury at Birth - - -	10	6	4	10	-	-	-	-	-	-	-	-	-	-	-		
162 Other Diseases peculiar to Early Infancy (163)	13	8	5	13	-	-	-	-	-	-	-	-	-	-	-		
XIII. OLD AGE.																	
164 Senility, Senile Dementia - -	127	36	91	-	-	-	-	-	-	-	-	-	12	75	-		
XIV. VIOLENT CAUSES.																	
174 Suicide (165-173) - - -	16	8	8	-	-	-	-	-	2	1	6	6	1	-	-		
175 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
177 Other Acute Accidental Poisonings	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1		
179 Burns and Scalds (178) - -	7	3	4	1	3	-	-	-	1	-	-	-	-	-	-		
180 (a) Overlaying - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
(b) Asphyxia, Suffocation (otherwise)	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-		
181 Exposure to Poisonous Vapours -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
182 Accidental Drowning - - -	9	8	1	-	-	-	2	2	1	-	3	1	-	-	-		
183 Accidents with Fire Arms - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
185 Accidental Falls - - -	3	1	2	-	-	-	1	-	-	-	1	-	1	-	-		
186 Accidents in (a) Coal Mines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
187 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
188 Accidents with—																	
(a) Horsed Vehicles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Railways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Tramways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Motor Vehicles - - -	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-		
(e) Aircraft - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(f) Other Vehicles - - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-		
(g) Other Crushing Accidents -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
190 War Casualties (191) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
195 Weather Agencies (193, 194) -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
196 Electricity (Lightning excepted) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
200 Homicide (197-199) - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
202 Other Violence—Form specified (176, 184, 189, 201)	41	26	15	-	1	3	1	4	3	1	4	6	7	7	-		
203 Violence of Unspecified Nature -	3	2	1	-	-	-	-	1	-	-	-	2	-	-	-		
XV. ILL-DEFINED CAUSES.																	
204 Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
205 (a) Heart Failure - - -	22	15	7	-	-	-	-	-	3	1	4	6	5	3	-		
(b) Syncope - - -	4	1	3	-	-	-	-	-	-	-	1	1	1	1	-		
(c) Other Ill-defined Diseases -	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
(d) Natural Causes - - -	5	2	3	1	-	-	-	-	-	-	-	1	-	1	2		
(e) Cause not specified - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		

CAUSES OF DEATH IN PAISLEY IN 1927.

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
All Causes—Both Sexes				1139	-	-	162	74	24	14	62	49	78	110	158	240	134	34
Males				-	571	-	87	47	14	7	29	24	43	54	83	111	59	13
Females				-	-	568	75	27	10	7	33	25	35	56	75	129	75	21
I. EPIDEMIC AND ENDEMIC DISEASES.																		
1 (a) Enteric Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Paratyphoid Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Typhus Fever				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Malaria				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 (a) Smallpox { Vaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Do. { Unvaccinated				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Do. { Vaccination Doubtful				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 Measles				28	13	15	7	21	-	-	-	-	-	-	-	-	-	-
8 Scarlet Fever				1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
9 Whooping-cough				7	4	3	7	-	-	-	-	-	-	-	-	-	-	-
10 Diphtheria				14	6	8	-	8	5	1	-	-	-	-	-	-	-	-
11 Influenza—																		
(a) Sole Cause				3	-	3	-	-	-	-	-	-	-	-	2	1	-	-
(b) with Phthisis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) with Bronchitis				3	-	3	-	-	-	-	-	-	-	-	1	1	1	-
(d) with Pneumonia				8	4	4	-	-	-	-	-	2	2	1	-	-	1	2
(e) with other Respiratory Disease				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(f) with Diseases and Accidents of Pregnancy and Parturition				1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
(g) with other Cause				7	4	3	1	-	1	-	-	-	2	1	-	-	1	1
16 Dysentery				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21 Erysipelas				3	3	-	1	-	-	-	-	-	-	-	1	1	-	-
22 Infantile Paralysis				1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
23 Encephalitis Lethargica				1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
24 (a) Cerebro-spinal Meningitis				1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
(b) Posterior Basal Meningitis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Infectious Diseases.																		
26 Glanders				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27 Anthrax				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28 Rabies				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29 Tetanus				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30 Mycoses				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31 (a) Laryngeal Tuberculosis				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pulmonary Tuberculosis				64	34	30	-	1	2	3	19	17	12	5	4	1	-	-
32 Tuberculous Meningitis				8	6	2	2	3	1	2	-	-	-	-	-	-	-	-
33 Tuberculosis of Intestines and Peritoneum				3	2	1	2	1	-	-	-	-	-	-	-	-	-	-
34 Tuberculosis of Spine				1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
35 Tuberculosis of Joints				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36 Tuberculosis of other Organs—																		
(a) Skin				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Bones (except Spine)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Lymphatic System (Abdom. Glands excepted)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Genito-urinary System				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Others				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37 Disseminated Tuberculosis—																		
(a) Acute				5	5	-	1	2	-	-	1	1	-	-	-	-	-	-
(b) Chronic				5	5	-	-	-	1	1	3	-	-	-	-	-	-	-
38 Syphilis				1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
40 Other Venereal Disease (39)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 (a) Vaccinia				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Pyæmia, Septicæmia (not Puer-peral)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 Other Infectious Diseases				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81 Chorea - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
82 Neuritis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
84 (a) Cerebral Tumour - - -	3	3	-	-	-	-	-	1	-	-	-	-	2	-	-
(b) Other Diseases of Nervous System (83)	4	3	1	-	1	-	-	-	1	-	-	-	2	-	-
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Ear - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87 Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 (a) Acute Endocarditis - - -	3	1	2	-	-	-	-	3	-	-	-	-	-	-	-
(b) Acute Myocarditis - - - -	3	2	1	-	-	-	-	-	-	1	1	1	-	-	-
89 Angina Pectoris - - - - -	12	10	2	-	-	-	-	-	-	2	1	2	7	-	-
90 (a) Valvular Disease of Heart -	58	29	29	-	-	-	1	2	2	3	11	13	16	9	1
(b) Fatty Degeneration of Heart	3	2	1	-	-	-	-	-	-	1	-	-	2	-	-
(c) Other Disease of Heart - - -	85	32	53	-	-	-	-	-	-	3	3	15	36	20	8
91 (a) Aneurysm - - - - -	3	1	2	-	-	-	-	-	-	-	1	1	1	-	-
(b) Arterio-sclerosis - - - - -	18	11	7	-	-	-	-	-	-	-	-	1	9	7	1
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93 Diseases of Veins - - - - -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
94 (a) Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97 Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
98 (a) Laryngismus Stridulus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	57	39	18	8	2	-	-	-	1	-	2	11	19	10	4
00 Broncho-pneumonia - - - - -	44	25	19	17	14	-	-	1	-	2	1	1	3	5	-
01 Pneumonia - - - - -	74	44	30	6	5	3	-	10	4	10	6	14	11	4	1
02 Pleurisy - - - - -	3	1	2	-	1	-	-	-	1	-	-	-	1	-	-
03 Congestion of Lung - - - - -	3	-	3	-	-	-	-	-	1	-	-	-	1	-	1
04 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Asthma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
07 (a) Interstitial Pneumonia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Mediastinum - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE DIGESTIVE SYSTEM.															
08 Diseases of Buccal Cavity - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
09 Diseases of Tonsils and Pharynx	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-
10 Diseases of Oesophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 (a) Ulcer of Stomach - - - -	10	7	3	-	-	-	-	-	1	1	6	-	2	-	-
(b) Ulcer of Duodenum - - - -	7	7	-	-	-	-	-	1	-	1	1	3	-	1	-
12 Other Diseases of Stomach - -	3	1	2	-	-	-	-	-	-	1	1	-	-	1	-

	All Ages.			Age													80
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																	
113 Diarrhœa and Enteritis (under 2 years)	13	4	9	11	2	-	-	-	-	-	-	-	-	-	-		
114 (a) Diarrhœa and Enteritis (over 2 years)	6	3	3	-	1	-	-	-	-	-	2	1	-	-	2		
(b) Ulcer of Intestine (not Duodenal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
117 Appendicitis - - - -	8	5	3	-	-	2	1	1	-	-	2	2	-	-	-		
118 (a) Hernia - - - -	4	1	3	-	-	-	-	-	-	-	-	1	3	-	-		
(b) Intestinal Obstruction - -	5	2	3	-	1	-	-	-	-	2	-	1	1	-	-		
119 Other Diseases of Intestines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
120 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
121 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
122 Cirrhosis of Liver - - - -	3	2	1	-	-	-	-	-	-	-	2	1	-	-	-		
123 Gallstones - - - -	6	-	6	-	-	-	-	-	-	1	2	2	1	-	-		
124 Other Diseases of Liver - -	2	-	2	-	-	-	-	-	-	-	1	-	1	-	-		
125 Diseases of Pancreas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
126 Peritonitis (nature unspecified) -	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
127 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																	
128 Acute Nephritis - - - -	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-		
129 Chronic Nephritis, Bright's Disease	33	14	19	-	-	-	-	1	2	5	10	5	8	2	-		
131 Other Diseases of Kidney (130) -	2	-	2	-	-	-	-	-	-	1	-	-	1	-	-		
132 Urinary Calculus - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
133 Diseases of Bladder - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
134 Diseases of Urethra - - - -	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
135 Diseases of Prostate - - - -	4	4	-	-	-	-	-	-	-	-	-	1	2	1	-		
136 Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137 Cysts, and other Tumours of Ovary (non-Malignant)	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
138 Salpingitis, Pelvic Abscess - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139 Uterine Tumour (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
140 Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
141 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
142 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
VIII. DISEASES OF PREGNANCY AND PARTURITION.																	
143 (a) Abortion, Miscarriage - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
(b) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(d) Other Diseases and Accidents of Pregnancy	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
144 Puerperal Hæmorrhage - - -	3	-	3	-	-	-	-	-	1	2	-	-	-	-	-		
145 Other Accidents of Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
146 Puerperal Sepsis - - - -	4	-	4	-	-	-	-	-	3	1	-	-	-	-	-		
147 Phlegmasia Alba Dolens, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
148 Albuminuria of Pregnancy, Eclampsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
149 Other Diseases of Puerperium -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
150 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																	
151 (a) Senile Gangrene - - - -	3	3	-	-	-	-	-	-	-	-	-	-	-	1	2		
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
152 Carbuncle, Boil - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
153 Phlegmon, Abscess - - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
154 Other Diseases of Skin - - -	2	1	1	-	1	-	-	-	-	-	-	1	-	-	-		

[illegible]

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
II. GENERAL DISEASES NOT INCLUDED ABOVE.																			
43	Cancer,	Buccal Cavity	-	5	5	-	-	-	-	-	-	-	-	2	-	3	-	-	
44	Do.	Stomach and Liver	-	33	15	18	-	-	-	-	-	-	2	5	8	13	5	-	
45	Do.	Peritoneum, Intestine, Rectum	-	26	13	13	-	-	-	-	-	2	2	2	8	8	3	1	
46	Do.	Female Genital Organs	-	12	-	12	-	-	-	-	-	1	2	3	4	-	2	-	
47	Do.	Breast	-	10	-	10	-	-	-	-	-	-	2	3	3	2	-	-	
48	Do.	Skin	-	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
49	Do.	Other Organs	-	16	11	5	-	-	-	-	-	-	1	2	3	6	4	-	
50	Tumours, non - malignant (not Cerebral, Uterine, or Ovarian)			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
51	Rheumatic Fever			5	1	4	-	-	1	2	1	-	-	-	1	-	-	-	
52	(a)	Chronic Rheumatism		1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
	(b)	Osteo-arthritis		3	1	2	-	-	-	-	-	-	-	1	2	-	-	-	
	(c)	Gout		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	Scorbutus			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
56	Rickets			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
57	Diabetes			6	2	4	-	-	-	-	1	1	-	-	1	2	1	-	
58	(a)	Pernicious Anæmia		1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
	(b)	Other Anæmia, Chlorosis		1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
69	(a)	Purpura		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b)	Hæmophilia		1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
	(c)	Other General Diseases (54, 55)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of Ductless Glands.																			
59	Diseases of Pituitary Gland			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
60	(a)	Exophthalmic Goitre		1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
	(b)	Other Diseases of Thyroid and Parathyroid (61)		1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
62	Diseases of Thymus			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	Diseases of Suprarenal Capsules, Addison's Disease			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
64	Diseases of Spleen			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
65	(a)	Leuchæmia		1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
	(b)	Hodgkin's Dis., Lymphadenoma		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic Poisonings.																			
66	(a)	Delirium Tremens		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b)	Acute Alcoholism		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c)	Other Alcoholism		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
67	Chronic Inorganic Poisoning—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(a)	Lead		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b)	Other Occupational		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c)	Other		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
68	Chronic Organic Poisoning			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
III. DISEASES OF THE NERVOUS SYSTEM.																			
70	(a)	Cerebral Abscess		1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	(b)	Encephalitis (other than En- cephalitis Lethargica)		4	4	-	-	-	1	-	1	-	-	-	2	-	-	-	
71	Meningitis (other than Tuberculous or Cerebro-spinal)			24	10	14	10	8	3	3	-	-	-	-	-	-	-	-	
72	Locomotor Ataxy			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
73	Other Diseases of Spinal Cord			4	-	4	-	-	-	-	-	-	-	3	-	-	1	-	
74	(a)	Cerebral Hæmorrhage		77	36	41	-	-	-	-	-	-	2	7	16	32	15	5	
	(b)	Apoplexy		4	1	3	-	-	-	-	-	-	-	1	1	2	-	-	
	(c)	Cerebral Embolism and Throm- bosis		2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
75	(a)	Hemiplegia		12	5	7	-	-	-	-	-	4	1	2	4	1	-	-	
	(b)	Paralysis, other or unspecified		1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
76	General Paralysis of Insane			5	5	-	-	-	-	-	-	2	3	-	-	-	-	-	
77	Other Insanity			7	5	2	-	-	-	-	-	2	1	1	3	-	-	-	
78	Epilepsy			7	4	3	-	-	1	3	-	1	-	2	-	-	-	-	
79	Eclampsia (not Puerperal). (Age 5 and over)			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
80	Infantile Convulsions. (Age under 5)			15	6	9	12	3	-	-	-	-	-	-	-	-	-	-	

	All Ages.			Age													8 and over
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
III. DISEASES OF THE NERVOUS SYSTEM—continued.																	
81 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82 Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84 (a) Cerebral Tumour - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Diseases of Nervous System (83)	5	3	2	-	-	-	-	-	-	-	1	1	3	-	-	-	
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
86 (a) Mastoid Disease - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Ear - - - - -	2	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.																	
87 Pericarditis - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
88 (a) Acute Endocarditis - - -	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
(b) Acute Myocarditis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
89 Angina Pectoris - - - - -	7	5	2	-	-	-	-	-	-	2	1	1	2	1	-	-	
90 (a) Valvular Disease of Heart -	29	10	19	-	-	-	-	1	1	4	8	6	8	1	-	-	
(b) Fatty Degeneration of Heart -	4	2	2	-	-	-	-	-	-	-	1	2	-	-	-	-	
(c) Other Disease of Heart - -	70	35	35	-	-	1	-	2	1	6	9	14	21	14	-	-	
91 (a) Aneurysm - - - - -	3	2	1	-	-	-	-	-	-	1	-	2	-	-	-	-	
(b) Arterio-sclerosis - - - - -	9	9	-	-	-	-	-	-	-	-	-	3	5	-	-	-	
(c) Other Diseases of Arteries -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
92 Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
93 Diseases of Veins - - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
94 (a) Status Lymphaticus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
95 Hæmorrhage (cause unspecified) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.																	
97 Diseases of Nose - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
98 (a) Laryngismus Stridulus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Laryngitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Croup (not Diphtheritic) - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Other Diseases of Larynx - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
99 Bronchitis - - - - -	75	35	40	10	3	-	1	1	1	4	5	13	17	16	-	-	
100 Broncho-pneumonia - - - - -	46	21	25	23	18	1	2	-	-	-	1	-	1	-	-	-	
101 Pneumonia - - - - -	51	29	22	3	9	3	1	2	11	4	4	6	7	1	-	-	
102 Pleurisy - - - - -	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	
103 Congestion of Lung - - - - -	11	3	8	2	1	1	-	-	-	-	-	3	1	3	-	-	
104 Gangrene of Lung - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
105 Asthma - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
106 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
107 (a) Interstitial Pneumonia - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Diseases of Mediastinum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF THE DIGESTIVE SYSTEM.																	
108 Diseases of Buccal Cavity - -	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
109 Diseases of Tonsils and Pharynx -	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
110 Diseases of Œsophagus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
111 (a) Ulcer of Stomach - - - -	9	6	3	-	-	-	-	-	-	1	1	5	1	1	-	-	
(b) Ulcer of Duodenum - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
112 Other Diseases of Stomach - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
113 Diarrhœa and Enteritis (under 2 years)	6	3	3	4	2	-	-	-	-	-	-	-	-	-	-	-
114 (a) Diarrhœa and Enteritis (over 2 years)	8	8	-	-	2	2	-	-	1	-	1	1	-	1	-	-
(b) Ulcer of Intestine (not Duodenal)	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117 Appendicitis - - - -	8	5	3	-	-	1	1	3	1	1	-	-	1	-	-	-
118 (a) Hernia - - - -	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
(b) Intestinal Obstruction - -	7	5	2	2	1	1	-	-	-	-	-	2	-	1	-	-
119 Other Diseases of Intestines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120 Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121 Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122 Cirrhosis of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123 Gallstones - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 Other Diseases of Liver - -	5	1	4	-	-	-	-	-	-	1	1	1	2	-	-	-
125 Diseases of Pancreas - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126 Peritonitis (nature unspecified) -	3	1	2	-	1	-	-	-	1	-	1	-	-	-	-	-
127 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
128 Acute Nephritis - - - -	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
129 Chronic Nephritis, Bright's Disease	17	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-
131 Other Diseases of Kidney (130) -	2	2	-	-	-	-	-	1	1	-	1	6	7	2	-	-
132 Urinary Calculus - - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
133 Diseases of Bladder - - - -	3	2	1	-	-	-	-	1	-	-	1	1	-	-	-	-
134 Diseases of Urethra - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 Diseases of Prostate - - - -	5	5	-	-	-	-	-	-	-	-	-	1	2	2	-	-
136 Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 Cysts, and Other Tumours of Ovary (non-Malignant)	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
138 Salpingitis, Pelvic Abscess - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139 Uterine Tumour (non-Malignant)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140 Uterine Hæmorrhage (non-puerperal)	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
141 (a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
142 Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
43 (a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases and Accidents of Pregnancy	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
44 Puerperal Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45 Other Accidents of Parturition -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46 Puerperal Sepsis - - - -	3	-	3	-	-	-	-	-	2	1	-	-	-	-	-	-
47 Phlegmasia Alba Dolens, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48 Albuminuria of Pregnancy, Eclampsia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49 Other Diseases of Puerperium -	2	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
50 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
51 (a) Senile Gangrene - - - -	4	3	1	-	-	-	-	-	-	-	-	1	2	1	-	-
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Carbuncle, Boil - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
53 Phlegmon, Abscess - - - -	3	2	1	2	-	-	-	-	-	-	-	-	1	-	-	-
54 Other Diseases of Skin - - -	2	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-

CAUSES OF DEATH IN MOTHERWELL AND WISHAW IN 1927.

				All Ages.			Age												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
All Causes—Both Sexes - - -				788	-	-	118	78	19	17	46	34	63	99	113	124	62	15	
Males - - -				-	443	-	72	41	9	12	28	21	31	61	69	66	30	3	
Females - - -				-	-	345	46	37	10	5	18	13	32	38	44	58	32	12	
I. EPIDEMIC AND ENDEMIC DISEASES.																			
1 (a) Enteric Fever - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Paratyphoid Fever - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Typhus Fever - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Malaria - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6 (a) Smallpox { Vaccinated - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Do. { Unvaccinated - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Do. { Vaccination Doubtful - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7 Measles - - -				8	4	4	3	5	-	-	-	-	-	-	-	-	-	-	
8 Scarlet Fever - - -				4	-	4	-	2	-	1	1	-	-	-	-	-	-	-	
9 Whooping-cough - - -				8	5	3	2	6	-	-	-	-	-	-	-	-	-	-	
10 Diphtheria - - -				6	3	3	-	3	2	-	1	-	-	-	-	-	-	-	
11 Influenza—																			
(a) Sole Cause - - -				5	1	4	-	1	-	-	-	-	1	-	-	-	3	-	
(b) with Phthisis - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) with Bronchitis - - -				5	4	1	-	-	-	-	-	1	2	1	1	-	-	-	
(d) with Pneumonia - - -				10	6	4	1	2	-	-	-	1	-	2	2	-	2	-	
(e) with other Respiratory Disease - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(f) with Diseases and Accidents of Pregnancy and Parturition - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(g) with other Cause - - -				5	2	3	-	1	-	-	-	1	-	-	1	2	-	-	
16 Dysentery - - -				1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
21 Erysipelas - - -				1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
22 Infantile Paralysis - - -				1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
23 Encephalitis Lethargica - - -				2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	
24 (a) Cerebro-spinal Meningitis - - -				2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	
(b) Posterior Basal Meningitis - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25 Oth. Epid. and End. Dis. (3, 4, 12, 13, 14, 15, 17, 18, 19, 20)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other Infectious Diseases.																			
26 Glanders - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27 Anthrax - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28 Rabies - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29 Tetanus - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
30 Mycoses - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
31 (a) Laryngeal Tuberculosis - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pulmonary Tuberculosis - - -				51	30	21	2	2	2	2	14	7	12	10	-	-	-	-	
32 Tuberculous Meningitis - - -				8	3	5	1	2	2	2	-	-	1	-	-	-	-	-	
33 Tuberculosis of Intestines and Peritoneum - - -				8	2	6	2	1	-	-	1	3	-	1	-	-	-	-	
34 Tuberculosis of Spine - - -				5	3	2	-	-	1	-	-	-	1	3	-	-	-	-	
35 Tuberculosis of Joints - - -				1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
36 Tuberculosis of other Organs—																			
(a) Skin - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Bones (except Spine) - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Lymphatic System (Abdom. Glands excepted) - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(d) Genito-urinary System - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(e) Others - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87 Disseminated Tuberculosis —																			
(a) Acute - - -				1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
(b) Chronic - - -				6	4	2	-	1	-	-	3	-	1	1	-	-	-	-	
38 Syphilis - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40 Other Venereal Diseases (39) - - -				1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
41 (a) Vaccinia - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(b) Pyæmia, Septicæmia (not Puerperal) - - -				2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	
42 Other Infectious Diseases - - -				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

	All Ages.			Age											
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
III. DISEASES OF THE NERVOUS SYSTEM—continued.															
81 Chorea - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
82 Neuritis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84 (a) Cerebral Tumour - - - - -	3	3	-	-	-	-	-	-	1	-	2	-	-	-	-
(b) Other Diseases of Nervous System (83)	3	1	2	-	-	-	-	-	-	-	-	2	1	-	-
85 Diseases of Eye - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86 (a) Mastoid Disease - - - - -	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
(b) Diseases of Ear - - - - -	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
IV. DISEASES OF THE CIRCULATORY SYSTEM.															
87 Pericarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88 (a) Acute Endocarditis - - - - -	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
(b) Acute Myocarditis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89 Angina Pectoris - - - - -	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
90 (a) Valvular Disease of Heart - - - - -	34	19	15	-	-	-	1	-	-	1	4	3	2	-	-
(b) Fatty Degeneration of Heart - - - - -	-	-	-	-	-	-	-	-	-	-	-	8	17	3	-
(c) Other Disease of Heart - - - - -	37	23	14	-	-	-	-	-	2	1	6	11	11	4	2
91 (a) Aneurysm - - - - -	3	2	1	-	-	-	-	-	-	-	1	1	1	1	-
(b) Arterio-sclerosis - - - - -	4	4	-	-	-	-	-	-	-	-	-	1	2	1	-
(c) Other Diseases of Arteries - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
92 Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
93 Diseases of Veins - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94 (a) Status Lymphaticus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95 Hæmorrhage (cause unspecified) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
96 Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. DISEASES OF THE RESPIRATORY SYSTEM.															
97 Diseases of Nose - - - - -	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
98 (a) Laryngismus Stridulus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Laryngitis - - - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
(c) Croup (not Diphtheritic) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Other Diseases of Larynx - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
99 Bronchitis - - - - -	49	31	18	8	3	-	-	1	2	2	4	11	11	6	1
100 Broncho-pneumonia - - - - -	40	22	18	14	20	2	1	-	-	1	1	-	1	-	-
101 Pneumonia - - - - -	42	29	13	8	8	1	-	1	2	5	3	9	4	1	-
102 Pleurisy - - - - -	3	2	1	-	1	-	-	1	1	-	-	-	-	-	-
103 Congestion of Lung - - - - -	4	3	1	2	-	-	-	-	-	-	-	1	1	-	-
104 Gangrene of Lung - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
105 Asthma - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106 Emphysema - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107 (a) Interstitial Pneumonia - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Diseases of Mediastinum - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I. DISEASES OF THE DIGESTIVE SYSTEM.															
108 Diseases of Buccal Cavity - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109 Diseases of Tonsils and Pharynx - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110 Diseases of Oesophagus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111 (a) Ulcer of Stomach - - - - -	4	3	1	-	-	-	-	-	1	1	-	1	1	-	-
(b) Ulcer of Duodenum - - - - -	3	3	-	-	-	-	-	-	-	-	2	1	-	-	-
112 Other Diseases of Stomach - - - - -	4	2	2	1	-	-	1	-	-	-	-	-	1	1	-

				All Ages.			Age														8 an ov
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-				
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																					
113	Diarrhœa and Enteritis (under 2 years)	9	5	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-			
114	(a) Diarrhœa and Enteritis (over 2 years)	4	-	4	-	-	1	-	-	1	-	-	-	-	-	2	-	-			
	(b) Ulcer of Intestine(not Duodenal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
116	Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
117	Appendicitis - - - -	10	6	4	-	-	2	-	6	-	-	1	1	-	-	-	-	-			
118	(a) Hernia - - - -	3	3	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-			
	(b) Intestinal Obstruction - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
119	Other Diseases of Intestines -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
120	Acute Yellow Atrophy of Liver -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
121	Hydatids of Liver - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
122	Cirrhosis of Liver - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
123	Gallstones - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
124	Other Diseases of Liver - - -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
125	Diseases of Pancreas - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
126	Peritonitis (nature unspecified) -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
127	Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																					
128	Acute Nephritis - - - -	3	1	2	-	-	-	-	-	-	1	-	1	4	4	5	5	-			
129	Chronic Nephritis, Bright's Disease	22	7	15	-	-	-	1	-	1	-	1	4	4	5	5	-	-			
131	Other Diseases of Kidney (130) -	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
132	Urinary Calculus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
133	Diseases of Bladder - - - -	4	3	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-			
134	Diseases of Urethra - - - -	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-			
135	Diseases of Prostate - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
136	Other Diseases of Male Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137	Cysts, and other Tumours of Ovary (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
138	Salpingitis, Pelvic Abscess - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
139	Uterine Tumour (non-Malignant)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-			
140	Uterine Hæmorrhage (non-puerperal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
141	(a) Metritis - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
142	Non-puerperal Diseases of Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
VIII. DISEASES OF PREGNANCY AND PARTURITION.																					
143	(a) Abortion, Miscarriage - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(b) Uncontrollable Vomiting -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(c) Ectopic Gestation - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(d) Other Diseases and Accidents of Pregnancy	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-			
144	Puerperal Hæmorrhage - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
145	Other Accidents of Parturition -	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-			
146	Puerperal Sepsis - - - -	2	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-			
147	Phlegmasia Alba Dolens, Embolism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
148	Albuminuria of Pregnancy, Eclampsia	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
149	Other Diseases of Puerperium -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-			
150	Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																					
151	(a) Senile Gangrene - - - -	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1			
	(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	(c) Other Gangrene - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
152	Carbuncle, Boil - - - -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
153	Phlegmon, Abscess - - - -	3	3	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-			
154	Other Diseases of Skin - - -	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
X. DISEASES OF ORGANS OF LOCOMOTION.																
155 Dis. of Bones (Mastoid excluded)	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
156 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158 Other Diseases of Organs of Locomotion (157)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI. MALFORMATIONS.																
159 Malformations—																
(a) Hydrocephalus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Congenital Heart - - -	4	1	3	3	1	-	-	-	-	-	-	-	-	-	-	-
(c) Other Malformations - -	6	-	6	4	2	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF EARLY INFANCY.																
160 Congenital Debility, Icterus, Sclerema, Marasmus	16	10	6	16	-	-	-	-	-	-	-	-	-	-	-	-
161 (a) Premature Birth - - -	34	22	12	34	-	-	-	-	-	-	-	-	-	-	-	-
(b) Injury at Birth - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
162 Other Diseases peculiar to Early Infancy (163)	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
XIII. OLD AGE.																
164 Senility, Senile Dementia - -	34	15	19	-	-	-	-	-	-	-	-	1	9	17	7	
XIV. VIOLENT CAUSES.																
174 Suicide (165-173) - - -	5	2	3	-	-	-	-	1	-	1	2	-	1	-	-	-
175 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
177 Other Acute Accidental Poisonings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179 Burns and Scalds (178) - - -	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
180 (a) Overlaying - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Asphyxia, Suffocation (otherwise)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
181 Exposure to Poisonous Vapours -	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
182 Accidental Drowning - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
183 Accidents with Fire Arms - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
185 Accidental Falls - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
186 Accidents in—(a) Coal Mines	3	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(c) Quarries - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187 Accidents with Machinery - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188 Accidents with—																
(a) Horsed Vehicles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(b) Railways - - -	6	6	-	-	-	-	-	-	1	1	2	-	2	-	-	-
(c) Tramways - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(d) Motor Vehicles - - -	11	8	3	-	3	4	1	-	-	-	2	1	-	-	-	-
(e) Aircraft - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(f) Other Vehicles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(g) Other Crushing Accidents -	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
190 War Casualties (191) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
195 Weather Agencies (193, 194) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196 Electricity (Lightning excepted)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200 Homicide (197-199) - - -	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
202 Other Violence—Form specified (176, 184, 189, 201)	11	8	3	-	3	-	-	2	-	1	1	1	2	-	1	-
203 Violence of Unspecified Nature -	3	2	1	-	-	-	-	1	-	-	-	-	2	-	-	-
XV. ILL-DEFINED CAUSES.																
204 Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205 (a) Heart Failure - - -	8	6	2	-	-	-	-	-	-	-	2	3	3	-	-	-
(b) Syncope - - -	4	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-
(c) Other Ill-defined Causes - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
(d) Natural Causes - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(e) Cause not specified - - -	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

				All Ages.			Age											
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
II. GENERAL DISEASES NOT INCLUDED ABOVE.																		
43	Cancer, Buccal Cavity	-	-	9	7	2	-	-	-	-	-	-	-	3	2	4	-	-
44	Do. Stomach and Liver	-	-	83	37	46	-	-	-	-	-	-	6	19	25	18	14	1
45	Do. Peritoneum, Intestine, Rectum	-	-	60	33	27	-	-	-	-	3	1	5	9	15	19	6	2
46	Do. Female Genital Organs	-	-	24	-	24	-	-	-	-	-	1	2	9	6	4	2	-
47	Do. Breast	-	-	15	-	15	-	-	-	-	-	-	2	8	2	1	2	-
48	Do. Skin	-	-	3	1	2	-	-	-	-	-	-	-	-	2	1	-	-
49	Do. other Organs	-	-	46	30	16	-	-	-	3	1	5	3	14	17	3	-	-
50	Tumours, non-malignant (not Cerebral, Uterine, or Ovarian)	-	-	2	1	1	-	-	-	-	-	-	-	-	-	2	-	-
51	Rheumatic Fever	-	-	11	7	4	-	-	1	4	3	-	1	-	2	-	-	-
52	(a) Chronic Rheumatism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Osteo-arthritis	-	-	4	1	3	-	-	-	-	-	1	-	1	1	-	1	-
	(c) Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	Scorbutus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Rickets	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
57	Diabetes	-	-	30	5	25	-	-	-	1	2	3	3	13	6	2	-	-
58	(a) Pernicious Anæmia	-	-	24	8	16	-	-	-	-	1	3	6	8	5	1	-	-
	(b) Other Anæmia, Chlorosis	-	-	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-
59	(a) Purpura	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	(b) Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other General Diseases (54, 55)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of Ductless Glands.																		
59	Diseases of Pituitary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	(a) Exophthalmic Goitre	-	-	6	1	5	-	-	-	1	1	-	2	1	1	-	-	-
	(b) Other Diseases of Thyroid and Parathyroid (61)	-	-	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-
62	Diseases of Thymus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Diseases of Suprarenal Capsules, Addison's Disease	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
64	Diseases of Spleen	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
65	(a) Leuchæmia	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	(b) Hodgkin's Dis., Lymphadenoma	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Chronic Poisonings.																		
66	(a) Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Acute Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	Chronic Inorganic Poisoning—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(a) Lead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(b) Other Occupational	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	(c) Other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Chronic Organic Poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
III. DISEASES OF THE NERVOUS SYSTEM.																		
70	(a) Cerebral Abscess	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	(b) Encephalitis (other than Encephalitis Lethargica)	-	-	3	1	2	-	-	-	-	-	-	-	1	1	1	-	-
71	Meningitis (other than Tuberculous or Cerebro-spinal)	-	-	23	14	9	9	9	-	3	-	-	2	-	-	-	-	-
72	Locomotor Ataxy	-	-	3	3	-	-	-	-	-	-	-	2	1	-	-	-	-
73	Other Diseases of Spinal Cord	-	-	3	2	1	-	-	-	-	-	1	-	1	1	-	-	-
74	(a) Cerebral Hæmorrhage	-	-	167	90	77	-	1	-	1	-	5	12	31	70	43	4	-
	(b) Apoplexy	-	-	16	7	9	-	-	-	-	-	-	-	7	6	3	-	-
	(c) Cerebral Embolism and Thrombosis	-	-	13	6	7	-	-	-	-	-	-	2	2	4	5	-	-
75	(a) Hemiplegia	-	-	8	3	5	-	-	-	-	-	-	-	3	2	3	-	-
	(b) Paralysis, other or unspecified	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-
76	General Paralysis of Insane	-	-	2	1	1	-	-	-	-	-	-	2	-	-	-	-	-
77	Other Insanity	-	-	4	1	3	-	-	-	-	1	2	-	1	-	-	-	-
78	Epilepsy	-	-	10	3	7	1	-	1	2	2	1	2	1	-	-	-	-
79	Eclampsia (not Puerperal). (Age 5 and over)	-	-	2	1	1	-	-	1	-	-	-	-	1	-	-	-	-
80	Infantile Convulsions. (Age under 5)	-	-	26	13	13	22	4	-	-	-	-	-	-	-	-	-	-

				All Ages.			Age .												
				Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	a c	
III. DISEASES OF THE NERVOUS SYSTEM—continued.																			
81	Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
82	Neuritis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
84	(a) Cerebral Tumour	-	-	-	9	3	6	-	-	-	-	2	1	1	2	3	-	-	
	(b) Other Diseases of Nervous System (83)	-	-	-	10	4	6	1	-	-	-	-	2	-	1	2	3	1	
85	Diseases of Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
86	(a) Mastoid Disease	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	
	(b) Diseases of Ear	-	-	-	5	1	4	1	1	-	-	1	2	-	-	-	-	-	
IV. DISEASES OF THE CIRCULATORY SYSTEM.																			
87	Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
88	(a) Acute Endocarditis	-	-	-	6	3	3	-	1	-	-	3	1	1	-	-	-	-	
	(b) Acute Myocarditis	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	2	-	
89	Angina Pectoris	-	-	-	15	9	6	-	-	-	-	-	-	1	-	7	6	-	
90	(a) Valvular Disease of Heart	-	-	-	97	42	55	-	1	1	1	6	3	5	13	23	30	13	
	(b) Fatty Degeneration of Heart	-	-	-	7	2	5	-	-	-	-	-	-	-	2	3	2	-	
	(c) Other Disease of Heart	-	-	-	124	68	56	-	-	-	1	2	-	5	10	32	41	30	
91	(a) Aneurysm	-	-	-	3	-	3	-	-	-	-	1	-	-	-	-	2	-	
	(b) Arterio-sclerosis	-	-	-	23	12	11	-	-	-	-	-	-	-	-	3	8	8	
	(c) Other Diseases of Arteries	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
92	Embolism, Thrombosis (not Cerebral)	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
93	Diseases of Veins	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
94	(a) Status Lymphaticus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(b) Other Dis. of Lymph. System (not Leuchæmia or Hodgkin's Disease)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95	Hæmorrhage (cause unspecified)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
96	Other Diseases of Circulatory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
V. DISEASES OF THE RESPIRATORY SYSTEM.																			
97	Diseases of Nose	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	
98	(a) Laryngismus Stridulus	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	
	(b) Laryngitis	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	
	(c) Croup (not Diphtheritic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(d) Other Diseases of Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
99	Bronchitis	-	-	-	168	97	71	26	10	1	1	-	4	5	8	26	51	34	
100	Broncho-pneumonia	-	-	-	135	79	56	81	29	3	1	-	1	1	5	-	10	3	
101	Pneumonia	-	-	-	126	89	37	11	11	2	3	8	6	13	15	23	22	9	
102	Pleurisy	-	-	-	14	11	3	-	1	-	-	-	2	2	2	4	1	2	
103	Congestion of Lung	-	-	-	13	10	3	5	-	-	-	-	-	1	-	-	2	4	
104	Gangrene of Lung	-	-	-	2	2	-	-	-	-	-	-	2	-	-	-	-	-	
105	Asthma	-	-	-	3	3	-	-	-	-	-	-	-	-	2	1	-	-	
106	Emphysema	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
107	(a) Interstitial Pneumonia	-	-	-	2	1	1	-	-	-	-	-	-	-	2	-	-	-	
	(b) Diseases of Mediastinum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	(c) Other Diseases of Respiratory System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI. DISEASES OF THE DIGESTIVE SYSTEM.																			
108	Diseases of Buccal Cavity	-	-	-	3	2	1	1	1	-	-	-	-	-	1	-	-	-	
109	Diseases of Tonsils and Pharynx	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	
110	Diseases of Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
111	(a) Ulcer of Stomach	-	-	-	22	14	8	-	-	-	-	-	4	4	3	2	8	1	
	(b) Ulcer of Duodenum	-	-	-	10	9	1	-	-	-	-	-	2	4	2	-	1	1	
112	Other Diseases of Stomach	-	-	-	10	3	7	2	1	1	-	-	-	-	-	2	2	2	

	All Ages.			Age												
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
VI. DISEASES OF THE DIGESTIVE SYSTEM—continued.																
113 Diarrhœa and Enteritis (under 2 years)	39	25	14	32	7	-	-	-	-	-	-	-	-	-	-	
114 (a) Diarrhœa and Enteritis (over 2 years)	15	9	6	-	4	2	1	1	-	1	1	2	1	2	-	
(b) Ulcer of Intestine (not Duodenal)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
116 Ankylostomiasis, Intestinal Parasites (115)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
117 Appendicitis - - - -	14	8	6	-	-	2	2	3	1	2	2	2	-	-	-	
118 (a) Hernia - - - -	8	4	4	1	-	-	-	-	1	1	3	2	-	-	-	
(b) Intestinal Obstruction -	11	5	6	1	2	-	-	-	1	-	2	2	2	1	-	
119 Other Diseases of Intestines -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
120 Acute Yellow Atrophy of Liver	2	1	1	-	-	-	-	1	-	1	-	-	-	-	-	
121 Hydatids of Liver - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122 Cirrhosis of Liver - - -	4	3	1	-	-	-	1	-	-	-	1	1	1	-	-	
123 Gallstones - - - -	2	-	2	-	-	-	-	-	-	1	-	-	1	-	-	
124 Other Diseases of Liver - -	8	1	7	-	-	1	-	-	-	-	1	2	3	-	1	
125 Diseases of Pancreas - -	2	-	2	-	-	-	-	1	-	-	-	-	1	-	-	
126 Peritonitis (nature unspecified) -	4	-	4	-	1	1	1	-	-	1	-	-	-	-	-	
127 Other Diseases of Digestive System	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII. DISEASES OF THE GENITO-URINARY SYSTEM.																
128 Acute Nephritis - - -	11	5	6	-	2	2	-	1	1	1	2	1	1	-	-	
129 Chronic Nephritis, Bright's Disease	60	25	35	-	-	1	-	2	2	9	14	11	18	3	-	
131 Other Diseases of Kidney (130) -	3	2	1	-	-	-	-	-	1	-	1	-	1	-	-	
132 Urinary Calculus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
133 Diseases of Bladder - - -	7	2	5	-	-	-	-	-	-	1	1	-	1	4	-	
134 Diseases of Urethra - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 Diseases of Prostate - - -	9	9	-	-	-	-	-	-	1	-	-	1	4	1	2	
136 Other Diseases of Male Reproductive Organs	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
137 Cysts, and Other Tumours of Ovary (non-Malignant)	3	-	3	-	-	-	-	-	-	2	1	-	-	-	-	
138 Salpingitis, Pelvic Abscess -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
139 Uterine Tumour (non-Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
140 Uterine Hæmorrhage (non-puerperal)	2	-	2	-	-	-	-	-	2	-	-	-	-	-	-	
141 (a) Metritis - - - -	4	-	4	-	-	-	-	-	2	1	1	-	-	-	-	
(b) Other Diseases of Female Reproductive Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
142 Non-puerperal Diseases of Breast	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
VIII. DISEASES OF PREGNANCY AND PARTURITION.																
143 (a) Abortion, Miscarriage - -	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-	
(b) Uncontrollable Vomiting - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Ectopic Gestation - - -	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
(d) Other Diseases and Accidents of Pregnancy	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
144 Puerperal Hæmorrhage - -	3	-	3	-	-	-	-	-	2	1	-	-	-	-	-	
145 Other Accidents of Parturition -	2	-	2	-	-	-	-	-	-	2	-	-	-	-	-	
146 Puerperal Sepsis - - -	20	-	20	-	-	-	-	4	9	7	-	-	-	-	-	
147 Phlegmasia Alba Dolens, Embolism	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
148 Albuminuria of Pregnancy, Eclampsia	5	-	5	-	-	-	-	2	2	-	1	-	-	-	-	
149 Other Diseases of Puerperium -	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
150 Puerperal Diseases of Breast -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IX. DISEASES OF SKIN AND CONNECTIVE TISSUE.																
151 (a) Senile Gangrene - - -	8	4	4	-	-	-	-	-	-	-	-	-	5	3	-	
(b) Noma, Cancrum Oris - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(c) Other Gangrene - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
152 Carbuncle, Boil - - -	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
153 Phlegmon, Abscess - - -	4	3	1	1	-	-	-	-	-	1	1	-	1	-	-	
154 Other Diseases of Skin - - -	2	1	1	-	1	-	-	-	-	-	1	-	-	-	-	

	All Ages.			Age													85 and over
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
X. DISEASES OF ORGANS OF LOCOMOTION.																	
155 Dis. of Bones (Mastoid excluded)	3	3	-	-	-	2	1	-	-	-	-	-	-	-	-		
156 Diseases of Joints - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
158 Other Diseases of Organs of Locomotion (157)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
XI. MALFORMATIONS.																	
159 Malformations—																	
(a) Hydrocephalus - - -	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-		
(b) Congenital Heart - - -	15	9	6	13	-	-	-	2	-	-	-	-	-	-	-		
(c) Other Malformations - -	24	10	14	22	1	-	1	-	-	-	-	-	-	-	-		
XII. DISEASES OF EARLY INFANCY.																	
160 Congenital Debility, Icterus, Sclerema, Marasmus	60	39	21	60	-	-	-	-	-	-	-	-	-	-	-		
161 (a) Premature Birth - - -	111	71	40	111	-	-	-	-	-	-	-	-	-	-	-		
(b) Injury at Birth - - -	5	3	2	5	-	-	-	-	-	-	-	-	-	-	-		
162 Other Diseases peculiar to Early Infancy (163)	15	9	6	15	-	-	-	-	-	-	-	-	-	-	-		
XIII. OLD AGE.																	
164 Senility, Senile Dementia - -	134	56	78	-	-	-	-	-	-	-	-	-	25	80	29		
XIV. VIOLENT CAUSES.																	
174 Suicide (165-173) - - -	3	3	-	-	-	-	-	1	-	-	-	-	2	-	-		
175 Poisoning by Food - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
177 Other Acute Accidental Poisonings	2	1	1	-	-	-	-	-	-	-	-	1	1	-	-		
179 Burns and Scalds (178) - - -	23	10	13	3	11	4	-	1	1	-	1	1	-	1	-		
180 (a) Overlaying - - -	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-		
(b) Asphyxia, Suffocation (otherwise)	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
181 Exposure to Poisonous Vapours	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-		
182 Accidental Drowning - - -	6	6	-	-	-	-	1	2	1	-	1	1	-	-	-		
183 Accidents with Fire Arms - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-		
185 Accidental Falls - - -	5	4	1	-	1	-	1	-	-	-	-	-	3	-	-		
186 Accidents in—(a) Coal Mines -	28	28	-	-	-	-	-	6	8	4	7	3	-	-	-		
(b) Other Mines - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(c) Quarries - - -	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-		
187 Accidents with Machinery - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
188 Accidents with—																	
(a) Horsed Vehicles - - -	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-		
(b) Railways - - -	8	8	-	-	1	1	-	3	2	-	1	-	-	-	-		
(c) Tramways - - -	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-		
(d) Motor Vehicles - - -	31	22	9	-	6	12	3	3	2	1	1	-	2	1	-		
(e) Aircraft - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(f) Other Vehicles - - -	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
(g) Other Crushing Accidents	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-		
190 War Casualties (191) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
192 Starvation - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
195 Weather Agencies (193, 194) -	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-		
196 Electricity (Lightning excepted)	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
200 Homicide (197-199) - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
202 Other Violence—Form specified (176, 184, 189, 201)	21	13	8	-	1	-	3	1	2	1	3	1	2	5	2		
203 Violence of Unspecified Nature	4	3	1	-	1	-	-	-	-	-	1	-	1	-	1		
XV. ILL-DEFINED CAUSES.																	
204 Sudden Death (not otherwise defined)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
205 (a) Heart Failure - - -	29	16	13	1	-	-	-	1	1	1	2	9	8	4	2		
(b) Syncope - - -	6	4	2	1	-	-	-	1	-	-	-	1	2	-	1		
(c) Other Ill-defined Causes - -	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-		
(d) Natural Causes - - -	10	8	2	2	-	-	-	-	-	-	1	4	3	-	-		
(e) Cause not specified - - -	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-		

PUBLIC HEALTH DISTRICTS, 1927.

			ABERDEEN COUNTY.							Marginal Index Numbers.
			Aberdeen County.	Aberdeen B.*	Ballater B.	Ellon B.	Fraserburgh B.	Huntly B.	Inverurie B.	
Population, (Estimated) - - -			291,221	158,116	1,667	1,197	10,204	3,368	4,279	1
Total	Births	Registered (including Illegitimate)	6,076	3,324	27	19	214	71	67	2
"	"	Corrected for Transfers	6,010	3,182	27	20	213	70	74	3
"	"	Male - -	3,049	1,645	14	11	115	28	36	4
"	"	Female - -	2,961	1,537	13	9	98	42	38	5
"	"	Illegitimate	674	239	-	-	25	16	11	6
"	Marriages	Registered - -	2,232	1,502	9	49	55	29	39	7
"	Deaths	Registered - -	4,112	2,293	14	20	111	75	49	8
"	"	Corrected for Transfers	3,994	2,181	19	21	123	74	63	9
"	"	Male - -	1,912	1,032	10	12	65	26	30	10
"	"	Female - -	2,082	1,149	9	9	58	48	33	11
CAUSES OF DEATH.										
Enteric Fever - - - - -			1	-	-	-	-	-	-	12
Typhus Fever - - - - -			-	-	-	-	-	-	-	13
Small-pox - - - - -			-	-	-	-	-	-	-	14
Measles - - - - -			6	1	-	-	3	-	-	15
Scarlet Fever - - - - -			11	3	-	-	-	-	-	16
Whooping-cough - - - - -			30	15	-	-	1	1	2	17
Diphtheria - - - - -			18	15	-	-	-	-	-	18
Influenza - - - - -			129	41	-	2	3	9	2	19
Encephalitis Lethargica - - - - -			-	-	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -			3	2	-	-	-	-	-	21
Other Epidemic Diseases - - - - -			11	6	-	-	1	-	-	22
Tuberculosis of Respiratory System - - - - -			201	105	1	1	9	4	4	23
Tuberculous Meningitis - - - - -			34	28	-	-	-	-	1	24
Tuberculosis of Intestines and Peritoneum - - - - -			17	10	1	-	1	1	-	25
Other Tuberculous Disease - - - - -			26	15	-	-	-	-	1	26
Malignant Tumours - - - - -			426	233	2	1	8	5	4	27
Rheumatic Fever - - - - -			10	4	-	-	1	1	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -			19	10	-	-	-	-	-	29
Apoplexy - - - - -			416	231	2	5	21	6	6	30
Heart Disease - - - - -			558	290	2	2	19	8	12	31
Diseases of Arteries - - - - -			93	70	-	-	1	-	-	32
Bronchitis - - - - -			211	113	-	3	5	4	3	33
Pneumonia (all forms) - - - - -			251	159	3	1	8	7	1	34
Other Diseases of Respiratory System - - - - -			51	28	-	-	1	4	-	35
Diarrhoea and Enteritis (under 2 years) - - - - -			40	25	-	2	1	1	-	36
Appendicitis - - - - -			37	15	1	1	-	-	-	37
All Diseases of Liver (not Malignant) - - - - -			38	17	-	-	-	1	-	38
Nephritis, Acute and Chronic - - - - -			117	62	1	-	2	2	6	39
Puerperal Sepsis - - - - -			6	5	-	-	-	-	1	40
Other Diseases and Accidents of Pregnancy and Parturition - - - - -			27	14	1	-	3	-	-	41
Dis. of Early Infancy, and Malformations - - - - -			247	163	2	-	4	2	1	42
Suicide - - - - -			31	16	-	-	2	1	1	43
Other Violent Deaths - - - - -			122	72	1	1	3	4	3	44
Other Defined Diseases - - - - -			754	380	2	2	25	13	15	45
Causes Ill-defined or Unknown - - - - -			53	33	-	-	1	-	-	46
ALL CAUSES - - -			3,994	2,181	19	21	123	74	63	47
AGES AT DEATH.										
Under 1	-	-	523	334	3	2	12	4	3	48
1-4	-	-	145	100	-	-	6	4	1	49
5-9	-	-	58	31	-	-	4	1	-	50
10-14	-	-	49	28	-	1	1	1	-	51
15-24	-	-	120	55	2	-	5	6	1	52
25-34	-	-	165	87	2	-	11	1	5	53
35-44	-	-	189	103	-	1	9	7	3	54
45-54	-	-	326	200	2	1	10	4	4	55
55-64	-	-	514	303	2	1	19	5	9	56
65-74	-	-	764	387	6	7	23	17	10	57
75-84	-	-	848	428	1	6	21	15	22	58
85 and over	-	-	293	125	1	2	2	9	5	59
Not stated	-	-	-	-	-	-	-	-	-	60
ALL AGES - - -			3,994	2,181	19	21	123	74	63	61

Marginal Index Numbers.	ABERDEEN COUNTY.												
	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Aberdeen C.D.	Alford C.D.	Deer C.D.	Deeside C.D.	Ellon C.D.	Garioch C.D.	Huntly C.D.	Turriff C.D.
1	675	930	12,454	1,206	1,977	22,037	7,936	25,601	11,573	12,566	11,589	5,928	9,994
2	19	24	330	16	31	374	139	531	226	276	254	150	243
3	16	27	333	18	31	399	151	538	240	295	252	153	248
4	8	17	149	8	14	207	86	282	113	146	124	86	119
5	8	10	184	10	17	192	65	256	127	149	128	67	129
6	-	5	17	4	5	43	27	86	31	49	49	27	53
7	13	8	94	9	17	66	40	121	51	45	42	27	38
8	12	19	124	11	36	488	76	332	117	135	135	53	111
9	16	19	131	12	39	309	99	372	148	158	159	69	126
10	8	8	58	2	20	168	46	183	70	75	79	29	67
11	8	11	73	10	19	141	53	189	78	83	80	40	59
12	-	-	-	-	-	-	-	1	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	1	1	-	-	-	-
16	-	-	-	-	-	3	1	-	1	1	-	-	2
17	1	-	3	-	-	3	-	-	1	-	3	1	3
18	-	-	1	-	-	-	-	1	1	-	-	-	-
19	1	3	3	2	4	11	8	17	4	9	6	-	6
20	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	1	-	-	-	-
22	-	-	1	-	-	1	1	-	-	-	1	-	-
23	-	-	11	-	4	14	4	14	7	11	7	3	8
24	-	-	1	-	-	-	1	5	-	-	1	-	1
25	-	-	2	-	-	1	-	1	1	1	-	-	-
26	1	-	-	-	-	1	-	2	1	1	1	1	2
27	4	2	14	-	3	37	12	26	26	17	24	10	14
28	-	-	-	-	-	-	1	1	-	-	2	-	-
29	1	-	-	-	-	3	-	1	2	1	-	-	1
30	1	3	10	2	3	37	8	38	9	17	8	4	14
31	3	1	18	1	6	54	11	54	20	30	23	9	18
32	-	1	1	-	-	6	1	2	2	4	5	1	2
33	-	1	9	2	4	11	4	22	3	13	11	2	6
34	-	1	6	1	-	19	3	21	5	7	8	7	5
35	1	-	-	-	-	2	-	3	2	3	3	4	2
36	-	1	3	-	-	2	-	4	-	1	2	-	-
37	-	-	2	-	-	6	1	6	2	-	2	1	1
38	1	1	2	-	1	2	1	7	-	2	2	-	1
39	-	2	5	1	-	9	4	10	3	4	5	-	3
40	-	-	-	-	-	-	-	-	-	-	-	1	-
41	-	-	1	-	1	-	1	3	-	2	2	-	-
42	-	-	10	1	2	15	4	27	8	7	5	4	8
43	-	-	1	-	-	2	-	3	1	-	1	4	-
44	-	2	3	-	1	8	5	10	6	5	2	3	1
45	2	1	22	2	10	61	21	89	40	21	31	13	27
46	-	-	2	-	-	1	7	3	1	1	4	1	1
47	16	19	131	12	39	309	99	372	148	158	159	69	126
48	1	2	22	1	3	36	10	49	10	21	14	9	20
49	1	1	8	-	1	3	2	7	4	5	4	3	3
50	-	-	3	-	1	2	1	8	4	2	2	2	2
51	-	-	3	-	-	2	3	6	1	1	4	1	1
52	1	-	6	-	1	9	3	14	8	3	4	3	2
53	1	2	6	-	2	13	5	10	4	10	3	3	5
54	1	1	4	1	1	20	5	12	8	3	9	3	4
55	2	-	8	2	3	21	6	25	13	11	15	4	8
56	1	4	11	-	2	37	16	39	24	22	18	8	13
57	5	6	31	1	5	64	17	75	22	36	36	13	23
58	3	1	21	5	11	70	23	88	35	40	31	14	31
59	-	2	8	2	9	32	8	39	15	4	19	6	14
60	-	-	-	-	-	-	-	-	-	-	-	-	-
61	16	19	131	12	39	309	99	372	148	158	159	69	126

	ARGYLL COUNTY.								Marginal Index Numbers.
	Argyll County.	Campbeltown B.	Dunoon B.	Inveraray B.	Lochgilphhead B.	Oban B.	Tobermory B.	Ardnamurchan C.D.	
Population (Estimated) - - -	78,990	6,059	*6,939	451	921	6,602	740	2,237	1
Total Births Registered (including Illegitimate)	904	129	114	12	12	103	9	23	2
" " Corrected for Transfers	924	131	107	13	9	96	10	24	3
" " " Male - -	478	68	58	8	7	45	7	11	4
" " " Female - -	446	63	49	5	2	51	3	13	5
" " " Illegitimate	104	19	12	1	1	3	2	1	6
" Marriages Registered - -	284	60	35	-	7	56	2	9	7
" Deaths Registered - - -	923	90	134	3	22	98	13	37	8
" " Corrected for Transfers	963	93	133	6	31	75	14	40	9
" " " Male - -	471	51	47	3	12	34	8	19	10
" " " Female - -	492	42	86	3	19	41	6	21	11
CAUSES OF DEATH.									
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	-	-	-	-	-	-	-	15
Scarlet Fever - - - - -	2	-	-	-	-	-	-	-	16
Whooping-Cough - - - - -	4	-	1	-	-	-	-	-	17
Diphtheria - - - - -	4	-	2	-	-	-	-	-	18
Influenza - - - - -	42	-	2	-	-	1	3	7	19
Encephalitis Lethargica - - - - -	-	-	-	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -	-	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	2	-	-	-	-	-	-	-	22
Tuberculosis of Respiratory System - - - - -	44	9	3	-	1	4	-	1	23
Tuberculous Meningitis - - - - -	7	1	1	-	-	1	-	1	24
Tuberculosis of Intestines and Peritoneum - - - - -	1	-	-	-	-	1	-	-	25
Other Tuberculous Disease - - - - -	10	1	1	-	-	1	1	-	26
Malignant Tumours - - - - -	111	11	20	-	3	10	-	3	27
Rheumatic Fever - - - - -	1	-	1	-	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	8	1	1	-	-	1	1	-	29
Apoplexy - - - - -	113	10	25	-	3	5	2	1	30
Heart Disease - - - - -	125	15	16	1	3	4	2	4	31
Diseases of Arteries - - - - -	10	1	3	-	-	1	-	1	32
Bronchitis - - - - -	31	3	1	-	1	4	-	1	33
Pneumonia (all forms) - - - - -	47	8	9	-	1	3	-	2	34
Other Diseases of Respiratory System - - - - -	9	-	-	1	-	-	-	2	35
Diarrhoea and Enteritis (under 2 years) - - - - -	4	-	-	-	-	1	-	-	36
Appendicitis - - - - -	12	1	2	-	2	1	-	1	37
All Diseases of Liver (not Malignant) - - - - -	7	-	2	-	-	-	-	-	38
Nephritis, Acute and Chronic - - - - -	43	3	4	2	2	6	-	1	39
Puerperal Sepsis - - - - -	1	1	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	3	1	-	-	1	-	-	-	41
Dis. of Early Infancy, and Malformations - - - - -	26	3	7	-	-	3	2	1	42
Suicide - - - - -	6	-	-	-	1	1	-	-	43
Other Violent Deaths - - - - -	35	-	4	-	1	1	-	3	44
Other Defined Diseases - - - - -	225	20	21	2	11	26	3	10	45
Causes Ill-defined or Unknown - - - - -	30	4	7	-	1	-	-	1	46
ALL CAUSES - - - - -	963	93	133	6	31	75	14	40	47
AGES AT DEATH.									
Under 1 - - - - -	59	11	15	-	-	5	2	2	48
1-4 - - - - -	16	2	1	-	-	2	1	-	49
5-9 - - - - -	11	2	2	-	-	1	2	-	50
10-14 - - - - -	8	1	-	-	-	1	-	-	51
15-24 - - - - -	29	2	4	-	-	2	1	-	52
25-34 - - - - -	31	3	1	-	5	-	-	2	53
35-44 - - - - -	48	8	3	-	3	4	1	3	54
45-54 - - - - -	76	1	13	1	2	6	1	3	55
55-64 - - - - -	122	17	21	1	2	10	-	4	56
65-74 - - - - -	241	25	32	1	8	19	2	6	57
75-84 - - - - -	228	17	29	2	6	19	2	13	58
85 and over - - - - -	94	4	12	1	5	6	2	7	59
Not stated - - - - -	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -	963	93	133	6	31	75	14	40	61

* See footnote, Table 5.

Marginal Index Numbers.	ARGYLL COUNTY.						AYR COUNTY.							
	Cowal C.D.	Islay C.D.	Kintyre C.D.	Lorn C.D.	Mid-Argyll C.D.	Mull C.D.	Ayr County.	Ardrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.	Irvine B.
1	10,632	5,951	6,483	9,155	6,359	4,627	310,643	7,826	37,440	3,505	3,097	4,647	*5,868	12,409
2	77	74	94	137	74	46	5,613	131	781	75	48	95	104	290
3	88	79	98	144	78	47	5,646	145	696	75	50	94	103	292
4	49	40	54	71	39	21	2,884	79	341	37	24	46	51	159
5	39	39	44	73	39	26	2,762	66	355	38	26	48	52	133
6	8	17	16	8	10	6	377	11	37	7	4	1	12	13
7	33	15	26	23	12	6	1,872	42	261	28	26	45	40	80
8	95	87	57	107	98	82	3,438	68	565	43	48	42	62	131
9	106	92	70	130	83	90	3,541	84	452	51	50	57	68	150
10	53	51	40	72	37	44	1,822	43	233	27	20	31	24	85
11	53	41	30	58	46	46	1,719	41	219	24	30	26	44	65
12	-	-	-	-	-	-	3	-	1	-	-	-	-	-
13	-	-	-	-	-	-	1	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	3	-	2	-	-	-	-	-
16	1	-	-	1	-	-	5	-	1	-	-	-	-	-
17	-	1	2	-	-	-	44	-	18	-	-	-	-	-
18	2	-	-	-	-	-	24	1	2	-	-	-	1	-
19	3	6	4	7	5	4	166	2	5	2	7	2	1	7
20	-	-	-	-	-	-	6	-	2	-	-	-	-	-
21	-	-	-	-	-	-	2	-	-	-	-	-	-	-
22	1	-	1	-	-	-	7	-	-	-	-	-	1	-
23	3	5	5	5	5	3	162	3	20	-	1	1	7	7
24	-	-	-	2	1	-	20	1	3	-	-	1	1	1
25	-	-	-	-	-	-	22	3	2	1	-	-	-	-
26	2	-	1	1	1	1	16	-	1	-	-	-	-	1
27	14	10	11	17	5	7	347	8	56	13	2	3	7	11
28	-	-	-	-	-	-	10	-	-	-	-	-	-	-
29	1	2	-	-	-	1	19	1	-	-	-	-	-	1
30	12	9	12	10	14	10	355	7	38	1	4	10	5	17
31	15	17	4	23	8	13	457	10	71	9	4	5	9	14
32	1	-	1	1	1	-	35	1	9	-	-	-	1	1
33	1	6	1	5	2	6	250	5	35	5	2	5	9	10
34	5	5	3	7	2	2	255	8	44	3	3	7	3	21
35	2	-	-	1	3	-	59	-	10	2	-	2	1	1
36	2	1	-	-	-	-	35	1	6	-	-	-	-	7
37	2	-	-	-	2	1	39	2	4	-	2	-	1	1
38	1	1	1	1	1	-	24	1	3	-	3	-	-	1
39	5	1	5	11	-	3	91	2	13	-	4	1	-	2
40	-	-	-	-	-	-	7	2	1	-	-	-	-	-
41	-	-	-	-	-	1	29	1	2	-	-	-	-	-
42	1	2	-	4	2	1	211	7	23	-	2	2	3	11
43	1	-	-	1	-	2	22	-	4	-	-	-	2	-
44	5	7	3	4	5	2	149	3	10	3	2	4	4	5
45	25	19	14	25	21	28	610	14	61	11	13	13	12	28
46	1	-	2	4	5	5	56	1	5	1	1	1	-	3
47	106	92	70	130	83	90	3,541	84	452	51	50	57	68	150
48	5	3	4	7	3	2	446	12	63	3	2	7	8	24
49	2	3	2	2	1	-	189	4	31	2	2	4	3	10
50	1	-	-	-	2	1	60	1	6	1	-	-	2	4
51	2	2	1	1	-	-	51	2	3	-	1	-	1	1
52	2	6	-	6	4	2	150	5	16	1	1	2	5	12
53	2	4	2	5	5	2	162	3	18	2	1	4	2	3
54	5	3	2	9	3	4	199	4	30	5	4	2	3	7
55	8	7	10	11	11	2	300	8	38	3	1	3	1	6
56	7	12	10	22	6	10	530	12	74	7	11	16	11	24
57	34	18	16	37	17	26	730	17	90	14	8	11	18	27
58	26	25	15	22	22	30	552	12	63	8	11	7	9	29
59	12	9	8	8	9	11	172	4	20	5	8	1	5	3
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	106	92	70	130	83	90	3,541	84	452	51	50	57	68	150

* See footnote, Table 5.

			AYR COUNTY—(continued).								Marginal Index Numbers.
			Kilmarnock B.	Kilwinning B.	Largs B.	Maybole B.	Newmilns and Greenholm B.	Prestwick B.	Salcoats B.	Stewarton B.	
Population (Estimated) - - -			36,987	5,528	*4,104	4,045	3,667	*7,500	*10,400	2,774	1
Total	Births	Registered (including Illegitimate)	794	91	55	88	63	106	182	45	2
"	"	Corrected for Transfers	780	93	52	88	68	114	190	46	3
"	"	Male - -	404	47	29	39	21	56	100	19	4
"	"	Female - -	376	46	23	49	47	58	90	27	5
"	"	Illegitimate	36	4	5	10	2	8	20	5	6
"	Marriages	Registered - -	322	47	18	26	26	30	66	26	7
"	Deaths	Registered - -	554	44	69	63	43	97	100	30	8
"	"	Corrected for Transfers	494	51	70	70	49	111	131	33	9
"	"	Male - -	269	35	31	33	27	46	64	18	10
"	"	Female - -	225	16	39	37	22	65	67	20	11
CAUSES OF DEATH.											
Enteric Fever - - -			-	-	-	-	-	-	1	-	12
Typhus Fever - - -			-	-	-	1	-	-	-	-	13
Small-pox - - -			-	-	-	-	-	-	-	-	14
Measles - - -			-	-	-	-	-	-	-	-	15
Scarlet Fever - - -			1	-	-	-	-	-	-	2	16
Whooping-cough - - -			7	-	-	-	-	2	1	-	17
Diphtheria - - -			1	-	-	-	-	-	3	-	18
Influenza - - -			38	4	3	3	1	4	5	-	19
Encephalitis Lethargica - - -			1	-	-	-	-	-	-	1	20
Cerebro-spinal Meningitis - - -			-	-	-	-	1	-	-	-	21
Other Epidemic Diseases - - -			3	-	-	-	-	1	-	-	22
Tuberculosis of Respiratory System - -			26	2	1	4	4	3	4	1	23
Tuberculous Meningitis - - -			3	1	-	1	-	2	-	-	24
Tuberculosis of Intestines and Peritoneum -			1	-	-	-	-	2	1	-	25
Other Tuberculous Disease - - -			4	-	-	-	-	1	-	-	26
Malignant Tumours " - - -			41	4	8	7	5	11	13	6	27
Rheumatic Fever - - -			2	-	-	-	-	1	1	-	28
Meningitis (not Cer. Spin. or Tuberc.) -			2	-	-	2	-	1	1	-	29
Apoplexy - - -			75	3	13	2	3	12	12	3	30
Heart Disease - - -			59	3	7	9	7	27	16	2	31
Diseases of Arteries - - -			3	2	3	-	-	1	2	-	32
Bronchitis - - -			33	3	4	2	5	6	7	3	33
Pneumonia (all forms) - - -			45	5	5	4	3	7	5	3	34
Other Diseases of Respiratory System -			9	1	1	1	1	-	2	-	35
Diarrhoea and Enteritis (under 2 years) -			8	-	-	-	-	-	2	-	36
Appendicitis - - -			4	1	-	1	-	1	1	-	37
All Diseases of Liver (not Malignant) -			3	-	-	-	-	3	2	-	38
Nephritis, Acute and Chronic - - -			7	-	4	3	3	4	4	1	39
Puerperal Sepsis - - -			3	-	-	-	-	-	1	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - -			2	-	-	-	-	1	2	1	41
Dis. of Early Infancy and Malformations			26	3	2	7	3	5	6	3	42
Suicide - - -			4	-	-	1	-	-	-	-	43
Other Violent Deaths - - -			22	5	2	4	-	2	5	1	44
Other Defined Diseases - - -			57	13	17	16	10	14	26	11	45
Causes Ill-defined or Unknown - - -			4	1	-	2	3	-	8	-	46
ALL CAUSES - - -			494	51	70	70	49	111	131	38	47
AGES AT DEATH.											
Under 1 - - -			72	6	2	10	6	5	12	3	48
1-4 - - -			23	4	-	2	2	8	7	2	49
5-9 - - -			12	1	-	1	-	1	1	-	50
10-14 - - -			9	-	1	2	1	3	2	1	51
15-24 - - -			22	2	1	3	3	3	5	-	52
25-34 - - -			18	3	1	4	3	4	4	3	53
35-44 - - -			31	3	7	2	1	6	6	4	54
45-54 - - -			51	9	6	7	1	9	15	1	55
55-64 - - -			80	6	6	11	6	18	22	5	56
65-74 - - -			107	11	21	14	14	24	28	9	57
75-84 - - -			61	6	13	10	9	23	21	8	58
85 and over - - -			8	-	12	4	3	7	8	2	59
Not stated - - -			-	-	-	-	-	-	-	-	60
ALL AGES - - -			494	51	70	70	49	111	131	38	61

* See footnote, Table 5.

Marginal Index Numbers.	AYR COUNTY.					BANFF COUNTY.								
	Troon B.	Ayr C.D.	Carriek C.D.	Kilmarnock C.D.	Northern C.D.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.
1	8,492	41,439	14,233	24,422	50,480	53,238	870	3,240	8,311	1,208	1,922	1,312	1,518	4,013
2	115	944	249	407	950	1,190	27	71	197	7	31	32	43	100
3	118	977	254	434	977	1,205	26	65	197	7	30	34	41	101
4	72	488	150	213	509	604	14	32	104	4	10	12	24	50
5	46	489	104	221	468	601	12	33	93	3	20	22	17	51
6	7	82	22	36	55	162	2	7	13	-	4	5	4	22
7	42	284	66	119	278	272	7	44	56	6	7	14	5	40
8	62	501	126	247	543	846	20	83	120	14	22	31	19	66
9	87	523	157	279	569	886	18	60	126	15	22	32	23	70
10	40	273	79	148	296	436	5	31	64	8	12	15	11	36
11	47	250	78	131	273	450	13	29	62	7	10	17	12	34
12	-	-	-	-	1	3	-	1	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	1	-	-	-	1	-	-	-	-	-	-	-	-
16	-	1	-	-	-	1	-	-	-	-	-	-	-	-
17	-	9	1	3	3	21	-	4	1	1	-	-	-	2
18	2	8	1	1	4	2	-	1	1	-	-	-	-	-
19	7	22	21	13	19	57	-	2	11	-	2	1	-	5
20	-	-	-	1	1	-	-	-	-	-	-	-	-	-
21	-	1	-	-	-	2	-	-	1	-	-	-	-	-
22	-	-	-	-	2	4	-	-	1	-	-	-	1	1
23	7	23	10	12	26	36	3	3	2	1	-	2	3	-
24	-	1	-	1	4	4	-	-	-	-	2	-	-	-
25	-	5	1	-	6	4	-	1	1	-	1	-	-	-
26	-	4	2	-	3	4	-	-	3	-	-	-	-	-
27	14	43	16	18	61	95	1	5	10	2	3	6	3	10
28	1	1	-	3	1	1	-	-	-	-	-	-	-	1
29	-	2	-	3	6	2	-	-	1	-	-	-	-	-
30	7	33	9	39	62	93	4	7	9	-	2	5	1	6
31	9	71	25	38	62	118	3	12	21	3	3	3	6	17
32	-	6	-	1	5	12	-	1	1	-	1	1	1	1
33	5	43	12	10	46	51	1	2	7	1	1	4	-	2
34	3	31	2	21	32	69	1	5	15	1	2	-	1	2
35	-	7	4	5	12	9	1	-	2	-	-	-	-	-
36	-	6	1	1	3	9	-	-	3	-	1	-	-	-
37	4	3	1	6	7	11	-	-	-	1	-	1	-	2
38	-	3	-	2	3	7	1	1	1	-	-	-	-	-
39	5	12	3	8	15	25	1	1	5	1	2	1	2	4
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	2	9	1	4	4	2	-	-	1	-	-	-	-	-
42	4	42	9	15	38	63	1	6	9	-	-	-	4	7
43	1	3	-	2	5	8	-	-	-	1	-	-	-	-
44	1	20	6	17	33	28	-	2	1	2	-	1	-	2
45	10	105	31	52	96	137	1	6	19	1	-	7	-	8
46	5	8	1	3	9	7	-	-	-	-	2	-	1	-
47	87	523	157	279	569	886	18	60	126	15	22	32	23	70
48	7	92	19	35	58	125	1	13	25	1	3	1	5	9
49	3	32	6	11	33	39	-	1	7	1	2	2	-	1
50	4	11	1	5	9	12	-	-	3	1	1	-	-	-
51	1	10	-	4	9	13	-	1	-	-	-	-	-	1
52	5	24	3	15	22	34	1	3	3	4	-	-	1	2
53	8	27	11	15	28	28	1	2	2	1	-	1	2	2
54	5	33	4	17	25	42	1	3	11	2	-	-	2	2
55	7	47	11	28	48	52	1	4	7	1	1	2	2	6
56	15	67	22	29	88	95	1	6	14	1	2	5	2	4
57	18	90	38	47	124	169	1	10	26	1	5	9	4	17
58	9	73	30	58	92	195	8	12	24	2	8	9	4	19
59	5	17	12	15	33	83	3	5	4	-	-	3	1	7
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	87	523	157	279	569	886	18	60	126	15	22	32	23	70

* See footnote, Table 5.

				BANFF COUNTY—(continued).					BERWICK COUNTY.				Marginal Index Numbers
				Macduff B.	Portknockie B.	Portsoy B.	Banff C.D.	Keith C.D.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
Population (Estimated) - - -				3,206	1,567	1,541	14,516	10,014	26,602	1,211	1,697	2,416	
Total Births Registered (including Illegitimate)				73	32	36	319	222	423	19	24	49	
„ „ Corrected for Transfers				74	33	39	333	225	437	19	26	50	
„ „ „ Male - -				35	14	18	174	113	212	9	15	19	
„ „ „ Female - -				39	19	21	159	112	225	10	11	31	
„ „ „ Illegitimate				5	4	9	51	36	29	-	1	-	
„ Marriages Registered - -				7	3	9	47	27	130	5	16	11	
„ Deaths Registered - -				58	25	40	202	146	336	23	30	19	
„ „ Corrected for Transfers				70	26	39	222	163	391	23	32	21	
„ „ „ Male - -				33	14	19	111	77	163	11	15	6	
„ „ „ Female - -				37	12	20	111	86	228	12	17	15	
CAUSES OF DEATH.													
Enteric Fever - - - - -				1	-	-	1	-	1	1	-	-	
Typhus Fever - - - - -				-	-	-	-	-	-	-	-	-	
Small-pox - - - - -				-	-	-	-	-	-	-	-	-	
Measles - - - - -				-	-	1	-	-	1	1	-	-	
Scarlet Fever - - - - -				-	-	1	-	-	3	-	-	-	
Whooping-cough - - - - -				3	-	1	4	5	-	-	-	-	
Diphtheria - - - - -				-	-	-	-	-	-	-	-	-	
Influenza - - - - -				1	1	1	14	19	10	-	2	1	
Encephalitis Lethargica - - - - -				-	-	-	-	-	1	-	-	-	
Cerebro-spinal Meningitis - - - - -				-	-	1	-	-	-	-	-	-	
Other Epidemic Diseases - - - - -				-	-	-	1	-	3	-	-	-	
Tuberculosis of Respiratory System - - - - -				3	4	1	6	8	12	2	-	1	
Tuberculous Meningitis - - - - -				1	-	-	1	-	1	-	-	-	
Tuberculosis of Intestines and Peritoneum - - - - -				1	-	-	-	-	2	-	-	1	
Other Tuberculous Disease - - - - -				-	-	-	1	-	3	-	-	-	
Malignant Tumours - - - - -				10	4	5	26	10	53	3	5	4	
Rheumatic Fever - - - - -				-	-	-	-	-	-	-	-	-	
Meningitis (not Cer. Spin. or Tuberc.) - - - - -				-	-	-	-	1	1	-	-	-	
Apoplexy - - - - -				7	3	7	26	16	46	3	6	5	
Heart Disease - - - - -				5	1	3	23	18	48	-	5	4	
Diseases of Arteries - - - - -				-	-	2	3	1	7	-	-	-	
Bronchitis - - - - -				5	5	3	14	6	19	-	3	-	
Pneumonia (all forms) - - - - -				8	4	1	19	10	24	3	1	-	
Other Diseases of Respiratory System - - - - -				1	-	-	1	4	8	-	-	-	
Diarrhoea and Enteritis (under 2 years) - - - - -				-	-	-	3	2	1	-	1	-	
Appendicitis - - - - -				-	-	-	7	-	5	2	-	-	
All Diseases of Liver (not Malignant) - - - - -				-	-	1	1	2	6	-	1	-	
Nephritis, Acute and Chronic - - - - -				1	-	-	2	5	7	-	-	1	
Puerperal Sepsis - - - - -				-	-	-	-	-	2	-	-	-	
Other Diseases and Accidents of Pregnancy and Parturition - - - - -				-	-	-	-	1	2	-	-	-	
Dis. of Early Infancy, and Malformations - - - - -				7	1	3	17	8	26	-	1	2	
Suicide - - - - -				-	1	-	4	2	2	-	-	-	
Other Violent Deaths - - - - -				3	-	-	8	9	14	2	1	-	
Other Defined Diseases - - - - -				13	2	7	38	35	77	5	5	2	
Causes Ill-defined or Unknown - - - - -				-	-	1	2	1	6	1	1	-	
ALL CAUSES - -				70	26	39	222	163	391	23	32	21	
AGES AT DEATH.													
Under 1 - - - - -				12	2	4	34	15	34	-	2	3	
1-4 - - - - -				3	4	3	8	7	3	-	-	-	
5-9 - - - - -				-	-	1	4	2	8	-	-	-	
10-14 - - - - -				1	1	1	3	4	3	-	-	-	
15-24 - - - - -				3	-	1	9	7	13	-	-	1	
25-34 - - - - -				2	1	-	5	9	13	1	-	2	
35-44 - - - - -				5	-	1	12	3	19	1	1	1	
45-54 - - - - -				1	1	2	19	5	32	5	2	-	
55-64 - - - - -				8	6	4	28	14	50	2	4	6	
65-74 - - - - -				11	6	5	38	36	85	4	5	2	
75-84 - - - - -				16	4	11	40	38	98	7	13	4	
85 and over - - - - -				8	1	6	22	23	33	3	5	2	
Not stated - - - - -				-	-	-	-	-	-	-	-	-	
ALL AGES - -				70	26	39	222	163	391	23	32	21	

Marginal Index Numbers.	BERWICK COUNTY.				BUTE COUNTY.						CAITHNESS COUNTY.			
	Lauder B.	Eastern C.D.	Middle C.D.	Western C.D.	Bute County.	Millport B.	Rothsay B.	Arran C.D.	Bute C.D.	Cumbræ C.D.	Caithness County.	Thurso B.	Wick B.	Caithness C.D.
1	793	8,323	7,125	5,037	†18,100	*1,500	*9,299	*4,628	*2,552	‡118	25,314	2,779	7,318	15,217
2	9	132	102	88	231	11	145	51	22	2	539	61	195	283
3	9	133	105	95	231	11	140	55	23	2	537	61	196	280
4	5	69	43	52	117	5	68	28	14	2	303	34	106	163
5	4	64	62	43	114	6	72	27	9	-	234	27	90	117
6	1	6	13	8	21	-	13	7	1	-	73	1	23	49
7	-	48	26	24	52	4	34	9	5	-	135	29	51	55
8	11	103	92	58	241	30	115	62	33	1	412	50	114	248
9	12	124	112	67	236	30	106	62	37	1	428	48	117	263
10	2	54	45	30	107	14	38	39	15	1	214	27	54	133
11	10	70	67	37	129	16	68	23	22	-	214	21	63	130
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	1	-	2	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	1	-	1	-	-	-	1	-	1	-
18	-	-	-	-	3	-	1	2	-	-	1	-	1	-
19	-	-	3	4	1	-	-	1	-	-	12	2	1	9
20	-	-	1	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	3	-	-	-	-	-	-	-	-	1	-	1	-
23	-	6	2	1	11	-	8	1	2	-	23	3	8	12
24	-	1	-	-	1	1	-	-	-	-	4	1	-	3
25	-	-	-	1	1	-	1	-	-	-	1	1	-	-
26	-	-	2	1	2	-	1	1	-	-	4	-	1	3
27	1	16	13	11	33	4	13	7	9	-	42	4	10	28
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	1	-	-	-	-	-	-	-	4	-	1	3
30	3	16	6	7	27	6	11	9	1	-	53	10	17	26
31	-	20	15	4	35	8	12	9	5	1	56	7	9	40
32	-	5	-	2	3	-	2	-	1	-	11	-	3	8
33	-	2	12	2	17	1	11	3	2	-	25	5	5	15
34	1	6	10	3	7	1	3	2	1	-	20	-	10	10
35	-	4	1	3	4	-	-	3	1	-	9	3	3	3
36	-	-	-	-	1	-	-	-	1	-	5	1	3	1
37	-	-	2	1	2	-	2	-	-	-	1	-	-	1
38	-	1	2	2	1	-	1	-	-	-	2	-	1	1
39	1	1	2	2	6	-	3	3	-	-	18	2	2	14
40	-	-	1	1	-	-	-	-	-	-	1	-	-	1
41	-	1	1	-	-	-	-	-	-	-	1	-	-	1
42	1	6	10	6	10	1	7	2	-	-	24	1	10	13
43	-	1	1	-	-	-	-	-	-	-	3	-	1	2
44	-	5	4	2	6	1	1	1	3	-	8	-	5	3
45	5	26	22	12	48	1	21	17	9	-	77	5	20	52
46	-	3	1	-	16	6	7	1	2	-	21	3	4	14
47	12	124	112	67	236	30	106	62	37	1	428	48	117	263
48	1	9	13	6	23	2	14	3	4	-	53	5	19	29
49	-	2	-	1	2	-	2	-	-	-	7	-	4	3
50	-	4	2	2	4	-	2	1	1	-	4	-	2	2
51	-	1	1	1	4	-	1	1	2	-	1	-	1	-
52	-	1	5	6	6	2	2	2	-	-	13	1	1	11
53	-	4	3	3	7	-	3	1	3	-	17	4	6	7
54	-	6	6	4	10	2	4	4	-	-	13	-	7	6
55	2	12	8	3	23	3	13	5	2	-	25	3	8	14
56	1	15	14	8	26	4	8	8	5	1	44	4	13	27
57	3	34	27	10	63	9	34	13	7	-	91	12	27	52
58	3	24	27	20	52	7	21	17	7	-	112	13	22	77
59	2	12	6	3	16	1	2	7	6	-	48	6	7	35
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	12	124	112	67	236	30	106	62	37	1	428	48	117	263

* See footnote, Table 5.

† See footnote, Table 7.

‡ See footnote, Table 6.

			CLACKMANNAN COUNTY.						DUMBARTON COUNTY.			Marginal Index Numbers.
			Clackmannan County.	Alloa B.	Alva B.	Dollar B.	Tillicoultry B.	Clackmannan C.D.	Dumbarton County.	Clydebank B.	Cove and Kilcreggan B.	
Population (Estimated) - - -			32,374	13,288	3,856	1,586	3,004	10,640	151,672	47,605	*861	
Total Births	Registered (including Illegitimate)		600	266	62	18	50	204	2,790	964	6	
"	"	Corrected for Transfers	615	274	61	19	50	211	2,909	1,014	6	
"	"	Male -	306	140	28	7	23	108	1,422	492	5	
"	"	Female -	309	134	33	12	27	103	1,487	522	1	
"	"	Illegitimate	34	15	5	1	5	8	156	44	-	
"	Marriages Registered	-	214	96	29	9	20	60	767	248	3	
"	Deaths Registered	-	397	176	41	18	38	124	1,586	355	10	
"	"	Corrected for Transfers	434	183	54	22	46	129	1,789	509	15	
"	"	Male -	205	97	22	7	14	65	928	269	7	
"	"	Female -	229	86	32	15	32	64	861	240	8	
CAUSES OF DEATH.												
Enteric Fever - - -			-	-	-	-	-	-	4	1	-	
Typhus Fever - - -			-	-	-	-	-	-	-	-	-	
Small-pox - - -			-	-	-	-	-	-	-	-	-	
Measles - - -			-	-	-	-	-	-	13	12	-	
Scarlet Fever - - -			2	-	1	-	1	-	3	-	-	
Whooping-cough - - -			-	-	-	-	-	-	23	15	-	
Diphtheria - - -			-	-	-	-	-	-	28	12	-	
Influenza - - -			29	19	-	1	-	9	30	3	-	
Encephalitis Lethargica - - -			1	-	-	-	-	1	7	1	-	
Cerebro-spinal Meningitis - - -			-	-	-	-	-	-	2	2	-	
Other Epidemic Diseases - - -			-	-	-	-	-	-	2	1	-	
Tuberculosis of Respiratory System -			18	9	3	-	2	4	70	31	-	
Tuberculous Meningitis - - -			3	2	1	-	-	-	19	9	-	
Tuberculosis of Intestines and Peritoneum -			2	1	-	-	-	1	11	3	-	
Other Tuberculous Disease - - -			7	2	1	-	1	3	12	2	-	
Malignant Tumours - - -			43	21	8	2	4	8	168	51	2	
Rheumatic Fever - - -			1	-	-	-	1	-	9	2	-	
Meningitis (not Cer. Spin. or Tuberc.) -			5	4	-	1	-	-	13	3	-	
Apoplexy - - -			50	18	13	-	4	15	185	44	2	
Heart Disease - - -			58	19	8	5	9	17	176	41	4	
Diseases of Arteries - - -			10	6	1	1	2	-	17	5	-	
Bronchitis - - -			22	14	2	1	-	5	112	26	1	
Pneumonia (all forms) - - -			23	5	4	1	4	9	168	51	-	
Other Diseases of Respiratory System -			5	3	-	-	-	2	37	6	-	
Diarrhoea and Enteritis (under 2 years) -			2	1	-	-	-	1	18	7	-	
Appendicitis - - -			2	-	-	-	-	2	14	4	-	
All Diseases of Liver (not Malignant) -			6	1	-	1	1	3	12	1	-	
Nephritis, Acute and Chronic - - -			11	4	-	1	-	6	38	16	1	
Puerperal Sepsis - - -			2	-	-	-	2	-	7	2	-	
Other Diseases and Accidents of Pregnancy and Parturition -			-	-	-	-	-	-	16	6	-	
Dis. of Early Infancy, and Malformations -			20	5	1	-	5	9	109	37	-	
Suicide - - -			6	5	-	-	-	1	9	3	-	
Other Violent Deaths - - -			17	8	1	-	-	8	89	21	-	
Other Defined Diseases - - -			85	34	10	8	10	23	335	80	5	
Causes Ill-defined or Unknown - - -			4	2	-	-	-	2	33	11	-	
ALL CAUSES - - -			434	183	54	22	46	129	1,789	509	15	
AGES AT DEATH.												
Under 1 - - -			46	19	2	1	8	16	239	85	-	
1-4 - - -			19	9	2	-	1	7	131	58	-	
5-9 - - -			6	2	1	-	2	1	38	12	-	
10-14 - - -			2	2	-	-	-	-	19	8	1	
15-24 - - -			15	7	1	-	2	5	71	20	-	
25-34 - - -			14	8	2	1	1	2	83	23	-	
35-44 - - -			27	12	2	-	3	10	113	39	1	
45-54 - - -			37	13	5	-	3	16	160	54	1	
55-64 - - -			72	36	9	5	7	15	258	70	2	
65-74 - - -			94	37	17	4	10	26	358	84	4	
75-84 - - -			82	34	12	7	7	22	255	47	5	
85 and over - - -			20	4	1	4	2	9	64	9	1	
Not stated - - -			-	-	-	-	-	-	-	-	-	
ALL AGES - - -			434	183	54	22	46	129	1,789	509	15	

* See footnote, Table 5.

Numbers.	DUMBARTON COUNTY.						DUMFRIES COUNTY.								
	Dumbarton B.	Helensburgh B.	Kirkintilloch B.	Milngavie B.	Eastern C.D.	Western C.D.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochmaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Annan C.D.
1	22,782	10,080	11,199	4,244	23,314	30,710	74,558	3,644	15,095	2,419	921	2,211	2,551	1,759	13,334
2	465	109	250	61	440	495	1,487	67	404	22	22	41	30	36	245
3	469	113	257	72	458	520	1,436	68	332	20	21	42	25	38	254
4	215	62	128	34	234	252	758	35	175	10	13	19	18	18	118
5	254	51	129	38	224	268	678	33	157	10	8	23	7	20	136
6	21	12	7	6	27	39	174	8	31	1	2	2	2	4	37
7	97	54	99	18	115	133	477	31	159	5	8	12	9	14	66
8	292	99	132	40	314	344	1,137	52	349	44	18	31	29	19	163
9	295	112	135	53	281	389	1,045	55	235	46	22	34	27	22	176
10	154	44	76	19	153	206	492	25	117	20	10	13	7	7	80
11	141	68	59	34	128	183	553	30	118	26	12	21	20	15	96
12	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
16	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
17	1	1	3	1	-	2	17	-	10	-	-	1	-	-	1
18	1	-	1	-	3	11	-	-	-	-	-	-	-	-	-
19	6	1	5	1	4	10	56	4	6	1	1	2	-	2	12
20	2	1	1	-	-	2	1	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	1	4	-	1	-	-	-	1	-	1
23	14	2	3	2	8	10	55	2	12	3	-	2	-	1	9
24	1	1	1	1	1	5	10	-	4	-	-	1	-	-	2
25	4	-	2	-	1	1	12	-	4	1	-	-	1	-	1
26	2	-	-	-	3	5	9	1	-	-	-	-	-	-	3
27	24	16	9	6	21	39	95	8	20	8	1	4	2	1	18
28	1	2	-	-	2	2	1	-	-	-	-	-	1	-	-
29	3	1	2	-	4	-	5	-	1	-	1	-	-	-	-
30	41	14	16	4	32	32	114	9	25	4	1	7	7	3	14
31	33	16	9	6	26	41	144	4	28	7	3	3	6	3	23
32	1	2	1	-	3	5	13	1	2	-	1	-	-	-	3
33	20	4	7	-	20	34	67	4	20	3	2	-	1	1	9
34	27	6	16	3	27	38	73	2	19	2	3	3	-	1	13
35	5	4	2	1	7	12	9	-	-	-	-	-	1	-	3
36	2	-	3	1	4	1	5	1	2	-	-	-	-	-	-
37	1	1	2	-	4	2	8	-	4	1	-	1	-	1	-
38	1	1	-	-	3	6	5	-	2	-	-	1	-	-	1
39	6	2	2	2	1	8	24	5	2	1	3	-	-	-	7
40	-	-	-	-	4	1	3	-	-	-	-	-	-	-	1
41	4	-	-	1	2	3	7	-	2	-	-	-	-	-	1
42	18	8	6	1	16	23	52	4	11	1	1	1	1	1	15
43	-	1	1	-	-	4	2	-	1	-	-	1	-	-	-
44	17	3	10	5	15	18	32	-	10	2	-	-	-	-	6
45	58	21	29	15	62	65	198	10	42	12	4	6	6	8	31
46	1	4	3	3	5	6	22	-	7	-	1	1	-	-	2
47	295	112	135	53	281	389	1,045	55	235	46	22	34	27	22	176
48	42	10	15	5	35	47	111	8	33	-	2	1	-	2	27
49	15	6	9	1	18	24	40	1	15	-	1	2	1	1	8
50	3	2	6	-	7	8	24	-	8	2	1	-	-	-	4
51	1	2	-	-	4	3	9	-	5	1	-	-	1	-	1
52	14	1	6	2	9	19	35	1	7	-	-	2	-	1	8
53	20	3	5	1	12	19	45	2	10	1	1	1	1	2	8
54	17	-	6	4	23	23	60	2	14	6	-	1	1	-	13
55	31	12	10	5	14	33	88	4	16	3	2	2	1	1	9
56	40	14	20	7	51	54	159	6	40	6	5	6	5	7	23
57	57	28	33	16	44	92	201	10	39	14	5	8	6	4	32
58	45	29	21	8	49	54	212	14	40	12	3	7	6	2	38
59	10	5	4	4	15	16	61	7	8	1	2	4	5	2	5
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	295	112	135	53	281	389	1,045	55	235	46	22	34	27	22	176

	DUMFRIES COUNTY— (continued).				EAST LOTHIAN COUNTY.				Marginal Index Numbers.
	Dumfries C.D.	Langholm C.D.	Lockerbie C.D.	Thornhill C.D.	East Lothian County.	Cockenzie and Port Seton B.	Dunbar B.	East Linton B.	
Population (Estimated) - - -	8,784	2,880	8,079	12,881	48,471	3,002	4,005	671	1
Total Births Registered (including Illegitimate)	128	48	158	286	836	35	62	4	2
" Corrected for Transfers	131	48	158	299	857	40	61	3	3
" Male - -	82	27	86	157	464	20	29	2	4
" Female - -	49	21	72	142	393	20	32	1	5
" Illegitimate	21	8	25	33	56	4	-	1	6
Marriages Registered - -	36	25	45	67	246	26	23	2	7
Deaths Registered - -	153	31	120	128	487	16	49	16	8
Corrected for Transfers	128	34	109	157	529	19	45	15	9
" Male - -	69	16	56	72	267	10	20	8	10
" Female - -	59	18	53	85	262	9	25	7	11
CAUSES OF DEATH.									
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	1	-	-	3	-	-	-	15
Scarlet Fever - - - - -	1	-	-	-	5	-	-	-	16
Whooping-cough - - - - -	-	-	3	2	3	-	-	-	17
Diphtheria - - - - -	-	-	-	-	2	-	-	-	18
Influenza - - - - -	15	5	7	1	34	-	-	1	19
Encephalitis Lethargica - - - - -	-	-	1	-	1	-	-	-	20
Cerebro-spinal Meningitis - - - - -	-	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	-	-	-	1	2	1	1	-	22
Tuberculosis of Respiratory System - - - - -	11	-	9	6	27	1	1	-	23
Tuberculous Meningitis - - - - -	1	-	1	1	3	-	-	-	24
Tuberculosis of Intestines and Peritoneum - - - - -	3	-	-	2	-	-	-	-	25
Other Tuberculous Disease - - - - -	2	-	1	2	5	1	1	-	26
Malignant Tumours - - - - -	6	2	10	15	58	2	5	2	27
Rheumatic Fever - - - - -	-	-	-	-	1	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	-	-	-	3	3	-	-	-	29
Apoplexy - - - - -	11	3	14	16	55	3	7	2	30
Heart Disease - - - - -	19	4	17	27	80	2	9	1	31
Diseases of Arteries - - - - -	3	1	1	1	9	-	1	1	32
Bronchitis - - - - -	11	-	4	12	30	1	5	1	33
Pneumonia (all forms) - - - - -	7	1	4	18	28	2	2	1	34
Other Diseases of Respiratory System - - - - -	1	-	4	-	4	-	-	-	35
Diarrhoea and Enteritis (under 2 years) - - - - -	-	1	-	1	2	-	-	-	36
Appendicitis - - - - -	-	-	1	-	8	-	-	1	37
All Diseases of Liver (not Malignant) - - - - -	1	-	-	-	5	-	1	-	38
Nephritis, Acute and Chronic - - - - -	-	2	2	2	16	1	3	1	39
Puerperal Sepsis - - - - -	-	-	1	1	1	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	-	1	1	2	4	-	-	-	41
Dis. of Early Infancy, and Malformations - - - - -	3	4	3	7	29	2	2	-	42
Suicide - - - - -	-	-	-	-	2	-	1	-	43
Other Violent Deaths - - - - -	5	2	1	6	20	1	1	-	44
Other Defined Diseases - - - - -	26	7	19	27	83	2	5	4	45
Causes Ill-defined or Unknown - - - - -	2	-	5	4	6	-	-	-	46
ALL CAUSES - - - - -	128	34	109	157	529	19	45	15	47
AGES AT DEATH.									
Under 1 - - - - -	7	5	9	17	56	3	4	-	48
1-4 - - - - -	5	-	1	5	23	-	1	-	49
5-9 - - - - -	4	1	1	3	7	-	-	-	50
10-14 - - - - -	-	-	-	1	5	-	-	-	51
15-24 - - - - -	3	-	3	10	15	2	-	-	52
25-34 - - - - -	5	2	6	6	31	3	3	-	53
35-44 - - - - -	7	2	7	7	31	1	2	-	54
45-54 - - - - -	22	7	8	13	40	2	3	2	55
55-64 - - - - -	16	6	12	27	86	-	10	2	56
65-74 - - - - -	23	5	26	29	108	4	12	2	57
75-84 - - - - -	28	4	29	29	95	4	6	5	58
85 and over - - - - -	8	2	7	10	31	-	4	4	59
Not stated - - - - -	-	-	-	-	1	-	-	-	60
ALL AGES - - - - -	128	34	109	157	529	19	45	15	61

Marginal Index Numbers.	EAST LoTHIAN COUNTY.						FIFE COUNTY.							
	Haddington B.	North Berwick B.	Prestonpans B.	Tranent B.	Eastern C.D.	Western C.D.	Fife County.	Anstruther-Easter B.	Anstruther-Wester B.	Auchtermuchty B.	Buckhaven and Methil.	Burtonisland B.	Cowdenbeath B.	Crail B.
1	3,882	5,178	2,004	4,844	5,438	19,447	294,684	903	574	1,111	16,864	5,983	13,894	1,646
2	68	22	63	107	95	380	5,227	7	8	10	384	84	265	10
3	69	23	52	110	102	397	5,309	8	8	10	389	90	282	9
4	40	13	27	61	52	220	2,745	4	5	7	184	49	140	5
5	29	10	25	49	50	177	2,564	4	3	3	205	41	142	4
6	2	-	3	6	5	35	321	-	-	-	17	5	16	1
7	20	19	20	25	30	81	1,588	5	1	10	99	22	54	7
8	69	36	23	40	50	188	3,266	6	7	21	182	64	104	18
9	71	35	31	52	64	197	3,492	11	7	23	210	75	141	18
10	31	11	19	26	27	115	1,698	6	1	11	112	35	65	6
11	40	24	12	26	37	82	1,794	5	6	12	98	40	76	12
12	-	-	-	-	-	-	3	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	2	1	35	-	-	-	8	-	-	-
16	1	-	-	1	1	2	20	-	-	-	1	1	2	-
17	-	-	-	1	-	2	37	-	-	-	10	2	2	-
18	-	-	-	-	-	2	28	-	-	-	3	-	1	-
19	9	-	1	5	3	15	156	-	-	5	15	-	6	-
20	-	-	-	-	1	-	5	-	-	-	-	-	-	1
21	-	-	-	-	-	-	7	-	-	-	-	-	3	-
22	-	-	-	-	-	-	17	-	-	-	3	1	-	-
23	3	2	-	5	4	11	129	2	1	-	8	3	7	-
24	-	-	-	1	-	2	21	-	-	-	-	-	-	-
25	-	-	-	-	-	-	20	-	-	-	1	1	2	-
26	-	-	-	-	1	2	18	-	-	-	2	-	2	-
27	6	7	1	7	11	17	369	1	1	2	25	8	11	2
28	-	-	-	-	-	1	12	-	-	-	1	1	2	-
29	-	-	-	-	1	2	30	-	-	-	4	1	-	-
30	6	4	8	4	6	15	343	-	2	4	9	7	14	2
31	13	4	2	8	10	31	413	-	2	5	16	6	14	1
32	2	1	1	-	1	2	79	-	-	-	1	3	2	4
33	6	1	2	2	2	10	206	-	-	-	9	3	7	-
34	3	2	-	1	4	13	233	1	-	-	17	6	13	-
35	-	-	-	2	1	1	46	-	-	-	2	2	-	-
36	-	-	-	-	-	2	22	1	-	-	-	-	1	1
37	-	1	-	-	1	5	35	1	-	-	-	-	1	-
38	-	-	1	1	-	2	32	-	1	-	2	1	1	-
39	2	1	-	1	2	5	104	-	-	-	7	-	5	-
40	-	-	-	1	-	-	5	-	-	-	-	-	-	-
41	-	1	1	2	-	-	28	-	-	-	4	1	1	-
42	2	-	5	5	4	9	203	-	-	-	14	3	15	-
43	-	-	-	-	-	1	31	-	-	1	1	-	1	-
44	3	1	4	2	1	*7	144	-	-	1	11	5	5	-
45	14	9	5	3	8	33	604	5	-	4	34	16	23	7
46	1	1	-	-	-	4	52	-	-	1	2	4	-	-
47	71	35	31	52	64	197	3,492	11	7	23	210	75	141	18
48	6	1	7	6	6	23	427	1	-	-	37	8	28	-
49	1	-	2	6	2	11	196	-	-	-	24	3	10	1
50	1	-	-	2	1	3	75	-	-	-	7	-	7	-
51	-	-	-	-	-	5	46	-	-	-	4	1	4	-
52	2	2	-	3	3	3	142	1	1	-	5	4	5	1
53	3	2	1	3	2	14	153	2	-	1	12	3	3	-
54	4	1	2	6	3	12	182	-	1	-	18	3	9	1
55	2	4	2	4	3	18	309	-	1	1	19	8	15	2
56	13	6	1	5	17	32	493	2	1	1	27	9	16	3
57	18	9	7	10	11	35	666	3	-	8	27	13	23	3
58	15	8	7	6	13	31	604	2	2	7	24	20	20	5
59	6	2	2	1	3	9	199	-	1	5	6	3	1	2
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	71	35	31	52	64	197	3,492	11	7	23	210	75	141	18

				FIFE COUNTY—(continued).							Marginal Index Numbers.	
				Culross B.	Cupar B.	Dunfermline B.	Dysart B.	Earlsferry B.	Elie, Liberty, & Williamsburgh B.	Falkland B.		Inverkeithing B.
Population (Estimated) - - -				523	3,887	38,334	4,689	*322	*692	729	3,283	1
Total	Births	Registered (including Illegitimate)		7	73	703	90	2	2	11	60	2
"	"	Corrected for Transfers		9	76	664	95	2	3	11	63	3
"	"	" Male -		8	43	340	42	2	1	6	36	4
"	"	" Female -		1	33	324	53	-	2	5	27	5
"	"	" Illegitimate		2	7	33	11	-	1	-	7	6
"	Marriages	Registered -		5	37	248	41	1	5	5	15	7
"	Deaths	Registered -		11	72	449	43	4	13	11	26	8
"	"	Corrected for Transfers		13	76	397	59	5	12	14	35	9
"	"	" Male -		7	35	183	28	-	6	5	24	10
"	"	" Female -		6	41	214	31	5	6	9	11	11
CAUSES OF DEATH.												
Enteric Fever - - - -				-	-	-	-	-	-	-	-	12
Typhus Fever - - - -				-	-	-	-	-	-	-	-	13
Small-pox - - - -				-	-	-	-	-	-	-	-	14
Measles - - - -				-	-	2	-	-	-	-	1	15
Scarlet Fever - - - -				-	-	1	-	-	1	-	-	16
Whooping-cough - - - -				-	1	6	-	-	-	-	-	17
Diphtheria - - - -				-	-	-	-	-	-	-	1	18
Influenza - - - -				1	6	26	-	-	1	2	-	19
Encephalitis Lethargica - - - -				-	-	-	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - -				-	-	1	-	-	-	-	1	21
Other Epidemic Diseases - - - -				-	-	1	1	-	-	-	-	22
Tuberculosis of Respiratory System - - - -				-	4	22	-	-	-	-	2	23
Tuberculous Meningitis - - - -				-	1	2	-	-	-	-	1	24
Tuberculosis of Intestines and Peritoneum - - - -				-	-	5	-	-	-	-	-	25
Other Tuberculous Disease - - - -				-	-	3	-	-	-	-	-	26
Malignant Tumours - - - -				3	7	46	6	1	1	2	6	27
Rheumatic Fever - - - -				1	-	2	-	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - -				-	-	-	1	-	-	-	-	29
Apoplexy - - - -				1	7	56	9	2	2	3	1	30
Heart Disease - - - -				1	14	41	8	2	3	2	4	31
Diseases of Arteries - - - -				1	2	4	2	-	-	1	-	32
Bronchitis - - - -				1	4	24	5	-	2	-	3	33
Pneumonia (all forms) - - - -				-	7	23	3	-	2	2	3	34
Other Diseases of Respiratory System - - - -				-	2	7	-	-	-	-	-	35
Diarrhoea and Enteritis (under 2 years) - - - -				-	-	7	-	-	-	-	-	36
Appendicitis - - - -				-	1	5	1	-	-	-	-	37
All Diseases of Liver (not Malignant) - - - -				-	1	4	-	-	-	-	-	38
Nephritis, Acute and Chronic - - - -				-	3	15	5	-	-	1	3	39
Puerperal Sepsis - - - -				-	-	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - -				-	-	2	-	-	-	-	-	41
Dis. of Early Infancy, and Malformations - - - -				2	3	22	3	-	-	-	1	42
Suicide - - - -				-	-	4	1	-	-	-	-	43
Other Violent Deaths - - - -				-	3	9	5	-	-	1	2	44
Other Defined Diseases - - - -				2	8	54	9	-	-	-	6	45
Causes Ill-defined or Unknown - - - -				-	2	3	-	-	-	-	-	46
ALL CAUSES - - -				13	76	397	59	5	12	14	35	47
AGES AT DEATH.												
Under 1	-	-	-	1	5	52	5	-	-	-	4	48
1-4	-	-	-	1	3	22	-	-	1	1	2	49
5-9	-	-	-	-	2	7	2	-	-	1	1	50
10-14	-	-	-	-	-	4	1	-	-	-	1	51
15-24	-	-	-	-	1	16	5	-	-	-	-	52
25-34	-	-	-	1	2	19	2	-	-	-	-	53
35-44	-	-	-	-	5	21	3	-	-	-	1	54
45-54	-	-	-	2	9	35	4	-	2	-	4	55
55-64	-	-	-	2	10	58	10	-	2	3	8	56
65-74	-	-	-	3	17	77	13	1	1	5	3	57
75-84	-	-	-	2	20	61	10	2	4	3	11	58
85 and over	-	-	-	1	2	25	4	2	2	1	-	59
Not stated	-	-	-	-	-	-	-	-	-	-	-	60
ALL AGES - - -				13	76	397	59	5	12	14	35	61

* See footnote, Table 5.

Marginal Index Numbers.	FIFE COUNTY—(continued).													
	Kilrenny B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	Lochgelly B.	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	Tayport B.	Cupar C.D.
1	1,704	*1,549	41,055	1,078	2,240	7,502	10,769	1,544	2,233	2,998	1,620	9,881	3,211	14,895
2	38	30	756	16	39	124	195	36	45	27	20	105	38	232
3	35	36	740	14	38	125	196	36	45	29	21	108	40	235
4	23	19	385	6	15	62	108	13	26	13	14	56	22	131
5	12	17	355	8	23	63	88	23	19	16	7	52	18	104
6	-	2	45	-	-	3	7	-	2	3	1	8	5	21
7	8	5	248	8	18	43	59	21	15	5	5	49	17	79
8	36	29	462	11	20	71	88	23	34	37	26	94	49	260
9	38	35	478	12	26	85	117	31	37	47	29	94	58	253
10	18	13	234	7	13	41	59	19	17	24	12	36	32	122
11	20	22	244	5	13	44	58	12	20	23	17	58	26	131
12	-	-	-	-	-	2	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	8	-	1	3	3	-	-	-	-	-	-	-
16	-	-	-	-	-	1	-	1	-	-	-	-	-	1
17	-	-	1	-	-	-	-	-	1	-	-	1	-	-
18	-	-	-	-	2	-	5	2	-	-	-	-	-	-
19	-	1	20	-	-	8	3	3	4	-	-	-	1	13
20	-	1	-	-	-	1	2	-	-	-	-	-	-	-
21	-	1	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	2	-	-	-	4	-	-	-	-	1	-	-
23	2	1	19	1	-	1	3	-	2	2	1	1	4	8
24	-	-	1	-	-	-	1	1	-	1	-	-	1	1
25	-	1	1	-	-	-	-	1	-	-	1	-	-	-
26	-	-	4	-	-	-	3	-	-	-	-	-	-	-
27	2	3	55	2	2	9	13	2	2	9	3	14	8	30
28	-	-	-	-	-	-	-	-	-	-	-	1	-	2
29	-	-	1	1	-	2	2	-	1	1	-	-	1	-
30	7	4	61	3	1	2	5	4	4	6	5	11	6	40
31	11	11	55	5	2	11	9	2	6	3	4	19	6	42
32	1	-	12	-	1	3	5	-	1	1	2	-	1	3
33	-	2	22	-	1	6	8	-	3	-	2	5	3	16
34	1	2	31	-	2	4	6	2	4	1	1	5	1	10
35	-	-	6	-	3	1	-	-	-	-	1	-	1	2
36	-	-	1	-	-	-	2	-	-	-	-	-	-	1
37	-	-	8	-	-	3	1	1	-	-	-	1	-	2
38	-	1	4	-	-	1	-	1	1	-	-	2	-	6
39	1	1	15	-	-	-	2	1	2	2	-	3	2	8
40	-	-	1	-	-	1	-	-	-	-	-	-	-	-
41	1	-	3	-	-	1	1	-	-	-	-	1	-	1
42	-	1	30	-	-	2	10	4	-	3	-	3	2	9
43	-	-	6	-	1	2	-	1	-	-	-	2	-	3
44	1	1	15	-	3	5	9	-	1	2	-	4	2	6
45	11	4	90	-	5	16	17	5	4	14	9	17	17	42
46	-	-	5	-	2	-	3	-	1	2	-	3	2	7
47	38	35	478	12	26	85	117	31	37	47	29	94	58	253
48	-	1	49	-	1	7	23	5	3	3	1	5	4	15
49	1	2	21	1	-	6	5	-	-	2	-	6	-	4
50	-	-	5	-	4	2	2	2	-	-	-	-	1	2
51	-	1	5	-	-	-	3	-	2	1	1	1	-	-
52	-	3	12	-	1	7	6	1	-	2	-	1	3	11
53	3	-	18	1	3	6	10	2	2	2	1	2	3	9
54	1	3	31	1	1	7	5	1	2	-	-	4	-	11
55	2	1	56	-	-	7	18	1	4	4	-	10	4	17
56	4	6	65	1	5	10	12	9	3	7	3	16	7	43
57	11	9	99	6	4	16	17	4	10	11	8	23	17	54
58	12	7	91	2	3	13	16	5	8	10	9	18	15	72
59	4	2	26	-	4	4	-	1	3	5	5	8	4	15
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	38	35	478	12	26	85	117	31	37	47	29	94	58	253

* See footnote, Table 5.

				FIFE COUNTY— (continued).			FORFAR COUNTY.					Marginal Index Numbers.
				Dunfermline C.D.	Kirkcaldy C.D.	St. Andrews C.D.	Forfar County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.	
Population (Estimated) - - -				36,434	44,696	14,664	270,771	18,255	6,657	6,119	172,444	1
Total	Births	Registered (including Illegitimate)		606	987	217	5,160	313	103	61	3,591	2
"	"	Corrected for Transfers		638	1,019	235	5,121	321	104	60	3,517	3
"	"	"	Male - -	320	526	134	2,569	172	44	25	1,774	4
"	"	"	Female - -	318	493	101	2,552	149	60	35	1,743	5
"	"	"	Illegitimate	48	62	14	413	24	16	2	268	6
"	Marriages Registered - -			171	200	82	1,840	163	62	25	1,268	7
"	Deaths Registered - -			303	521	171	4,546	336	124	61	3,021	8
"	"	Corrected for Transfers		356	508	192	4,421	326	140	76	2,918	9
"	"	"	Male - -	193	241	93	2,110	157	52	34	1,414	10
"	"	"	Female - -	163	267	99	2,311	169	88	42	1,504	11
CAUSES OF DEATH.												
Enteric Fever	-	-	-	-	1	-	-	-	-	-	-	12
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	13
Small-pox	-	-	-	-	-	-	-	-	-	-	-	14
Measles	-	-	-	-	7	2	79	-	-	-	76	15
Scarlet Fever	-	-	-	1	7	3	15	-	-	-	9	16
Whooping-cough	-	-	-	7	4	2	62	6	-	-	48	17
Diphtheria	-	-	-	1	11	1	84	1	2	-	69	18
Influenza	-	-	-	15	20	6	110	9	2	1	69	19
Encephalitis Lethargica	-	-	-	-	-	-	4	1	-	-	3	20
Cerebro-spinal Meningitis	-	-	-	-	-	1	8	-	-	-	5	21
Other Epidemic Diseases	-	-	-	1	2	1	10	1	-	-	8	22
Tuberculosis of Respiratory System	-	-	-	9	18	8	208	12	7	2	153	23
Tuberculous Meningitis	-	-	-	4	4	3	20	-	-	-	13	24
Tuberculosis of Intestines and Peritoneum	-	-	-	4	3	-	17	1	2	-	10	25
Other Tuberculous Disease	-	-	-	-	3	1	32	-	2	-	24	26
Malignant Tumours	-	-	-	33	42	18	468	42	13	10	280	27
Rheumatic Fever	-	-	-	1	-	1	6	1	-	-	3	28
Meningitis (not Cer. Spin. or Tuberc.)	-	-	-	6	7	2	19	2	-	1	13	29
Apoplexy	-	-	-	20	32	18	400	44	20	8	232	30
Heart Disease	-	-	-	41	47	20	582	42	24	9	374	31
Diseases of Arteries	-	-	-	7	17	5	61	2	2	-	49	32
Bronchitis	-	-	-	21	48	11	256	17	1	2	195	33
Pneumonia (all forms)	-	-	-	28	49	9	466	19	6	2	369	34
Other Diseases of Respiratory System	-	-	-	9	5	5	48	4	5	-	28	35
Diarrhoea and Enteritis (under 2 years)	-	-	-	3	5	-	50	2	-	-	45	36
Appendicitis	-	-	-	5	4	1	25	2	1	1	11	37
All Diseases of Liver (not Malignant)	-	-	-	4	2	-	39	3	1	2	23	38
Nephritis, Acute and Chronic	-	-	-	9	11	8	118	10	6	4	70	39
Puerperal Sepsis	-	-	-	2	1	-	12	-	-	-	12	40
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	6	6	-	23	2	-	-	16	41
Dis. of Early Infancy, and Malformations	-	-	-	30	35	11	252	19	3	3	174	42
Suicide	-	-	-	-	7	1	47	7	3	2	22	43
Other Violent Deaths	-	-	-	20	21	12	122	13	5	2	75	44
Other Defined Diseases	-	-	-	64	83	38	724	62	32	27	401	45
Causes Ill-defined or Unknown	-	-	-	5	6	4	54	2	2	-	39	46
ALL CAUSES - -				356	508	192	4,421	326	140	76	2,918	47
AGES AT DEATH.												
Under 1	-	-	-	63	83	23	612	30	8	5	485	48
1-4	-	-	-	24	47	9	354	17	2	-	298	49
5-9	-	-	-	8	19	3	76	3	2	1	51	50
10-14	-	-	-	7	8	2	45	1	3	1	28	51
15-24	-	-	-	19	24	13	155	9	4	1	104	52
25-34	-	-	-	14	26	6	196	15	3	1	134	53
35-44	-	-	-	19	28	6	212	19	7	4	147	54
45-54	-	-	-	24	38	20	357	28	10	9	239	55
55-64	-	-	-	54	72	24	599	36	23	7	404	56
65-74	-	-	-	68	80	32	881	83	35	25	530	57
75-84	-	-	-	40	56	34	705	64	31	15	382	58
85 and over	-	-	-	16	27	20	229	21	12	7	116	59
Not stated	-	-	-	-	-	-	-	-	-	-	-	60
ALL AGES - -				356	508	192	4,421	326	140	76	2,918	61

Marginal Index Numbers.	FORFAR COUNTY.								INVERNESS COUNTY.					
	Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Arbroath C.D.	Brechin C.D.	Dundee C.D.	Forfar C.D.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Inverness C.D.	Aird C.D.
1	8,572	3,206	3,201	10,652	8,518	12,197	9,888	11,062	77,236	1,805	19,590	1,183	7,308	7,941
2	158	45	27	167	164	194	153	184	1,299	55	390	19	105	115
3	157	43	29	175	167	192	158	198	1,314	53	360	20	111	119
4	81	21	12	88	70	92	81	109	664	25	172	10	63	63
5	76	22	17	87	97	100	77	89	650	28	188	10	48	56
6	7	8	2	18	16	18	13	21	129	7	34	2	9	13
7	84	25	10	56	45	37	27	38	397	15	225	2	21	25
8	136	49	43	193	99	207	120	147	1,294	25	423	21	153	104
9	142	63	49	181	126	131	96	173	1,258	25	364	20	97	125
10	60	28	23	72	71	59	55	85	592	12	174	10	53	65
11	82	35	26	109	55	72	41	88	666	13	190	10	44	60
12	-	-	-	-	-	-	-	-	2	-	1	-	1	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	2	-	-	-	-	1	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	1	5	-	-	-	-	-	-
17	-	-	1	1	2	-	1	3	32	-	20	-	5	1
18	2	2	-	1	2	-	1	4	4	-	3	-	-	-
19	3	2	3	5	2	3	7	4	99	1	39	-	6	8
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	1	2	-	-	2	-	-	-	-	1
22	1	-	-	-	-	-	-	-	3	-	-	-	1	-
23	6	3	-	6	2	6	4	7	85	2	19	2	7	8
24	1	1	-	-	-	-	2	2	5	1	-	-	-	2
25	-	1	1	-	-	1	-	1	6	-	1	-	1	-
26	2	-	-	1	2	-	-	1	14	-	4	-	-	1
27	19	11	5	19	18	19	11	21	148	3	40	1	14	16
28	1	-	-	-	-	-	1	-	3	-	-	-	-	-
29	-	-	-	-	1	-	1	1	5	-	1	1	-	-
30	14	8	8	17	13	12	7	17	87	2	18	4	10	6
31	19	11	5	25	17	17	14	25	154	6	50	2	17	19
32	-	-	-	2	2	2	1	1	10	-	6	-	-	2
33	4	3	1	10	8	3	4	8	65	2	21	1	8	5
34	11	5	1	17	11	9	4	12	72	3	18	3	3	13
35	1	2	1	2	2	1	-	2	15	-	7	-	1	1
36	-	-	1	1	-	1	1	-	2	-	1	-	-	-
37	-	1	1	3	2	2	-	1	6	1	2	-	1	1
38	-	1	-	3	-	3	1	2	5	-	-	-	1	1
39	6	1	2	5	3	2	6	3	30	1	8	-	-	4
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	1	-	-	2	1	1	-	-	7	-	-	-	-	-
42	9	-	2	7	8	6	5	16	32	-	14	-	1	-
43	3	-	-	2	2	2	2	2	6	-	-	-	1	1
44	3	1	1	2	6	4	5	5	38	-	11	1	1	7
45	32	9	15	50	21	32	17	26	292	3	72	5	17	26
46	2	1	1	1	-	2	-	4	29	-	8	-	1	2
47	142	63	49	181	126	131	96	173	1,258	25	364	20	97	125
48	10	1	4	10	16	12	9	22	84	1	40	1	5	6
49	6	2	2	3	5	3	9	7	43	1	22	-	5	2
50	2	3	1	1	4	1	2	5	14	-	7	-	2	-
51	1	1	-	2	1	1	3	3	12	-	5	-	1	2
52	6	2	2	7	4	9	2	5	47	-	12	-	3	4
53	12	1	3	5	7	6	3	6	56	2	11	2	4	4
54	6	2	2	5	3	7	3	7	62	1	19	2	2	7
55	6	4	2	12	10	11	7	19	85	3	23	4	8	8
56	23	9	6	21	16	14	13	27	148	4	42	2	14	24
57	31	14	7	48	25	25	25	33	281	6	83	4	21	26
58	27	18	14	55	27	27	18	27	274	4	65	4	26	31
59	12	6	6	12	8	15	2	12	152	3	35	1	6	11
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	142	63	49	181	126	131	96	173	1,258	25	364	20	97	125

				INVERNESS COUNTY—(continued).						KINCARDINE COUNTY.			Marginal Index Numbers.
				Badenoch C.D.	Lochaber C.D.	Skye C.D.	Harris C.D.	North Uist C.D.	South Uist C.D.	Kincardine County.*	Banchory B.	Inverbervie B.	
Population (Estimated) - - -				7,766	6,792	10,284	5,020	2,867	6,680	42,093	1,804	935	
Total	Births	Registered (including Illegitimate)		103	93	152	97	47	123	774	24	26	2
"	"	Corrected for Transfers		115	104	155	99	48	130	815	23	27	3
"	"	" Male -		56	58	76	54	24	63	426	14	11	4
"	"	" Female -		59	46	79	45	24	67	389	9	16	5
"	"	" Illegitimate		19	6	12	8	5	14	83	2	4	6
"	Marriages	Registered -		20	22	29	13	10	15	179	17	7	7
"	Deaths	Registered -		86	75	216	55	65	71	465	21	13	8
"	"	Corrected for Transfers		104	91	231	59	66	76	554	22	18	9
"	"	" Male -		55	43	94	22	33	31	276	8	8	10
"	"	" Female -		49	48	137	37	33	45	278	14	10	11
CAUSES OF DEATH.													
Enteric Fever - - - -				-	-	-	-	-	-	-	-	-	12
Typhus Fever - - - -				-	-	-	-	-	-	-	-	-	13
Small-pox - - - -				-	-	-	-	-	-	-	-	-	14
Measles - - - -				-	-	-	-	-	-	1	-	-	15
Scarlet Fever - - - -				-	-	-	-	-	-	2	-	-	16
Whooping-cough - - - -				-	1	2	-	3	-	8	-	-	17
Diphtheria - - - -				-	-	1	-	-	-	1	-	-	18
Influenza - - - -				4	9	12	-	20	-	20	-	-	19
Encephalitis Lethargica - - - -				-	-	-	-	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - -				-	-	-	1	-	-	-	-	-	21
Other Epidemic Diseases - - - -				-	1	-	-	-	1	3	-	-	22
Tuberculosis of Respiratory System - - - -				5	4	21	7	5	5	25	1	-	23
Tuberculous Meningitis - - - -				-	1	1	-	-	-	6	-	-	24
Tuberculosis of Intestines and Peritoneum - - - -				-	-	1	-	2	1	3	-	1	25
Other Tuberculous Disease - - - -				2	3	2	1	-	1	2	-	-	26
Malignant Tumours - - - -				15	8	28	6	4	13	64	6	2	27
Rheumatic Fever - - - -				-	1	2	-	-	-	2	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) - - - -				2	-	1	-	-	-	1	-	-	29
Apoplexy - - - -				8	3	24	2	2	8	36	1	-	30
Heart Disease - - - -				7	12	23	3	8	7	82	5	5	31
Diseases of Arteries - - - -				1	-	1	-	-	-	9	1	-	32
Bronchitis - - - -				9	-	9	4	4	2	15	-	-	33
Pneumonia (all forms) - - - -				9	5	7	2	1	8	37	4	2	34
Other Diseases of Respiratory System - - - -				-	1	3	1	-	1	9	-	-	35
Diarrhoea and Enteritis (under 2 years) - - - -				-	-	1	-	-	-	4	-	-	36
Appendicitis - - - -				-	-	1	-	-	-	4	-	-	37
All Diseases of Liver (not Malignant) - - - -				1	-	2	-	-	-	3	-	-	38
Nephritis, Acute and Chronic - - - -				4	3	8	-	1	1	17	-	-	39
Puerperal Sepsis - - - -				-	-	-	-	-	-	3	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - -				2	2	1	2	-	-	6	1	-	41
Dis. of Early Infancy, and Malformations - - - -				6	4	-	2	3	2	32	-	2	42
Suicide - - - -				2	-	1	-	1	-	6	-	-	43
Other Violent Deaths - - - -				3	9	3	1	2	-	21	1	1	44
Other Defined Diseases - - - -				22	22	69	22	10	24	121	2	5	45
Causes Ill-defined or Unknown - - - -				2	2	7	5	-	2	11	-	-	46
ALL CAUSES - - -				104	91	231	59	66	76	554	22	18	47
AGES AT DEATH.													
Under 1 - - - -				6	5	6	4	6	4	72	2	3	48
1-4 - - - -				-	1	6	1	2	3	20	-	1	49
5-9 - - - -				2	-	3	-	-	-	7	-	-	50
10-14 - - - -				-	1	1	1	-	1	11	-	1	51
15-24 - - - -				4	4	12	3	1	4	18	1	1	52
25-34 - - - -				4	6	12	3	5	3	18	-	-	53
35-44 - - - -				9	4	8	6	3	1	30	1	1	54
45-54 - - - -				10	12	9	1	3	4	46	2	4	55
55-64 - - - -				12	10	22	6	7	5	65	5	2	56
65-74 - - - -				31	21	47	13	10	19	95	2	1	57
75-84 - - - -				19	16	61	11	18	19	117	6	2	58
85 and over - - - -				7	11	44	10	11	13	55	3	2	59
Not stated - - - -				-	-	-	-	-	-	-	-	-	60
ALL AGES - - -				104	91	231	59	66	76	554	22	18	61

* Including the portion within the Burgh of Aberdeen.

Marginal Index Numbers.	KINCARDINE COUNTY.							KINROSS COUNTY.			KIRKCOUBRIGHT COUNTY.			
	Laurencekirk B.	Stonehaven B.	Laurencekirk C.D.	Lower Deeside C.D.	St. Cyrus C.D.	Stonehaven C.D.	Upper Deeside C.D.	Kinross County.	Kinross B.	Kinross C.D.	Kirkcud- bright County.	Castle- Douglas B.	Dalbeattie B.	Gatehouse B.
1	1,431	5,047	4,913	3,667	4,442	4,504	3,274	7,973	2,560	5,413	35,352	2,595	2,703	788
2	12	66	91	64	81	85	66	128	51	77	603	40	58	21
3	12	72	92	73	79	89	71	129	45	84	643	41	58	17
4	2	36	49	32	48	38	37	65	24	41	322	25	28	9
5	10	36	43	41	31	51	34	64	21	43	321	16	30	8
6	3	13	11	9	7	11	10	11	-	11	67	5	6	1
7	10	32	24	27	11	25	4	41	17	24	226	16	22	4
8	25	87	43	42	51	40	44	121	29	92	453	54	41	7
9	26	86	51	53	63	42	49	94	36	58	536	52	49	7
10	11	43	20	27	27	25	31	41	18	23	248	27	25	2
11	15	43	31	26	36	17	18	53	18	35	288	25	24	5
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	1	-	-	-	-	-	-	-	-
16	-	-	1	-	-	-	1	-	-	-	2	1	-	-
17	-	-	1	1	2	-	-	-	-	-	-	-	-	-
18	-	1	-	-	-	-	-	1	1	-	1	1	-	-
19	1	5	5	2	1	4	-	4	2	2	16	1	1	-
20	-	-	-	-	-	-	-	-	-	-	2	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	1	1	-	1	-	-	-	-	-	4	-	1	-
23	-	4	2	1	1	1	9	3	2	1	33	2	1	-
24	-	1	-	1	-	-	-	1	1	-	5	-	1	-
25	-	-	-	-	-	-	-	1	1	-	3	-	-	-
26	1	1	-	-	-	-	-	2	1	1	4	1	-	-
27	4	9	3	8	9	2	5	9	2	7	66	8	6	1
28	-	1	-	1	-	-	-	-	-	-	-	-	-	-
29	-	-	-	1	-	-	-	1	-	1	-	-	-	-
30	1	9	3	6	3	2	2	16	2	14	76	11	6	2
31	5	8	6	7	13	5	5	18	8	10	63	4	4	3
32	2	2	-	-	1	-	-	3	2	1	4	-	1	-
33	-	1	2	-	2	3	2	3	1	2	30	3	5	-
34	1	1	4	4	5	2	3	6	1	5	34	1	1	1
35	-	3	-	1	1	1	1	2	1	1	4	-	-	-
36	-	-	1	1	-	-	-	-	-	-	3	-	-	-
37	-	2	-	-	1	-	-	1	1	-	11	1	1	-
38	-	2	1	-	-	-	-	1	-	1	3	-	1	-
39	-	4	2	2	3	3	1	2	1	1	11	1	3	-
40	-	-	1	-	-	1	-	-	-	-	3	-	-	-
41	-	1	-	-	1	1	1	-	-	-	3	-	1	-
42	-	1	1	2	4	2	4	3	2	1	22	2	2	-
43	-	2	1	1	-	-	1	-	-	-	2	-	-	-
44	-	3	2	2	-	2	2	2	1	1	19	1	2	-
45	10	20	14	12	13	11	11	14	5	9	102	14	11	-
46	1	4	-	-	2	1	1	1	1	-	10	-	1	-
47	26	86	51	53	63	42	49	94	36	58	536	52	49	7
48	-	5	6	4	10	4	5	6	2	4	49	3	7	1
49	-	1	1	4	2	2	1	1	1	-	20	1	-	-
50	-	1	-	1	-	-	-	-	-	-	6	-	1	-
51	-	3	1	-	2	-	-	2	1	1	5	1	-	-
52	-	2	5	2	1	2	1	4	2	2	13	1	1	-
53	-	2	1	2	4	1	3	4	1	3	15	3	1	-
54	4	7	-	2	1	1	7	8	5	3	28	3	1	-
55	-	8	3	3	4	4	5	5	3	2	41	2	4	-
56	1	8	5	4	10	5	5	14	2	12	74	6	9	1
57	6	14	10	12	14	8	8	23	10	13	129	12	8	1
58	10	25	11	15	10	10	10	18	9	9	121	16	14	4
59	5	10	8	4	5	5	4	9	-	9	35	4	3	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	26	86	51	53	63	42	49	94	36	58	536	52	49	7

				KIRKCUDBRIGHT COUNTY—(continued).							Marginal Index Numbers.
				Kirkcudbright B.	Maxwelltown B.	New Galloway B.	Eastern C.D.	Northern C.D.	Southern C.D.	Western C.D.	
Population (Estimated) - - -				1,979	5,850	336	7,664	2,761	7,861	2,815	1
Total Births Registered (including Illegitimate)				41	70	3	120	59	148	43	2
„ „ Corrected for Transfers				43	104	4	125	62	143	46	3
„ „ „ Male - -				29	47	2	58	33	69	22	4
„ „ „ Female - -				14	57	2	67	29	74	24	5
„ „ „ Illegitimate				2	6	1	18	6	19	3	6
„ Marriages Registered - -				19	37	1	45	14	44	24	7
„ Deaths Registered - -				28	62	9	91	26	98	38	8
„ „ Corrected for Transfers				32	91	9	115	32	101	48	9
„ „ „ Male - -				13	37	6	55	16	47	20	10
„ „ „ Female - -				19	54	3	60	16	54	28	11
CAUSES OF DEATH.											
Enteric Fever - - - -				-	-	-	-	-	-	-	12
Typhus Fever - - - -				-	-	-	-	-	-	-	13
Small-pox - - - -				-	-	-	-	-	-	-	14
Measles - - - -				-	-	-	-	-	-	-	15
Scarlet Fever - - - -				-	-	-	-	-	-	1	16
Whooping-cough - - - -				-	-	-	-	-	-	-	17
Diphtheria - - - -				-	-	-	-	-	-	-	18
Influenza - - - -				3	-	-	3	-	7	1	19
Encephalitis Lethargica - - - -				2	-	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - -				-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - -				-	1	-	-	1	1	-	22
Tuberculosis of Respiratory System - -				4	7	-	4	2	10	3	23
Tuberculous Meningitis - - - -				-	3	-	-	-	-	1	24
Tuberculosis of Intestines and Peritoneum -				-	-	-	-	-	3	-	25
Other Tuberculous Disease - - - -				-	-	-	1	-	1	1	26
Malignant Tumours - - - -				3	10	2	19	1	9	7	27
Rheumatic Fever - - - -				-	-	-	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) -				-	-	-	-	-	-	-	29
Apoplexy - - - -				5	12	-	18	4	13	5	30
Heart Disease - - - -				1	16	2	10	6	15	2	31
Diseases of Arteries - - - -				2	1	-	-	-	-	-	32
Bronchitis - - - -				2	7	-	4	1	6	2	33
Pneumonia (all forms) - - - -				4	5	-	15	-	5	2	34
Other Diseases of Respiratory System -				-	-	-	1	-	1	2	35
Diarrhoea and Enteritis (under 2 years) -				-	1	-	-	-	2	-	36
Appendicitis - - - -				1	2	-	3	1	1	1	37
All Diseases of Liver (not Malignant) -				-	-	-	1	-	1	-	38
Nephritis, Acute and Chronic - - - -				-	-	1	3	1	-	2	39
Puerperal Sepsis - - - -				-	-	-	1	-	1	1	40
Other Diseases and Accidents of Pregnancy and Parturition				-	-	-	2	-	-	-	41
Dis. of Early Infancy, and Malformations				-	4	-	3	4	5	2	42
Suicide - - - -				-	-	-	1	-	1	-	43
Other Violent Deaths - - - -				1	4	1	6	-	2	2	44
Other Defined Diseases - - - -				4	18	2	17	9	17	10	45
Causes Ill-defined or Unknown - - - -				-	-	1	3	2	-	3	46
ALL CAUSES - - -				32	91	9	115	32	101	48	47
AGES AT DEATH.											
Under 1 - - - -				1	9	-	6	8	9	5	48
1-4 - - - -				1	7	-	4	-	7	-	49
5-9 - - - -				-	1	-	2	-	-	2	50
10-14 - - - -				-	3	-	1	-	-	-	51
15-24 - - - -				-	3	-	-	1	6	1	52
25-34 - - - -				-	1	-	1	-	8	1	53
35-44 - - - -				3	3	-	7	2	3	6	54
45-54 - - - -				2	5	-	13	2	8	5	55
55-64 - - - -				2	15	3	18	5	11	4	56
65-74 - - - -				13	17	2	33	5	27	11	57
75-84 - - - -				6	22	4	25	9	13	8	58
85 and over - - - -				4	5	-	5	-	9	5	59
Not stated - - - -				-	-	-	-	-	-	-	60
ALL AGES - - -				32	91	9	115	32	101	48	61

LANARK COUNTY.

Marginal Index Numbers.	Lanark County.*	Airdrie B.	Biggar B.	Coatbridge B.	Glasgow B.	Hamilton B.	Lanark B.	Motherwell & Wishaw B.	Rutherglen B.	Lower Lanark C.D.	Middle Lanark C.D.	Upper Lanark C.D.
1	1,573,734	25,096	1,537	44,361	1,054,744	40,498	6,289	70,457	24,242	30,977	228,256	47,249
2	35,735	804	17	997	24,020	891	117	1,483	406	508	5,609	883
3	35,460	641	17	1,159	23,581	886	129	1,486	444	567	5,627	923
4	18,174	316	9	616	12,066	453	73	760	220	291	2,877	493
5	17,286	325	8	543	11,515	433	56	726	224	276	2,750	430
6	2,205	32	1	60	1,453	63	8	79	19	31	391	68
7	12,028	155	6	258	8,990	263	81	373	198	103	1,379	222
8	21,934	276	25	582	16,406	411	86	660	220	339	2,452	477
9	21,556	324	26	632	15,431	471	89	788	314	308	2,647	526
10	11,319	170	14	349	8,062	265	34	443	165	155	1,414	248
11	10,237	154	12	283	7,369	206	55	345	149	153	1,233	278
12	11	-	-	1	8	-	-	-	-	-	2	-
13	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	357	-	-	11	308	8	-	8	-	-	19	3
16	61	-	-	3	43	-	-	4	2	3	6	-
17	454	8	1	19	366	2	-	8	6	8	33	3
18	148	2	-	4	115	-	-	6	4	2	11	4
19	406	11	-	13	205	21	3	25	3	9	93	23
20	42	1	-	-	28	-	-	2	-	1	9	1
21	80	-	-	-	63	1	-	2	3	-	11	-
22	70	1	-	1	54	1	-	3	2	1	4	3
23	1,246	16	-	33	944	18	5	51	23	17	113	26
24	220	7	-	6	162	5	-	8	-	3	27	2
25	131	4	-	6	74	3	1	8	4	1	25	5
26	170	5	1	4	111	6	-	13	2	1	22	5
27	2,158	27	3	57	1,578	37	9	81	38	28	240	60
28	95	-	-	3	66	1	-	5	2	-	11	7
29	139	4	-	9	84	7	-	4	2	1	23	5
30	1,686	25	3	29	1,229	50	13	41	27	21	204	44
31	2,224	36	8	57	1,588	56	9	78	37	40	251	64
32	211	2	-	4	162	1	-	7	3	4	26	2
33	1,410	23	-	35	1,027	36	4	49	16	16	168	36
34	2,595	24	-	102	2,003	46	7	82	29	20	261	21
35	239	4	-	4	154	9	2	9	1	4	40	12
36	374	7	-	12	282	12	1	9	4	2	39	6
37	140	1	-	4	92	5	1	10	1	3	14	9
38	157	1	-	7	119	1	1	3	1	2	16	6
39	617	10	-	15	439	13	4	25	12	10	71	18
40	76	2	-	2	47	1	-	2	1	-	20	1
41	162	5	-	7	123	2	-	5	2	-	16	2
42	1,361	24	1	45	887	21	4	64	25	24	232	34
43	160	2	-	2	137	5	-	5	1	-	3	5
44	884	16	-	25	590	21	1	39	8	19	142	23
45	3,101	51	9	99	2,075	76	24	118	48	64	446	91
46	371	5	-	13	268	6	-	14	7	4	49	5
47	21,556	324	26	632	15,431	471	89	788	314	308	2,647	526
48	3,573	54	1	137	2,526	77	6	118	48	46	496	64
49	1,841	35	1	48	1,390	46	2	78	15	18	183	25
50	448	9	-	15	294	11	2	19	8	3	78	9
51	303	3	-	9	202	9	-	17	9	6	40	8
52	945	14	-	31	645	21	1	46	18	11	132	26
53	1,017	20	-	20	738	25	3	34	16	10	129	22
54	1,481	21	1	43	1,074	24	8	63	25	24	163	35
55	2,252	29	1	51	1,683	46	9	99	29	25	236	44
56	3,134	46	3	105	2,270	77	17	113	36	42	348	77
57	3,756	50	7	110	2,686	72	18	124	53	61	463	112
58	2,295	35	11	47	1,585	51	18	62	48	51	316	71
59	511	8	1	16	338	12	5	15	9	11	63	33
60	-	-	-	-	-	-	-	-	-	-	-	-
61	21,556	324	26	632	15,431	471	89	788	314	308	2,647	526

* Including the portion within the Burgh of Renfrew.

				MIDLOTHIAN COUNTY.								Marginal Index
				Midlothian County.	Bonnyrigg B.	Dalkeith B.	Edinburgh B.	Lasswade B.	Loanhead B.	Musselburgh B.	Penicuik B.	
Population (Estimated) - - -				510,092	3,086	7,155	425,147	904	3,313	17,263	2,557	
Total	Births	Registered (including Illegitimate)		9,757	50	134	8,074	32	76	320	53	
"	"	Corrected for Transfers		9,398	46	156	7,621	30	77	339	58	
"	"	Male -		4,784	22	77	3,897	16	36	169	32	
"	"	Female -		4,614	24	79	3,724	14	41	170	26	
"	"	Illegitimate		648	1	10	542	3	-	11	6	
"	Marriages	Registered -		4,360	2	62	3,861	6	31	108	15	
"	Deaths	Registered -		7,608	37	87	6,718	7	28	179	33	
"	"	Corrected for Transfers		7,085	41	93	6,066	7	40	205	40	
"	"	Male -		3,519	21	48	2,979	3	15	110	25	
"	"	Female -		3,566	20	45	3,087	4	25	95	15	
CAUSES OF DEATH.												
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	
Small-pox	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	85	-	1	71	-	-	1	-	
Scarlet Fever	-	-	-	22	1	-	17	-	-	-	-	
Whooping-cough	-	-	-	50	-	-	43	1	-	2	1	
Diphtheria	-	-	-	47	-	2	43	-	-	-	-	
Influenza	-	-	-	203	4	2	164	-	2	12	-	
Encephalitis Lethargica	-	-	-	13	-	-	13	-	-	-	-	
Cerebro-spinal Meningitis	-	-	-	23	-	-	21	-	-	1	-	
Other Epidemic Diseases	-	-	-	23	-	-	21	-	-	-	-	
Tuberculosis of Respiratory System	-	-	-	429	4	4	381	-	2	12	2	
Tuberculous Meningitis	-	-	-	58	1	3	48	1	1	-	-	
Tuberculosis of Intestines and Peritoneum	-	-	-	34	1	-	27	-	-	3	1	
Other Tuberculous Disease	-	-	-	67	-	1	55	-	-	2	1	
Malignant Tumours	-	-	-	819	3	9	716	-	2	21	9	
Rheumatic Fever	-	-	-	24	-	-	20	-	-	3	-	
Meningitis (not Cer. Spin. or Tuberc.)	-	-	-	38	-	-	33	1	-	-	-	
Apoplexy	-	-	-	691	2	14	598	1	2	18	2	
Heart Disease	-	-	-	892	2	6	773	-	8	32	4	
Diseases of Arteries	-	-	-	112	-	1	101	-	-	4	-	
Bronchitis	-	-	-	421	2	9	359	-	1	14	1	
Pneumonia (all forms)	-	-	-	627	3	4	550	1	5	16	2	
Other Diseases of Respiratory System	-	-	-	108	-	1	90	-	1	9	-	
Diarrhoea and Enteritis (under 2 years)	-	-	-	48	-	-	42	-	-	-	-	
Appendicitis	-	-	-	38	-	1	31	-	-	-	-	
All Diseases of Liver (not Malignant)	-	-	-	60	-	-	53	-	1	2	1	
Nephritis, Acute and Chronic	-	-	-	221	4	2	190	-	-	6	-	
Puerperal Sepsis	-	-	-	17	-	-	16	-	-	1	-	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	-	40	-	-	34	-	1	3	-	
Dis. of Early Infancy, and Malformations	-	-	-	346	-	6	291	1	5	11	3	
Suicide	-	-	-	71	1	1	59	1	1	1	-	
Other Violent Deaths	-	-	-	241	1	2	190	-	2	8	1	
Other Defined Diseases	-	-	-	1,171	12	22	988	-	4	20	9	
Causes Ill-defined or Unknown	-	-	-	46	-	2	28	-	2	3	3	
ALL CAUSES - -				7,085	41	93	6,066	7	40	205	40	
AGES AT DEATH.												
Under 1	-	-	-	726	-	15	606	2	7	25	4	
1-4	-	-	-	398	2	4	337	2	1	11	4	
5-9	-	-	-	123	1	2	101	-	-	3	1	
10-14	-	-	-	87	-	2	69	-	-	5	1	
15-24	-	-	-	237	-	2	202	-	2	5	2	
25-34	-	-	-	316	4	2	271	-	4	8	-	
35-44	-	-	-	453	3	3	376	-	4	23	4	
45-54	-	-	-	757	3	4	660	-	5	20	3	
55-64	-	-	-	1,065	5	10	929	-	6	29	6	
65-74	-	-	-	1,457	11	19	1,259	3	3	42	9	
75-84	-	-	-	1,151	7	27	984	-	7	27	6	
85 and over	-	-	-	315	5	3	272	-	1	7	-	
Not stated -	-	-	-	-	-	-	-	-	-	-	-	
ALL AGES - -				7,085	41	93	6,066	7	40	205	40	

Numbers.	MIDLOTHIAN COUNTY.			MORAY COUNTY.								NAIRN COUNTY.		
	Calder C.D.	Gala-Water C.D.	Lasswade C.D.	Moray County.	Burghead B.	Elgin B.	Forres B.	Grantown-on-Spey B.	Lossiemouth B.	Rothies B.	Moray C.D.	Nairn County.	Nairn B.	Nairn C.D.
1	18,893	7,097	24,677	39,246	1,224	7,041	3,820	1,670	4,018	1,179	20,294	8,226	4,209	4,017
2	344	140	534	796	16	137	68	22	75	33	445	142	54	88
3	365	141	565	796	16	139	68	24	75	32	442	143	52	91
4	187	64	284	389	8	73	29	13	35	12	219	77	30	47
5	178	77	281	407	8	66	39	11	40	20	223	66	22	44
6	21	10	44	113	1	21	14	3	7	2	65	18	4	14
7	106	36	133	245	3	107	21	9	20	6	79	39	33	6
8	136	74	309	635	16	168	84	25	58	20	264	141	71	70
9	188	90	315	644	20	148	92	27	65	22	270	143	77	66
10	108	44	166	309	10	72	42	13	27	12	133	63	35	28
11	80	46	149	335	10	76	50	14	38	10	137	80	42	38
12	-	-	-	-	-	-	-	-	-	-	-	1	-	1
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	12	-	-	-	-	-	-	-	-	-	-	-
16	-	1	3	3	-	-	-	-	-	-	3	3	-	3
17	-	-	3	3	-	2	-	-	-	-	1	-	-	-
18	1	-	1	3	-	-	1	1	-	-	1	-	-	-
19	6	3	10	38	2	12	4	1	4	2	13	3	-	3
20	-	-	-	2	-	-	-	-	-	-	2	-	-	-
21	1	-	-	-	-	-	-	-	-	-	-	-	-	-
22	1	-	1	3	-	1	-	-	-	-	2	-	-	-
23	7	2	15	39	1	8	6	-	4	2	18	1	1	-
24	3	-	1	4	-	-	-	1	1	-	2	-	-	-
25	-	-	2	2	-	1	1	-	-	-	-	-	-	-
26	1	-	7	3	-	1	-	-	1	-	1	-	-	-
27	20	11	28	77	2	17	6	3	6	5	38	11	4	7
28	-	-	1	3	-	-	1	-	-	-	2	-	-	-
29	-	2	2	1	-	-	-	-	-	-	1	-	-	-
30	16	7	31	67	5	13	11	3	8	4	23	24	17	7
31	23	13	31	97	1	22	11	7	9	4	43	30	19	11
32	1	4	1	5	-	2	-	-	-	-	3	2	2	-
33	12	8	15	24	-	6	7	-	5	-	6	9	4	5
34	16	9	21	39	1	8	7	3	6	2	12	10	6	4
35	1	2	4	10	-	3	1	-	-	-	6	4	3	1
36	1	-	5	3	-	-	1	-	-	-	2	-	-	-
37	3	1	2	-	-	-	-	-	-	-	-	-	-	-
38	2	1	-	4	-	1	-	1	1	1	-	2	1	1
39	6	3	10	15	1	2	2	-	1	-	9	2	-	2
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	2	-	-	5	-	3	-	-	-	-	2	-	-	-
42	10	8	11	26	1	4	2	1	3	-	15	6	3	3
43	3	-	4	2	-	-	-	-	-	-	2	1	1	-
44	11	3	23	26	-	6	5	1	2	-	12	5	3	2
45	40	11	65	121	6	28	24	5	11	2	45	26	10	16
46	1	1	6	19	-	8	2	-	3	-	6	3	3	-
47	188	90	315	644	20	148	92	27	65	22	270	143	77	66
48	13	13	41	59	1	9	9	1	8	1	30	13	6	7
49	10	3	24	18	-	3	6	2	1	-	6	4	2	2
50	6	2	7	8	1	1	2	1	-	-	3	1	-	1
51	2	3	5	5	-	-	1	-	-	-	4	2	-	2
52	9	3	12	23	1	6	1	1	2	1	11	3	2	1
53	5	7	15	32	1	11	6	2	-	-	12	6	1	5
54	15	4	21	33	1	3	8	-	4	-	17	5	3	2
55	25	6	31	49	1	13	4	2	8	2	19	6	5	1
56	26	15	39	76	3	19	9	2	11	2	30	11	8	3
57	41	12	58	147	4	38	20	8	18	11	48	38	21	17
58	25	18	50	135	5	30	19	4	10	4	63	42	25	17
59	11	4	12	59	2	15	7	4	3	1	27	12	4	8
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	188	90	315	644	20	148	92	27	65	22	270	143	77	66

	ORKNEY COUNTY.							Marginal Index Numbers.
	Orkney County.	Kirkwall B.	Stromness B.	Mainland C.D.	North Isles C.D.	South Ronaldsay C.D.	Walls C.D.	
Population (Estimated) - - -	22,368	3,521	1,557	8,277	5,774	1,870	1,369	1
Total Births Registered (including Illegitimate)	331	44	18	142	82	20	25	2
" " Corrected for Transfers	330	45	17	139	83	20	26	3
" " " Male - -	180	25	7	74	44	11	19	4
" " " Female - -	150	20	10	65	39	9	7	5
" " " Illegitimate	20	2	-	10	6	-	2	6
" Marriages Registered - -	140	36	16	46	32	5	5	7
" Deaths Registered - -	383	93	23	112	104	32	19	8
" " Corrected for Transfers	397	72	27	126	116	36	20	9
" " " Male - -	193	36	12	59	54	22	10	10
" " " Female - -	204	36	15	67	62	14	10	11
CAUSES OF DEATH.								
Enteric Fever - - - - -	-	-	-	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	14
Measles - - - - -	-	-	-	-	-	-	-	15
Scarlet Fever - - - - -	3	-	-	2	1	-	-	16
Whooping cough - - - - -	-	-	-	-	-	-	-	17
Diphtheria - - - - -	-	-	-	-	-	-	-	18
Influenza - - - - -	28	5	1	11	10	1	-	19
Encephalitis Lethargica - - - - -	-	-	-	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	3	1	-	1	1	-	-	22
Tuberculosis of Respiratory System - -	19	6	1	5	6	1	-	23
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	24
Tuberculosis of Intestines and Peritoneum	2	-	-	-	2	-	-	25
Other Tuberculous Disease - - - - -	4	1	-	1	2	-	-	26
Malignant Tumours - - - - -	43	7	3	14	15	-	4	27
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.)	2	-	-	1	-	1	-	29
Apoplexy - - - - -	33	9	2	11	5	5	1	30
Heart Disease - - - - -	63	15	6	16	19	2	5	31
Diseases of Arteries - - - - -	3	1	-	1	1	-	-	32
Bronchitis - - - - -	17	4	3	4	4	-	2	33
Pneumonia (all forms) - - - - -	12	1	-	5	5	-	1	34
Other Diseases of Respiratory System -	5	-	1	2	2	-	-	35
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	36
Appendicitis - - - - -	2	-	-	1	1	-	-	37
All Diseases of Liver (not Malignant) -	5	1	-	-	4	-	-	38
Nephritis, Acute and Chronic - - - -	9	3	-	3	2	1	-	39
Puerperal Sepsis - - - - -	1	-	-	1	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	3	-	-	1	1	-	1	41
Dis. of Early Infancy, and Malformations	11	2	-	2	3	2	2	42
Suicide - - - - -	3	-	1	2	-	-	-	43
Other Violent Deaths - - - - -	20	8	2	8	1	-	1	44
Other Defined Diseases - - - - -	93	7	6	30	27	20	3	45
Causes Ill-defined or Unknown - - -	13	1	1	4	4	3	-	46
ALL CAUSES - - - - -	397	72	27	126	116	36	20	47
AGES AT DEATH.								
Under 1 - - - - -	20	2	1	6	7	2	2	48
1-4 - - - - -	12	5	1	3	1	2	-	49
5-9 - - - - -	4	1	-	3	-	-	-	50
10-14 - - - - -	2	-	-	-	2	-	-	51
15-24 - - - - -	13	2	-	8	3	-	-	52
25-34 - - - - -	19	5	3	5	3	3	-	53
35-44 - - - - -	24	1	2	8	10	2	1	54
45-54 - - - - -	22	3	2	7	8	2	-	55
55-64 - - - - -	51	11	4	19	12	4	1	56
65-74 - - - - -	86	21	4	31	23	2	5	57
75-84 - - - - -	86	16	6	23	19	13	9	58
85 and over - - - - -	58	5	4	13	28	6	2	59
Not stated - - - - -	-	-	-	-	-	-	-	60
ALL AGES - - - - -	397	72	27	126	116	36	20	61

Marginal Index Numbers.	PEEBLES COUNTY.				PERTH COUNTY.								
	Peebles County.	Innerleithen B.	Peebles B.	Peebles C.D.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.	Blairstown B.	Callander B.	Coupar-Angus B.	Crieff B.
1	14,914	2,248	5,353	7,313	125,072	1,495	620	1,573	2,178	2,879	2,028	1,850	5,926
2	215	27	111	77	1,841	15	10	42	40	43	14	24	72
3	226	37	85	104	1,872	17	10	35	43	40	16	25	77
4	135	24	55	56	937	7	2	18	17	22	9	14	40
5	91	13	30	48	935	10	8	17	26	18	7	11	37
6	23	2	10	11	176	5	-	2	2	5	2	4	6
7	79	17	38	24	724	4	8	13	19	25	9	18	27
8	162	24	72	66	1,668	29	8	30	43	61	18	33	64
9	190	31	77	82	1,691	28	10	34	39	58	18	43	75
10	93	14	40	39	795	10	2	16	15	25	5	25	38
11	97	17	37	43	896	18	8	18	24	33	13	18	37
12	-	-	-	-	1	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	5	-	-	-	-	-	-	2	-
16	-	-	-	-	12	-	-	-	-	-	-	2	1
17	2	-	2	-	13	-	-	-	-	1	-	2	-
18	1	-	-	1	17	-	-	-	-	-	-	3	1
19	4	-	2	2	61	1	-	4	-	1	1	2	-
20	-	-	-	-	5	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-
22	1	-	1	-	1	-	-	-	-	-	-	-	-
23	7	1	1	5	58	-	1	2	1	-	1	-	3
24	1	-	-	1	7	1	-	-	1	1	-	1	-
25	-	-	-	-	5	-	-	-	-	-	-	1	-
26	1	-	-	1	14	-	-	-	-	-	-	-	-
27	18	5	8	5	214	7	2	8	4	12	1	3	9
28	1	1	-	-	4	-	-	-	-	-	-	-	1
29	1	-	-	1	9	-	-	-	-	-	-	-	-
30	31	8	14	9	176	5	3	5	4	3	1	6	10
31	23	3	9	11	258	3	1	3	6	12	3	4	16
32	8	-	6	2	53	-	-	-	4	-	-	-	4
33	7	1	4	2	74	-	-	3	-	2	2	1	3
34	6	-	1	5	89	1	-	-	2	5	2	1	3
35	3	1	1	1	21	-	-	-	1	-	-	-	3
36	-	-	-	-	8	-	-	-	-	1	-	-	-
37	1	-	1	-	14	-	-	-	-	2	-	-	1
38	-	-	-	-	9	-	-	-	-	-	-	-	-
39	12	3	7	2	57	-	1	2	1	1	2	-	3
40	1	-	1	-	7	-	-	-	-	-	-	-	-
41	2	1	-	1	5	-	-	-	-	-	-	-	-
42	7	1	2	4	70	-	2	-	3	1	-	1	3
43	1	-	1	-	25	-	-	1	-	-	-	1	1
44	7	-	1	6	63	1	-	1	-	2	1	1	1
45	40	6	15	19	296	6	-	5	12	13	4	10	11
46	4	-	-	4	40	3	-	-	-	1	-	2	1
47	190	31	77	82	1,691	28	10	34	39	58	18	43	75
48	12	2	2	8	127	-	2	-	3	2	-	4	4
49	4	-	1	3	61	-	-	-	1	4	-	6	2
50	2	1	-	1	28	1	-	1	-	-	-	2	2
51	1	-	-	1	17	-	-	-	1	-	-	1	-
52	4	2	1	1	61	-	1	-	1	2	-	-	1
53	8	1	3	4	66	-	-	1	-	-	1	1	3
54	16	3	4	9	86	2	-	2	2	1	-	1	2
55	12	2	6	4	153	3	1	3	5	5	2	3	6
56	21	6	10	5	238	2	-	4	7	7	4	4	16
57	55	9	23	23	396	8	2	10	9	19	1	10	21
58	42	4	21	17	351	10	3	9	7	16	9	10	15
59	13	1	6	6	107	2	1	4	3	2	1	1	3
60	-	-	-	-	-	-	-	-	-	-	-	-	-
61	190	31	77	82	1,691	28	10	34	39	58	18	43	75

PERTH COUNTY—(continued).											Marginal Index Numbers.
	Doune B.	Dunblane B.	Perth B.	Ratray B.	Blairgowrie C.D.	Central C.D.	Highland C.D.	Perth C.D.	Western C.D.		
Population (Estimated) - - -	823	2,823	33,380	1,694	9,742	11,146	14,214	21,848	10,853	1	
Total Births Registered (including Illegitimate)	18	30	611	27	138	162	142	319	134	2	
„ „ Corrected for Transfers	16	32	572	27	150	176	156	337	143	3	
„ „ „ Male - -	8	17	279	11	81	90	80	163	79	4	
„ „ „ Female - -	8	15	293	16	69	86	76	174	64	5	
„ „ „ Illegitimate	1	2	46	1	16	17	23	35	9	6	
„ Marriages Registered - -	11	15	333	5	38	43	44	80	32	7	
„ Deaths Registered - - -	20	44	588	17	107	127	180	192	107	8	
„ „ Corrected for Transfers	22	50	471	23	112	144	183	263	118	9	
„ „ „ Male - -	14	23	234	6	57	62	81	112	70	10	
„ „ „ Female - -	8	27	237	17	55	82	102	151	48	11	
CAUSES OF DEATH.											
Enteric Fever - - - - -	-	-	-	-	1	-	-	-	-	12	
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	13	
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	14	
Measles - - - - -	-	-	2	-	-	-	-	1	-	15	
Scarlet Fever - - - - -	-	-	3	-	1	-	1	3	1	16	
Whooping-cough - - - -	-	-	7	-	-	-	-	3	-	17	
Diphtheria - - - - -	-	1	7	1	2	1	-	1	-	18	
Influenza - - - - -	-	3	16	1	3	8	13	5	3	19	
Encephalitis Lethargica -	-	-	3	-	-	1	-	1	-	20	
Cerebro-spinal Meningitis	-	-	-	-	-	-	-	-	-	21	
Other Epidemic Diseases -	-	-	1	-	-	-	-	-	-	22	
Tuberculosis of Respiratory System	-	5	15	-	1	4	8	10	7	23	
Tuberculous Meningitis -	-	-	3	-	-	-	-	-	-	24	
Tuberculosis of Intestines and Peritoneum	-	-	3	-	-	-	1	-	-	25	
Other Tuberculous Disease -	2	-	3	-	3	2	1	-	3	26	
Malignant Tumours - - -	2	4	53	4	13	14	34	35	9	27	
Rheumatic Fever - - - -	-	-	2	-	-	-	-	1	-	28	
Meningitis (not Cer. Spin. or Tuberc.)	-	1	4	1	-	1	1	-	1	29	
Apoplexy - - - - -	3	7	42	1	8	7	20	40	11	30	
Heart Disease - - - - -	3	2	71	6	19	26	26	40	17	31	
Diseases of Arteries - - -	1	1	26	-	2	4	3	8	-	32	
Bronchitis - - - - -	3	2	25	1	5	6	3	12	6	33	
Pneumonia (all forms) - -	1	9	23	1	5	6	7	17	6	34	
Other Diseases of Respiratory System	-	-	12	-	1	1	-	1	2	35	
Diarrhoea and Enteritis (under 2 years)	-	1	2	-	-	2	-	2	-	36	
Appendicitis - - - - -	-	-	2	-	3	-	3	1	2	37	
All Diseases of Liver (not Malignant)	-	1	3	-	1	2	-	2	-	38	
Nephritis, Acute and Chronic -	-	1	16	1	3	8	5	8	5	39	
Puerperal Sepsis - - - -	-	-	2	-	1	1	1	2	-	40	
Other Diseases and Accidents of Pregnancy and Parturition	-	-	2	-	-	-	1	2	-	41	
Dis. of Early Infancy, and Malformations	2	2	17	1	6	6	6	14	6	42	
Suicide - - - - -	-	-	9	-	-	2	6	5	-	43	
Other Violent Deaths - - -	2	-	21	-	6	1	11	6	9	44	
Other Defined Diseases - - -	3	8	67	5	26	32	28	40	26	45	
Causes Ill-defined or Unknown -	-	2	9	-	2	9	4	3	4	46	
ALL CAUSES - - -	22	50	471	23	112	144	183	263	118	47	
AGES AT DEATH.											
Under 1 - - - - -	4	4	38	2	9	12	8	24	11	48	
1-4 - - - - -	1	4	25	1	5	2	3	7	-	49	
5-9 - - - - -	1	-	10	-	1	2	1	6	1	50	
10-14 - - - - -	1	1	6	-	2	-	1	2	2	51	
15-24 - - - - -	-	1	16	-	4	6	9	9	11	52	
25-34 - - - - -	-	2	22	-	6	4	6	14	6	53	
35-44 - - - - -	1	-	33	2	4	3	16	13	4	54	
45-54 - - - - -	2	3	50	4	9	11	17	20	9	55	
55-64 - - - - -	2	11	64	4	11	21	22	45	14	56	
65-74 - - - - -	4	9	106	2	28	36	43	52	36	57	
75-84 - - - - -	6	12	77	8	27	31	43	54	14	58	
85 and over - - - - -	-	3	24	-	6	16	14	17	10	59	
Not stated - - - - -	-	-	-	-	-	-	-	-	-	60	
ALL AGES - - -	22	50	471	23	112	144	183	263	118	61	

Marginal Index Numbers.	RENFREW COUNTY.										ROSS AND CROMARTY COUNTY.			
	Renfrew County.	Barrhead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B.*	Upper C.D.	Lower C.D.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.
1	291,998	11,166	11,375	80,889	12,344	87,010	21,812	14,636	25,788	27,006	67,239	1,105	2,074	927
2	5,800	269	130	1,789	272	1,837	507	300	372	324	1,030	12	41	9
3	5,873	267	133	1,794	285	1,791	511	316	413	363	1,051	8	44	7
4	2,926	137	68	866	153	905	258	154	198	187	520	3	19	4
5	2,947	130	65	928	132	886	253	162	215	176	531	5	25	3
6	277	14	1	93	7	83	27	15	15	22	68	-	-	-
7	1,576	74	41	400	87	586	114	70	111	93	251	1	46	3
8	3,556	124	103	1,097	128	1,206	231	122	296	249	1,021	15	38	20
9	3,665	161	123	1,073	159	1,139	269	170	298	273	1,071	18	33	19
10	1,873	81	64	562	84	571	134	86	155	136	518	8	14	10
11	1,792	80	59	511	75	568	135	84	143	137	553	10	19	9
12	4	-	-	3	-	-	1	-	-	-	2	-	-	-
13	1	-	-	-	-	-	1	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	30	-	-	2	-	28	-	-	-	-	4	-	-	-
16	9	-	1	5	-	1	-	-	2	-	-	-	-	-
17	21	1	-	9	1	7	-	1	1	1	5	-	-	-
18	27	2	-	3	-	14	-	3	2	3	-	-	-	-
19	72	5	2	22	2	22	8	2	4	5	68	1	1	1
20	10	1	-	6	-	1	1	-	-	1	1	-	-	-
21	4	-	-	1	-	1	-	-	2	-	-	-	-	-
22	9	1	1	1	-	4	-	-	1	1	4	-	-	-
23	216	8	5	70	9	64	19	13	17	11	74	1	1	-
24	33	-	1	12	2	8	7	2	-	1	8	1	-	-
25	27	1	-	10	1	3	4	5	-	3	1	-	-	-
26	31	1	-	14	-	11	-	2	1	2	6	-	-	-
27	371	26	13	104	19	116	18	13	31	31	99	2	4	-
28	15	-	-	5	1	5	-	-	2	2	3	-	-	-
29	46	2	-	24	2	5	4	4	2	3	9	-	-	-
30	343	10	19	95	14	97	27	15	36	30	77	3	4	2
31	449	18	20	112	19	164	22	17	43	34	103	2	7	8
32	50	1	2	12	-	21	1	2	9	2	4	-	-	-
33	198	4	4	75	5	57	21	9	12	11	46	-	1	1
34	323	10	8	97	12	118	25	9	16	28	87	2	4	1
35	37	1	-	15	-	7	2	1	7	4	18	-	-	-
36	30	1	-	6	4	13	2	-	4	-	1	-	-	-
37	27	-	3	8	3	8	1	1	1	2	3	-	-	-
38	26	1	1	5	-	11	2	2	3	1	7	-	-	-
39	107	10	2	19	11	35	5	4	10	11	37	-	-	-
40	14	-	-	3	1	4	3	1	1	1	2	-	-	-
41	22	3	2	3	1	6	2	2	-	3	6	-	-	-
42	241	13	3	74	11	85	28	11	9	7	23	1	1	1
43	17	2	-	4	1	6	-	1	2	1	3	1	1	-
44	152	5	4	47	4	38	16	8	12	18	32	1	-	-
45	640	32	27	188	34	164	43	41	60	51	280	3	8	5
46	63	2	5	19	2	15	6	1	8	5	58	-	1	-
47	3,665	161	123	1,073	159	1,139	269	170	298	273	1,071	18	33	19
48	487	21	6	159	22	162	44	24	28	21	63	1	1	1
49	227	7	5	81	9	74	21	14	10	6	36	-	2	-
50	80	2	2	31	3	24	7	4	4	3	14	1	-	1
51	50	3	-	20	-	14	6	-	5	2	16	-	1	-
52	181	6	3	52	7	62	14	14	10	13	47	-	1	-
53	182	5	6	62	7	49	13	12	13	15	54	2	-	-
54	262	13	11	79	13	78	19	11	23	15	42	-	1	1
55	359	21	12	114	15	110	21	17	28	21	60	-	1	-
56	521	34	21	138	20	158	31	24	45	50	99	3	5	1
57	722	30	28	186	34	240	54	27	63	60	223	6	6	3
58	476	14	23	118	27	134	28	20	57	55	274	4	14	10
59	118	5	6	33	2	34	11	3	12	12	143	1	1	2
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	3,665	161	123	1,073	159	1,139	269	170	298	273	1,071	18	33	19

* Including the portion within the County of Lanark.

	ROSS AND CROMARTY COUNTY—(continued).									Marginal Index Numbers.
	Invergordon B.	Stornoway B.	Tain B.	Black Isle C.D.	Easter Ross C.D.	Lewis C.D.	Mid-Ross C.D.	South-Western C.D.	Western C.D.	
Population (Estimated) - - -	2,043	4,112	1,477	5,046	9,941	22,716	11,310	3,194	3,294	1
Total Births Registered (including Illegitimate)	14	56	19	105	171	378	143	31	51	2
„ „ Corrected for Transfers	14	57	19	110	168	379	159	35	51	3
„ „ „ Male - -	7	26	9	59	92	187	71	16	27	4
„ „ „ Female - -	7	31	10	51	76	192	88	19	24	5
„ „ „ Illegitimate	3	4	-	15	13	11	19	2	1	6
„ Marriages Registered - -	7	23	28	13	25	54	31	15	5	7
„ Deaths Registered - - -	6	63	26	77	162	329	163	49	73	8
„ „ Corrected for Transfers	11	66	27	85	158	338	181	57	78	9
„ „ „ Male - -	8	28	11	44	82	154	92	26	41	10
„ „ „ Female - -	3	38	16	41	76	184	89	31	37	11
CAUSES OF DEATH.										
Enteric Fever - - - - -	-	-	-	-	-	1	1	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	2	-	-	-	1	-	-	1	15
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	16
Whooping-cough - - - -	1	-	-	1	1	-	2	-	-	17
Diphtheria - - - - -	-	-	-	-	-	-	-	-	-	18
Influenza - - - - -	-	7	1	15	4	15	15	6	2	19
Encephalitis Lethargica - -	-	-	-	-	1	-	-	-	-	20
Cerebro-spinal Meningitis -	-	-	-	-	-	-	-	-	-	21
Other Epidemic Diseases - -	-	-	-	-	-	2	1	1	-	22
Tuberculosis of Respiratory System -	1	3	1	3	8	42	5	4	5	23
Tuberculous Meningitis - -	-	1	-	-	2	3	1	-	-	24
Tuberculosis of Intestines and Peritoneum -	-	-	-	1	-	-	-	-	-	25
Other Tuberculous Disease - -	-	-	-	-	2	3	-	1	-	26
Malignant Tumours - - - -	-	7	4	8	20	25	18	3	8	27
Rheumatic Fever - - - - -	-	-	-	-	1	2	-	-	-	28
Meningitis (not Cer. Spin. or Tuberc.) -	-	5	-	-	1	1	2	-	-	29
Apoplexy - - - - -	-	9	3	6	9	20	11	3	7	30
Heart Disease - - - - -	1	3	3	8	20	21	18	5	7	31
Diseases of Arteries - - - -	-	-	-	-	-	-	4	-	-	32
Bronchitis - - - - -	-	3	1	2	6	15	12	2	3	33
Pneumonia (all forms) - - -	2	2	2	11	14	35	9	1	4	34
Other Diseases of Respiratory System -	-	4	-	-	2	8	2	1	1	35
Diarrhoea and Enteritis (under 2 years) -	-	-	-	-	-	-	1	-	-	36
Appendicitis - - - - -	-	-	-	1	1	-	-	1	-	37
All Diseases of Liver (not Malignant) -	-	-	-	-	1	3	3	-	-	38
Nephritis, Acute and Chronic - - -	-	3	2	3	10	10	6	-	3	39
Puerperal Sepsis - - - - -	-	-	-	-	-	2	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition -	-	-	-	-	1	4	-	1	-	41
Dis. of Early Infancy, and Malformations -	-	2	-	4	7	2	3	-	2	42
Suicide - - - - -	1	-	-	-	-	-	-	-	-	43
Other Violent Deaths - - - -	1	3	-	6	6	6	7	1	1	44
Other Defined Diseases - - - -	4	11	7	11	34	89	52	24	32	45
Causes Ill-defined or Unknown - - -	-	1	3	5	7	28	8	3	2	46
ALL CAUSES - - - - -	11	66	27	85	158	338	181	57	78	47
AGES AT DEATH.										
Under 1 - - - - -	1	8	-	7	14	19	7	1	3	48
1-4 - - - - -	1	3	-	7	4	14	4	-	1	49
5-9 - - - - -	-	-	-	2	1	5	3	1	-	50
10-14 - - - - -	-	1	1	1	3	7	2	-	-	51
15-24 - - - - -	1	4	-	3	9	18	6	2	3	52
25-34 - - - - -	4	1	-	1	8	28	3	4	3	53
35-44 - - - - -	-	4	1	4	7	18	2	2	2	54
45-54 - - - - -	2	2	2	9	8	22	9	3	2	55
55-64 - - - - -	-	6	2	10	14	26	18	7	7	56
65-74 - - - - -	-	15	8	15	38	59	51	7	15	57
75-84 - - - - -	2	15	8	19	35	77	46	20	24	58
85 and over - - - - -	-	7	5	7	17	45	30	10	18	59
Not stated - - - - -	-	-	-	-	-	-	-	-	-	60
ALL AGES - - - - -	11	66	27	85	158	338	181	57	78	61

Marginal Index Numbers.	ROXBURGH COUNTY.										SELKIRK COUNTY.			
	Roxburgh County.	Hawick B.	Jedburgh B.	Kelso B.	Melrose B.	Hawick C.D.	Jedburgh C.D.	Kelso C.D.	Liddesdale C.D.	Melrose C.D.	Selkirk County.	Galashiels B.	Selkirk B.	Selkirk C.D.
1	42,383	15,563	2,168	3,162	2,083	2,849	4,481	5,694	1,752	4,631	20,792	11,654	5,538	3,600
2	669	241	47	56	26	53	64	92	31	59	306	171	80	55
3	688	243	47	57	29	55	68	95	33	61	318	172	75	71
4	349	125	26	31	16	30	35	42	9	35	179	93	45	41
5	339	118	21	26	13	25	33	53	24	26	139	79	30	30
6	56	15	4	5	2	9	8	10	1	2	25	12	5	8
7	252	105	13	22	11	23	26	26	11	15	124	73	37	14
8	646	245	37	79	59	42	58	61	18	47	269	169	66	34
9	651	261	42	72	23	42	65	74	19	53	299	182	68	49
10	298	125	19	26	8	20	33	37	8	22	141	85	30	26
11	353	126	23	46	15	22	32	37	11	31	158	97	38	23
12	1	-	-	-	-	-	-	1	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	1	-	-	-	-	-	-	-	1	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	1	-	-	-	-	-	-	1	-	-	-	-	-	-
19	34	9	5	3	2	3	4	6	2	-	15	11	3	1
20	4	2	-	-	-	-	2	-	-	-	-	-	-	-
21	1	1	-	-	-	-	-	-	-	-	1	1	-	-
22	4	2	-	-	-	-	-	1	1	-	-	-	-	-
23	31	17	2	1	1	1	4	2	1	2	13	9	3	1
24	-	-	-	-	-	-	-	-	-	-	4	2	2	-
25	1	1	-	-	-	-	-	-	-	-	1	-	1	-
26	4	2	-	1	-	-	-	-	1	-	5	3	1	1
27	74	31	6	7	2	6	6	7	3	6	34	17	11	6
28	2	2	-	-	-	-	-	-	-	-	2	1	1	-
29	2	1	-	1	-	-	-	-	-	-	1	1	-	-
30	91	30	3	16	2	5	11	15	1	8	26	15	6	5
31	117	48	3	13	11	10	9	12	2	9	53	37	9	7
32	14	4	-	-	-	-	2	3	-	5	3	3	-	-
33	40	21	1	5	-	3	4	1	1	4	16	11	3	2
34	29	17	1	3	-	4	1	2	-	1	13	8	1	4
35	11	2	2	-	-	2	1	2	-	2	5	5	-	-
36	1	-	-	-	-	-	1	-	-	-	-	-	-	-
37	6	3	-	1	-	-	-	-	1	1	1	-	-	1
38	11	4	1	1	-	-	-	2	1	2	1	1	-	-
39	6	2	1	-	1	1	-	-	1	-	6	4	-	2
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	3	1	-	1	-	-	-	1	-	-	3	1	-	2
42	27	12	4	2	1	-	4	2	-	2	15	12	2	1
43	9	4	1	2	-	-	-	-	-	2	2	1	1	-
44	15	6	-	2	-	2	3	1	-	1	9	7	2	-
45	106	38	11	12	2	5	13	14	3	8	57	32	14	11
46	5	1	1	1	1	-	-	1	-	-	13	-	8	5
47	651	261	42	72	23	42	65	74	19	53	299	182	68	49
48	45	21	3	3	1	-	5	8	1	3	24	18	2	4
49	16	12	1	1	-	1	1	-	-	-	7	6	1	-
50	6	2	3	-	-	-	-	-	1	-	3	2	1	-
51	2	-	-	1	-	-	-	-	-	1	1	-	-	1
52	24	10	1	2	2	-	4	4	-	1	10	6	2	2
53	24	9	1	1	-	4	3	4	2	-	12	5	3	4
54	29	16	3	2	1	1	2	2	1	1	14	10	-	4
55	55	19	2	9	4	5	6	4	1	5	30	18	9	3
56	109	49	6	12	3	6	13	11	3	6	45	26	12	7
57	154	64	13	17	5	9	10	16	5	15	80	44	26	10
58	152	48	8	22	6	14	13	23	5	13	64	40	10	14
59	35	11	1	2	1	2	8	2	-	8	9	7	2	-
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	651	261	42	72	23	42	65	74	19	53	299	182	68	49

	SHETLAND COUNTY.				STIRLING COUNTY.					Marginal Index Numbers.
	Shetland County.	Lerwick B.	Mainland C.D.	North Isles C.D.	Stirling County.	Bridge of Allan B.	Penny and Dunipace B.	Falkirk B.	Grangemouth B.	
Population (Estimated) - - -	23,392	4,721	14,924	3,747	160,221	3,732	4,956	35,098	9,379	1
Total Births Registered (including Illegitimate)	281	51	186	44	3,263	24	115	697	232	2
„ „ Corrected for Transfers	282	52	186	44	3,372	26	118	729	237	3
„ „ „ Male - -	141	22	91	28	1,695	11	49	371	135	4
„ „ „ Female - -	141	30	95	16	1,677	15	69	358	102	5
„ „ „ Illegitimate	20	4	11	5	225	4	6	34	8	6
„ Marriages Registered - -	88	60	24	4	1,020	13	38	262	58	7
„ Deaths Registered - -	328	60	216	52	1,858	22	47	492	76	8
„ „ Corrected for Transfers	338	53	228	57	1,864	24	59	445	101	9
„ „ „ Male - -	148	22	99	27	947	8	28	250	59	10
„ „ „ Female - -	190	31	129	30	917	16	31	195	51	11
CAUSES OF DEATH.										
Enteric Fever - - - - -	-	-	-	-	2	-	-	1	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	14
Measles - - - - -	-	-	-	-	25	-	-	11	-	15
Scarlet Fever - - - - -	-	-	-	-	6	-	-	-	1	16
Whooping-cough - - - - -	-	-	-	-	9	-	-	4	-	17
Diphtheria - - - - -	-	-	-	-	25	-	-	12	-	18
Influenza - - - - -	22	3	16	3	51	-	-	6	3	19
Encephalitis Lethargica - - - - -	-	-	-	-	9	-	1	2	-	20
Cerebro-spinal Meningitis - - - - -	-	-	-	-	2	-	1	-	-	21
Other Epidemic Diseases - - - - -	4	3	1	-	8	-	-	-	2	22
Tuberculosis of Respiratory System - - - - -	25	1	13	11	77	-	4	27	3	23
Tuberculosis Meningitis - - - - -	4	1	3	-	12	-	1	4	1	24
Tuberculosis of Intestines and Peritoneum - - - - -	-	-	-	-	17	-	1	2	-	25
Other Tuberculous Disease - - - - -	3	1	2	-	18	-	-	7	1	26
Malignant Tumours - - - - -	34	5	25	4	206	2	7	40	10	27
Rheumatic Fever - - - - -	-	-	-	-	9	-	-	1	1	28
Meningitis (not Cer. Spin. or Tuberc.) - - - - -	1	-	-	1	19	-	-	3	1	29
Apoplexy - - - - -	27	4	21	2	163	3	10	26	5	30
Heart Disease - - - - -	39	8	25	6	201	2	5	51	17	31
Diseases of Arteries - - - - -	4	-	2	2	20	-	1	4	1	32
Bronchitis - - - - -	15	2	13	-	108	2	5	28	3	33
Pneumonia (all forms) - - - - -	7	2	3	2	146	7	4	40	5	34
Other Diseases of Respiratory System - - - - -	5	2	3	-	24	1	-	14	1	35
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	9	1	-	1	-	36
Appendicitis - - - - -	2	-	2	-	20	-	1	5	1	37
All Diseases of Liver (not Malignant) - - - - -	2	-	2	-	11	-	-	2	-	38
Nephritis, Acute and Chronic - - - - -	11	2	8	1	46	-	-	11	1	39
Puerperal Sepsis - - - - -	-	-	-	-	10	1	-	3	-	40
Other Diseases and Accidents of Pregnancy and Parturition - - - - -	5	-	5	-	13	-	-	2	-	41
Dis. of Early Infancy, and Malformations - - - - -	8	3	3	2	115	-	6	30	4	42
Suicide - - - - -	1	-	1	-	21	-	1	7	1	43
Other Violent Deaths - - - - -	8	1	6	1	76	-	1	16	9	44
Other Defined Diseases - - - - -	101	15	65	21	355	4	8	75	29	45
Causes Ill-defined or Unknown - - - - -	10	-	9	1	31	1	2	10	1	46
ALL CAUSES - - -	338	53	228	57	1,864	24	59	445	101	47
AGES AT DEATH.										
Under 1 - - - - -	12	4	5	3	235	1	7	68	11	48
1-4 - - - - -	4	1	2	1	114	-	3	36	4	49
5-9 - - - - -	1	-	1	-	49	-	1	14	1	50
10-14 - - - - -	2	-	2	-	17	1	1	3	2	51
15-24 - - - - -	10	2	6	2	66	-	3	15	4	52
25-34 - - - - -	17	1	13	3	94	1	2	24	8	53
35-44 - - - - -	12	3	7	2	121	1	4	30	5	54
45-54 - - - - -	15	1	13	1	193	3	7	49	9	55
55-64 - - - - -	42	8	26	8	269	-	10	65	15	56
65-74 - - - - -	74	16	48	10	361	10	10	85	19	57
75-84 - - - - -	84	9	58	17	287	7	9	48	19	58
85 and over - - - - -	65	8	47	10	58	-	2	8	4	59
Not stated - - - - -	-	-	-	-	-	-	-	-	-	60
ALL AGES - - -	338	53	228	57	1,864	24	59	445	101	61

Numbers.	STIRLING COUNTY.					SUTHERLAND COUNTY.			WEST LOTHIAN COUNTY.								
	Kilsyth B.	Stirling B.	Central C.D.	Eastern C.D.	Western C.D.	Sutherland County.	Dornoch B.	Sutherland C.D.	West Lothian County.	Armada B.	Bathgate B.	Bo'ness B.	Linlithgow B.	Queensferry B.	Whitburn B.	Bathgate C.D.	Linlithgow C.D.
1	7,084	20,786	27,359	40,306	11,521	15,912	759	15,153	84,464	4,887	8,407	9,458	3,695	2,237	1,966	38,423	15,391
2	151	460	544	877	163	255	12	243	1,725	120	156	234	72	50	57	774	262
3	151	459	555	916	181	261	12	249	1,828	121	165	245	75	62	55	808	297
4	69	224	269	470	97	132	6	126	951	61	87	121	41	30	33	414	164
5	82	235	286	446	84	129	6	123	877	60	78	124	34	32	22	394	133
6	8	40	44	71	10	23	1	27	98	11	6	11	4	5	2	42	17
7	48	171	129	253	48	50	7	43	486	40	58	96	23	19	18	161	71
8	58	326	251	460	126	261	15	246	895	50	78	97	34	21	22	313	280
9	78	259	302	461	135	269	15	254	952	65	106	124	41	30	26	397	163
10	38	136	149	232	56	137	8	129	528	35	63	66	21	17	14	227	86
11	40	123	153	229	79	132	7	125	424	30	43	58	20	13	12	170	77
12	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	2	-	8	4	-	-	-	10	1	4	1	-	-	-	4	-
16	-	1	-	4	-	-	-	-	8	1	-	3	-	-	1	3	-
17	-	1	2	2	-	1	-	1	8	2	-	-	-	-	1	5	-
18	-	3	4	6	-	-	-	-	13	3	-	-	2	-	-	7	1
19	4	11	6	11	10	7	-	7	29	-	2	9	-	-	-	9	9
20	2	1	3	-	-	-	-	-	2	-	-	-	-	-	-	-	2
21	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
22	-	1	1	4	-	-	-	-	7	1	-	-	-	1	-	3	2
23	1	11	15	13	3	23	2	21	49	1	3	8	-	3	-	25	9
24	-	1	2	3	-	-	-	-	11	2	2	1	-	-	-	5	1
25	-	2	5	5	2	1	-	1	13	-	2	1	1	-	-	6	3
26	1	1	1	5	2	4	-	4	6	-	3	1	-	-	-	1	1
27	12	27	34	57	17	27	2	25	107	7	13	11	3	2	2	50	19
28	1	2	1	2	1	2	-	2	6	1	-	-	-	-	-	3	2
29	-	1	7	6	1	4	-	4	8	1	3	1	-	-	-	3	-
30	5	26	25	47	16	26	3	23	73	2	6	9	4	3	4	27	18
31	7	20	33	49	17	36	2	34	90	9	10	12	6	5	4	33	11
32	-	6	2	5	1	4	-	4	11	1	3	-	-	-	-	7	-
33	8	14	17	26	5	21	2	19	71	4	13	7	4	1	5	27	10
34	8	9	31	34	8	5	-	5	72	4	15	8	6	2	-	28	9
35	1	3	2	1	1	3	-	3	16	-	1	4	1	-	1	5	4
36	1	1	2	3	-	-	-	-	14	-	5	-	-	-	1	7	1
37	1	2	4	6	-	1	-	1	-	-	-	-	-	-	-	-	-
38	-	3	3	2	1	-	-	-	7	-	-	2	1	-	-	3	1
39	1	8	9	9	7	9	-	9	22	1	2	7	-	-	-	10	2
40	2	-	1	2	1	-	-	-	3	-	-	-	-	1	-	-	2
41	-	3	2	5	1	-	-	-	9	-	1	-	-	1	-	5	2
42	4	22	13	30	6	5	1	4	81	11	3	14	2	3	1	35	12
43	-	3	2	7	-	-	-	-	2	-	-	-	-	-	-	1	1
44	4	10	18	13	5	3	-	3	36	1	-	6	-	-	1	17	11
45	12	61	54	90	22	80	3	77	157	11	15	17	10	8	4	65	27
46	2	3	3	5	4	7	-	7	9	1	-	-	1	-	1	3	3
47	78	259	302	461	135	269	15	254	952	65	106	124	41	30	26	397	163
48	11	37	34	56	10	7	1	6	157	17	11	22	3	7	4	70	23
49	2	9	18	37	5	9	1	8	84	13	10	12	2	1	3	33	10
50	2	7	9	15	-	3	-	3	26	1	3	2	2	1	-	10	7
51	1	2	3	4	-	2	-	2	11	2	1	1	-	-	-	5	2
52	2	6	17	16	3	11	1	10	49	1	6	8	1	-	1	23	9
53	3	14	11	28	3	12	-	12	43	4	3	7	2	4	-	14	9
54	12	17	19	21	12	13	2	11	60	2	10	5	3	1	-	24	15
55	10	27	34	48	6	17	1	16	76	2	5	8	2	3	1	40	15
56	14	37	37	66	25	25	2	23	148	8	23	21	9	3	4	66	14
57	16	48	58	86	29	57	3	54	173	11	25	25	6	6	6	62	32
58	5	46	51	70	32	71	2	69	102	3	7	11	10	4	5	39	23
59	-	9	11	14	10	42	2	40	23	1	2	2	1	-	2	11	4
60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	78	259	302	461	135	269	15	254	952	65	106	124	41	30	26	397	163

	WIGTOWN COUNTY.							Marginal Index Numbers.
	Wigtown County.	Newton- Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Machars C.D.	Rhins C.D.	
Population (Estimated) - - -	29,165	1,644	5,779	923	1,220	7,651	11,948	1
Total Births Registered (including Illegitimate)	629	30	135	22	26	149	267	2
„ „ Corrected for Transfers	636	31	136	22	26	155	266	3
„ „ „ Male -	357	19	81	14	18	84	141	4
„ „ „ Female -	279	12	55	8	8	71	125	5
„ „ „ Illegitimate	94	2	17	2	6	20	47	6
„ Marriages Registered - -	179	5	54	13	5	33	69	7
„ Deaths Registered - - -	405	27	110	18	19	88	143	8
„ „ Corrected for Transfers	424	29	101	25	21	95	153	9
„ „ „ Male -	234	14	61	11	14	53	81	10
„ „ „ Female -	190	15	40	14	7	42	72	11
CAUSES OF DEATH.								
Enteric Fever - - - - -	1	-	1	-	-	-	-	12
Typhus Fever - - - - -	-	-	-	-	-	-	-	13
Small-pox - - - - -	-	-	-	-	-	-	-	14
Measles - - - - -	1	-	-	-	-	1	-	15
Scarlet Fever - - - - -	-	-	-	-	-	-	-	16
Whooping-cough - - - - -	1	-	1	-	-	-	-	17
Diphtheria - - - - -	2	-	2	-	-	-	-	18
Influenza - - - - -	14	1	1	1	-	4	7	19
Encephalitis Lethargica - - - - -	1	-	1	-	-	-	-	20
Cerebro-spinal Meningitis - - - - -	-	-	-	-	-	-	-	21
Other Epidemic Diseases - - - - -	-	-	-	-	-	-	-	22
Tuberculosis of Respiratory System -	17	1	5	2	-	5	4	23
Tuberculous Meningitis - - - - -	5	-	2	-	-	3	-	24
Tuberculosis of Intestines and Peritoneum	3	-	2	-	-	1	-	25
Other Tuberculous Disease - - - - -	4	2	1	-	-	-	1	26
Malignant Tumours - - - - -	32	2	8	1	4	10	7	27
Rheumatic Fever - - - - -	2	-	-	-	-	1	1	28
Meningitis (not. Cer. Spin. or Tuberc.)	1	-	-	-	-	1	-	29
Apoplexy - - - - -	51	5	12	2	4	6	22	30
Heart Disease - - - - -	62	2	16	6	2	10	26	31
Diseases of Arteries - - - - -	7	-	3	-	1	2	1	32
Bronchitis - - - - -	27	1	10	-	1	7	8	33
Pneumonia (all forms) - - - - -	23	2	8	2	1	6	4	34
Other Diseases of Respiratory System -	5	-	3	-	1	-	1	35
Diarrhoea and Enteritis (under 2 years)	7	-	2	-	-	1	4	36
Appendicitis - - - - -	2	2	-	-	-	-	-	37
All Diseases of Liver (not Malignant) -	3	-	1	2	-	-	-	38
Nephritis, Acute and Chronic - - - -	15	2	-	1	1	7	4	39
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	40
Other Diseases and Accidents of Pregnancy and Parturition	2	-	-	-	-	1	1	41
Dis. of Early Infancy, and Malformations	33	2	2	1	1	5	22	42
Suicide - - - - -	2	-	-	-	-	1	1	43
Other Violent Deaths - - - - -	11	-	3	1	1	3	3	44
Other Defined Diseases - - - - -	84	5	15	6	4	20	34	45
Causes Ill-defined or Unknown - - -	6	2	2	-	-	-	2	46
ALL CAUSES - - -	424	29	101	25	21	95	153	47
AGES AT DEATH.								
Under 1 - - - - -	51	1	7	1	1	10	31	48
1-4 - - - - -	20	2	8	-	-	7	3	49
5-9 - - - - -	6	-	3	-	-	1	2	50
10-14 - - - - -	3	-	1	-	-	1	1	51
15-24 - - - - -	18	-	7	1	-	5	5	52
25-34 - - - - -	10	1	-	1	-	2	6	53
35-44 - - - - -	26	2	11	3	1	4	5	54
45-54 - - - - -	31	5	7	2	4	6	7	55
55-64 - - - - -	47	2	12	3	3	6	21	56
65-74 - - - - -	91	4	22	3	6	22	34	57
75-84 - - - - -	84	11	18	8	3	19	25	58
85 and over - - - - -	37	1	5	3	3	12	13	59
Not stated - - - - -	-	-	-	-	-	-	-	60
ALL AGES - - -	424	29	101	25	21	95	153	61

NOTES ON METEOROLOGICAL TABLES, 1927.

The "Height of Station" is that of the cistern of the Barometer above Mean Sea-Level, or, where no barometer is in use, the height of the rain-gauge above Mean Sea-Level.

The observations of pressure have been reduced to mean sea-level but not to Lat. 45°.

The Air Temperatures are from standard thermometers exposed in the regulation "Stevenson Screen."

The averages for Temperature and Rainfall referred to in the statistics for individual stations are in general for the 35-year period 1881-1915. For stations at which the available observations do not cover the entire 35-year period, averages have been adjusted by comparison with neighbouring stations. The Sunshine averages are also for the 35-year period 1881-1915, or have been adjusted to that period.

The hours of observation refer to Greenwich Mean Time (G.M.T.). Thus 7h. or 7 = 7 a.m., 9 = 9 a.m., 13 = 1 p.m., 15 = 3 p.m., 18 = 6 p.m., 21 = 9 p.m., all G.M.T.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Shetland. BALTASOUND— Dr. T. Edmonston Saxby, F.R.F.P.S. (Glas.), J.P. (9, —, —.)	Feet. 31	Jan. Feb. Mch. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	Inch.	° 43·0 45·4 48·1 45·0 48·4 52·6 60·0 60·4 54·5 48·5 45·0 39·0 49·2	° 35·0 37·4 39·5 34·6 38·7 42·7 49·7 49·9 46·6 41·5 36·7 34·3 40·6	° 39·0 41·4 43·8 39·8 43·5 47·7 54·9 55·1 50·5 45·0 40·9 37·1 44·9	°	° 49 50 54 51 54 61 74 67 62 57 54 46 74	 1st, 8th 3rd, 15th 16th 17th 7th, 30th 17th 9th 7th 6th 8th 2nd 6th 	 23 29 33 24 29 34 44 40 35 34 30 25 23	 5th 5th 9th, 12th 28th 1st 11th 20th 22nd 22nd 18, 19, 22 12th 19th
Lerwick— The Meteorologi- cal Office. (7, —, 18.)	59	Jan. Feb. Mch. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29·340 29·830 29·533 29·606 29·978 29·716 29·843 29·736 29·576 29·766 29·770 30·030 29·727	43·0 44·7 46·7 44·2 46·9 51·5 59·4 59·9 54·4 48·6 44·7 40·3 48·7	37·4 39·3 40·6 35·8 40·3 43·5 51·4 52·0 47·7 43·4 38·9 36·8 42·3	40·2 42·0 43·7 40·0 43·6 47·5 55·4 55·9 51·1 46·0 41·8 38·5 45·5	+1·1 +3·7 +5·0 -1·5 -1·6 -2·0 +2·8 +3·1 +0·5 -0·2 -0·8 -1·6 +0·7	50 50 52 51 54 58 68 65 63 55 55 47 68	 9th 3rd, 16th 19th 18th 24th 30th 9th 7th 5th 8th, 9th, 27th 2nd, 3rd 6th, 7th 	 24 34 34 24 34 35 46 46 40 34 32 28 24	 4th, 5th 2nd, 5th 14th 28th 1st 11th 3rd 21, 24, 25 21st 22nd 9th 26th
Orkney. DEERNESS— Wm. Delday and W. J. Moar. (9, —, 21.)	165	Jan. Feb. Mch. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	29·370 29·857 29·534 29·704 30·004 29·747 29·850 29·750 29·622 29·822 29·800 30·017 29·756	43·4 43·9 46·2 45·5 48·0 52·1 58·9 59·0 53·8 50·2 45·3 40·5 48·9	36·7 38·1 39·7 36·2 39·6 43·0 50·5 51·0 45·7 42·7 37·9 35·1 41·3	40·1 41·0 42·9 40·9 43·8 47·5 54·7 55·0 49·7 46·5 41·6 37·8 45·1	+1·1 +2·5 +3·7 -1·4 -2·5 -3·2 +1·2 +1·6 -1·7 -0·4 -1·2 -2·2 -0·2	50 50 54 52 53 58 68 67 61 58 55 48 68	 1st, 2nd 3rd 19th 17th 18th, 24th 18th 9th 4th 2nd, 3rd, 6th 10th 2nd 6th, 7th 	 27 33 34 27 33 37 45 46 40 33 30 28 27	 5th 2nd 8th 29th 1st 10th 12th 13, 14, 25 19, 20, 22 19th 8th 20, 25, 26
Kirkwall. J Davidson. (9, —, —.)	151	Jan. Feb. Mch. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	43·0 44·1 46·9 45·7 48·2 52·6 60·2 60·1 54·2 50·6 45·0 39·6 49·2	36·3 37·1 39·2 36·2 39·8 42·9 50·4 50·7 46·5 43·4 38·5 34·8 41·3	39·7 40·6 43·1 40·9 44·0 47·7 55·3 55·4 50·3 47·0 41·7 37·2 45·2	50 50 56 52 57 61 68 68 64 61 56 47 68	 1st, 2nd, 8th 3rd 19th 17th 7th 17th 26th 4th 3rd 8th 2nd 5th, 6th 	 26 33 34 27 33 38 43 45 40 34 31 25 25	 5th 11th, 12th 8th 12th 14th 28th, 29th 1st 10th 12th 15th, 25th 22nd 20th, 22nd 8th 20th

* See Note, p. 125.

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. Number of Observations.								
Mean. †					Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm
Dry Bulb. °	Depression of Wet Bulb. °	Vapour Pressure Inch.	Humidity. %	Amount. Inch.				Day of Month.															
39.9	1.8	.210	84	7.6	31	6.57	...	0.97	1st	3	6	2	0	6	6	4	4	6	12	16	6	8	0
42.9	1.8	.236	85	7.6	23	3.76	...	0.70	22nd	1	3	2	2	0	4	4	2	8	4	20	8	6	0
44.9	2.1	.249	83	7.3	25	3.85	...	0.49	29th	0	4	1	1	3	4	2	4	16	10	18	4	2	2
40.7	2.6	.199	77	7.6	30	5.54	...	0.74	7th	14	13	0	0	4	14	8	4	4	6	12	6	6	0
45.3	3.5	.216	72	7.6	17	2.02	...	0.53	21st	3	7	1	1	0	10	22	4	4	6	6	4	4	2
48.4	2.3	.280	83	8.1	25	4.46	...	1.76	13th	1	5	0	3	0	8	10	10	10	6	0	10	6	0
56.1	2.2	.390	86	8.3	11	0.94	...	0.22	21st	0	0	3	7	0	0	14	8	20	8	6	4	2	0
57.0	2.5	.396	85	7.1	13	2.25	...	0.46	8th	0	0	1	3	1	6	10	6	6	14	14	6	0	0
51.8	2.2	.330	85	6.9	26	4.40	...	0.96	15th	0	1	1	1	0	8	16	4	8	0	12	6	4	2
46.1	1.7	.270	87	8.7	27	4.03	...	0.46	27th	3	5	2	7	0	12	6	2	4	2	6	12	14	4
41.3	1.9	.216	83	7.7	29	5.15	...	0.81	23rd	6	7	2	1	7	10	6	2	6	8	14	6	4	4
38.2	1.8	.193	83	8.5	24	1.32	...	0.17	24th	8	10	0	2	2	12	8	0	14	12	6	4	2	4
					281	44.29	...	1.76															
40.5	1.7	.223	85	6.9	29	6.94	+2.68	1.55	1st	9	2	1	0	5	6	1	3	7	12	12	9	4	8
41.7	1.3	.233	89	7.5	23	3.22	+0.06	0.48	22nd	2	0	0	0	0	3	1	0	9	16	8	9	3	7
43.2	1.1	.250	91	7.1	21	3.97	+0.83	0.81	30th	0	1	0	0	3	3	2	3	18	8	11	7	0	10
40.0	2.2	.199	80	7.3	27	6.03	+3.75	0.88	8th	11	5	0	0	3	16	4	0	4	6	5	10	11	4
44.0	2.3	.236	81	7.7	17	1.84	-0.25	0.37	20th	1	2	0	0	0	20	7	4	6	8	5	5	5	2
47.9	2.1	.283	84	7.9	17	2.85	+1.07	0.84	13th	1	2	0	1	0	16	2	3	4	15	2	5	8	5
55.4	1.9	.380	87	7.5	8	1.96	-0.33	0.47	28th	0	0	0	3	0	14	5	2	6	16	3	3	5	8
56.0	2.1	.393	87	7.3	11	1.25	-1.76	0.43	11th	0	0	0	1	0	6	5	4	8	15	9	5	3	7
50.7	2.0	.323	86	7.3	16	3.60	+0.59	0.67	17th	0	0	1	0	3	16	4	1	6	9	9	9	2	4
45.7	1.5	.276	88	8.5	20	3.56	-0.39	0.65	27th	0	2	0	0	0	9	2	5	4	7	9	6	7	13
42.1	1.5	.233	87	7.4	26	6.05	+1.80	0.99	23rd	5	10	0	0	4	9	2	0	16	11	6	7	5	4
38.6	1.5	.206	86	7.6	19	1.59	-3.20	0.31	21st	11	8	0	0	2	9	4	1	20	12	2	2	1	11
					234	42.86	+4.85	1.55															
40.3	1.6	.213	86	7.0	24	3.99	+0.54	0.52	12th	4	3	0	0	8	6	4	4	5	15	13	10	3	2
40.9	1.3	.230	89	7.3	22	2.19	-0.82	0.41	2nd	1	1	0	3	0	2	0	4	6	17	9	9	7	2
42.9	1.5	.243	87	6.4	23	2.24	-0.57	0.40	20th	1	0	0	0	3	4	1	6	10	18	6	7	6	4
41.3	1.9	.216	83	7.2	29	6.11	+4.04	0.72	4th	14	1	0	0	3	9	6	1	4	4	5	14	11	6
44.3	1.9	.246	85	8.1	17	1.83	-0.16	0.24	14th	0	3	0	2
47.9	2.3	.280	83	6.7	19	3.10	+1.26	0.61	16th	0	2	2	0
54.2	1.5	.379	90	7.7	16	1.72	-0.85	0.60	28th	0	0	0	3	0	9	3	7	15	11	2	7	2	6
54.8	2.1	.376	86	6.9	15	1.23	-1.64	0.27	5th	0	0	2	4	0	6	3	10	8	15	6	6	1	7
49.5	2.0	.298	85	6.5	22	3.34	+0.44	0.43	22nd, 28th	1	0	1	2	0	13	7	2	4	8	5	8	10	3
46.4	1.7	.270	87	7.6	24	6.16	+2.37	1.18	23rd	3	0	2	1	0	9	3	6	2	8	8	10	9	7
42.1	1.9	.226	83	7.1	29	4.50	+0.57	0.57	5th	11	6	2	0	2	11	2	0	10	12	9	8	5	3
38.1	1.5	.198	86	7.3	21	1.34	-2.85	0.20	19th	14	7	0	0	2	1	9	7	13	18	3	2	1	6
					261	37.75	+2.33	1.18															
39.7	1.3	.220	88	7.0	23	3.44	...	0.44	26th	7	3	0	0	7	2	4	4	10	10	22	4	6	0
40.3	1.0	.226	91	6.5	19	2.13	...	0.47	6th	3	2	0	1	0	0	0	2	22	4	8	10	10	0
43.3	1.8	.236	85	6.9	22	2.55	...	0.45	20th	1	2	0	0	0	4	4	4	16	12	10	6	6	0
41.8	2.5	.210	79	7.3	24	5.65	...	0.74	21st	8	8	0	0	3	8	2	0	8	2	12	10	18	0
44.9	2.2	.246	83	8.3	17	1.52	...	0.29	14th	0	3	0	0	0	18	10	2	10	6	4	4	8	0
48.6	2.9	.276	79	7.5	20	3.38	...	0.83	16th	0	2	3	0	2	12	10	0	10	10	2	4	12	0
55.9	2.1	.393	87	7.5	12	1.23	...	0.59	20th	0	0	0	3	0	8	8	6	10	16	6	4	4	0
56.4	2.3	.386	85	7.5	13	0.74	...	0.22	8th	0	0	1	3	1	10	8	8	10	12	12	0	2	0
51.2	2.4	.313	83	7.3	23	2.95	...	0.37	17th	0	0	0	1	2	10	10	0	6	8	8	4	14	0
47.1	1.6	.283	87	8.0	21	5.89	...	0.81	26th	0	1	0	1	0	8	6	2	4	14	8	10	10	0
41.8	1.8	.228	84	7.2	27	4.61	...	0.69	23rd	4	11	1	0	5	12	0	0	18	6	16	2	6	0
37.2	1.5	.190	85	7.1	18	1.43	...	0.37	14th	11	3	0	0	2	2	10	4	28	10	4	2	2	0
					239	35.52	...	0.83															

† For Stations observing only once a day the means in these columns are the means of the observations at 9h.; for other Stations they are the means of the morning and evening observations.

‡ Adjusted to 62 or 60 observations for the various months; to 56 for February.

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea-Level and 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Caithness. WICK— The Meteorologi- cal Office. (7, —, 18.)	97	Jan.	29·381	43·2	35·5	39·3	+1·4	53	9th	24	20th
		Feb.	29·861	44·2	37·3	40·7	+2·9	51	3rd	29	9th
		Mar.	29·541	46·8	39·0	42·9	+3·5	57	19th	30	8th 12th 13th
		Apl.	29·693	46·4	35·8	41·1	-1·9	56	17th, 20th	24	28th
		May	30·018	48·1	39·7	43·9	-3·2	55	18th, 24th	27	1st
		June	29·758	52·3	42·9	47·6	-4·2	58	30th	35	15th
		July	29·851	57·9	50·1	54·0	-0·5	68	10th	42	16th
		Aug.	29·748	58·2	50·5	54·3	-0·1	64	2nd	39	25th
		Sept.	29·635	53·8	45·6	49·7	-2·2	61	3rd	36	15th, 22nd
		Oct.	29·828	51·2	42·5	46·9	+0·3	63	6th	30	22nd
		Nov.	29·805	45·7	38·8	42·3	+0·3	59	2nd, 3rd	28	12th
		Dec.	30·001	41·5	35·8	38·7	-0·3	48	6th, 7th	18	18th
		Year	29·760	49·1	41·1	45·1	-0·3	68		18	
Ross & Cromarty. FORTROSE— Archd. Thom, M.A. (9, —, —.)	69	Jan.	...	44·4	34·7	39·5	...	54	10th	27	5th, 20th
		Feb.	...	45·7	35·4	40·5	...	54	16th	28	10th, 12th
		Mar.	...	49·7	37·6	43·7	...	56	22nd	31	12th, 14th
		Apl.	...	57·8	37·7	44·7	...	58	13th, 17th	26	28th, 29th
		May	...	55·0	40·0	47·5	32	1st, 11th
		June	...	56·4	44·4	50·4	...	69	17th	36	15th
		July	...	64·7	52·8	58·7	...	74	9th, 10th	48	3rd
		Aug.	...	64·5	51·4	57·9	...	70	5th, 30th	43	25th
		Sept.	...	57·9	46·3	52·1	...	69	5th, 6th	34	19th
		Oct.	...	53·8	42·8	48·3	...	65	30th	33	21st
		Nov.	...	46·6	37·9	42·3	...	60	3rd	28	30th
		Dec.	...	39·3	30·5	34·9	...	52	6th, 7th	17	29th
		Year	...	52·5	40·9	46·7	...	74		17	
STRATHPEFFER— Wm. P. Hutton. (9, —, —.)	125	Jan.	...	42·4	31·8	37·1	-0·2	53	2nd, 9th	21	20th, 21st
		Feb.	...	46·2	32·3	39·3	+1·7	55	16th	22	13th
		Mar.	...	50·1	35·1	42·6	+3·2	59	20th	26	13th, 15th
		Apl.	...	50·4	36·3	43·3	-0·7	57	17th, 19th	21	28th
		May	...	55·3	39·4	47·3	-1·8	75	8th	28	1st
		June	...	58·6	43·0	50·8	-4·0	68	16th	32	15th
		July	...	67·0	51·8	59·4	+2·5	72	10th	45	1st
		Aug.	...	65·6	49·1	57·3	+1·1	75	9th	38	24th
		Sept.	...	57·4	44·4	50·9	-1·9	70	4th	37	19th, 28th
		Oct.	...	53·3	40·4	46·9	+0·7	62	7th	30	21st, 22nd
		Nov.	...	45·5	35·9	40·7	-0·8	60	2nd, 3rd	22	30th
		Dec.	..	37·0	27·0	32·0	-5·6	50	5th	11	29th, 30th
		Year	...	52·4	38·9	45·6	-0·5	75		11	
ACHNASHELLACH— W. M'Clymont, Forester. (9, —, 17.)	225	Jan.	...	41·5	34·1	37·8	+0·7	52	9th	23	20th
		Feb.	...	45·6	34·2	39·9	+2·8	54	16th	23	10th
		Mar.	...	49·4	35·9	42·7	+4·3	61	22nd	25	12th
		Apl.	...	47·0	36·4	41·7	-1·0	55	4th	23	28th
		May	...	54·1	39·5	46·8	-1·2	78	8th	25	1st
		June	...	56·8	42·7	49·7	-3·6	69	30th	33	6th
		July	...	67·0	52·5	59·7	+4·9	74	3rd, 8th, 19th	48	3, 14, 17, 18
		Aug.	...	63·6	50·5	57·1	+2·6	73	6th	38	25th
		Sept.	...	57·1	45·8	51·5	-0·2	73	3rd	36	15th
		Oct.	...	52·7	41·8	47·3	+1·6	68	8th	27	21st
		Nov.	...	44·5	36·1	40·3	-0·7	57	2nd	23	8th
		Dec.	...	38·7	29·3	34·0	-3·7	53	6th	14	18th
		Year	...	51·5	39·9	45·7	+0·5	78		14	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†										
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.						Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Cal.	
°	"	Inch.	%			Inch.	Inch.	Inch.																	
39.6	1.3	.223	89	6.9	23	2.46	0.00	0.37	12th	4	2	0	0	2	1	2	1	2	11	22	12	11	0		
41.0	1.1	.233	91	7.0	19	1.98	-0.29	0.35	2nd	6	0	0	1	0	1	0	3	8	13	17	8	6	0		
42.7	1.5	.243	87	7.3	20	1.61	-0.66	0.43	23rd	0	1	0	0	0	3	3	3	8	17	13	7	8	0		
41.0	1.9	.216	83	7.3	28	4.21	+2.22	0.50	4th	10	10	0	0	0	4	2	0	4	2	9	13	26	0		
44.5	1.7	.256	87	7.9	21	2.07	0.00	0.33	4th	1	0	0	1	0	9	9	4	5	7	6	4	18	0		
48.4	2.4	.278	82	7.3	23	2.89	+1.09	0.53	4th	0	0	1	0	0	7	4	3	8	8	4	6	20	0		
54.9	1.7	.386	89	7.9	12	1.28	-1.35	0.47	28th	0	0	0	4	0	3	8	5	14	9	6	5	12	0		
55.1	1.5	.393	91	7.9	16	2.00	-0.75	0.55	7th	0	0	1	4	0	3	6	5	10	12	12	4	5	5		
49.1	1.1	.323	92	7.7	22	3.28	+0.78	0.53	8th, 22nd	0	0	0	1	0	8	3	2	4	6	12	6	19	0		
46.4	1.1	.283	91	7.8	21	4.00	+1.04	0.60	2nd	2	0	0	1	0	3	4	3	2	7	15	16	12	0		
42.3	1.7	.228	85	7.3	26	3.63	+0.49	0.54	1st	7	11	0	0	1	3	0	0	10	11	14	7	15	0		
38.3	1.2	.203	82	7.5	20	0.88	-2.20	0.21	22nd	12	6	0	0	2	3	4	6	13	18	7	6	5	0		
					251	30.29	+0.37	0.60																	
39.9	1.7	.210	85	5.5	23	2.24	...	0.30	27th, 30th	2	0	0	0	1	0	4	4	0	2	10	34	6	2		
40.8	1.6	.223	86	4.7	14	0.82	...	0.16	28th	0	0	0	0	0	0	0	8	0	0	18	30	0	0		
44.6	3.0	.228	76	5.5	11	1.17	...	0.35	29th	0	0	0	0	0	0	0	12	4	2	10	34	0	0		
45.1	2.8	.233	77	5.1	22	1.67	...	0.24	28th	7	0	0	0	0	0	2	2	0	0	4	48	2	2		
47.2	2.6	.260	80	7.4	17	1.86	...	0.50	4th	1	0	0	2	0	0	6	26	0	0	4	22	0	4		
51.3	3.2	.293	77	6.6	23	2.56	...	0.51	6th	0	1	0	1	0	2	0	12	0	2	8	24	10	2		
59.9	2.6	.440	85	7.6	10	2.26	...	0.50	28th	0	0	4	0	0	0	12	38	0	0	0	4	2	6		
60.1	3.0	.428	82	5.8	14	2.78	...	0.40	9th	0	0	3	0	0	0	6	36	2	0	2	8	2	6		
51.4	1.7	.330	88	7.4	22	5.34	...	1.20	8th	0	0	0	0	0	0	2	18	0	0	4	26	8	2		
47.8	1.6	.296	88	6.3	20	3.91	...	0.72	1st	0	0	0	0	0	2	0	4	2	0	8	44	2	0		
41.7	1.2	.240	90	6.2	19	2.36	...	0.46	5th	3	0	0	1	0	0	0	12	0	0	10	28	8	2		
34.8	0.9	.186	91	6.5	6	0.86	...	0.23	22nd, 24th	5	0	0	0	1	2	4	26	0	2	14	14	0	0		
					201	27.83	...	1.20																	
36.7	1.2	.193	88	...	22	5.31	+2.18	0.75	28th	6	0	0		
37.4	1.3	.193	87	...	14	1.16	-1.53	0.17	22nd	0	0	0		
43.0	2.7	.216	77	...	18	1.98	-0.64	0.51	23rd	0	0	0		
45.0	3.1	.226	75	...	26	3.39	+1.44	0.41	28th	8	1	0		
48.3	4.2	.230	69	...	15	1.29	-0.54	0.25	4th	0	0	0		
53.6	4.6	.296	70	...	18	3.00	+1.18	0.61	19th	0	1	0		
60.8	4.1	.413	76	...	10	3.63	+1.03	0.87	5th	0	0	2		
60.3	4.2	.393	75	...	18	2.80	+0.20	0.59	22nd	0	0	2		
51.9	2.9	.313	80	...	19	3.87	+1.66	0.70	8th	0	0	0		
47.1	2.0	.276	85	...	21	5.15	+2.58	1.10	22nd	1	0	0		
40.5	2.1	.210	81	...	22	2.59	-0.45	0.39	4th	2	0	0		
31.9	1.0	.160	89	...	6	0.78	-2.70	0.57	22nd	3	0	0		
					209	34.95	+4.41	1.10																	
38.5	1.2	.213	89	7.9	23	14.87	+4.80	2.17	2nd	7	1	1	3	2	2	4	19	1	0	3	32	1	0		
39.9	1.5	.216	87	6.7	18	3.20	-4.16	0.74	3rd	0	0	0	0	0	1	1	26	3	1	3	19	2	0		
43.5	2.7	.216	77	7.1	19	6.96	-0.61	1.50	19th	0	0	0	0	0	0	2	30	0	0	3	26	1	0		
42.4	2.1	.220	82	8.1	30	12.82	+6.83	1.63	20th	7	1	0	1	0	0	0	9	2	1	1	44	3	0		
49.4	4.0	.248	71	6.5	15	3.99	-0.53	1.00	20th	2	0	2	0	0	0	1	30	0	1	2	27	2	0		
51.5	3.6	.280	75	7.5	25	6.50	+2.36	0.95	3rd	0	0	0	0	0	5	2	11	2	0	3	33	4	0		
60.6	2.2	.473	87	6.7	14	5.09	-0.26	0.96	21st	0	0	0	0	0	0	0	32	0	0	1	29	0	0		
59.0	2.7	.423	84	8.1	25	5.72	-1.22	0.76	10th	0	1	5	0	0	0	1	27	2	0	1	30	1	0		
51.6	2.7	.316	81	8.9	23	8.04	+0.49	1.44	28th	0	0	0	0	0	0	0	18	5	1	5	30	1	0		
47.7	2.1	.283	84	8.1	20	9.68	+1.36	1.38	25th	1	1	1	0	0	1	0	23	0	0	1	33	4	0		
41.1	1.9	.216	83	8.3	22	8.41	-1.07	0.81	1st	2	0	0	0	0	3	7	25	1	0	2	19	3	0		
35.7	1.5	.180	85	6.4	1	0.49	-9.97	0.49	23rd	0	0	0	0	1	6	4	46	4	0	0	2	0	0		
					235	85.77	-1.98	2.17																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea Level and 32° Fahr.†	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	
Ross & Cromarty (cont.) STORNOWAY— The Meteorologi- cal Office. (7, —, 18.)	41	Jan.	29·352	43·5	36·6	40·1	+0·8	52	9th	24	5th
		Feb.	29·824	46·2	38·3	42·3	+3·1	52	7th	33	12, 13, 14
		Mar.	29·496	48·3	38·2	43·3	+3·4	58	28th	28	13th
		Apl.	29·719	47·2	36·7	41·9	-1·6	52	6, 12, 16, 19	26	28th, 29th
		May	30·026	51·5	40·0	45·7	-1·8	63	7th	28	1st
		June	29·756	54·6	43·2	48·9	-3·5	63	30th	35	15th
		July	29·806	62·3	50·7	56·5	+1·9	67	8th	43	16th
		Aug.	29·696	62·5	49·6	56·1	+1·6	71	8th	37	25th
		Sept.	29·629	54·9	44·8	49·9	-2·1	68	5th	35	15th
		Oct.	29·832	52·3	41·5	46·9	+0·2	60	7th, 8th	26	21st
		Nov.	29·776	46·3	39·1	42·7	-0·1	58	2nd	28	12th, 30th
		Dec.	29·932	40·5	33·4	36·9	-3·0	50	6th	17	29th
		Year	29·737	50·8	41·0	45·9	-0·1	71		17	
Inverness. INVERNESS— (Culduthel Reservoir.) Alex. Knowles, Sanitary In- spector. (9, —, 17.)	250	Jan.	29·407	43·7	35·9	39·8	+1·3	54	1st, 9th	24	20th
		Feb.	29·873	45·4	35·1	40·3	+1·3	54	16th	27	10th
		Mar.	29·527	48·9	37·3	43·1	+2·3	57	21st	28	13th
		Apl.	29·737	48·8	37·0	42·9	-2·4	58	20th	24	29th
		May	30·020	52·5	39·7	46·1	-3·1	69	8th	31	1st
		June	29·775	56·3	43·8	50·1	-4·6	74	17th	34	15th
		July	29·813	64·8	52·8	58·8	+1·8	74	5th	47	3rd
		Aug.	29·730	63·5	51·2	57·3	+0·6	69	3, 4, 6, 8	40	25th
		Sept.	29·640	56·2	45·6	50·9	-2·2	69	5th, 6th	39	19th
		Oct.	29·855	52·8	42·4	47·6	+0·7	62	6th, 7th	30	21st
		Nov.	29·830	45·8	37·0	41·4	-0·3	60	1st	27	30th
		Dec.	29·980	38·4	29·2	33·8	-4·9	50	6th	13	29th
		Year	29·766	51·4	40·6	46·0	-0·8	74		13	
FORT AUGUSTUS— The Procurator. (9, —, —.)	68	Jan.	...	43·4	33·5	38·5	+0·8	53	9th	20	20th, 21st
		Feb.	...	45·9	33·2	39·5	+1·8	54	16th	21	2nd
		Mar.	...	49·8	36·1	42·9	+3·2	59	21st	23	13th
		Apl.	...	49·1	36·3	42·7	-1·2	55	4th, 15th, 17th	25	28th, 29th
		May	...	53·3	40·1	46·7	-2·0	62	8th	28	11th
		June	...	57·6	43·2	50·4	-3·9	67	17th	34	11th, 12th
		July	...	64·8	53·1	58·9	+2·2	73	14th	45	17th
		Aug.	...	63·7	51·3	57·5	+1·3	74	8th	37	25th
		Sept.	...	57·0	45·0	51·0	-1·7	70	3rd	34	15th
		Oct.	...	52·8	40·5	46·7	0·0	63	7th	24	21st
		Nov.	...	46·5	36·5	41·5	-0·3	60	1st	23	30th
		Dec.	...	39·7	30·8	35·3	-2·9	52	6th	14	18th
		Year	...	52·0	40·0	46·0	-0·2	74		14	
Nairn. NAIRN— The Meteorologi- cal Office. (7, —, 18.)	82	Jan.	29·393	41·5	34·9	38·2	+1·0	53	9th	24	20th
		Feb.	29·863	44·1	34·1	39·1	+1·5	53	16th	23	13th
		Mar.	29·527	49·3	36·9	43·1	+3·6	60	19th, 20th	26	13th
		Apl.	29·725	49·9	36·4	43·1	-0·8	59	20th	25	29th
		May	30·017	52·7	39·8	46·3	-2·5	64	8th	27	1st
		June	29·760	57·3	43·5	50·4	-3·8	71	17th	33	15th
		July	29·820	65·2	52·5	58·9	+2·2	75	10th	47	17th, 19th
		Aug.	29·725	64·7	50·2	57·5	+1·3	73	3rd	39	25th
		Sept.	29·643	56·3	45·4	50·9	-1·8	69	2nd, 5th	37	20th
		Oct.	29·840	51·4	42·1	46·7	+0·6	61	6th	28	21st
		Nov.	29·820	43·9	37·7	40·8	-0·4	58	2nd, 3rd	26	30th
		Dec.	29·967	36·2	29·1	32·7	-4·9	51	6th	9	18th
		Year	29·758	51·0	40·2	45·6	-0·4	75		9	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea Level and + 32° Fahr.†	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Moray (Elgin). GORDON CASTLE— C. Webster, for the Duke of Richmond and Gordon, K.G. (9, —, 21.)	Feet. 104	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	Inch. 	° 43·9 47·2 50·9 50·0 53·3 57·3 67·2 66·0 57·0 54·4 46·6 38·2 52·7	° 33·9 34·8 37·4 36·3 39·3 42·8 52·3 50·5 45·3 40·8 36·6 28·5 39·9	° 38·9 41·0 44·1 43·1 46·3 50·1 59·7 58·3 51·1 47·6 41·6 33·3 46·3	° +0·8 +2·4 +4·0 −1·1 −2·7 −4·4 +2·9 +1·9 −2·1 +0·5 −0·6 −5·3 −0·3	° 54 57 62 60 70 66 77 75 73 64 62 50 77	 2nd, 9th, 10th 16th 19th 20th 21st 17th, 19th 7th 17th 8th 4th 3rd 6th, 7th, 9th 3rd 6th	° 25 28 30 24 28 33 45 40 37 29 27 12 12	 5th 10, 11, 12, 13 8th 10th 13th 29th 1st 15th 3rd 25th 20th 22nd 12th 16th, 29th
Banff. BANFF— I. H. Gordon. (9, —, 17.)	130	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	43·6 45·0 48·5 48·7 49·9 54·6 63·2 63·4 56·1 53·0 45·6 38·6 50·9	34·8 36·1 38·7 37·4 40·7 44·3 52·1 51·5 46·9 43·5 37·8 32·0 41·3	39·2 40·5 43·6 43·1 45·3 49·5 57·6 57·5 51·5 48·3 41·7 35·3 46·1	54 54 63 64 62 65 71 71 69 65 60 49 71	9th 3rd, 15th 19th 18th 7th 18th 8th, 31st 4th 3rd 8th 2nd, 3rd 6th	25 27 30 27 29 39 48 40 40 32 29 14 14	17th 11th 13th 28th, 29th 1st 11th, 15th 1, 2, 3, 24 25th 20, 28, 30 5th, 22nd 13th, 30th 18th
Aberdeen. BRAEMAR— A. M. Shirran. (9, —, 21.)	1120	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	41·0 43·5 46·7 47·2 52·3 55·0 64·9 62·5 54·5 52·1 42·2 34·2 49·7	29·7 29·3 32·8 32·0 33·9 38·6 47·4 45·8 40·1 36·5 31·2 24·5 35·1	35·3 36·4 39·7 39·6 43·1 46·8 56·1 54·1 47·3 44·3 36·7 29·3 42·4	+1·0 +2·0 +3·7 −1·1 −3·1 −5·8 +1·3 +0·5 −2·6 +0·8 −1·7 −5·5 −0·9	51 55 56 58 74 61 72 70 68 65 58 45 74	9th 16th 20th 17th 8th 17th 10th 3rd, 4th 4th 7th, 8th 2nd 6th	10 14 19 19 16 29 37 30 33 16 9 0 0	20th 12th 13th 29th 1st 11th, 15th 17th 25th 2nd 21st 12th, 13th 18th
BALMORAL— R. F. Chalmers. (9, —, —.)	927	Jan. Feb. Mar. Apl. May June July Aug. Sept. Oct. Nov. Dec. Year	40·6 44·0 46·4 47·5 51·9 54·7 64·5 63·1 54·6 52·5 42·4 34·2 49·7	28·8 28·9 32·0 32·1 35·0 39·4 48·3 46·4 40·5 37·0 31·8 25·0 35·4	34·7 36·5 39·2 39·8 43·5 47·1 56·4 54·7 47·5 44·7 37·1 29·6 42·6	0·0 +1·5 +2·4 −1·4 −3·1 −6·1 +0·8 +0·4 −2·8 +1·1 −1·6 −5·4 −1·2	58 55 58 58 75 60 71 70 69 68 59 45 75	9th 15th, 16th 20th 17th 8th 15, 17, 30 10th 4th 4th 8th 1st 6th	13 16 18 17 21 28 42 33 31 19 13 5 5	20th 12th 13th 29th 1st 11th, 15th 17th 16th 28th 21st 13th 17th, 18th

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Aberdeen (contd.)											
CRAIBSTONE—	300	Jan.	...	42·5	33·1	37·8	...	55	9th	23	5th
Aberdeen and		Feb.	...	44·6	34·5	39·5	...	56	15th	26	11th
North of Scot-		Mar.	...	47·5	37·1	42·3	...	60	19th	29	13th
land College of		Apl.	...	49·7	35·7	42·7	...	63	17th	25	28th, 29th
Agriculture.		May	...	50·4	39·0	44·7	...	61	8th	29	1st
(9, —, —.)		June	...	54·9	42·5	48·7	...	63	18th	36	9th, 10th
		July	...	62·1	50·2	56·1	...	72	10th	44	4th
		Aug.	...	62·6	49·9	56·3	...	72	3rd	42	29th
		Sept.	...	55·1	45·0	50·1	...	68	1st	39	19th, 20th
		Oct.	...	53·3	41·6	47·5	...	65	6th	30	22nd
		Nov.	...	44·6	36·3	40·5	...	61	2nd	26	13th
		Dec.	...	37·9	31·6	34·7	...	47	6th	16	18th
		Year	...	50·4	39·7	45·1	...	72		16	
LOGIE COLD-	608	Jan.	...	42·7	30·6	36·7	+1·2	56	9th	17	17th, 22nd
STONE (The		Feb.	...	44·8	30·7	37·7	+1·9	55	15th	15	12th
Schoolhouse)—		Mar.	...	47·4	33·6	40·5	+3·1	60	20th	20	13th
J. B. Anderson.		Apl.	...	49·7	34·0	41·9	−0·4	61	17th	24	4th, 27th, 29th
(9, —, —.)		May	...	53·3	35·9	44·6	−2·9	75	8th	24	1st, 2nd
		June	...	56·9	41·0	48·9	−5·1	64	18th	28	15th
		July	...	65·4	48·3	56·9	+0·9	75	10th
		Aug.	...	64·0	48·0	56·0	+0·5	74	3rd	34	25th
		Sept.	...	55·9	41·5	48·7	−3·0	69	3rd	32	28th
		Oct.	...	53·3	37·2	45·3	+1·1	65	6th, 8th	21	21st
		Nov.	...	43·7	33·8	38·7	−0·1	60	2nd	11	13th
		Dec.	...	35·1	24·7	29·9	−5·9	46	6th	0	17th, 18th
		Year	...	51·0	36·6	43·8	−0·7	75		0	
ABERDEEN											
(King's Coll.)—	88	Jan.	29·448	42·3	35·9	39·1	+1·2	56	9th	25	5th, 17th
The Meteorologi-		Feb.	29·911	44·7	36·6	40·7	+2·4	54	16th	26	12th
cal Office.		Mar.	29·566	48·4	38·9	43·7	+3·6	62	19th	30	13th
(7, —, 18.)		Apl.	29·731	50·8	37·3	44·1	+0·4	66	17th	27	28th
		May	30·018	51·0	40·9	45·9	−2·3	62	24th	30	1st
		June	29·773	56·0	44·4	50·2	−3·3	65	18th	37	11th, 15th
		July	29·851	62·5	52·5	57·5	+0·9	73	10th	48	16th
		Aug.	29·786	63·1	51·7	57·4	+1·1	74	3rd	41	25th
		Sept.	29·644	56·1	46·4	51·3	−1·7	65	1st	39	20th
		Oct.	29·861	53·5	44·0	48·7	+1·4	66	6th	30	21st
		Nov.	29·857	44·9	38·7	41·8	−0·3	63	2nd	27	13th
		Dec.	30·008	38·5	34·4	36·5	−2·1	48	6th	17	18th
		Year	29·788	51·0	41·8	46·4	+0·1	74		17	
Forfar.											
MONTROSE											
(Royal Asylum)—	200	Jan.	...	43·3	34·1	38·7	+1·4	54	9th, 10th	25	5th, 20th
The Medical		Feb.	...	44·7	33·7	39·2	+1·6	52	15th	25	12th
Superintendent.		Mar.	...	49·5	37·0	43·3	+4·0	57	19th, 20th	30	7th, 13th
(9, —, —.)		Apl.	...	52·0	36·0	44·0	+0·3	62	17th	25	28th
		May	...	53·2	39·5	46·3	−1·8	60	15th	28	1st
		June	...	57·2	43·3	50·3	−4·1	63	19th	36	11th
		July	...	64·0	51·6	57·8	+0·3	75	9th	48	1st, 16th
		Aug.	...	64·2	50·6	57·4	+0·5	72	3rd	41	16th
		Sept.	...	56·9	44·3	50·6	−2·2	65	1st	38	19th
		Oct.	...	54·5	42·1	48·3	+1·5	66	6th	26	21st
		Nov.	...	45·9	36·7	41·3	+0·3	62	3rd	26	30th
		Dec.	...	40·0	32·5	36·3	−1·7	47	5th, 6th	15	18th
		Year	...	52·1	40·1	46·1	+0·1	75		15	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†											
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.										
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm			
°.	°.	Inch.	%			Inch.	Inch.	Inch.																		
37.8	1.3	.200	88	6.0	18	1.84	...	0.53	12th	5	1	0	...	1	0	0	2	0	20	16	16	8	0			
39.2	1.2	.213	89	5.9	14	1.88	...	0.43	28th	2	0	0	...	0	0	4	2	6	20	6	10	2	6			
42.6	1.6	.240	87	6.6	20	2.76	...	0.60	23rd	2	3	0	...	0	4	2	0	8	18	14	8	4	4			
43.7	3.4	.210	72	5.3	23	2.61	...	0.52	4th	8	3	2	...	0	4	0	0	0	8	8	12	28	0			
45.6	2.7	.246	79	7.5	18	2.60	...	0.61	4th	0	2	1	...	0	20	2	6	6	4	4	4	16	0			
50.0	3.2	.278	77	7.8	24	3.12	...	0.50	25th	0	4	4	...	0	8	2	2	12	16	4	6	10	0			
57.6	2.1	.423	87	7.0	14	2.06	...	0.47	27th	0	0	3	...	0	14	6	4	10	18	2	2	6	0			
58.2	2.7	.406	83	6.8	18	2.54	...	0.64	8th	0	0	4	...	0	10	6	2	12	16	6	2	4	4			
51.0	2.1	.320	85	7.3	21	6.61	...	2.58	22nd	0	0	0	...	1	10	2	0	4	10	6	4	22	2			
47.9	2.2	.280	83	6.2	16	4.43	...	1.13	22nd	0	0	0	...	0	4	6	0	2	12	10	14	10	4			
40.5	1.5	.226	87	6.8	19	4.03	...	0.61	22nd	8	2	0	...	0	4	0	0	12	6	14	12	6	6			
35.1	1.1	.180	89	8.3	21	3.07	...	1.08	22nd	12	2	0	...	1	8	2	2	18	14	4	8	2	4			
...	226	37.55	...	2.58			
...	5.6	20	2.58	+0.37	0.43	28th	6	0	0	7	0	0	0	0	2	2	6	30	8	14			
...	5.1	13	1.17	-0.91	0.32	2nd	0	0	0	0	0	0	0	0	2	8	2	24	2	18			
...	6.3	19	1.91	-0.69	0.51	23rd	1	0	0	0	0	0	2	2	4	6	16	14	8	10			
...	5.9	22	2.38	+0.37	0.51	9th	5	0	0	2	0	4	2	0	0	2	10	20	22	0			
...	7.1	21	2.00	-0.49	0.59	4th	0	0	1	4	0	6	0	0	4	2	8	8	28	6			
...	7.7	24	3.76	+1.81	0.46	25th	0	1	0	4	0	0	2	2	0	6	6	20	16	8			
...	8.6	16	2.62	-0.34	0.50	10th	0	0	3	0	0	14	6	4	10	18	2	2	6	0			
...	8.1	20	5.21	+2.04	1.32	22nd	0	1	5	9	0	0	0	2	12	10	16	12	0	10			
...	8.4	21	5.32	+2.99	1.27	22nd	0	0	0	11	0	0	0	0	4	0	4	12	22	18			
...	6.7	18	3.90	+0.66	1.04	2nd	0	0	0	8	0	0	4	0	0	0	6	26	10	16			
...	6.6	21	3.72	+0.65	0.68	6th	10	0	0	8	0	0	0	0	12	0	10	28	10	0			
...	8.3	21	1.83	-0.98	0.44	22nd	8	0	0	17	0	0	0	0	26	2	0	2	10	22			
...	236	36.40	+5.48	1.32			
39.1	1.7	.200	85	5.7	18	1.87	-0.21	0.44	12th	7	4	0	0	0	0	0	0	3	16	19	10	12	2			
39.5	1.3	.210	88	6.2	17	1.83	-0.22	0.48	28th	3	0	0	2	0	0	0	4	6	19	9	8	5	5			
42.2	1.5	.233	87	6.5	16	2.04	-0.37	0.66	23rd	0	3	0	1	0	0	1	4	7	14	10	9	11	6			
42.8	3.0	.206	75	5.9	24	2.35	+0.48	0.48	4th	9	9	0	0	0	6	0	0	1	11	5	13	20	4			
46.3	2.9	.243	77	7.7	20	2.58	+0.25	0.78	4th	0	2	0	1	0	16	4	3	4	9	3	5	14	4			
50.5	3.3	.286	77	7.1	25	2.53	+0.82	0.35	19th	0	3	3	0	0	4	1	9	3	11	4	4	15	9			
56.9	2.4	.400	85	7.5	12	1.88	-0.93	0.40	27th	0	0	2	5	0	13	3	1	8	20	1	1	6	9			
57.4	2.6	.400	83	6.6	13	2.26	-0.48	0.82	8th	0	0	1	3	0	7	4	2	4	17	4	5	4	15			
50.5	1.8	.323	87	7.1	22	6.38	+4.16	2.53	22nd	0	0	1	1	0	8	2	1	2	8	6	4	16	13			
47.3	1.9	.280	85	6.5	17	3.34	+0.34	1.06	2nd	0	0	0	0	0	2	1	2	3	12	10	18	3	11			
41.5	2.1	.216	83	6.5	20	3.99	+1.04	0.55	1st	8	7	0	0	0	1	0	5	6	13	10	13	12	0			
36.9	2.1	.173	79	7.4	22	2.46	-0.76	0.76	22nd	13	5	0	0	0	5	4	10	18	8	3	9	4	1			
...	226	33.51	+4.02	2.53			
...	17	1.81	-0.18	0.38	24th	1	0	0	...	1	12	0	0	8	20	16	2	4	0			
...	16	1.56	-0.28	0.41	28th	1	0	0	...	0	10	6	4	6	18	2	6	4	0			
...	18	2.03	-0.05	0.34	23rd	0	0	0	...	0	14	2	4	4	26	6	4	2	0			
...	13	1.47	-0.35	0.52	4th	4	0	1	...	0	22	2	0	2	12	14	0	8	0			
...	13	2.56	+0.52	0.80	4th	0	0	0	...	0	28	6	2	2	18	0	4	2	0			
...	18	2.88	+1.22	0.43	25th	0	4	0	...	1	8	4	2	6	12	4	12	12	0			
...	13	1.75	-0.88	0.42	28th	0	0	2	...	0	14	0	2	8	22	8	2	6	0			
...	20	3.19	+0.40	0.77	23rd	0	0	2	...	0	20	0	4	4	28	4	2	0	0			
...	20	5.87	+3.88	2.72	22nd	0	0	1	...	1	28	8	0	0	10	4	4	6	0			
...	17	5.10	+2.34	1.25	22nd	0	0	0	...	0	10	4	0	6	20	10	4	8	0			
...	17	2.14	-0.51	0.48	1st	3	0	0	...	0	20	0	4	8	12	10	0	6	0			
...	14	2.79	+0.01	1.06	22nd	7	0	0	...	0	18	2	16	14	8	4	0	0	0			
...	196	33.15	+6.12	2.72			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Forfar (contd.) MONTROSE— D. Maxwell, E.E., Burgh Surveyor. (9, —, 17.)	16	Jan.	...	44.2	33.8	39.0	...	54	9th	25	20th
		Feb.	...	44.5	34.6	39.5	...	52	16th	24	11th
		Mar.	...	48.4	37.9	43.1	...	57	19th, 20th	30	13th
		Apl.	...	51.4	36.9	44.1	...	62	17th	25	29th
		May	...	51.9	40.5	46.2	...	61	15th	30	1st
		June	...	56.7	43.3	50.0	...	64	19th	32	5th
		July	...	61.7	51.1	56.4	...	69	10th	42	20th
		Aug.	...	62.7	50.4	56.5	...	73	3rd	38	20th
		Sept.	...	56.8	45.3	51.1	...	65	2nd	36	30th
		Oct.	...	54.7	44.0	49.3	...	68	6th	29	21st
		Nov.	...	46.6	37.6	42.1	...	63	2nd	29	13th
		Dec.	...	40.2	33.6	36.9	...	47	6th	20	18th
		Year	...	51.7	40.7	46.2	...	73		20	
ARBROATH— J. W. Robertson. (9, —, 21.)	93	Jan.	...	44.2	32.9	38.5	+0.6	56	9th, 10th	23	20th
		Feb.	...	45.7	34.2	39.9	+1.4	61	16th	24	11th, 13th
		Mar.	...	49.1	37.4	43.3	+2.8	56	30th	30	7th, 18th
		Apl.	...	52.3	35.9	44.1	-0.3	63	17th	24	28th
		May	...	53.6	39.5	46.5	-2.2	65	18th	26	1st
		June	...	58.1	43.1	50.6	-3.9	63	21st, 22nd	32	11th
		July	...	63.5	51.1	57.3	-0.2	73	10th	46	17th, 18th
		Aug.	...	63.1	50.8	56.9	-0.2	72	3rd	38	16th
		Sept.	...	57.2	44.2	50.7	-2.8	67	1st	37	19th
		Oct.	...	54.3	42.5	48.4	+1.5	67	6th	25	21st
		Nov.	...	46.8	36.9	41.9	+0.6	62	2nd	26	8th, 30th
		Dec.	...	39.9	32.8	36.3	-2.6	47	6th, 7th	18	17th
		Year	...	52.3	40.1	46.2	-0.4	73		18	
CARNOUSTIE— A. F. Anderson, C.E., Burgh Surveyor. (9, —, 17.)	39	Jan.	...	43.8	33.7	38.7	...	55	9th	25	21st
		Feb.	...	45.0	34.1	39.5	...	56	16th	24	13th
		Mar.	...	48.9	37.2	43.1	...	57	19th	31	7th, 18th
		Apl.	...	51.6	36.0	43.8	...	61	17th	25	28th
		May	...	53.2	39.7	46.5	...	65	18th	31	1st
		June	...	57.7	43.0	50.3	...	63	18th, 19th	35	11th
		July	...	63.5	51.4	57.5	...	70	10th	47	17th, 18th
		Aug.	...	63.4	50.8	57.1	...	71	3rd	42	16th, 30th
		Sept.	...	57.7	44.9	51.3	...	65	1st, 2nd	39	16, 18, 27
		Oct.	...	54.7	41.3	48.0	...	67	6th	28	21st, 22nd
		Nov.	...	47.0	37.2	42.1	...	62	2nd	27	8th
		Dec.	...	40.7	33.1	36.9	...	49	1st	23	18th
		Year	...	52.3	40.2	46.2	...	71		23	
DUNDEE (Eastern Necro- polis)— W. Shepherd, for A. Macrae, Curator of Parks. (9, —, 21.)	198	Jan.	29.489	42.1	33.2	37.7	+0.6	51	10th	22	20th
		Feb.	29.921	43.5	34.3	38.9	+1.4	52	16th, 20th	24	11th, 12th
		Mar.	29.580	48.8	37.1	42.9	+3.1	55	21st	31	27th
		Apl.	29.768	52.1	36.5	44.3	+0.2	61	17th	25	28th
		May	30.044	54.7	40.5	47.6	-1.8	64	15th, 18th	29	1st
		June	29.790	59.3	43.7	51.5	-3.9	65	12th	36	11th
		July	29.853	65.8	52.4	59.1	+0.7	78	10th	46	2nd
		Aug.	29.763	65.0	52.1	58.5	+1.2	72	3rd, 10th	43	16th
		Sept.	29.656	58.0	45.3	51.7	-1.8	67	1st	38	27th
		Oct.	29.885	53.8	42.4	48.1	+1.4	65	6th	26	21st
		Nov.	29.861	45.5	36.8	41.1	-0.2	60	2nd	25	30th
		Dec.	29.980	38.0	31.9	34.9	-2.7	46	6th	19	18th
		Year	29.799	52.2	40.5	46.4	-0.1	78		19	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Mean at Mean Sea Level and 32° Fahr.†	Maximum. Minimum.			Maximum. Day of Month.	Minimum. Day of Month.	Maximum. Day of Month.	Minimum. Day of Month.
Forfar (contd.)	Feet.		Inch.	°	°	°	°	°	°	°	°
DUNDEE	147	Jan.	...	43·7	34·2	38·9	...	57	9th	24	20th
(Mayfield)—		Feb.	...	45·3	34·5	39·9	...	54	16th	26	13th
A. Duncan, for		Mar.	...	49·6	38·1	43·9	...	57	21st	33	7th
the Director		Apl.	...	52·4	37·6	45·0	...	60	17th, 18th	27	28th
of Studies.		May	...	54·8	40·7	47·7	...	63	18th	30	1st
(9, —, —.)		June	...	60·3	43·9	52·1	...	66	12th	37	11th
		July	...	66·3	51·9	59·1	...	78	10th	45	2nd
		Aug.	...	65·8	52·3	59·1	...	73	3rd, 9th	43	16th
		Sept.	...	58·6	45·9	52·3	...	69	1st	39	27th
		Oct.	...	54·6	42·4	48·5	...	65	6th	29	21st
		Nov.	...	46·4	37·9	42·1	...	62	2nd	28	30th
		Dec.	...	38·9	32·5	35·7	...	47	6th	22	18th
		Year	...	53·1	41·0	47·0	...	78		22	
KETTINS	218	Jan.	...	43·4	32·5	37·9	...	56	9th	20	20th, 21st
(The School-		Feb.	...	45·0	32·4	38·7	...	55	16th	21	12th
house)—		Mar.	...	49·6	36·4	43·0	...	59	21st	29	12th
W. Andrew.		Apl.	...	51·7	35·3	43·5	...	60	21st	23	28th, 29th
(9, —, —.)		May	...	56·4	38·5	47·5	...	74	8th	27	11th
		June	...	59·2	42·7	50·9	...	65	11th	33	11th
		July	...	67·0	51·0	59·0	...	76	10th	41	2nd
		Aug.	...	64·8	50·0	57·4	...	71	4th	37	16th
		Sept.	...	58·1	43·1	50·6	...	68	3rd	33	15th
		Oct.	...	55·1	40·8	47·9	...	64	6th	23	21st
		Nov.	...	46·0	35·3	40·7	...	62	2nd	22	30th
		Dec.	...	38·1	29·4	33·7	...	47	5th, 6th	14	18th
		Year	...	52·9	38·9	45·9	...	76		14	
Perth.											
PERTH—	22	Jan.	29·490	43·6	33·4	38·5	+1·5	57	9th	16	20th
J. Ritchie, The		Feb.	29·933	45·5	32·5	39·0	+1·4	55	16th	20	13th
Museum.		Mar.	29·579	50·9	37·0	43·9	+3·8	61	21st	29	7th
(9, 15, —.)		Apl.	29·780	53·0	37·0	45·0	+0·5	60	17th	25	28th
		May	30·048	57·6	40·4	49·0	−0·8	74	8th	28	11th
		June	29·742	60·5	43·9	52·2	−3·5	66	12th	35	11th
		July	29·843	68·6	52·6	60·6	+2·2	78	10th	43	2nd
		Aug.	29·672	66·2	51·9	59·1	+1·8	73	4th, 9th	41	20th, 30th
		Sept.	29·695	59·4	44·1	51·7	−1·6	69	3rd	34	15th
		Oct.	29·889	56·4	41·1	48·7	+2·3	70	7th	22	21st
		Nov.	29·861	46·9	35·7	41·3	+0·2	62	1st, 2nd	21	30th
		Dec.	29·959	38·3	30·7	34·5	−3·0	49	6th	15	18th
		Year	29·791	53·9	40·0	47·0	+0·4	78		15	
CRIEFF—	482	Jan.	29·490	42·9	32·6	37·7	+0·8	55	9th	20	20th
G. Reid, for		Feb.	29·923	44·3	33·3	38·8	+0·9	54	16th	23	12th
Dr. G. Meikle.		Mar.	29·568	49·1	36·0	42·5	+2·4	59	21st	29	7th, 12th
(9, —, 21.)		Apl.	29·770	50·7	35·7	43·2	−1·5	57	17th, 20th	22	28th
		May	30·016	56·0	39·8	47·9	−2·2	75	8th	29	11th
		June	29·783	57·8	42·4	50·1	−5·9	65	12th	34	9th, 10th
		July	29·840	66·0	51·4	58·7	+0·3	73	10th, 15th	46	17th, 18th
		Aug.	29·763	63·8	50·4	57·1	−0·2	72	4th	42	20th, 25th
		Sept.	29·666	58·1	43·4	50·7	−2·9	66	2nd, 3rd	38	18, 27, 28th
		Oct.	29·890	54·5	40·9	47·7	+0·8	70	7th	26	21st
		Nov.	29·863	45·8	35·4	40·6	−0·8	61	2nd	26	8th, 30th
		Dec.	29·976	37·3	30·3	33·8	−3·7	49	9th	18	17th, 18th
		Year	29·796	52·2	39·3	45·7	−1·0	75		18	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.									
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
°	°	Inch.	%			Inch.	Inch.	Inch.	Inch.															
38.5	1.7	.200	85	7.4	20	1.81	...	0.24	12th	4	0	0	...	2	6	4	2	6	12	22	4	6	0	
38.6	1.2	.213	89	7.1	15	1.24	...	0.22	22nd	0	0	0	...	0	2	10	2	2	2	28	4	6	0	
43.1	1.9	.233	84	7.3	15	2.17	...	0.54	23rd	0	1	0	...	0	2	16	2	10	6	14	4	6	2	
46.5	4.9	.203	63	5.9	15	0.91	...	0.22	2nd	0	1	0	...	0	2	4	2	0	6	24	6	16	0	
49.1	4.3	.243	69	7.1	11	2.40	...	0.93	4th	0	0	0	...	0	0	12	4	8	0	18	8	12	0	
53.8	5.0	.283	68	7.0	12	2.50	...	0.46	25th	0	0	0	...	0	0	6	6	6	2	22	12	6	0	
60.7	3.3	.436	81	7.4	13	2.08	...	0.67	5th	0	0	2	...	0	0	10	6	14	6	18	4	2	2	
59.8	1.8	.466	89	7.2	20	5.84	...	0.90	8th	0	0	3	...	0	0	10	4	10	4	18	8	8	0	
52.8	2.8	.328	81	7.5	19	5.34	...	1.09	22nd	0	0	0	...	0	2	10	4	6	2	24	4	8	0	
48.2	2.2	.280	83	6.9	18	5.31	...	1.39	22nd	0	0	0	...	0	0	6	4	4	4	28	12	4	0	
42.2	1.0	.246	91	7.0	19	2.18	...	0.48	1st	1	0	0	...	0	2	0	4	10	2	24	8	10	0	
36.1	0.5	.200	95	8.0	17	2.06	...	0.91	22nd	3	0	0	...	0	6	14	4	16	2	8	4	6	2	
					199	33.84	...	1.39																
37.3	2.0	.176	81	6.3	19	3.25	...	0.83	12th	5	0	0	0	2	0	0	0	0	10	12	12	8	20	
37.7	1.5	.198	86	6.6	18	1.44	...	0.27	26th	1	0	0	2	0	2	2	2	2	4	0	10	10	24	
43.2	2.2	.226	81	6.1	17	2.65	...	0.46	23rd	0	0	0	0	0	6	0	6	2	2	6	20	10	10	
45.4	4.1	.200	67	5.0	14	1.41	...	0.63	4th	3	3	1	0	0	8	0	0	0	4	4	18	22	4	
49.0	3.9	.250	72	6.4	10	2.51	...	0.83	2nd	0	1	1	0	0	6	4	0	4	0	0	18	12	18	
53.4	4.2	.293	72	6.1	19	2.54	...	0.53	16th	0	0	1	0	0	6	6	2	2	0	4	14	16	10	
59.9	3.1	.426	81	6.8	14	2.76	...	0.49	8th	0	0	4	0	0	0	2	2	6	2	6	16	4	24	
57.4	2.7	.390	83	6.5	21	4.50	...	0.86	8th	0	0	7	0	0	0	4	10	0	2	6	16	0	24	
51.8	2.9	.313	80	5.9	18	3.43	...	0.77	21st	0	0	1	0	0	10	10	4	0	2	6	10	6	12	
48.6	2.9	.276	79	6.1	17	4.57	...	1.19	22nd	0	0	0	0	0	2	2	0	2	2	0	32	6	16	
40.7	2.2	.206	81	6.0	20	3.04	...	0.41	21st	2	0	0	1	0	8	0	6	6	4	0	14	8	14	
33.9	1.6	.163	83	7.8	13	2.40	...	0.93	22nd	4	0	0	2	0	2	10	8	12	2	2	0	0	26	
					200	34.50	...	1.19																
38.1	0.9	.210	91	8.7	21	2.85	+0.34	0.48	27th	8	0	0	...	4	1	0	0	8	1	42	2	8	0	
37.7	0.7	.213	93	8.3	16	1.31	-0.96	0.20	22nd	1	0	0	...	0	0	0	3	13	6	29	2	3	0	
43.5	2.0	.230	83	7.9	18	2.39	-0.10	0.49	25th	4	3	0	...	0	2	2	0	20	0	29	0	9	0	
46.3	3.8	.220	70	7.1	12	0.92	-0.86	0.32	4th	9	6	1	...	7	3	3	0	5	0	27	0	22	0	
49.5	3.3	.266	76	7.8	12	1.95	-0.27	1.03	4th	0	0	2	...	0	5	6	5	15	2	19	0	10	0	
53.2	3.7	.303	75	7.8	16	2.85	+0.88	0.66	16th	0	1	1	...	1	2	6	4	12	0	23	2	11	0	
60.2	3.0	.428	82	7.7	20	3.50	+0.61	0.85	5th	0	0	7	...	0	0	5	15	18	8	11	3	2	0	
58.1	2.4	.413	85	7.9	21	5.36	+1.99	1.62	12th	0	0	10	...	0	2	7	1	14	4	26	2	6	0	
51.4	2.4	.313	83	7.9	21	4.21	+1.98	0.96	22nd	0	0	0	...	2	0	6	4	8	1	27	2	12	0	
47.8	1.8	.293	86	7.7	16	4.84	+1.89	1.22	22nd	0	0	0	...	3	0	6	0	8	2	34	4	8	0	
41.2	1.3	.230	89	8.1	18	2.37	-0.51	0.56	1st	4	0	0	...	4	0	2	2	14	2	29	0	11	0	
34.0	0.6	.183	94	9.0	11	1.68	-1.55	0.75	22nd	11	0	0	...	3	4	18	2	24	0	4	0	10	0	
					202	34.23	+3.44	1.62																
38.1	1.8	.190	83	7.6	22	5.01	+0.98	0.82	24th	7	0	0	...	3	5	6	3	0	7	7	26	8	0	
38.3	1.5	.198	86	7.5	17	2.15	-1.37	0.53	22nd	1	0	0	...	0	5	1	15	1	5	6	18	5	0	
41.5	2.1	.210	81	6.9	19	3.99	+0.79	0.86	3rd	1	2	1	...	0	10	2	20	0	4	3	13	10	0	
42.9	3.7	.193	69	6.0	13	1.42	-0.77	0.63	4th	3	0	0	...	0	8	4	2	0	1	3	32	10	0	
47.3	3.6	.236	73	7.3	14	2.03	-0.46	0.68	3rd	0	2	2	...	0	12	1	15	2	2	0	0	22	8	
50.2	3.9	.263	73	7.7	19	4.80	+2.16	1.30	16th	0	2	1	...	0	8	5	9	0	6	4	18	10	0	
57.7	2.6	.408	84	8.1	18	4.65	+1.68	1.06	5th	0	0	5	...	0	0	0	23	1	9	10	16	3	0	
56.4	2.5	.380	85	8.2	22	6.68	+2.47	1.20	8th	0	0	8	...	0	4	1	2	0	8	10	17	1	0	
50.5	2.5	.310	82	6.7	18	3.91	+1.05	0.71	21st	0	1	0	...	0	10	1	15	0	3	1	23	7	0	
47.3	2.2	.270	83	6.5	19	6.12	+2.19	1.07	28th	0	0	0	...	1	5	0	16	1	0	4	31	5	0	
40.7	1.9	.216	83	6.3	21	3.35	-0.99	0.64	1st	3	0	0	...	1	15	2	10	1	0	7	23	2	0	
34.3	0.8	.180	92	8.1	15	1.76	-2.72	0.89	22nd	1	0	0	...	0	2	8	40	4	7	1	0	0	0	
					217	45.87	+5.01	1.30																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea Level and 32° Fahr.†	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Fife.	Feet.		Inch.	°	°	°	°	°		°	
LEUCHARS—	36	Jan.	29·486	43·7	35·2	39·5	...	55	9th	24	20th
The Meteorologi- cal Office.		Feb.	29·926	45·0	34·5	39·7	...	55	16th	23	13th
		Mar.	29·570	49·7	37·4	43·5	...	61	21st	31	13th, 29th
		Apl.	29·770	51·6	35·8	43·7	...	59	17th	22	28th
(7, —, 18.)		May	30·026	53·4	39·8	46·6	...	62	18th, 24th	29	11th
		June	29·786	58·0	42·9	50·5	...	65	19th	32	10th
		July	29·846	64·4	51·5	57·9	...	77	10th	45	17th, 18th
		Aug.	29·760	64·8	50·8	57·8	...	72	3rd	40	30th
		Sept.	29·653	58·0	44·8	51·4	...	70	1st	36	27th
		Oct.	29·876	54·9	42·3	48·6	...	66	6th	27	21st
		Nov.	29·870	46·5	37·2	41·9	...	63	2nd	26	8th
		Dec.	29·983	38·7	32·6	35·7	...	47	6th	21	18th
		Year	29·796	52·4	40·4	46·4	...	77		21	
ST. ANDREWS—	20	Jan.	...	44·7	34·1	39·4	...	55	9th	24	20th, 21st
W. Watson,		Feb.	...	45·3	34·1	39·7	...	54	16th	23	12th, 13th
C.E., Burgh		Mar.	...	49·6	37·3	43·5	...	59	21st	30	27th
Surveyor.		Apl.	...	51·9	36·6	44·3	...	58	17th, 18th	26	28th
		May	...	53·5	40·8	47·1	...	63	24th	30	11th
(9, —, 17.)		June	...	59·5	43·7	51·6	...	65	18th 19th 20th	34	11th
		July	...	64·8	51·5	58·1	...	75	10th	44	6th, 17th, 20th
		Aug.	...	64·9	50·7	57·8	...	73	10th	40	16th, 25th, 30th
		Sept.	...	57·8	45·6	51·7	...	70	1st	37	19th, 27th
		Oct.	...	55·3	42·4	48·9	...	67	6th	25	21st
		Nov.	...	47·1	37·7	42·4	...	63	2nd	25	30th
		Dec.	...	40·1	32·7	36·4	...	47	6th	19	18th
		Year	...	52·9	40·6	46·7	...	75		19	
CUPAR—	210	Jan.	...	43·7	33·6	38·7	+1·6	54	9th, 28th	21	21st
(Fife and Kinross		Feb.	...	45·2	33·1	39·1	+1·2	54	16th	21	12th, 13th
Asylum)—		Mar.	...	49·6	36·4	43·0	+3·1	60	21st	29	31st
The Medical		Apl.	...	51·3	36·4	43·9	-0·2	57	16th, 21st	23	28th
Superintendent.		May	...	54·5	40·0	47·3	-1·8	62	2nd 18th 24th	29	11th
		June	...	58·5	43·7	51·1	-4·6	65	17th	34	10th
(9, —, —.)		July	...	65·8	51·7	58·7	+0·9	77	10th	44	17th
		Aug.	...	64·7	51·3	58·0	+1·2	71	9th	43	16th, 20th
		Sept.	...	58·0	45·1	51·5	-1·4	70	1st	37	27th
		Oct.	...	54·8	41·4	48·1	+1·6	69	7th	25	21st
		Nov.	...	46·4	36·4	41·4	+0·6	62	1st, 2nd	25	10th, 30th
		Dec.	...	38·3	31·0	34·7	-3·5	48	6th	20	18th
		Year	..	52·6	40·0	46·3	-0·1	77		20	
KIRKCALDY—	66	Jan.	...	44·5	35·5	40·0	...	54	9th	24	20th, 21st
Francis Braid,		Feb.	...	45·8	34·9	40·3	...	51	3rd, 15th, 26th	25	11th, 13th
Sanitary Inspec- tor.		Mar.	...	49·8	38·8	44·3	...	57	21st	32	7th
		Apl.	...	52·1	38·1	45·1	...	60	18th	27	28th
		May	...	54·4	42·0	48·2	...	64	18th, 24th	32	1st
(9, —, —.)		June	...	58·6	45·5	52·1	...	64	17th, 20th	37	10th
		July	...	65·1	52·8	58·9	...	76	10th	47	3rd, 17th
		Aug.	...	64·8	52·3	58·5	...	72	12th	45	16th, 24th
		Sept.	...	59·1	46·7	52·9	...	71	1st	40	28th
		Oct.	...	55·7	43·5	49·6	...	65	6th, 7th	28	21st
		Nov.	...	47·3	37·9	42·6	...	63	2nd	27	8th, 30th
		Dec.	...	40·1	33·1	36·6	...	48	6th	22	18th
		Year	...	53·1	41·8	47·4	...	76		22	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Mean Sea Level and 32 Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	°	
Fife (contd.). INCHKEITH— The Meteorological Office. (7, —, 18.)	184	Jan.	29.484	44.0	38.2	41.1	...	52	9th	30	5th, 20th	
		Feb.	29.911	44.3	37.5	40.9	...	51	3rd	28	13th	
		Mar.	29.551	48.4	40.4	44.4	...	60	21st	34	7th	
		Apl.	29.771	49.8	39.7	44.7	...	56	18th	30	28th	
		May	30.021	52.8	42.8	47.8	...	60	24th	33	1st	
		June	29.784	56.9	46.5	51.7	...	67	13th	40	10th	
		July	29.841	62.6	53.2	57.9	...	72	10th	49	2nd	
		Aug.	29.757	62.2	53.5	57.9	...	69	12th	48	24th	
		Sept.	29.651	57.2	48.5	52.9	...	66	1st	43	18th	
		Oct.	29.864	54.4	45.8	50.1	...	63	7th	36	21st	
		Nov.	29.847	46.8	41.3	44.1	...	61	2nd	32	8th	
		Dec.	29.941	39.6	35.2	37.4	...	49	6th	28	18th	
		Year	29.785	51.6	43.5	47.6	...	72		28		
Stirling. STIRLING— John Fyfe, C.S.I., Sanitary Inspector. (9, —, —.)	151	Jan.	...	43.8	33.7	38.7	...	54	9th	20	20th	
		Feb.	...	44.7	33.5	39.1	...	53	7th	23	13th	
		Mar.	...	49.8	37.1	43.5	...	61	21st	28	7th	
		Apl.	...	51.6	36.9	44.3	...	58	15th	26	29th	
		May	...	56.5	40.3	48.4	...	72	8th	29	1st	
		June	...	58.9	44.1	51.5	...	66	12th	33	9th	
		July	...	66.8	52.9	59.9	...	75	18th	47	17th	
		Aug.	...	65.7	52.3	59.0	...	76	11th	43	20th, 24th, 25th	
		Sept.	...	58.9	45.1	52.0	...	72	3rd	38	12th	
		Oct.	...	55.5	42.7	49.1	...	65	7th	27	21st	
		Nov.	...	47.4	36.8	42.1	...	62	1st, 2nd	25	10th, 30th	
		Dec.	...	39.4	31.8	35.6	...	49	5th, 7th	21	19th	
		Year	...	53.3	40.6	46.9	...	76		20		
Dumbarton. HELENSBURGH— J. N. Stirling, B.Sc., Burgh Surveyor. (9, —, —.)	21	Jan.	...	44.7	35.9	40.3	+1.4	54	9th	24	20th	
		Feb.	...	45.3	34.4	39.9	+1.2	52	6th	23	2nd	
		Mar.	...	49.6	37.9	43.7	+3.2	59	21st	28	12th	
		Apl.	...	49.7	38.0	43.9	-1.3	55	17th	25	28th	
		May	...	56.9	40.7	48.8	-1.3	72	8th	30	1st	
		June	...	58.7	43.9	51.3	-4.1	64	15th	34	10th	
		July	...	66.6	53.0	59.8	+2.3	73	18th	46	17th	
		Aug.	...	65.0	51.7	58.3	+1.2	72	4th	40	15th	
		Sept.	...	58.8	45.4	52.1	-1.4	69	3rd	35	27th	
		Oct.	...	55.3	43.7	49.5	+2.9	67	7th	31	20th, 21st	
		Nov.	...	47.3	37.3	42.3	+1.1	60	1st, 2nd	23	8th	
		Dec.	...	38.6	32.4	35.5	-3.3	49	5th, 6th	23	18th	
		Year	...	53.0	41.2	47.1	+0.1	73		23		
CARDROSS— Claud A. Allan. (9, —, —.)	130	Jan.	...	45.1	34.4	39.7	...	54	9th	20	20th	
		Feb.	...	45.9	35.9	40.9	...	50	6, 7, 20, 26	23	2nd, 12th	
		Mar.	...	50.2	38.3	44.3	...	58	21st	29	7th, 12th	
		Apl.	...	50.6	38.4	44.5	...	55	11th, 16th	23	28th	
		May	...	55.6	40.6	48.1	...	69	8th	27	2nd	
		June	...	58.2	44.5	51.3	...	65	15th	33	10th	
		July	...	66.8	54.0	60.4	...	74	18th	45	17th	
		Aug.	...	66.5	51.9	59.2	...	73	4th	41	24th, 25th	
		Sept.	...	59.1	45.2	52.1	...	70	3rd	33	27th	
		Oct.	...	56.4	41.5	48.9	...	67	8th	27	21st	
		Nov.	...	46.9	36.8	41.9	...	62	2nd	22	8th	
		Dec.	...	38.8	30.7	34.7	...	48	5, 6, 7, 9	20	18th	
		Year	...	53.3	41.0	47.2	...	74		20		

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. ‡ Number of Observations.									
Mean. †					Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.				Day of Month.																
°	°	Inch.	%			Inch.	Inch.	Inch.																
40.7	1.7	.216	85	6.1	20	0.98	...	0.19	29th	6	1	0	0	2	1	1	0	3	5	36	13	4	0	
40.1	1.1	.228	90	6.3	15	1.14	...	0.22	21st	2	0	0	1	0	0	2	6	7	4	22	9	2	4	
42.9	1.8	.236	85	6.5	17	1.65	...	0.40	23rd	0	4	0	1	0	4	4	10	6	5	14	16	2	1	
43.6	2.7	.226	78	6.4	14	0.81	...	0.28	4th	5	8	1	0	1	3	3	2	0	2	18	25	7	0	
47.0	2.7	.256	79	7.6	15	2.18	...	0.95	4th	0	1	1	4	0	7	6	23	4	0	8	12	2	0	
51.2	3.5	.283	75	7.0	15	2.58	...	0.61	16th	0	0	3	0	1	2	2	15	1	4	9	21	1	5	
57.3	2.3	.403	85	7.1	14	2.59	...	0.70	21st	0	0	5	1	0	1	9	21	5	4	15	6	0	1	
56.9	2.1	.408	87	7.6	20	5.80	...	1.56	8th	0	0	7	2	0	1	7	17	1	5	18	10	2	1	
51.8	1.8	.343	87	7.5	20	5.46	...	1.64	6th	0	0	3	1	0	3	6	12	0	2	16	18	2	1	
49.2	1.8	.303	87	7.1	14	2.58	...	0.65	21st	0	0	0	1	2	1	2	9	7	2	19	20	1	1	
43.4	1.9	.233	84	6.2	13	1.22	...	0.36	1st	2	0	0	0	0	4	1	9	4	4	16	13	9	0	
37.0	1.1	.196	89	7.7	12	1.26	...	0.48	22nd	10	7	0	1	0	5	9	16	15	11	2	1	1	2	
					189	28.25	...	1.64																
39.6	1.4	.220	87	8.5	23	5.09	...	0.72	24th	6	1	1	4	4	0	0	0	0	4	16	28	12	2	
40.1	0.9	.228	92	8.2	14	2.46	...	0.57	22nd	0	0	0	10	0	2	4	2	4	2	6	28	2	6	
44.4	2.5	.230	79	7.9	17	3.04	...	0.52	3rd	1	1	1	2	0	2	6	4	4	8	8	20	8	2	
46.7	4.2	.223	68	7.3	18	1.88	...	0.68	4th	1	0	0	1	0	2	0	0	0	0	4	36	18	0	
49.7	3.5	.273	75	8.0	12	2.51	...	0.69	4th	0	0	0	1	0	2	12	6	4	0	4	14	14	6	
53.0	4.6	.280	69	5.9	15	3.94	...	1.09	16th	0	0	1	0	0	0	2	0	0	0	10	46	2	0	
59.0	2.8	.420	83	7.4	15	3.87	...	0.83	5th	0	1	3	3	0	0	0	0	6	0	6	42	0	8	
58.7	3.3	.406	80	7.6	20	6.85	...	1.35	8th	0	0	4	0	0	0	2	8	2	6	4	28	10	2	
52.2	2.3	.328	84	6.6	18	5.96	...	0.96	30th	0	0	2	5	0	0	2	0	0	2	10	40	6	0	
49.2	1.9	.300	86	6.7	13	5.70	...	1.00	21st	0	0	0	6	0	0	0	4	2	2	10	42	0	2	
44.0	2.2	.236	82	8.0	18	3.08	...	0.49	1st	1	0	0	5	0	2	6	6	2	2	6	16	18	2	
...	8.9	13	0.99	...	0.44	22nd	8	2	0	5	0	6	10	12	10	2	0	6	14	2	
					196	45.37	...	1.35																
...	8.2	26	6.99	+1.76	0.74	11th	3	1	1	0	4	10	4	2	0	2	6	26	10	2	
...	7.7	17	4.78	+0.26	0.72	5th	0	0	0	0	0	20	0	14	0	2	2	10	8	0	
...	6.6	23	5.03	+1.18	0.99	25th	0	0	1	0	0	4	0	20	2	4	4	14	6	8	
...	7.4	24	3.62	+0.92	0.58	13th	1	0	0	0	0	6	0	10	0	0	0	38	6	0	
...	7.5	14	3.37	+0.52	0.84	3rd	0	0	1	0	0	2	6	20	0	6	0	22	4	2	
...	6.8	20	5.54	+2.75	1.37	16th	0	0	0	0	1	0	4	10	2	2	2	34	4	2	
...	8.6	20	4.68	+1.22	1.08	21st	0	0	1	0	0	2	2	24	10	2	4	12	0	6	
...	8.2	23	5.93	+1.09	1.09	21st	0	0	3	0	0	0	2	28	0	4	4	22	0	2	
...	6.9	22	8.06	+4.11	2.31	28th	0	1	0	0	0	6	8	8	0	0	0	26	12	0	
...	7.5	18	7.50	+3.14	1.41	21st	0	0	0	1	0	0	4	10	0	0	2	38	0	8	
...	6.3	26	6.14	+1.03	0.89	18th	2	2	0	0	0	4	2	20	2	0	6	22	4	0	
...	7.8	15	2.15	-3.93	0.80	22nd	5	0	0	0	0	0	4	52	4	0	0	0	2	0	
					248	63.79	+14.05	2.31																
...	25	6.00	...	0.72	12th	2	0	0	...	2	4	20	0	0	0	12	8	18	0	
...	15	2.94	...	0.52	13th	0	0	0	...	0	6	20	0	0	0	4	8	18	0	
...	20	3.59	...	0.57	23rd	0	0	0	...	0	2	22	2	0	0	28	4	4	0	
...	22	3.64	...	0.60	13th	3	0	0	...	0	2	40	0	0	2	10	4	2	0	
...	14	3.08	...	0.52	4th	0	0	0	...	0	6	20	2	0	0	16	10	8	0	
...	18	3.93	...	0.95	16th	0	0	0	...	0	4	4	4	0	4	34	10	0	0	
...	18	3.71	...	0.48	3rd	0	0	0	...	0	0	2	6	2	2	42	8	0	0	
...	21	6.01	...	0.83	8th	0	0	1	...	0	0	10	10	2	0	36	4	0	0	
...	20	7.25	...	1.38	28th	0	0	0	...	0	2	8	14	2	0	12	12	10	0	
...	17	6.12	...	1.70	1st	0	0	0	...	0	0	24	2	0	2	28	0	6	0	
...	9	4.73	...	0.48	1st	0	0	0	...	0	12	22	4	2	0	14	0	6	0	
...	7	1.66	...	0.65	21st	0	0	0	...	0	10	38	4	0	0	0	8	2	0	
					216	52.66	...	1.70																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.								
				Mean at Mean Sea Level and 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
					Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.	Inch.	°	°	°	°	°	°	°	°	°	°	
Argyll. TIRREE— D. O. Maclean. (7, —, 18.)	36	Jan.	29·450	45·8	39·5	42·7	...	51	8th, 9th	31	22nd	
		Feb.	29·858	46·2	39·4	42·8	...	50	3, 4, 15, 17	32	2nd	
		Mar.	29·516	48·3	40·3	44·3	...	52	19th 21st 27th	32	7th, 13th	
		Apl.	29·800	48·3	40·0	44·1	...	53	14th, 19th	26	28th	
		May	30·023	53·7	44·1	48·9	...	72	8th	32	1st	
		June	29·786	55·1	46·3	50·7	...	64	30th	40	1st, 2nd, 15th	
		July	29·808	61·5	52·7	57·1	...	68	19th	45	14th, 29th	
		Aug.	29·733	62·3	52·2	57·3	...	67	7th	44	24th	
		Sept.	29·670	56·1	48·7	52·4	...	65	5th	38	15th	
		Oct.	29·860	54·2	46·1	50·1	...	61	8th	33	21st	
		Nov.	29·828	47·9	41·9	44·9	...	58	2nd	33	12th, 13th	
		Dec.	29·896	41·8	37·3	39·5	...	50	6th, 7th	24	28th	
		Year	29·769	51·8	44·0	47·9	...	72		24		
ARDTORNISH— A. Taylor, for G. Craig Sellar. (9, —, 21.)	48	Jan.	...	44·4	52	8th, 9th	
		Feb.	...	46·0	56	27th	
		Mar.	...	50·0	35·9	42·9	...	58	21st	25	8th	
		Apl.	...	49·2	56	9th, 10th	
		May	...	58·9	79	8th	
		June	...	57·8	40·6	49·2	...	69	30th	30	10th, 13th	
		July	...	67·1	50·7	58·9	...	75	19th	42	17th	
		Aug.	...	65·8	74	7th	
		Sept.	...	58·6	69	5th	
		Oct.	...	55·5	66	8th	
		Nov.	...	49·8	63	3rd	
		Dec.	
		Year	
OBAN— D. Galloway, Burgh Surveyor. (9, —, 17.)	21	Jan.	...	45·2	37·5	41·3	+0·5	52	8th, 9th	22	16th	
		Feb.	...	46·1	37·8	41·9	+1·6	51	27th	26	2nd	
		Mar.	...	49·0	39·1	44·1	+2·8	58	21st	29	12th, 13th	
		Apl.	...	48·2	39·6	43·9	-1·7	52	9th, 10th	28	28th	
		May	...	56·6	42·4	49·5	-0·5	75	8th	31	1st	
		June	...	56·6	45·5	51·1	-3·9	68	30th	38	11th	
		July	...	64·5	54·4	59·5	+2·6	71	1st, 19th	48	2nd	
		Aug.	...	63·8	53·0	58·4	+1·4	70	8th	43	25th	
		Sept.	...	58·0	48·7	53·3	-0·4	69	4th	38	27th	
		Oct.	...	55·6	45·0	50·3	+1·7	66	8th	32	21st	
		Nov.	...	47·8	39·5	43·7	-0·1	61	1st	27	8th	
		Dec.	...	41·3	34·1	37·7	-3·9	50	5th	24	28th	
		Year	...	52·7	43·1	47·9	0·0	75		22		
FORD— B. Cameron. The Forestry Commission (Scotland). (9, —, —.)	149	Jan.	...	45·5	35·9	40·7	...	55	29th	20	20th	
		Feb.	...	46·6	36·3	41·5	...	53	3rd	24	12th	
		Mar.	...	50·6	35·6	43·1	...	57	21st	21	13th	
		Apl.	...	49·6	36·3	42·9	...	53	18th	22	28th, 29th	
		May	...	57·5	38·3	47·9	...	78	8th	24	1st	
		June	...	57·9	42·2	50·1	...	65	30th	31	9th	
		July	...	65·9	52·5	59·2	...	72	18th, 19th	44	18th	
		Aug.	...	64·6	50·4	57·5	...	71	3rd	37	24th	
		Sept.	...	58·7	44·8	51·7	...	69	4th	33	15th	
		Oct.	...	55·8	42·2	49·0	...	66	9th	27	20th, 21st	
		Nov.	...	47·9	36·2	42·1	...	60	1st, 2nd	22	12th	
		Dec.	...	41·1	31·7	36·4	...	49	5th, 6th	19	28th	
		Year	...	53·5	40·2	46·8	...	78		19		

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†										
Mean.†					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.									
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.					Total Fall.	Difference from Average.	Amount.	Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
°	°	Inch.	%		Inch.	Inch.	Inch.																		
43.1	1.9	.233	85	7.3	29	6.70	...	1.07	26th	4	7	1	0	8	6	1	1	1	12	14	16	11	0		
43.1	1.3	.250	89	7.5	19	3.22	...	0.36	2nd	0	0	0	1	0	0	3	5	4	29	7	4	3	1		
43.7	1.7	.248	86	6.3	18	3.49	...	0.63	3rd	0	0	0	1	1	7	4	2	11	15	6	8	8	1		
44.0	1.9	.246	85	7.3	24	3.35	...	0.64	13th	6	2	0	0	0	16	1	1	0	5	10	16	11	0		
49.6	2.7	.293	81	5.3	11	2.11	...	0.65	13th	0	0	0	0	0	17	10	5	5	6	3	7	9	0		
51.2	2.8	.303	81	6.9	21	3.33	...	0.71	15th	0	0	0	0	1	15	0	4	5	6	5	8	17	0		
57.4	1.7	.420	89	6.9	18	3.28	...	0.78	29th	0	0	0	0	0	13	7	1	13	11	5	6	6	0		
57.9	2.1	.423	87	6.8	18	2.35	...	0.41	7th	0	0	2	0	0	6	9	5	10	16	9	3	4	0		
52.5	2.3	.343	84	7.3	22	3.96	...	0.50	28th	0	1	1	0	0	15	4	1	6	7	6	13	8	0		
49.8	1.8	.316	87	7.0	20	6.28	...	0.94	26th	0	1	2	1	2	5	4	3	8	15	8	10	9	0		
45.3	2.3	.246	81	7.0	27	4.25	...	0.63	23rd	0	5	0	0	5	13	3	4	5	12	6	7	8	2		
39.6	1.5	.216	87	6.7	10	1.38	...	0.32	8th	3	2	0	0	1	6	4	11	27	11	1	0	0	2		
					237	43.70	...	1.07																	
...	9.2	29	19.17	...	2.53	12th	7	5	0	...	4	5	0	17	0	0	12	22	6	0		
...	8.1	23	8.05	...	1.06	2nd	0	0	0	...	1	0	0	33	9	1	8	5	0	0		
...	7.7	22	7.61	...	1.31	3rd	0	1	0	...	0	0	0	20	11	2	16	12	1	0		
...	8.4	27	8.68	...	1.52	13th	6	3	0	...	1	6	6	7	3	0	0	31	7	0		
...	6.7	16	6.67	...	1.15	13th	0	0	0	...	0	0	3	29	0	1	1	22	6	0		
...	7.9	20	7.79	...	1.10	15th	1	2	0	...	1	3	8	17	0	0	0	27	5	0		
...	7.1	19	4.01	...	0.86	19th	0	0	0	...	0	0	1	21	6	0	13	21	0	0		
...	8.3	22	7.51	...	1.17	5th	0	0	2	...	0	0	8	12	10	1	6	22	3	0		
...	8.7	24	6.64	...	1.01	28th	0	0	0	...	0	2	5	16	13	0	4	9	11	0		
...	8.5	22	10.14	...	1.48	1st	0	0	0	...	0	1	2	15	3	3	3	25	10	0		
...	8.7	21	7.93	...	1.06	2nd	1	4	1	...	0	8	10	7	1	0	3	18	13	0		
...	8	1.17	...	0.33	9th	1	0	0	...	0	0		
					253	95.37	...	2.53																	
41.1	1.0	.236	91	8.3	28	8.91	...	0.72	12th	7	4	5	0	3	6	1	1	3	11	24	6	10	0		
41.6	0.8	.250	93	7.6	19	3.62	...	0.53	3rd	1	0	0	0	0	6	6	1	6	17	7	3	7	3		
44.6	1.4	.266	89	6.9	20	3.86	...	0.69	23rd	0	0	0	0	0	7	5	2	4	14	12	3	13	2		
44.4	1.6	.250	87	7.2	26	4.95	...	0.86	13th	4	3	0	0	0	4	1	0	1	5	20	6	23	0		
49.6	3.1	.280	78	5.9	14	2.74	...	0.52	13th, 23rd	0	1	2	0	0	11	1	4	2	8	9	3	23	1		
51.4	2.1	.320	85	6.6	20	4.73	...	0.63	15th	0	0	0	0	0	5	0	3	6	6	10	5	25	0		
59.2	1.8	.450	89	7.4	16	3.83	...	0.88	21st	0	0	0	0	0	10	0	2	5	12	8	7	15	3		
58.3	1.5	.440	91	7.8	24	5.29	...	0.98	8th	0	0	4	0	0	10	3	6	7	8	13	5	9	1		
53.5	1.7	.356	88	7.0	21	5.46	...	1.24	28th	0	1	1	0	0	10	5	2	4	6	8	9	15	1		
49.9	1.1	.333	92	7.7	18	7.26	...	1.71	1st	0	0	1	0	1	5	3	3	4	10	11	10	7	9		
44.2	1.2	.260	90	7.7	20	5.42	...	0.83	1st	3	1	1	0	0	7	7	4	6	8	12	4	10	2		
37.6	0.8	.213	92	7.6	4	0.26	...	0.15	5th	4	0	0	0	0	5	8	27	12	8	0	0	0	2		
					230	56.33	...	1.71																	
11.2	1.7	.220	85	8.2	27	11.44	...	1.20	12th	3	3	4	...	4	2	0	8	2	2	40	4	0	4		
11.7	1.6	.230	86	8.7	19	6.29	...	0.91	2nd	0	0	0	...	0	4	0	0	4	4	44	0	0	0		
14.8	2.9	.230	77	8.5	22	5.61	...	0.59	3rd	0	0	0	...	0	12	2	10	2	0	32	4	0	0		
14.5	3.0	.228	76	8.4	23	7.06	...	1.48	12th	2	6	0	...	0	6	2	8	0	0	30	8	6	0		
10.5	3.9	.276	73	6.9	10	6.80	...	1.61	23rd	0	1	2	...	0	14	4	16	2	0	18	4	2	2		
12.3	3.6	.296	75	7.1	17	3.92	...	0.57	15th	0	1	1	...	0	14	4	8	0	2	18	12	2	0		
10.4	3.6	.410	79	8.4	19	4.42	...	0.82	20th	0	0	2	...	0	10	0	6	6	0	36	2	0	2		
19.0	2.7	.423	84	8.3	25	5.14	...	1.02	8th	0	0	4	...	0	0	0	6	4	0	44	4	2	2		
13.5	3.1	.320	79	7.9	21	7.10	...	1.36	30th	0	0	0	...	0	14	4	10	0	0	24	6	2	0		
8.6	1.9	.300	86	7.7	20	9.46	...	2.22	1st	0	0	0	...	2	6	2	8	0	0	32	8	2	4		
12.2	2.5	.220	79	7.9	19	6.78	...	1.31	1st	0	2	0	...	4	8	4	10	6	0	22	8	0	2		
7.6	2.0	.186	81	7.7	5	0.90	...	0.39	21st	6	0	0	...	2	8	2	34	0	2	6	0	0	10		
					227	74.92	...	2.22																	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr.†	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Feet.											
Argyll (contd.) GLENBRANTER— R. T. Anderson, Forester, Forestry Commission, (Scotland). (9, —, 17.)	188	Jan.	Inch.	°	°	°	°	°		°	
		Feb.	...	44·1	35·4	39·7	...	52	9th	19	20th
		Mar.	...	45·6	34·9	40·3	...	53	27th	19	2nd
		Apl.	...	48·8	36·5	42·7	...	56	20th	24	12th
		May	...	49·6	36·8	43·2	...	53	11, 15, 21, 22	27	9th, 28th
		June	...	57·2	39·4	48·3	...	78	8th	25	1st
		July	...	57·9	41·9	49·9	...	64	30th	32	11th
		Aug.	...	66·2	52·6	59·4	...	74	18th	43	18th
		Sept.	...	64·2	50·6	57·4	...	72	9th	38	25th
		Oct.	...	57·8	43·8	50·8	...	69	4th	34	15th, 27th
		Nov.	...	55·6	41·3	48·5	...	66	7th	23	21st
		Dec.	...	47·3	36·0	41·7	...	61	1st	22	8th, 11th
		Year	...	40·0	31·4	35·7	...	49	5th, 6th, 8th	12	18th
Year	...	52·9	40·1	46·5	...	78		12			
Bute. ROTHESAY— J. Davidson, for Sir John Reid. (9, —, 21.)	187	Jan.	29·537	44·6	36·5	40·5	+1·0	52	9th, 10th	28	20th
		Feb.	29·939	44·9	37·0	40·9	+1·0	50	3rd	27	2nd
		Mar.	29·574	48·2	38·3	43·3	+2·0	55	21st	31	12th
		Apl.	29·829	49·8	38·0	43·9	-1·6	55	17th	29	28th
		May	30·031	56·6	42·4	49·5	-0·9	74	8th	31	1st
		June	29·811	57·4	43·9	50·7	-5·1	61	11th, 13th, 17th	37	10th
		July	29·834	64·1	52·6	58·3	+0·6	71	17th	45	29th
		Aug.	29·764	62·9	52·5	57·7	+0·6	69	4th	45	25th
		Sept.	29·704	57·9	46·7	52·3	-1·8	66	3rd	42	18th
		Oct.	29·909	54·6	44·8	49·7	+1·5	63	7th	36	21st
		Nov.	29·877	47·6	38·8	43·2	-0·4	61	2nd	29	8th
		Dec.	29·947	40·5	34·5	37·5	-2·9	50	6th	28	17, 19, 31
		Year	29·813	52·4	42·2	47·3	-0·5	74		27	
Renfrew. GREENOCK— J. MacAlister, A.M.Inst.C.E. (9, —, —.)	233	Jan.	29·540	44·1	37·4	40·7	+2·3	53	9th	26	20th
		Feb.	29·942	44·7	36·5	40·6	+2·0	49	3rd, 7th, 26th	27	2nd
		Mar.	29·585	48·4	39·1	43·7	+3·6	59	21st	33	7, 12, 14, 15
		Apl.	29·828	49·0	39·4	44·2	-0·4	57	20th	29	28th
		May	30·041	55·9	42·8	49·3	-0·5	76	8th	32	1st
		June	29·820	57·7	45·9	51·8	-3·7	65	17th	38	10th
		July	29·858	65·5	54·0	59·7	+2·1	71	14th, 17th	51	1, 2, 17, 18
		Aug.	29·759	63·3	53·6	58·5	+1·3	70	4th	46	24th
		Sept.	29·704	58·3	47·6	52·9	-0·9	67	3rd	42	27th
		Oct.	29·906	54·6	45·4	50·0	+2·5	62	7th	34	21st
		Nov.	29·888	46·9	40·1	43·5	+0·8	61	1st	30	8th
		Dec.	29·969	38·7	33·9	36·3	-3·1	49	5th, 6th	27	18th, 20th
		Year	29·820	52·3	43·0	47·6	+0·5	76		26	
PAISLEY— The Coats Observatory. (9, —, 21.)	107	Jan.	29·541	44·1	36·5	40·3	+1·2	54	9th	22	20th
		Feb.	29·941	45·7	36·3	41·0	+1·4	53	26th	25	2nd, 12th, 13th
		Mar.	29·586	50·6	38·5	44·5	+2·7	62	21st	29	13th
		Apl.	29·826	51·5	38·8	45·1	-1·1	56	11th 15th 18th	27	28th
		May	30·036	58·5	42·6	50·5	-1·1	77	8th	29	1st
		June	29·809	60·4	45·2	52·8	-4·5	67	15th, 17th	38	10th
		July	29·847	67·6	54·2	60·9	+1·6	76	17th	50	2nd, 18th
		Aug.	29·771	65·8	53·0	59·4	+0·9	73	4th, 12th	44	25th
		Sept.	29·699	59·5	46·7	53·1	-1·8	71	3rd	38	27th
		Oct.	29·901	55·5	44·4	49·9	+1·5	65	7th	29	21st
		Nov.	29·890	47·4	38·5	42·9	-0·1	62	2nd	25	8th
		Dec.	29·971	38·8	32·8	35·8	-4·1	50	6th	23	18th
		Year	29·818	53·8	42·3	48·0	-0·3	77		22	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.				WEATHER. Number of Days with—					WIND DIRECTIONS. Number of Observations.										
Mean. †					Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
Dry Bulb. °	Depression of Wet Bulb. °	Vapour Pressure Inch.	Humidity. %	Amount. Inch.				Day of Month.																
39.8	1.3	.220	88	7.9	28	16.01	...	1.83	12th	12	1	1	5	...	1	0	1	4	2	30	13	11	0	
40.5	1.1	.233	90	6.8	19	6.68	...	1.48	3rd	3	1	0	0	...	3	0	5	15	16	14	3	0	0	
44.2	1.8	.248	85	6.5	25	9.06	...	0.96	23rd	8	1	1	0	...	4	1	7	10	5	18	6	11	0	
45.4	3.3	.223	74	6.1	24	6.81	...	1.77	13th	9	6	0	0	...	1	0	1	1	1	25	19	12	0	
52.5	4.5	.283	70	5.9	14	5.02	...	0.89	20th	2	1	2	1	...	1	0	13	7	1	3	26	11	0	
53.7	4.9	.286	69	6.5	22	6.16	...	0.78	16th	0	3	0	0	...	2	0	3	1	2	30	14	8	0	
62.0	4.5	.420	75	6.8	18	4.90	...	0.93	3rd	0	0	0	4	...	0	3	12	26	9	8	4	0	0	
59.6	3.6	.410	79	7.0	25	8.11	...	1.32	8th	0	1	7	0	...	0	6	22	7	9	14	3	1	0	
53.7	3.3	.330	79	7.3	23	9.70	...	1.78	28th	0	1	0	0	...	0	1	3	4	3	23	17	9	0	
49.4	2.1	.296	85	7.1	22	10.81	...	1.51	22nd	0	0	0	2	...	0	1	8	5	7	18	11	12	0	
42.2	1.7	.228	85	6.6	22	12.00	...	2.04	1st	3	1	0	0	...	0	5	7	4	7	20	7	10	0	
36.7	1.7	.183	83	7.0	12	2.38	...	0.71	22nd	7	0	0	0	...	1	17	15	14	9	6	0	0	0	
					254	97.64	...	2.04																
40.5	1.1	.233	90	8.1	28	7.99	+3.49	0.95	8th	8	13	2	0	4	0	2	1	8	5	7	19	20	0	0
40.7	0.8	.240	93	8.3	22	3.20	-0.80	0.43	2nd	0	2	0	4	0	0	8	8	17	7	3	5	8	0	0
42.7	1.4	.246	88	7.3	25	5.05	+1.46	0.74	23rd	0	5	0	0	0	8	8	4	18	4	0	3	17	0	0
43.3	1.8	.236	85	7.2	27	4.77	+1.79	1.13	13th	3	5	1	1	0	3	1	0	2	2	6	13	33	0	0
48.3	2.4	.278	82	7.3	16	4.21	+1.18	0.93	23rd	0	1	1	1	0	2	18	11	3	2	2	6	18	0	0
50.1	2.6	.296	81	7.8	23	4.85	+1.78	0.78	25th	0	1	0	0	1	2	8	1	2	5	3	10	29	0	0
57.4	1.9	.413	88	8.7	23	4.43	+0.47	1.17	20th	0	0	1	0	0	2	15	2	7	17	1	6	12	0	0
57.1	1.6	.423	90	8.2	26	4.53	-0.34	0.86	6th	0	0	2	0	0	0	22	1	4	4	10	7	14	0	0
51.8	1.7	.343	88	8.3	23	7.66	+3.61	1.31	30th	0	0	2	0	0	1	14	2	3	4	3	7	26	0	0
49.7	1.3	.328	91	7.3	20	6.16	+1.75	1.20	20th	0	2	0	2	2	1	18	1	8	4	4	5	21	0	0
43.0	1.3	.248	89	7.3	24	5.45	+0.38	0.95	1st	0	3	0	0	0	5	7	6	9	5	5	6	17	0	0
37.5	1.3	.193	87	8.1	16	1.63	-3.82	0.46	22nd	2	0	0	7	1	5	32	10	15	0	0	0	0	0	0
					273	59.93	+10.95	1.31																
40.4	1.7	.210	85	7.3	27	9.94	+3.10	0.92	26th	6	1	1	6	1	0	1	4	2	4	17	20	13	1	1
39.4	1.3	.210	88	6.5	16	4.25	-1.37	0.96	3rd	0	0	0	14	0	1	1	16	6	4	12	16	0	0	0
42.4	2.1	.220	82	6.9	23	4.76	-0.17	0.58	3rd	0	1	0	7	0	0	2	17	3	8	8	20	3	1	1
44.3	3.0	.220	75	7.1	24	4.10	+0.46	0.90	13th	4	2	0	2	0	2	0	6	1	0	15	31	5	0	0
48.0	3.4	.250	74	6.9	14	4.23	+0.78	0.75	20th	0	0	1	1	0	3	8	17	3	2	11	15	3	0	0
51.6	3.3	.303	77	7.0	23	4.64	+1.34	1.29	16th	0	0	0	0	0	2	3	7	1	7	11	19	10	0	0
58.5	3.1	.410	81	7.7	21	4.75	+0.83	0.74	21st	0	0	2	0	0	3	8	12	5	13	3	14	3	1	1
57.7	2.9	.400	83	7.8	24	6.86	+1.42	1.18	21st	0	0	3	0	0	1	4	20	1	9	18	6	2	1	1
52.5	2.7	.330	82	7.4	23	9.49	+4.74	2.45	28th	0	1	1	1	0	5	5	11	0	6	8	12	13	0	0
48.7	1.7	.303	87	7.2	18	7.91	+2.53	1.78	1st	0	0	0	7	0	2	3	9	4	8	16	13	5	2	2
43.2	2.0	.230	83	6.7	25	8.28	+1.86	1.30	1st	0	0	0	4	0	2	2	13	4	7	13	15	4	0	0
35.9	1.3	.183	87	8.6	15	1.38	-6.51	0.45	22nd	6	0	0	14	0	3	5	42	8	2	0	0	2	0	0
					253	70.59	+9.01	2.45																
40.3	1.5	.216	87	7.4	26	6.38	+2.39	0.76	24th	4	3	2	2	7	1	1	2	2	14	18	17	4	3	3
40.8	1.3	.230	89	7.3	17	2.73	-0.78	0.40	3rd, 25th	0	0	0	7	0	0	3	7	8	9	9	11	3	6	6
44.3	2.4	.233	80	7.0	20	3.13	-0.05	0.60	25th	0	1	0	2	1	1	2	6	11	11	9	13	5	4	4
44.7	2.7	.233	79	6.0	23	2.31	-0.01	0.43	4th, 13th	3	3	0	0	2	1	1	3	3	5	14	20	13	0	0
49.8	3.7	.266	73	6.7	13	2.56	+0.07	0.70	3rd	0	0	1	1	0	7	12	13	3	2	7	11	6	1	1
52.6	3.7	.303	75	6.5	20	4.08	+1.60	1.24	16th	0	1	0	0	1	3	6	4	3	5	10	19	10	0	0
59.8	3.1	.426	81	7.7	20	4.06	+1.20	0.69	21st	0	2	3	1	0	0	11	13	6	11	6	5	5	5	5
58.7	2.8	.420	83	7.4	23	6.08	+2.17	1.19	8th	0	0	5	2	0	1	6	16	4	5	14	8	2	6	6
52.2	2.1	.333	85	5.9	21	6.81	+3.80	1.17	30th	0	0	3	0	5	2	4	8	3	3	13	16	7	3	3
49.7	1.8	.316	87	7.1	16	6.07	+2.33	1.44	21st	0	0	0	5	7	1	4	4	3	7	13	16	4	10	10
42.8	1.7	.236	85	6.7	20	4.20	+0.02	0.74	1st	1	0	0	3	10	3	3	8	2	9	10	16	3	6	6
35.9	1.3	.183	87	8.4	13	1.54	-3.51	0.52	21st	8	0	0	5	0	2	9	25	14	4	1	0	0	7	7
					232	49.95	+9.23	1.44																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea Level and 32° Fahr.†	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Renfrew (contd.)											
RENFREW— The Meteorolo- gical Office. (7, —, 18.)	40	Jan.	29·707	43·8	35·4	39·6	+1·0	54	9th	20	20th
		Feb.	29·937	44·7	34·2	39·5	+0·4	53	7th	20	2nd, 12th
		Mar.	29·574	50·3	36·7	43·5	+2·9	63	21st	24	13th
		Apl.	29·811	51·0	37·0	44·0	-1·0	56	11th, 19th	23	28th
		May	30·027	57·4	40·0	48·7	-1·6	77	8th	23	1st
		June	29·797	59·2	43·1	51·1	-4·7	66	15th	32	11th
		July	29·829	67·5	52·2	59·9	+1·9	74	17th	43	18th, 29th
		Aug.	29·759	65·4	50·1	57·7	+0·6	74	4th	36	25th
		Sept.	29·681	59·1	44·3	51·7	-1·8	70	3rd	34	12th 15th 27th
		Oct.	29·901	55·5	42·5	49·0	+1·6	66	7th	23	21st
		Nov.	29·877	46·7	36·3	41·5	-1·1	62	2nd	19	8th
		Dec.	29·959	38·4	32·0	35·2	-4·3	50	6th	17	18th, 29th
		Year	29·822	53·3	40·3	46·8	-0·5	77		17	
Ayr.											
KILMARNOCK (Holmes Farm)— Professor R. A. Berry. (9, —, —.)	90	Jan.	...	44·6	35·9	40·3	+2·8	53	9th	22	18th, 19th
		Feb.	...	46·7	34·6	40·7	+2·1	54	22nd	22	2nd, 13th
		Mar.	...	50·9	38·1	44·5	+4·3	63	21st	26	13th
		Apl.	...	51·4	37·7	44·5	+0·1	57	18th	24	28th
		May	...	58·4	41·1	49·7	-0·1	79	8th	27	1st
		June	...	60·0	43·2	51·6	-3·5	68	15th	32	10th, 11th
		July	...	68·5	53·2	60·9	+3·7	76	19th	45	17th
		Aug.	...	67·8	52·0	59·9	+3·7	75	4th, 6th	41	24th, 25th
		Sept.	...	59·2	45·3	52·3	-0·7	71	3rd, 4th, 5th	32	24th, 27th
		Oct.	...	56·6	43·0	49·8	+2·9	65	8th	29	20th, 21st
		Nov.	...	47·4	36·2	41·8	+0·2	61	1st	20	8th, 12th
		Dec.	...	39·4	31·4	35·4	-3·5	50	5th	20	28th
		Year	...	54·2	41·0	47·6	+1·0	79		20	
TURNBERRY—											
B. M'Kinlay. (9, —, —.)	96	Jan.	...	46·2	38·1	42·1	+2·0	52	8th, 9th, 12th	27	20th
		Feb.	...	47·5	37·4	42·5	+2·0	53	8th, 16th	28	2nd, 9th, 12th
		Mar.	...	49·1	39·6	44·3	+3·1	59	21st	30	12th, 13th
		Apl.	...	50·8	40·5	45·7	+0·5	57	15th	30	28th
		May	...	57·4	43·2	50·3	+1·1	71	8th	30	1st
		June	...	58·1	46·3	52·2	-2·3	67	17th	37	11th
		July	...	65·9	53·8	59·9	+2·4	73	21st	47	29th
		Aug.	...	66·6	53·7	60·1	+2·8	76	6th	44	25th
		Sept.	...	59·3	48·5	53·9	-0·7	69	3rd	39	27th
		Oct.	...	57·0	45·3	51·1	+1·9	65	8th	31	20th
		Nov.	...	48·8	40·7	44·7	+0·1	61	1st, 2nd	25	8th
		Dec.	...	39·5	34·1	36·8	-5·8	49	5th	22	19th
		Year	...	53·9	43·4	48·6	+0·6	76		22	
COLMONELL											
(Knockdolian)— Andrew Ogg, for Mrs. M'Connell. (9, —, —.)	170	Jan.	...	45·6	37·5	41·5	+2·7	51	8th, 9th	24	20th
		Feb.	...	46·6	34·9	40·7	+1·9	51	27th	22	2nd
		Mar.	...	49·0	37·5	43·3	+2·4	59	21st	27	12th, 13th
		Apl.	...	50·6	39·5	45·1	+0·4	57	17th, 18th	28	28th
		May	...	57·1	40·8	48·9	-1·0	80	8th	26	1st
		June	...	58·0	44·6	51·3	-3·2	66	30th	33	10th, 11th
		July	...	65·3	53·0	59·1	+2·5	72	19th	47	9th, 29th
		Aug.	...	66·0	52·3	59·1	+2·9	73	4th	38	25th
		Sept.	...	59·7	47·4	53·5	-0·2	70	3rd, 5th	36	16th, 27th
		Oct.	...	57·4	43·1	50·3	+2·1	69	7th, 8th	29	21st
		Nov.	...	48·7	38·0	43·3	0·0	63	2nd	21	8th
		Dec.	...	40·0	31·8	35·9	-3·9	48	5th, 6th	20	17th, 18th 19th
		Year	...	53·7	41·7	47·7	+0·6	80		20	

HYGROMETER.				CLOUD. Mean (0-10.) †	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER. Number of Days with—					WIND DIRECTIONS. † Number of Observations.									
Mean. †					Number of Days.	Total Fall. Inch.	Difference from Average. Inch.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.	
Dry Bulb. °	Depression of Wet Bulb. °	Vapour Pressure Inch.	Humidity. %					Amount. Inch.	Day of Month.															
39.3	0.9	.220	92	8.0	24	5.54	...	0.75	24th	8	8	0	2	2	0	1	2	5	3	17	24	4	6	
38.8	0.5	.228	95	7.7	16	2.55	...	0.35	22nd	0	0	0	2	0	2	4	7	6	5	7	10	4	11	
42.0	1.5	.233	87	7.5	21	3.11	...	0.59	25th	0	1	0	2	0	4	3	12	6	6	10	14	5	2	
44.1	2.6	.228	79	6.9	20	2.33	...	0.46	4th	6	7	1	0	1	2	3	2	1	2	14	27	8	1	
49.8	3.1	.280	78	7.3	11	2.69	...	0.50	3rd	0	0	1	2	0	3	10	14	1	2	6	18	4	4	
52.3	3.6	.296	75	7.2	17	4.14	...	1.20	16th	0	1	0	0	1	1	5	5	2	4	9	23	9	2	
60.0	2.9	.430	83	7.8	20	3.17	...	0.44	7th	0	0	5	1	0	3	8	17	6	8	5	10	2	3	
57.5	2.0	.410	87	8.1	22	5.32	...	0.91	8th	0	0	7	3	1	0	11	14	3	2	12	16	0	4	
51.1	1.7	.330	88	7.9	19	6.12	...	1.03	30th	0	0	3	2	3	3	6	8	2	2	7	22	6	4	
47.6	1.1	.306	91	7.3	17	5.34	...	1.22	21st	0	0	0	6	3	0	5	8	2	4	10	19	4	10	
41.2	1.4	.228	87	6.3	20	3.96	...	0.76	1st	2	0	0	1	0	2	5	8	3	4	13	10	8	7	
35.3	1.5	.170	85	7.2	15	1.38	...	0.80	22nd	8	0	0	2	0	1	16	26	8	2	1	2	2	4	
					222	45.65	...	1.22																
39.6	1.4	.220	87	9.5	26	5.63	+2.22	0.68	8th	4	0	0	...	4	0	0	2	2	30	2	22	0	4	
39.4	1.6	.203	85	8.4	15	2.23	-0.64	0.44	22nd	0	0	0	...	0	6	0	12	4	20	0	10	0	4	
44.0	2.7	.226	78	6.8	21	2.46	-0.34	0.46	23rd	0	1	0	...	0	0	2	12	10	16	6	12	2	2	
45.5	3.1	.226	75	8.1	22	3.31	+1.25	0.70	20th	1	3	0	...	0	0	0	6	2	12	8	32	0	0	
51.5	4.1	.270	71	7.4	12	1.96	-0.35	0.75	3rd	0	0	2	0	0	2	8	12	2	6	8	16	4	4	
53.7	4.7	.293	69	7.8	19	4.84	+2.64	1.21	16th	0	0	0	0	1	2	4	2	4	8	12	28	0	0	
60.9	3.5	.430	80	9.2	22	4.51	+1.40	1.11	22nd	0	0	4	0	0	6	4	16	6	10	6	10	4	0	
60.6	3.4	.433	81	8.2	20	4.08	+0.16	0.57	21st	0	0	4	0	0	0	6	16	6	6	16	12	0	0	
53.4	2.7	.330	82	7.9	20	7.08	+4.02	1.12	28th	0	1	1	0	0	0	2	14	0	8	4	32	0	0	
50.1	1.9	.313	87	7.7	16	4.43	+0.92	1.26	21st	0	0	0	1	2	0	0	6	16	6	22	10	0	2	
41.3	1.6	.223	86	7.8	15	4.93	+1.16	1.17	1st	1	1	0	5	0	0	0	10	6	14	2	18	0	10	
35.5	1.7	.168	83	...	6	0.73	-3.54	0.31	6th	2	0	0	0	0	6	0	46	6	4	0	0	0	0	
					214	46.19	+8.90	1.26																
...	7.9	26	4.16	+0.67	0.41	20th	3	2	0	0	4	2	4	2	8	4	34	4	4	0	
...	7.3	13	1.28	-1.60	0.29	3rd	0	0	0	0	0	0	8	0	22	0	18	0	6	2	
...	7.3	18	2.82	0.00	0.62	23rd	0	1	0	0	0	0	10	8	14	2	12	6	10	0	
...	7.4	15	2.24	+0.29	0.54	13th	3	2	0	0	0	0	2	2	2	10	12	12	20	0	
...	6.4	11	1.96	-0.16	0.57	3rd	0	0	1	0	0	4	14	14	2	0	8	16	2	2	
...	6.9	18	3.40	+1.10	1.00	16th	0	0	0	0	0	0	12	0	4	2	14	14	14	0	
...	8.6	17	2.44	-0.40	0.80	12th	0	0	0	0	0	6	18	4	10	8	8	4	0	4	
...	7.3	22	3.49	-0.38	0.63	9th	0	0	4	0	0	0	6	16	6	12	18	2	2	0	
...	7.6	18	4.74	+1.01	0.94	28th	0	0	1	0	0	0	4	6	4	4	20	4	16	2	
...	14	2.77	-1.09	0.70	22nd	0	0	1	0	0	0	6	4	4	6	24	14	4	0	
...	8.3	14	3.10	-0.68	0.99	1st	0	0	0	0	0	0	20	2	4	8	18	2	6	0	
...	8.1	5	0.70	-3.00	0.31	6th	4	0	0	1	0	0	40	10	8	0	0	0	4	0	
					191	33.10	-4.24	1.00																
40.5	0.7	.240	94	6.8	24	6.32	+1.99	0.73	25th	2	0	0	1	2	2	2	2	0	6	6	26	14	4	
38.8	0.5	.228	95	...	18	2.53	-1.33	0.39	2nd	0	0	0	4	0	0	2	18	8	10	4	10	0	4	
42.8	1.3	.248	89	5.9	22	5.51	+2.13	0.86	23rd	0	0	0	1	0	2	2	12	8	12	8	10	8	0	
44.7	1.6	.260	87	5.9	20	2.90	+0.37	0.59	13th	2	2	1	0	0	8	2	2	0	2	8	32	6	0	
51.8	3.0	.310	79	5.0	13	2.59	+0.03	0.64	3rd	0	0	0	1	0	6	0	6	2	6	4	18	10	10	
52.4	1.5	.348	89	6.1	20	3.90	+1.37	1.20	16th	0	0	0	1	1	8	0	2	0	10	4	22	12	2	
59.0	2.0	.443	88	6.8	17	2.49	-0.66	0.57	3rd	0	0	1	2	0	2	0	6	4	16	8	6	14	6	
59.4	2.0	.443	88	5.4	25	4.04	+0.04	0.70	21st	0	0	3	0	0	2	0	2	6	24	2	20	2	4	
53.3	1.7	.356	88	6.4	21	6.08	+2.61	1.14	28th	0	0	0	1	2	6	2	0	2	6	6	20	14	4	
49.1	1.0	.326	93	5.9	18	4.44	-0.01	0.85	24th	0	0	0	0	1	2	0	2	4	4	12	16	2	20	
43.0	1.3	.248	89	5.5	20	5.66	+0.67	1.41	1st	0	0	0	0	5	6	0	8	2	10	4	14	10	6	
35.7	0.7	.196	93	5.5	9	1.54	-4.04	0.44	5th	0	0	0	4	3	2	2	28	8	10	0	0	0	12	
					227	48.00	+3.17	1.41																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
			Mean at Mean Sea Level and 32° Fahr. †	Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Lanark. GLASGOW (The Univer- sity)— Professor J. R. Currie, M.D., D.P.H. (9, —, —.)	139	Jan.	29.549	44.9	36.5	40.7	+2.1	54	9th	22	20th
		Feb.	29.944	45.6	35.9	40.7	+1.6	51	7th	24	13th
		Mar.	29.574	49.8	38.9	44.3	+3.7	62	21st	31	13th
		Apl.	29.821	50.2	39.7	44.9	-0.1	56	17th	29	28th
		May	30.041	56.5	42.7	49.6	-0.7	76	8th	31	1st
		June	29.801	58.1	45.9	52.0	-3.8	64	15th	39	10th
		July	29.847	66.3	54.0	60.1	+2.1	73	17th	50	2nd, 17th
		Aug.	29.764	64.5	53.1	58.8	+1.7	72	4th	45	25th
		Sept.	29.843	58.4	47.0	52.7	-0.8	70	3rd	39	27th
		Oct.	29.904	55.5	44.5	50.0	+2.6	65	7th	32	21st
		Nov.	29.876	47.5	39.4	43.5	+0.9	62	2nd	26	8th
		Dec.	29.966	39.3	33.4	36.3	-3.2	51	5th	25	18th
		Year	29.827	53.1	42.6	47.8	+0.5	76		22	
THORNTONHALL— J. Dowie, for A. Henderson Bishop. (9, —, —.)	440	Jan.	...	42.5	33.6	38.1	...	51	9th	15	20th
		Feb.	...	44.6	32.5	38.5	...	49	3rd	20	13th
		Mar.	...	48.7	35.7	42.2	...	61	21st	23	13th
		Apl.	...	49.2	35.7	42.5	...	55	18th	23	28th
		May	...	55.8	38.9	47.3	...	75	8th	23	1st
		June	...	57.9	41.8	49.9	...	66	17th	34	10th, 11th
		July	...	66.6	50.5	58.5	...	73	17th, 22nd	42	17th
		Aug.	...	64.8	49.6	57.2	...	72	4th	39	25th
		Sept.	...	57.7	43.7	50.7	...	70	3rd	33	27th
		Oct.	...	55.2	41.0	48.1	...	64	7th	26	21st
		Nov.	...	45.4	35.1	40.3	...	60	1st	20	8th
		Dec.	...	37.0	28.8	32.9	...	48	6th	17	20th
		Year	...	52.1	38.9	45.5	...	75		15	
DUNGAVEL— A. K. Foulis, for the Duke of Hamilton and Brandon. (9, —, —.)	798	Jan.	...	41.4	34.5	37.9	...	49	9th	20	18th
		Feb.	...	43.2	32.4	37.8	...	49	25th	17	12th
		Mar.	...	46.8	34.9	40.9	...	60	21st	25	13th
		Apl.	...	47.3	34.8	41.1	...	56	16th	23	28th
		May	...	53.7	38.0	45.9	...	75	8th	25	1st
		June	...	55.5	40.7	48.1	...	62	14th, 17th	31	10th
		July	...	64.2	50.5	57.3	...	71	18th	46	18th, 29th
		Aug.	...	62.7	49.1	55.9	...	71	5th	40	25th
		Sept.	...	55.9	42.9	49.4	...	69	4th	32	27th
		Oct.	...	53.1	40.9	47.0	...	63	7th, 8th	29	21st
		Nov.	...	43.7	35.0	39.3	...	59	1st, 2nd	19	8th
		Dec.	...	36.2	29.5	32.9	...	46	5th, 6th	16	20th
		Year	...	50.3	38.6	44.5	...	75		16	
LEADHILLS (The Schoolhouse)— Wm. B. Smith. (9, —, —.)	1310	Jan.	...	38.6	31.9	35.3	+1.8	47	9th	19	20th
		Feb.	...	41.5	30.4	35.9	+2.0	51	16th	18	10th, 11th
		Mar.	...	44.4	33.8	39.1	+3.5	57	21st	22	15th
		Apl.	...	46.0	34.6	40.3	+0.4	54	10th	21	28th
		May	...	55.7	38.6	47.1	+1.5	76	8th	29	12th
		June	...	57.4	38.3	47.9	-3.8	62	15th	31	12th, 14th
		July	...	64.1	49.0	56.5	+2.6	72	11th	42	2nd
		Aug.	...	60.2	49.0	54.6	+1.9	69	4th, 5th	38	25th
		Sept.	...	54.7	41.0	47.9	-1.3	68	5th, 6th	32	27th
		Oct.	...	53.0	40.0	46.5
		Nov.	...	43.0	35.0	39.0
		Dec.	...	36.0	28.0	32.0
		Year	...	49.5	37.5	43.5	...	76	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS. :																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	N.							N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
°	°	Inch.	%			Inch.	Inch.	Inch.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Linlithgow. BANGOUR (The Asylum)— John Keay, M.D. (9 —, 21.)	587	Jan.	...	41·6	32·9	37·3	...	51	9th	17	20th
		Feb.	...	43·5	33·0	38·3	...	49	15th, 26th	21	13th
		Mar.	...	47·6	35·9	41·7	...	60	21st	27	13th, 15th
		Apl.	...	48·9	35·1	42·0	...	58	18th	23	28th
		May	...	53·5	38·4	45·9	...	67	8th	25	1st
		June	...	56·6	41·6	49·1	...	64	15th	33	10th
		July	...	64·3	50·0	57·1	...	72	10th	42	17th, 18th
		Aug.	...	62·7	49·2	55·9	...	69	4th, 5th, 9th	41	18, 20, 24
		Sept.	...	56·4	43·6	50·0	...	67	1st	37	27th
		Oct.	...	53·6	41·5	47·5	...	64	7th	24	21st
		Nov.	...	44·9	35·0	39·9	...	60	2nd	22	8th, 30th
		Dec.	...	36·6	28·7	32·7	...	49	6th	14	17th
		Year	..	50·9	38·7	44·8	...	72		14	
Midlothian. EDINBURGH (The Royal Obser- vatory)— Professor R. A. Sampson, F.R.S. (9, —, 21.)	441	Jan.	29·524	43·7	35·4	39·5	+1·5	52	9th, 10th	26	20th
		Feb.	29·946	45·0	35·5	40·3	+2·0	52	26th	25	11th
		Mar.	29·606	48·5	38·6	43·5	+3·6	61	21st	31	15th
		Apl.	29·814	49·9	37·4	43·7	-0·1	59	18th	26	28th
		May	30·056	53·0	41·4	47·2	-1·3	63	24th	30	1st
		June	29·816	57·0	44·3	50·7	-3·3	64	12th, 17th	37	9th, 10th
		July	29·864	63·9	52·3	58·1	+1·2	72	10th	47	2nd, 17th
		Aug.	29·786	63·8	52·3	58·1	+1·4	71	9th	46	20th, 21st
		Sept.	29·739	57·6	45·9	51·7	-1·6	70	1st	40	27th
		Oct.	29·914	54·3	43·9	49·1	+1·7	63	6th, 7th	34	20th, 21st
		Nov.	29·891	46·3	38·0	42·1	-0·1	63	2nd	27	8th
		Dec.	29·994	38·5	32·2	35·3	-3·6	49	6th	24	19th
		Year	29·829	51·8	41·4	46·6	+0·1	72		24	
EDINBURGH (The Univer- sity)— Professor Sir T. Hudson Beare, F.R.S.E. (9, —, —.)	227	Jan.	...	44·4	36·7	40·5	...	53	9th, 10th	27	20th, 21st
		Feb.	...	45·3	36·1	40·7	...	52	26th	27	13th
		Mar.	...	49·5	40·0	44·7	...	63	21st	34	13th, 15th
		Apl.	...	51·7	39·1	45·4	...	61	18th	29	28th
		May	...	54·1	43·0	48·5	...	63	24th	33	1st
		June	...	58·9	46·3	52·6	...	65	17th	40	9th
		July	...	65·7	53·6	59·7	...	73	10th	48	1st, 2nd
		Aug.	...	65·1	53·8	59·5	...	72	3rd	47	24th
		Sept.	...	58·5	48·2	53·3	...	71	1st	41	27th
		Oct.	...	55·6	44·9	50·3	...	65	6th, 7th	34	21st
		Nov.	...	48·1	39·4	43·7	...	64	2nd	30	8th
		Dec.	...	39·5	33·7	36·6	...	51	6th, 7th	27	20th
		Year	...	53·0	42·9	48·0	...	73		27	
BOGHALL. Edinburgh and East of Scotland College of Agri- culture. (9, —, —.)	645	Jan.	...	41·6	34·5	38·1	...	52	9th	23	19th, 20th
		Feb.	...	44·3	33·8	39·1	...	50	15th, 16th	23	11th
		Mar.	...	47·4	37·8	42·6	...	61	21st	29	7th
		Apl.	...	48·5	36·0	42·3	...	57	18th	25	28th
		May	...	52·7	40·0	46·3	...	65	8th	28	1st
		June	...	56·6	42·9	49·7	...	64	15th, 17th	36	9th, 10th
		July	...	64·3	50·5	57·4	...	71	10th	45	3rd
		Aug.	...	64·1	50·5	57·3	...	71	5th	43	20th, 24th
		Sept.	...	56·8	44·7	50·7	...	69	3rd	37	16th
		Oct.	...	54·1	42·9	48·5	...	66	7th	29	21st
		Nov.	...	45·4	37·5	41·5	...	61	1st	27	8th
		Dec.	...	38·1	30·8	34·5	...	47	6th, 7th	22	17th, 18th
		Year	...	51·2	40·2	45·7	...	71		22	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.									
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Number of Days with—					Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure	Humidity.	Amount.					Day of Month.	Snow.	Hail.	Thunderstorm.	Fog.	Gale.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm	
°	Inch.	%		Inch.	Inch.	Inch.	Inch.																	
36.9	0.9	.200	91	6.3	25	2.94	...	0.45	29th	13	1	0	1	3	1	0	1	1	17	30	10	1		
37.4	0.7	.203	93	7.3	16	1.50	...	0.32	21st	0	0	0	4	1	0	1	9	2	0	11	21	6	6	
40.7	1.5	.226	87	6.3	20	1.87	...	0.37	25th	2	4	1	0	0	2	1	4	4	3	14	14	16	4	
41.1	2.1	.210	81	6.4	19	1.44	...	0.25	25th	4	4	1	1	0	1	1	2	1	0	2	26	22	5	
45.5	2.5	.240	80	8.2	16	1.72	...	0.78	4th	0	0	1	3	0	5	3	16	9	0	4	12	6	7	
49.2	3.1	.270	77	7.9	18	3.40	...	0.67	16th	0	0	1	1	1	4	4	10	3	3	5	16	14	1	
56.4	2.1	.393	87	8.0	20	2.45	...	0.71	5th	0	0	5	4	0	1	4	19	5	4	12	8	2	7	
55.7	1.7	.403	89	7.9	22	7.07	...	1.30	14th	0	1	3	4	0	1	4	15	4	2	10	13	7	6	
49.3	1.0	.326	93	7.3	22	7.15	...	1.56	21st	0	0	3	2	1	5	2	8	4	0	4	18	11	8	
46.7	1.1	.296	91	6.4	19	3.69	...	0.76	21st, 25th	0	0	0	3	2	1	2	10	1	2	7	29	3	7	
39.7	1.2	.223	89	6.2	15	2.19	...	0.61	2nd	4	1	0	1	1	2	2	6	3	1	8	22	13	3	
33.0	0.9	.170	91	7.8	13	1.01	...	0.53	22nd	9	1	0	1	0	3	9	15	14	6	2	4	6	3	
					225	36.43	...	1.56																
39.1	2.1	.193	81	7.0	23	2.23	+0.49	0.35	27th	4	0	0	...	4	0	0	1	3	6	19	28	3	2	
39.4	1.6	.203	85	7.1	15	1.05	-0.54	0.21	21st	1	0	0	...	0	0	0	2	5	5	10	12	3	19	
42.5	2.5	.220	79	7.1	19	1.59	-0.20	0.38	23rd	1	0	1	...	0	0	0	2	9	13	8	14	9	7	
42.9	3.0	.210	75	6.7	17	1.60	+0.22	0.39	30th	2	0	0	...	1	5	1	0	0	1	7	34	8	4	
46.2	2.9	.243	77	8.1	15	2.10	+0.23	1.23	4th	0	0	0	...	0	5	10	11	3	4	2	11	7	9	
50.1	3.4	.276	76	7.3	18	2.98	+1.13	0.54	16th	0	0	0	...	1	4	7	4	3	7	7	16	8	4	
56.9	2.6	.393	84	7.7	14	2.22	-0.41	0.68	21st	0	0	3	...	0	1	11	14	6	13	3	6	3	5	
56.8	2.3	.403	85	7.7	20	6.79	+3.70	1.45	8th	0	0	4	...	0	0	7	7	4	4	8	18	2	12	
51.1	2.4	.313	83	7.1	20	7.91	+6.03	2.08	22nd	0	0	1	...	1	4	7	3	1	3	10	19	9	4	
48.5	2.2	.293	83	6.1	15	3.13	+0.53	0.91	21st	0	0	0	...	3	1	2	5	3	6	13	26	1	5	
41.7	2.1	.220	82	6.8	17	1.40	-0.75	0.26	2nd	2	0	0	...	2	7	1	9	3	6	6	24	2	2	
34.9	1.3	.176	87	8.7	12	1.44	-0.70	0.60	22nd	5	0	0	...	0	3	4	18	17	9	2	1	0	8	
					205	34.44	+9.73	2.08																
40.2	2.1	.200	81	...	22	2.08	+0.25	0.28	29th	
39.6	1.8	.210	84	...	16	1.04	-0.61	0.28	21st		
43.8	2.9	.223	76	...	17	1.36	-0.54	0.50	23rd.		
45.3	4.3	.198	66	...	14	1.54	+0.08	0.39	30th		
48.1	4.3	.230	69	...	12	2.03	+0.02	1.21	4th		
52.9	5.6	.253	63	...	18	3.42	+1.50	0.81	23rd		
59.4	4.1	.380	76	...	14	2.43	-0.36	0.84	21st		
59.3	4.1	.380	75	...	22	7.12	+3.86	1.51	8th		
52.9	3.2	.316	79	...	21	7.81	+5.83	2.11	21st		
59.0	1.7	.303	87	...	15	2.97	+0.25	0.95	21st		
53.4	2.3	.226	81	...	15	1.32	-0.96	0.28	2nd		
56.6	1.5	.190	85	...	11	1.67	-0.56	0.68	22nd		
					197	34.79	+8.76	2.11																
8.2	0.8	.213	92	6.9	23	2.18	...	0.19	24th	8	0	0	...	2	2	0	0	0	2	24	22	12	0	
8.3	1.1	.203	90	6.3	24	1.52	...	0.13	21st	1	0	0	...	0	2	0	0	2	4	6	24	2	16	
1.9	1.5	.233	87	7.0	18	2.40	...	0.48	23rd, 25th	1	1	1	...	0	2	4	4	4	6	24	8	10	0	
3.3	2.6	.216	79	6.8	19	1.77	...	0.33	4th	9	0	1	...	0	2	6	0	0	0	6	34	12	0	
6.3	2.3	.256	82	7.8	15	1.52	...	0.50	4th	0	0	0	...	0	2	22	8	2	2	10	8	8	0	
1.1	3.7	.278	74	7.3	20	3.24	...	0.65	16th	0	0	0	...	1	4	6	8	2	0	8	14	18	0	
8.0	2.4	.413	85	8.0	12	2.68	...	0.76	21st	0	0	3	...	0	0	18	10	4	6	12	6	6	0	
7.7	2.8	.403	83	7.2	21	7.95	...	1.77	8th	0	1	5	...	0	0	4	10	4	4	16	16	4	4	
1.8	2.3	.328	84	7.6	20	9.85	...	3.06	22nd	0	0	2	...	0	10	4	0	0	6	12	18	10	0	
8.7	1.4	.313	89	6.7	16	3.87	...	0.77	25th	0	0	0	...	0	0	6	2	0	4	26	20	2	2	
1.6	1.1	.243	91	7.1	20	2.51	...	0.43	3rd	4	0	0	...	0	2	0	6	4	4	14	12	14	4	
...	12	2.16	...	0.98	22nd	5	0	0	...	0	
					220	41.65	...	3.06																

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A	B			Maximum.	Day of Month.	Minimum.	Day of Month.
			Mean at Mean Sea Level and 32° Fahr. †	Maximum.	Minimum.						
	Feet.		Inch.	°	°	°	°	°		°	
Haddington. NORTH BERWICK— A. Robertson, C.E., Burgh Surveyor. (9, —, 17.)	152	Jan.	...	44.2	34.8	39.5	...	53	9th	27	20th
		Feb.	...	45.2	33.9	39.5	...	51	3rd	25	11th, 13th
		Mar.	...	50.3	38.5	44.4	...	64	21st	31	13th
		Apl.	...	52.5	37.2	44.9	...	61	18th	25	28th
		May	...	54.1	40.8	47.5	...	65	18th	27	1st
		June	...	59.7	44.4	52.1	...	67	17th	37	15th
		July	...	66.5	51.6	59.1	...	75	10th	46	8th, 17th, 20th
		Aug.	...	65.7	51.0	58.3	...	72	3rd, 5th	42	16th
		Sept.	...	59.4	47.3	53.3	...	73	3rd	39	27th
		Oct.	...	55.5	43.0	49.3	...	64	6th	28	21st
		Nov.	...	47.3	38.2	42.7	...	63	2nd	27	8th
		Dec.	...	39.5	31.5	35.5	...	52	6th	16	17th, 20th
		Year	...	53.3	41.0	47.2	...	75		16	
SMEATON— J. Chapman, for Sir A. Buchan- Hepburn, Bart. (9, —, —.)	100	Jan.	...	43.9	34.5	39.2	+1.5	53	9th	26	5th, 20th
		Feb.	...	46.1	32.7	39.4	+1.2	53	15th, 26th	22	11th, 13th
		Mar.	...	51.5	37.2	44.3	+3.3	65	21st	28	13th
		Apl.	...	53.1	36.2	44.7	-1.6	61	18th	25	28th
		May	...	56.1	40.1	48.1	-2.4	66	18th	29	1st
		June	...	61.0	42.6	51.8	-4.9	70	17th	35	10th, 14th
		July	...	66.7	51.9	59.3	-0.1	75	10th	42	17th
		Aug.	...	66.7	49.4	58.1	0.0	75	3rd	41	30th
		Sept.	...	59.5	45.0	52.3	-1.6	74	1st	36	27th
		Oct.	...	56.0	39.8	47.9	+1.1	64	6th	26	21st
		Nov.	...	47.2	36.7	41.9	+1.0	64	2nd	24	8th
		Dec.	...	39.4	31.4	35.4	-2.8	50	6th	20	17th 18th 20th
		Year	...	53.9	39.8	46.9	-0.4	75		20	
Berwick. MARCHMONT— P. Ross. (9, —, 21.)	498	Jan.	...	43.0	32.9	37.9	+1.5	53	9th	21	22nd
		Feb.	...	44.8	31.7	38.3	+1.1	53	16th	20	11th
		Mar.	...	49.3	35.9	42.6	+3.6	62	21st	29	7th
		Apl.	...	50.3	35.2	42.7	-0.6	60	18th	24	6th, 28th
		May	...	53.7	39.2	46.5	-1.8	68	8th	26	1st
		June	...	57.8	42.6	50.2	-3.7	64	15th	36	15th
		July	...	65.5	50.0	57.7	+1.0	75	10th	41	8th
		Aug.	...	64.5	49.1	56.8	+0.6	72	4th	41	27th
		Sept.	...	57.9	44.3	51.1	-1.5	71	3rd	36	28th
		Oct.	...	54.5	41.2	47.9	+1.7	65	6th, 7th	29	21st
		Nov.	...	46.0	35.9	40.9	0.0	64	2nd	25	11th
		Dec.	...	37.5	30.1	33.8	-3.2	48	6th	21	20th
		Year	...	52.1	39.0	45.5	-0.1	75		20	
Peebles. WEST LINTON— W. Mackie. (9, —, —.)	770	Jan.	...	41.2	31.8	36.5	+2.3	51	9th	12	20th
		Feb.	...	43.4	30.5	36.9	+1.5	48	3rd, 26th	16	2nd, 9th, 13th
		Mar.	...	47.5	34.3	40.9	+4.0	60	21st	22	13th
		Apl.	...	47.3	32.6	39.9	-1.4	55	18th	21	28th
		May	...	54.0	36.5	45.3	-1.4	74	8th	23	1st, 2nd
		June	...	55.5	40.2	47.9	-4.6	63	15th 16th 17th	30	10th
		July	...	65.4	47.9	56.7	+1.7	74	10th	37	17th
		Aug.	...	65.1	48.3	56.7	+2.7	73	5th	34	30th
		Sept.	...	56.2	41.3	48.7	-1.4	72	4th	30	16th
		Oct.	...	54.0	37.7	45.9	+1.8	64	7th	19	21st
		Nov.	...	44.2	33.6	38.9	+1.0	60	1st, 2nd	16	30th
		Dec.	...	36.8	26.6	31.7	-3.1	48	6th	11	18th
		Year	...	50.9	36.8	43.8	+0.2	74		11	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS.†									
Mean.†					Mean (0-10.)†	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.								
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.															N.
°	°	Inch.	%			Inch.	Inch.	Inch.																
39.2	1.5	.206	86	6.5	19	1.25	...	0.30	28th	4	0	0	0	3	0	0	2	0	10	30	14	6	0	
34.5	1.3	.210	88	5.8	14	0.97	...	0.14	25th	0	0	0	1	0	0	2	0	6	16	20	10	0	2	
44.2	2.2	.236	82	6.1	18	1.57	...	0.21	3rd	0	0	0	1	0	4	0	6	14	6	12	12	8	0	
46.0	4.0	.216	69	5.6	13	0.59	...	0.11	4th	2	0	0	0	0	2	6	0	0	2	4	34	12	0	
48.6	3.7	.253	73	7.6	13	1.57	...	0.60	4th	0	0	0	1	0	2	20	8	2	0	6	10	14	0	
53.6	4.8	.290	69	5.9	16	1.94	...	0.61	25th	0	0	1	1	1	4	8	12	2	2	10	18	4	0	
59.9	3.3	.420	81	7.4	14	2.12	...	0.47	7th	0	0	3	0	0	2	16	8	8	6	6	12	2	2	
59.9	3.2	.423	81	6.0	16	5.72	...	1.69	14th	0	0	1	1	0	0	12	14	2	0	10	14	10	0	
53.5	2.5	.336	83	6.6	19	5.40	...	1.59	21st	0	0	2	0	0	2	6	10	2	2	6	18	14	0	
48.6	1.7	.303	87	6.7	15	2.83	...	0.80	21st	0	0	0	0	2	4	0	10	2	4	16	26	0	0	
43.2	2.2	.226	81	6.8	18	1.86	...	0.41	1st	2	0	0	0	0	8	0	6	8	4	16	14	4	0	
36.5	1.7	.183	83	8.1	15	2.80	...	0.63	22nd	8	4	0	0	0	0	10	18	26	2	2	4	0	0	
...	190	28.62	...	1.69	
...	7.3	16	1.55	0.00	0.25	28th	2	0	0	0	2	4	0	0	2	0	8	34	14	0	
...	6.1	12	0.79	-0.65	0.12	7th	0	0	0	2	0	6	0	6	6	6	2	24	6	0	
...	6.4	18	1.70	-0.05	0.27	27th	0	0	0	1	0	12	0	4	8	12	8	10	8	0	
...	6.2	13	0.95	-0.36	0.22	25th	2	0	1	0	0	10	4	0	0	0	4	28	14	0	
...	7.8	12	1.77	-0.28	0.58	4th	0	0	0	2	0	0	12	18	4	0	6	18	4	0	
...	17	2.75	+0.97	0.95	25th	0	0	2	0	1	4	4	6	0	2	2	34	8	0	
...	7.6	14	3.48	+0.74	0.83	7th	0	0	4	1	0	0	4	22	6	12	8	2	8	0	
...	6.9	18	6.45	+3.30	1.21	8th	0	0	3	0	0	0	0	8	4	8	10	18	14	0	
...	7.4	20	5.73	+3.77	1.55	21st	0	0	0	0	0	10	6	8	0	2	2	14	18	0	
...	6.7	14	2.46	-0.31	0.57	25th	0	0	0	1	3	0	2	16	6	0	4	30	4	0	
...	6.9	19	2.09	-0.13	0.38	1st	3	2	0	0	0	8	4	4	12	2	6	22	2	0	
...	8.3	14	3.19	+1.04	0.72	22nd	6	0	0	0	0	0	8	28	14	6	0	2	4	0	
...	187	32.91	+8.04	1.55	
37.2	1.5	.190	85	6.3	22	2.40	+0.15	0.40	27th	4	0	0	...	2	2	0	0	0	7	28	14	11	0	
37.3	1.5	.190	85	6.3	15	1.03	-1.05	0.19	25th	0	0	0	...	0	0	0	2	11	0	25	12	6	0	
41.3	1.7	.220	85	6.6	22	2.67	+0.02	0.36	22nd	1	1	0	...	0	6	3	4	1	7	20	16	5	0	
41.8	2.3	.216	80	6.0	24	1.82	-0.20	0.25	25th	5	3	0	...	0	3	2	0	0	1	15	23	16	0	
45.7	2.3	.256	82	8.0	14	2.78	+0.31	0.68	4th	0	0	0	...	0	23	12	1	0	1	5	15	5	0	
50.0	2.5	.298	82	6.7	15	3.74	+1.43	1.15	25th	0	0	2	...	1	4	10	4	2	4	10	15	11	0	
56.5	2.1	.408	87	7.5	15	3.40	+0.35	0.85	27th	0	0	5	...	0	7	24	1	1	4	18	6	1	0	
56.6	2.1	.408	87	7.3	28	7.98	+4.67	2.22	8th	0	0	5	...	0	1	8	3	7	3	24	5	11	0	
50.5	1.9	.326	87	6.5	19	6.04	+3.63	2.10	21st	0	0	1	...	0	4	4	1	4	0	16	17	14	0	
47.1	1.7	.280	87	6.5	20	2.71	-1.11	0.70	21st	0	0	0	...	3	5	0	11	0	1	11	28	6	0	
40.2	1.6	.213	86	6.1	25	3.31	+0.31	0.45	1st	4	0	0	...	0	8	0	8	3	1	18	15	7	0	
34.1	1.1	.170	89	8.3	23	2.72	-0.09	0.92	22nd	7	0	0	...	0	11	17	1	14	6	1	0	12	0	
...	242	40.60	+8.38	2.22	
37.9	1.6	.196	85	...	28	4.03	...	0.38	8th	11	0	0	2	6	0	4	0	2	0	32	16	8	0	
37.3	0.8	.203	92	8.0	18	1.61	...	0.44	3rd	0	0	0	6	0	2	4	0	10	8	20	8	4	0	
42.9	2.2	.226	81	8.0	25	3.09	...	0.55	25th	10	3	1	1	0	2	8	0	12	8	18	6	8	0	
41.3	2.1	.210	81	8.0	28	3.28	...	0.46	13th	15	2	0	1	1	8	2	0	6	2	18	8	16	0	
46.6	2.2	.270	83	8.0	20	2.08	...	0.58	4th	0	1	1	2	0	2	12	10	8	2	12	10	6	0	
49.3	2.9	.276	79	8.0	24	3.94	...	0.88	16th	1	3	0	1	2	2	4	8	12	0	12	12	10	0	
58.2	2.5	.410	85	8.3	23	2.61	...	0.83	5th	0	0	6	3	0	2	14	8	4	12	16	4	2	0	
56.5	2.3	.386	85	8.0	24	6.74	...	1.38	8th	0	1	6	1	1	2	6	2	14	6	18	8	6	0	
51.1	2.0	.323	86	7.8	24	8.03	...	1.67	21st	0	0	1	1	2	0	12	2	8	2	14	10	12	0	
47.6	1.8	.293	86	7.2	21	4.89	...	1.26	25th	0	0	0	...	4	0	2	8	6	8	16	18	4	0	
40.5	1.9	.216	83	7.9	27	3.59	...	0.69	2nd	9	1	0	...	0	2	8	4	6	2	20	4	14	0	
33.7	1.4	.168	85	8.3	20	1.87	...	0.46	22nd	12	1	0	...	1	2	12	14	18	10	4	2	0	0	
...	282	45.76	...	1.67	

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER.	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
	Feet.		Inch.	°	°	°	°	°		°	
Roxburgh. KELSO (Broom- lands)— J. C. Scott. (9, —, —.)	195	Jan.	...	43·8	33·6	38·7	+1·5	56	8th	22	20th
		Feb.	...	45·7	30·1	37·9	−0·2	54	16th	19	11th, 13th
		Mar.	...	50·4	36·5	43·5	+3·8	63	21st	28	7th
		Apl.	...	51·7	35·9	43·8	−1·2	61	18th	25	28th
		May	...	56·6	40·3	48·5	−1·0	71	8th	24	1st
		June	...	59·9	43·1	51·5	−4·0	68	12th	35	10th, 15th
		July	...	66·8	50·6	58·7	+0·7	77	10th	44	3, 6, 8, 20
		Aug.	...	66·3	49·2	57·7	+0·6	73	4th, 5th	40	30th
		Sept.	...	59·7	44·6	52·1	−1·2	71	3rd, 5th	34	16th
		Oct.	...	56·0	40·9	48·5	+2·0	67	7th	26	21st
		Nov.	...	46·8	35·9	41·3	+0·6	65	2nd	23	8th
		Dec.	...	37·8	29·1	33·5	−4·2	50	6th, 7th	16	17th
		Year	...	53·5	39·1	46·3	−0·2	77		16	
WOLFELEE— James Hay. (9, —, —.)	537	Jan.	...	41·7	31·9	36·8	+1·2	52	9th	16	20th
		Feb.	...	44·5	30·0	37·3	+0·7	52	16th, 26th	15	2nd 11th 12th
		Mar.	...	48·1	34·4	41·3	+2·8	64	21st	24	13th
		Apl.	...	50·4	33·4	41·9	−1·3	58	18th	20	28th
		May
		June	42·3	32	14th
		July	49·5	40	8th 17th 19th
		Aug.	...	64·9	48·3	56·6	+0·5	73	5th	37	30th
		Sept.	...	57·6	42·4	50·0	−2·6	69	5th	31	16th
		Oct.	...	53·9	39·5	46·7	+1·4	64	7th	23	21st
		Nov.	...	44·6	34·6	39·6	−0·4	61	2nd	16	8th
		Dec.	...	36·4	28·6	32·5	−4·4	46	6th	9	29th
		Year
Dumfries. ESKDALEMUIR (The Observa- tory)— The Meteorologi- cal Office. (7, —, 18.)	778	Jan.	29·566	40·8	32·2	36·5	...	51	9th	14	20th
		Feb.	29·962	42·2	29·7	35·9	...	47	20th	14	11th
		Mar.	29·589	46·5	33·6	40·1	...	61	21st	22	4th
		April	29·826	48·0	32·7	40·4	...	55	18th	20	28th
		May	30·033	54·8	37·0	45·9	...	74	8th	24	1st
		June	29·803	56·5	40·5	48·5	...	63	13th	30	10th
		July	29·836	64·4	50·2	57·3	...	73	10th	44	16th
		Aug.	29·766	62·8	48·1	55·4	...	70	5th	38	20th
		Sept.	29·683	56·5	41·8	49·2	...	68	5th	31	16th
		Oct.	29·919	53·3	39·2	46·2	...	66	7th	24	21st
		Nov.	29·896	44·4	33·4	38·9	...	60	2nd	20	13th
		Dec.	29·956	35·3	29·1	32·2	...	47	6th	16	31st
		Year.	29·820	50·5	37·3	43·9	...	74		14	
DUMFRIES (Crich- ton Royal)— C.C. Easterbrook, M.D., and E. Joss. (9, —, 21.)	140	Jan.	...	44·4	35·5	39·9	+1·9	54	9th	19	20th
		Feb.	...	44·6	33·7	39·1	+0·3	50	6th 26th 27th	21	12th
		Mar.	...	49·1	37·1	43·1	+2·3	63	21st	29	15th
		April	...	50·3	37·0	43·7	−1·7	55	14, 15, 18, 20	25	28th
		May	...	57·6	41·2	49·4	−1·5	76	7th, 8th	26	1st
		June	...	59·0	44·0	51·5	−5·4	65	13th	34	10th
		July	...	67·5	53·5	60·5	+1·5	77	10th	46	8th
		Aug.	...	65·8	51·2	58·5	+0·5	76	6th	40	18th
		Sept.	...	59·2	45·6	52·4	−1·9	71	3rd, 5th	39	12th, 27th
		Oct.	...	56·0	42·4	49·2	+1·4	66	7th	27	21st
		Nov.	...	47·3	36·6	41·9	−0·4	62	2nd	24	9th
		Dec.	...	38·4	31·1	34·7	−4·1	50	6th	21	20th
		Year	...	53·3	40·7	47·0	−0·6	77		19	

HYGROMETER.				CLOUD.	RAIN, AND OTHER FORMS OF PRECIPITATION.					WEATHER.					WIND DIRECTIONS. ‡												
Mean. †					Mean (0-10.) †	Number of Days.	Total Fall.	Difference from Average.	Most in a Day.		Snow.	Hail.	Thunderstorm.	Fog.	Gale.	Number of Observations.											
Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Amount.					Day of Month.	N.						N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm				
°	°	Inch.	%			Inch.	Inch.	Inch.																			
...	7.0	22	1.87	+0.12	0.32	29th	3	0	0	2	2	0	0	0	0	0	48	14	0	0	0	0	0	0
...	6.9	14	0.68	-1.02	0.13	25th	0	0	0	5	0	2	4	4	10	12	18	4	2	0	0	0	0	
...	7.3	19	1.76	-0.19	0.43	27th	1	1	0	1	0	0	6	8	10	8	30	0	0	0	0	0	0	
...	7.1	18	1.37	-0.20	0.28	25th	2	0	0	0	0	2	2	6	0	4	32	6	8	0	0	0	0	
...	7.1	12	1.49	-0.44	0.61	4th	0	0	1	1	0	2	8	28	2	0	14	4	4	0	0	0	0	
...	7.2	18	2.66	+0.55	0.74	25th	0	0	2	0	1	0	4	18	2	0	16	18	2	0	0	0	0	
...	8.0	11	2.78	+0.15	0.74	21st	0	0	5	0	0	0	6	16	6	8	10	16	0	0	0	0	0	
...	7.7	21	6.04	+3.09	1.61	13th	0	0	3	3	0	0	6	12	0	0	32	12	0	0	0	0	0	
...	6.8	16	4.70	+2.80	1.72	21st	0	0	2	0	1	0	10	10	2	2	22	10	2	2	0	0	0	
...	5.9	17	1.77	-1.14	0.60	21st	0	0	0	2	2	0	2	10	4	2	22	20	2	0	0	0	0	
...	7.4	20	2.27	-0.04	0.40	6th	3	0	0	0	0	12	0	8	2	4	14	14	6	0	0	0	0	
...	7.7	17	2.00	-0.32	0.43	25th	5	0	0	3	0	0	4	26	10	8	10	4	0	0	0	0	0	
					205	29.39	+3.36	1.72																			
...	6.9	23	4.23	+1.03	0.72	27th	6	0	0	...	1	4	0	0	0	2	36	14	6	0	0	0	0	0
...	6.4	17	1.58	-1.68	0.35	22nd	0	0	0	...	1	0	2	0	0	6	38	8	2	0	0	0	0	0
...	6.7	22	2.85	-0.50	0.51	25th	3	0	0	...	0	2	6	0	0	14	26	8	6	0	0	0	0	
...	5.9	20	2.57	+0.31	0.65	4th	6	3	1	...	0	4	4	2	0	0	10	12	28	0	0	0	0	
...	14	2.04	-0.30	0.53	4th	
...	5.6	22	2.80	+0.46	0.60	26th	0	2	3	...	1	6	0	8	0	8	8	20	10	0	0	0	0	
...	14	3.56	+0.48	1.06	27th	0	0	5	...	0	6	18	0	0	4	24	2	8	0	0	0	0	
...	5.4	20	6.99	+3.65	1.56	8th	0	1	9	...	0	4	6	0	6	10	16	14	6	0	0	0	0	
...	6.2	22	6.42	+3.85	2.02	21st	0	0	2	...	1	6	4	2	4	4	10	16	14	0	0	0	0	
...	6.5	22	4.15	+0.31	0.82	28th	0	0	1	...	3	0	0	2	8	4	22	6	20	0	0	0	0	
...	6.5	27	3.56	-0.31	0.53	2nd	8	1	0	...	0	6	6	4	10	0	18	8	8	0	0	0	0	
...	7.3	19	2.83	-1.35	0.72	22nd	16	0	0	...	0	0	22	4	14	18	4	0	0	0	0	0	0	
					242	43.58	+5.95	2.02																			
37.1	1.2	.198	89	8.0	27	8.17	...	0.93	12th	13	5	0	1	3	4	2	1	0	10	22	16	2	5				
35.9	0.9	.198	91	7.9	17	3.41	...	0.89	3rd	4	0	0	7	0	4	2	3	2	7	13	5	3	17				
39.3	1.7	.206	85	8.2	23	4.37	...	0.62	2nd	4	2	0	3	0	8	4	3	3	11	12	6	5	10				
40.7	2.4	.203	79	7.3	25	4.23	...	0.71	22nd	8	8	1	1	0	6	1	0	2	3	17	7	14	10				
47.2	3.5	.248	75	7.7	10	3.85	...	0.80	4th	0	0	1	1	0	8	15	2	5	3	12	5	4	8				
50.0	3.8	.256	71	7.4	19	6.04	...	1.08	18th	0	2	3	0	0	4	7	1	3	6	10	16	8	5				
57.9	2.8	.400	83	8.1	16	5.16	...	0.97	5th	0	0	7	0	0	6	17	2	3	14	9	4	0	7				
55.7	2.2	.386	87	7.7	23	7.94	...	1.37	14th	0	0	7	3	0	6	8	3	4	7	13	4	2	15				
49.1	1.7	.313	87	7.6	23	8.94	...	1.90	29th	0	1	3	2	3	6	10	0	0	4	9	10	6	15				
45.1	1.3	.276	89	6.8	17	8.05	...	1.31	28th	0	1	1	0	3	5	5	3	0	6	12	6	4	21				
38.9	1.3	.216	88	6.5	23	6.87	...	1.31	3rd	5	1	0	1	1	10	4	3	5	9	13	1	4	11				
32.1	1.0	.163	87	7.3	14	1.79	...	0.89	22nd	13	1	0	0	0	14	17	9	4	3	0	0	1	14				
					237	68.80	...	1.90																			
39.2	1.3	.210	88	6.7	23	3.69	+0.66	0.50	24th	6	0	0	3	2	2	3	2	3	8	25	11	6	2				
38.2	0.9	.210	91	7.0	15	2.28	-0.80	0.46	21st	0	0	0	6	0	2	6	6	15	4	9	7	1	6				
41.8	1.7	.228	85	6.1	18	3.19	+0.37	0.54	23rd	0	0	0	1	0	3	5	5	11	8	9	9	7	5				
43.8	2.7	.226	78	5.5	18	1.74	0.48	0.43	4th	5	3	0	0	0	4	2	1	0	3	19	14	14	3				
49.9	3.7	.266	73	5.5	12	2.15	-0.44	0.72	2nd	0	0	1	0	0	4	11	14	5	1	7	6	10	4				
51.6	3.5	.298	76	6.9	18	3.77	+1.38	0.79	16th	0	1	0	0	0	4	6	4	3	5	12	14	11	1				
59.5	2.9	.416	83	7.5	22	7.10	+4.02	0.89	21st	0	0	4	0	0	2	12	8	12	12	6	5	4	1				
57.8	2.4	.413	85	6.3	22	5.98	+2.17	1.13	21st	0	0	4	0	0	1	6	10	9	7	13	9	5	2				
51.7	2.3	.328	84	5.9	21	6.01	+3.46	1.82	21st	0	0	1	2	0	3	7	3	6	7	9	14	11	0				
48.1	1.7	.293	87	5.8	17	4.10	+0.38	0.83	21st	0	0	0	2	1	5	4	4	0	7	20	3	7	12				
41.1	1.3	.230	89	5.3	17	3.98	+0.51	1.07	1st	1	0	0	1	0	9	4	7	3	7	13	4	8	5				
34.3	0.9	.176	91	7.3	9	1.61	2.42	0.65	22nd	9	1	0	2	0	5	11	26	11	0	0	0	4	5				
					212	45.60	+8.81	1.82																			

STATIONS, OBSERVERS' NAMES, AND HOURS OF OBSERVATION.*	Height of Stations above Sea Level.	Months.	BARO- METER. Mean at Mean Sea Level and 32° Fahr. †	AIR TEMPERATURE.							
				Mean of		Mean of A and B	Difference from Average.	Absolute Maximum and Minimum.			
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.
Dumfries (contd.) RUTHWELL (Cum- longon Castle)— W. Brown, for the Earl of Mansfield. (9, —, 21.)	Feet. 67		Inch.	°	°	°	°	°		°	
		Jan.	...	45·0	34·0	39·5	...	55	26th	19	20th
		Feb.	...	45·1	32·9	39·0	...	52	6th, 27th	21	6th, 11th
		Mar.	...	49·7	36·5	43·1	...	64	21st	27	12th
		Apl.	...	51·9	35·7	43·8	...	58	15th	24	28th
		May	...	59·4	39·6	49·5	...	79	8th	24	1st
		June	...	59·3	42·5	50·9	...	67	11th	31	10th
		July	...	69·0	52·8	60·9	...	82	10th	46	8th
		Aug.	...	66·9	50·6	58·7	...	78	5th	41	20, 24, 30
		Sept.	...	61·5	43·2	52·3	...	75	6th	34	17, 18, 27
		Oct.	...	57·4	40·2	48·8	...	67	10th	27	20th, 21st
		Nov.	...	48·0	34·0	41·0	...	61	2nd	20	9th
		Dec.	...	39·6	30·3	34·9	...	52	6th	17	17th
		Year.	...	54·4	39·4	46·9	...	82		17	
Kirkcudbright. CARGEN— Colonel R. F. Dudgeon, C.B. (9, —, —.)	85	Jan.	...	43·6	34·8	39·2	+1·1	54	9th	19	20th
		Feb.	...	45·2	32·2	38·7	−0·4	50	6th, 26th, 27th	21	12th
		Mar.	...	49·6	37·3	43·5	+2·8	63	21st	29	12th
		Apl.	...	51·9	37·9	44·9	−0·4	57	18th	24	28th
		May	...	59·0	41·5	50·3	−0·2	76	8th	25	1st
		June	...	61·5	43·3	52·4	−3·8	69	14th	33	10th
		July	...	67·8	50·5	59·1	+0·5	80	10th	46	8th, 17th
		Aug.	...	66·7	51·8	59·3	+1·6	75	5th	41	24th
		Sept.	...	60·5	45·1	52·8	−1·7	71	4th	37	16th, 27th
		Oct.	...	56·7	41·4	49·1	+1·8	67	7th	27	21st
		Nov.	...	47·7	35·7	41·7	−0·1	62	2nd	21	9th
		Dec.	...	38·7	30·1	34·4	−4·4	49	5th	20	17, 18, 19, 20
		Year	...	54·1	40·1	47·1	−0·3	80		19	

1927.	Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
	Mean.	Difference from Normal.	Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
			A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
	In.	In.	°	°	°	°	°	°	°	°
January ...	29·512	-0·356	43·5	35·5	39·5	+1·5	8·0	-0·8	58	10
February ...	29·934	+0·091	44·9	35·4	40·1	+1·7	9·5	-0·7	61	14
March ...	29·582	-0·219	49·3	38·3	43·8	+3·5	11·0	-0·6	65	18
April ...	29·795	-0·095	50·9	38·0	44·4	-0·1	12·9	-1·1	66	17
May ...	30·041	+0·093	55·3	41·6	48·4	-1·2	13·7	-1·3	80	16
June ...	29·800	-0·169	58·4	44·8	51·6	-3·7	13·6	-1·8	74	28
July ...	29·852	-0·048	65·7	53·1	59·4	+1·5	12·6	-1·7	82	37
August ...	29·757	-0·102	64·5	52·5	58·5	+1·3	12·0	-1·9	76	30
September ...	29·711	-0·237	58·2	46·1	52·1	-1·5	12·1	-1·5	75	30
October ...	29·894	+0·046	54·8	43·7	49·2	+1·9	11·1	-0·3	70	16
November ...	29·875	+0·054	46·5	38·2	42·3	+0·2	8·3	-1·4	65	9
December ...	29·978	+0·236	38·6	32·8	35·7	-3·1	5·8	-3·1	53	0
Means ...	29·811	-0·059	52·5	41·7	47·1	+0·2	10·9	-1·3	—	—

1927.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 730.								
	Scotland.	England and Wales.	Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	%	%	%	%									
January ...	130	122	132	126	0	1	1	4	7	25	14	8	2
February ...	67	134	88	108	0	1	7	8	7	16	8	3	6
March ...	93	136	138	126	1	1	6	12	7	15	9	7	4
April ...	145	107	69	107	3	1	1	3	3	17	16	15	1
May ...	100	56	65	69	5	9	9	7	3	10	7	9	3
June ...	165	163	135	158	3	5	5	7	4	13	10	11	2
July ...	99	133	113	120	2	7	10	13	10	6	7	4	3
August ...	121	155	126	140	2	5	10	9	6	15	7	3	5
September ...	200	233	159	209	3	6	5	4	4	13	9	13	3
October ...	139	69	94	90	1	3	4	5	5	20	14	5	5
November ...	106	121	93	111	2	2	7	7	6	16	12	7	1
December ...	44	95	75	78	3	9	18	17	3	3	2	4	3
Year ...	117	127	107	120	25	50	83	96	65	169	115	89	38

* In this Table the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports for 1927 already published by the Registrar-General for Scotland and refer only to some of the Principal Towns of Scotland. Those for the Absolute Extremes of Temperature refer to Scotland as a whole, as represented by the Abstract of Meteorological Observations for 1927 in the present Report. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

1927.	At Depth.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Baltasound ...	1 Ft.	38.8	39.8	42.2	41.5	44.0	49.2	55.6	55.9	51.5	46.1	41.3	38.1	45.3
Aberdeen ...	4 "	40.7	39.6	41.7	44.0	45.8	48.8	52.8	55.6	54.0	49.8	46.0	42.5	46.8
Craibstone ...	1 "	36.3	36.8	40.4	42.6	45.9	50.6	56.6	57.9	52.0	47.4	41.5	37.5	45.5
... ..	4 "	39.4	38.4	40.4	42.7	44.6	47.9	52.3	55.3	53.5	49.2	45.2	41.5	45.9
Dundee ...	1 "	37.7	37.8	42.5	45.2	48.4	53.4	59.1	60.1	53.8	47.1	41.4	35.7	46.9
Kettins ...	1 "	36.5	36.5	41.6	44.7	49.7	54.7	60.8	60.3	53.7	47.8	41.4	36.2	47.0
St. Andrews ...	1 "	37.4	37.6	42.3	45.0	48.7	54.2	58.6	59.5	53.7	48.0	42.2	37.4	47.1
... ..	4 "	40.7	39.6	41.8	44.1	46.5	50.7	54.1	56.5	54.4	50.0	46.5	42.4	47.3
Stirling ...	1 "	37.7	37.5	42.4	46.0	51.0	55.8	60.5	60.9	55.3	48.7	42.2	37.3	47.9
... ..	4 "	42.3	40.6	42.2	44.1	46.1	49.0	52.0	55.7	55.8	53.0	50.1	47.0	48.2
Ford ...	1 "	39.6	39.3	42.6	45.4	49.8	53.9	58.9	60.4	55.8	50.1	44.3	38.8	48.2
... ..	4 "	42.0	40.3	42.2	44.5	47.3	51.2	54.6	57.6	56.2	51.8	48.3	43.7	48.3
Rothsay ...	1 "	39.4	39.5	42.3	44.8	50.6	54.8	58.9	59.2	54.1	48.7	43.3	38.2	47.8
... ..	4 "	43.2	42.1	43.7	45.5	47.9	51.4	53.7	56.3	54.7	51.1	48.2	44.6	48.5
Paisley ...	1 "	39.3	39.3	42.8	46.2	50.7	55.5	60.1	60.2	54.7	49.0	43.5	38.0	48.3
... ..	4 "	42.9	42.0	40.2	45.4	47.5	51.0	54.0	56.5	54.9	51.0	48.3	44.5	48.2
Glasgow (University) ...	4 "	42.0	40.7	42.3	44.4	46.9	50.8	54.3	57.2	55.6	50.8	47.0	43.1	47.9
Kilmarnock ...	1 "	38.9	38.5	42.8	45.4	51.4	54.7	59.3	59.7	55.0	49.6	43.0	37.5	48.0
... ..	4 "	42.8	41.7	43.2	45.2	48.0	51.5	54.4	57.1	56.1	52.4	49.1	45.2	48.9
Edinburgh (University)	1 "	38.5	37.8	42.1	44.5	48.6	53.9	58.5	59.5	54.2	48.3	42.8	37.7	47.2
... ..	4 "	41.9	40.5	42.6	44.8	47.0	51.1	54.6	57.5	55.3	51.0	47.3	43.1	48.1
... ..	12 "	48.5	47.3	46.3	46.4	46.8	48.1	49.6	51.5	53.2	53.2	52.2	50.8	49.5
Boghall ...	1 "	37.6	37.5	40.9	42.7	48.0	52.1	57.8	57.7	52.3	47.3	41.5	37.0	46.0
... ..	4 "	40.5	39.2	41.1	43.0	45.3	49.5	52.9	55.6	53.6	49.2	45.2	42.0	46.4
Smeaton ...	1 "	38.6	37.3	41.7	45.3	48.7	53.5	56.9	58.6	54.4	48.3	44.2	39.4	47.2
Dumfries ...	1 "	39.2	38.4	42.5	45.1	50.7	54.2	60.6	61.4	56.0	50.3	43.9	38.0	48.4
... ..	4 "	42.3	40.8	42.7	44.7	47.9	51.5	55.4	58.5	56.5	52.2	48.2	43.7	48.7

1927.	NUMBER OF HOURS.												YEAR.	YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.	Mean Daily Amount.
														Hours.
Baltasound ..	19	44	79	110	143	148	170	170	118	40	30	9	1080	2·96
Lerwick ...	26	39	78	121	134	147	171	153	126	36	52	15	1098	3·01
Deerness ...	32	55	99	119	103	181	162	159	107	68	53	22	1160	3·18
Kirkwall ...	47	73	117	112	97	162	148	136	97	78	56	26	1149	3·15
Stornoway ...	18	50	120	132	172	194	174	169	90	91	54	31	1295	3·54
Fortrose ...	39	94	132	148	162	185	152	166	90	95	62	41	1366	3·74
Fort Augustus ...	11	59	81	91	133	108	101	94	54	72	31	22	857	2·35
Inverness ...	31	95	123	130	141	160	145	147	72	90	55	41	1230	3·37
Nairn ...	39	93	129	134	139	169	143	158	77	93	53	39	1266	3·47
Gordon Castle	48	99	132	143	130	163	153	161	83	102	54	31	1299	3·56
Banff ...	49	87	136	153	120	184	150	165	87	99	49	21	1300	3·56
Aberdeen (K.C.) ...	59	69	97	166	105	157	136	161	88	100	62	20	1220	3·34
Craibstone ...	60	87	104	183	123	177	150	168	100	108	64	23	1347	3·69
Montrose ...	71	77	119	187	133	176	144	164	92	90	61	23	1337	3·66
Carnoustie ...	55	70	114	180	141	181	141	149	95	98	59	21	1304	3·57
Dundee (College Gardens) ...	64	68	97	176	145	165	132	142	92	104	64	19	1268	3·47
Arbroath ...	59	78	111	193	143	179	143	169	97	102	65	25	1364	3·74
Perth ...	47	51	102	202	165	179	153	136	102	106	61	18	1322	3·62
Leuchars ...	66	72	116	188	139	183	147	150	106	100	66	26	1359	3·72
Inchkeith ...	50	69	121	171	125	208	174	148	124	95	62	22	1369	3·75
St. Andrews ...	59	69	121	179	128	194	138	142	94	94	56	16	1290	3·54
Stirling ...	20	54	90	166	152	181	140	127	107	93	57	14	1201	3·29
Tiree ...	37	50	144	163	270	233	199	156	138	117	46	28	1581	4·33
Oban ...	18	44	99	134	229	200	151	128	97	82	53	36	1271	3·48
Helensburgh ...	33	42	107	146	178	184	151	138	107	94	71	31	1282	3·51
Cardross ...	31	37	104	145	158	168	128	131	101	86	61	21	1171	3·21
Rothestay ...	30	41	121	148	220	201	142	146	105	91	57	33	1335	3·66
Paisley ...	31	47	109	162	173	194	136	133	115	84	61	16	1261	3·45
Renfrew ...	29	43	102	155	165	188	133	132	108	85	60	12	1212	3·32
Thorntonhall ...	23	53	95	132	142	158	128	119	101	81	49	22	1103	3·02
Kilmarnock ...	25	53	103	154	190	189	141	135	105	89	51	30	1265	3·47
Turnberry ...	22	68	98	164	237	200	184	177	119	90	73	41	1473	4·03
Edinburgh ...	56	79	115	169	143	194	171	137	121	103	63	17	1368	3·75
Boghall ...	48	78	97	156	131	188	168	145	112	97	63	20	1303	3·57
North Berwick ...	41	67	107	165	137	200	162	156	103	82	44	11	1275	3·49
Marchmont ...	47	61	111	161	138	183	148	143	90	66	49	15	1212	3·32
Eskdalemuir ...	23	52	80	138	150	148	133	126	91	80	65	25	1111	3·04
Dumfries ...	34	44	95	132	198	182	149	161	115	95	74	28	1307	3·58
Ruthwell ...	29	52	91	127	175	173	139	133	103	87	59	24	1192	3·27

1927.		NUMBER OF HOURS—DIFFERENCE FROM NORMAL (1881-1915).												
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.
Deerness	+ 2	+ 1	0	-27	-75	+ 22	+24	+39	+ 2	- 8	+17	+ 2	- 1
Stornoway...	...	-10	- 8	+15	-22	-19	+ 16	+29	+36	-25	+ 5	+11	+ 8	+ 36
Aberdeen	+11	- 4	-20	+ 8	-82	- 27	-23	+11	-36	+ 5	+ 7	-16	-166
Edinburgh...	...	+ 7	+ 1	+ 1	+31	-30	+ 10	+ 4	-13	+ 1	+ 4	+ 2	-26	- 8
Marchmont	...	+ 5	- 6	+ 4	+16	-37	- 4	-20	- 5	-31	-17	- 2	-19	-116
Rothesay	- 1	-17	+18	+ 8	+36	+ 27	-25	+12	0	+ 5	+17	+ 9	+ 89

SUNSHINE.

PERCENTAGE OF POSSIBLE.												Year.	1927.
Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Mean.	
%	%	%	%	%	%	%	%	%	%	%	%	%	
9	17	22	25	26	26	30	35	30	13	14	5	24	Baltasound
13	15	21	28	25	26	31	32	33	11	23	8	24	Lerwick
15	22	27	28	20	33	30	33	28	21	23	11	26	Deerness
22	28	32	26	19	30	27	29	25	25	24	13	26	Kirkwall
8	19	33	31	33	36	33	36	23	28	23	16	29	Stornoway
17	36	36	35	32	35	28	35	23	30	26	20	31	Fortrose
5	22	22	21	26	20	19	20	14	23	13	11	19	Fort Augustus
13	36	34	30	28	30	27	31	19	28	23	20	27	Inverness
17	36	36	32	27	32	27	33	20	29	22	19	28	Nairn
21	38	36	33	25	31	29	34	22	32	22	15	29	Gordon Castle
22	33	37	36	23	34	28	35	23	31	21	10	29	Banff
26	26	27	39	21	30	26	24	23	31	26	10	27	Aberdeen (K.C.)
26	33	29	43	24	33	28	36	26	34	26	11	30	Craibstone
31	29	33	44	26	33	27	35	24	28	25	11	30	Montrose
23	26	31	43	28	34	27	32	25	30	24	10	29	Carnoustie
													Dundee (College
28	26	27	41	29	31	25	30	24	32	26	9	28	Gardens)
25	29	31	45	28	34	27	36	25	32	27	12	31	Arbroath
20	19	28	48	33	34	29	29	27	33	25	8	30	Perth
28	27	32	44	28	35	28	32	28	31	27	12	30	Leuchars
21	26	33	40	25	40	33	32	32	29	25	10	31	Inchkeith
25	26	33	42	25	37	26	30	25	29	23	7	29	St. Andrews
9	20	25	39	30	35	27	27	28	29	23	6	27	Stirling
16	19	39	39	53	44	38	33	36	36	19	13	35	Tiree
8	17	27	32	45	38	29	27	25	26	21	17	28	Oban
14	16	30	35	36	35	29	30	28	29	29	15	29	Helensburgh
13	14	28	34	31	32	24	28	26	27	25	10	26	Cardross
13	15	33	35	44	39	27	31	28	28	23	15	30	Rothsay
13	18	30	38	35	37	26	29	30	26	25	7	28	Paisley
12	16	28	37	33	36	25	28	28	27	24	5	27	Renfrew
10	20	26	31	28	30	25	26	27	25	20	10	25	Thorntonhall
10	20	28	37	38	36	27	29	27	28	21	14	28	Kilmarnock
9	25	27	39	47	39	35	38	31	28	29	19	33	Turnberry
24	30	32	40	28	37	33	29	32	32	25	8	31	Edinburgh
20	29	27	37	26	36	32	31	29	30	25	9	29	Boghall
17	25	29	39	27	38	31	33	27	26	18	5	28	North Berwick
20	23	30	38	28	35	28	31	23	21	20	7	27	Marchmont
10	19	22	33	30	29	26	27	24	25	26	11	25	Eskdalemuir
14	16	26	31	40	35	29	35	30	29	30	13	29	Dumfries
12	20	25	30	35	34	27	29	27	27	23	11	27	Ruthwell



MAP
showing the Stations
from which returns are made by
THE METEOROLOGICAL OFFICE
to the
Registrar General for Scotland.

